


# MOD: XB695

Зип Ощепит

Pagina 1

## EXPLODED VIEW DISEGNO ESPLOSO



# MOD: XB695

Зип Общепит

Pagina 2

## EXPLODED VIEW DISEGNO ESPLOSO



### DESCRIZIONE CODICI

|    |          |                                          |
|----|----------|------------------------------------------|
| 1  | 0D2125A0 | COPERCHIO BAKERLUX CHEFLUX               |
| 2  | 0D2132A0 | FIANCO SX XB69- XV59-                    |
| 3  | 0D2143A0 | FIANCO DX DYNAMIC XB695 XB595            |
| 4  | 0F1428A0 | SCHIENA ZINCATA XB69- XV59-              |
| 5  | 0E1303A0 | FONDO ZINCATO BAKERLUX CHEFLUX           |
| 6  | PD1060A0 | PORTE FISSA PIEDE CT BT                  |
| 7  | PD1063A0 | STAFFA BLOCCAGGIO PIEDE CT BT            |
| 8  | PE1985A0 | ASM SCHEDE CONTROLLO BAKERLUX            |
| 9  | VM1973A0 | CRUSCOTTO BAKERLUX DYNAMIC               |
| 10 | MS1010A0 | MASCHERINA SERIGRAFATA BAKERLUX/CHEFLUX  |
| 11 | VT1135A0 | VETRO INTERNO 743X620X6 BETFL            |
| 12 | VM1510A0 | BOCCOLA SCANALATA PERNO PORTA XBC/XVC    |
| 13 | VM1978A0 | TAPPO FULCRO INFERIORE PORTA CL BL       |
| 14 | TB2210A0 | COLONNINA SX BAKERLUX 6TG 50x50x1.2      |
| 15 | VM1977A0 | TAPPO FULCRO SUPERIORE PORTA CL BL       |
| 16 | VM1511A0 | BOCCOLA LISCIA PERNO PORTA CHEFFTOP      |
| 17 | TB2218A0 | LISTELLO INF. BL CL L= 854 20x20x1       |
| 18 | VM1896A0 | SUPPORTO VETRO INFERIORE                 |
| 19 | VT1255A0 | VETRO ESTERNO XB69- XC59-                |
| 20 | VM1976A0 | TAPPO ESTETICO COLONNINA PORTA CL BL     |
| 21 | TB2209A0 | COLONNINA DX BAKERLUX 6TG 50x50x1.2      |
| 22 | VM1897A0 | FERMO SUPPORTO VETRO SUPERIORE           |
| 23 | 0H2650A0 | CERNIERA INOX VETRO INTERNO XBC/XVC      |
| 24 | TF1010A0 | BOCCOLA TEFLON CERNIERA VETRO            |
| 25 | VM1180A0 | IMPUGNATURA MANIGLIA XVC204/304/504/704  |
| 26 | GN1342B0 | GN1000B-GUARNIZIONE PORTA XBC604-605     |
| 27 | 0H1450A0 | ANGOLO FACCIA MUFFOLA INOX XB-XV-XG      |
| 28 | VM1230A0 | CERNIERA SUP. ALLUMINIO VETRO            |
| 29 | GN1180A0 | GUARNIZIONE CERNIERE VETRO INT.          |
| 30 | OG1474A0 | CARTER PUNTATO XB69- XV59-               |
| 31 | TB2215A0 | TUBO INTERNO Umidita' XB69- XV59- Ø16x1  |
| 32 | RS1261A0 | RESISTENZA MOTORE BAKERLUX/CHEFLUX       |
| 33 | GN1326A0 | GUARNIZIONE RES. 70X22X0.8               |
| 34 | 0H4820A0 | STAFFA SOSTEGNO BULBO                    |
| 35 | OG1476A0 | DISTANZIALE CARTER BL CL                 |
| 36 | VN1030A4 | VENTOLA D196 H81 39 PALE DADO M8         |
| 37 | RS1150A0 | RESISTENZA CIRC. D=230 5 SPIRE           |
| 38 | 0H2551A0 | TAPPO PER TUBO DI SCARICO LIQUIDI INOX C |
| 39 | VT1195A0 | VETRO COPRILAMPADA BOROSILICATO TEMPRATO |
| 40 | GN1065A1 | GUARNIZIONE PORTALAMPADA DE=53.2         |
| 41 | GN1055A0 | OR 46x2 VMQ 70 ROSSO                     |
| 42 | VE1005A3 | LAMPADA HALOPIN 25W                      |
| 43 | VE1015A1 | PORTA LAMPADA SERIE 2 PER LAMPADA        |
| 44 | 0H6334A0 | STAFFA SOSTEGNO MUFFOLA BL CL            |
| 45 | VM1260A0 | CURVA A 90° RACCORDO SCARICO             |
| 46 | EL1252A0 | ELETTROVALVOLA H2O 1 VIA RID. VERDE      |
| 47 | VE1562A0 | PULSANTE UNIPOLARE NA                    |
| 48 | VN1130A0 | MOTORE FORNO 330W 230V 50/60HZ           |
| 49 | 0H3586A0 | LAMIERA PROTEZIONE MOTORE ZINCATO        |
| 50 | 0H6335A0 | LONGHERONE PIEDINI                       |

|    |           |                                         |
|----|-----------|-----------------------------------------|
| 51 | 0H6240A0  | LAMIERA CRUSCOTTO BAKERLUX CHEFLUX      |
| 52 | GN1140A1  | GUARNIZIONE PORTAMOTORE STAMP.          |
| 53 | 0H4305A1  | DISCO TENUTA ALBERO MOTORE INOX STP     |
| 54 | VM1146A1  | COPERCHIO CRUSCOTTO PORTA XBC/XVC       |
| 55 | VM1110A1  | COPERCHIO MANIGLIA SX CT BT             |
| 56 | VM1192A1  | COPERCHIO SCROCCO MANIGLIA CT BT        |
| 57 | VE1020A2  | MICROINTERRUTTORE PORTA MAGNETICO       |
| 58 | VM1201A1  | PIASTRINA SUPPORTO MICROPORTA MAGNETICO |
| 59 | VM1974A0  | PIASTRINA CHIUSURA CRUSCOTTO            |
| 60 | 0H6333A0  | CONTROSTAFFA PORTA FILETTATA BL CL      |
| 61 | PE1971A0  | ASSIEME RIARMO RJ45                     |
| 62 | VN1120B1  | VENTOLA RAFFREDDAMENTO 12V CABLATA      |
| 63 | VM1555A1  | SUPPORTO VENTOLA RAFFREDDAMENTO CT BT   |
| 64 | VM1556A0  | PROTEZIONE VENTOLA RAFFREDDAMENTO CT-BT |
| 65 | VM1195A0  | PIASTRINA COPRIFORI XVC204/304/504/704  |
| 66 | VM1240A0  | TAPPO NYLON SUPPORTO CONTROSTAFFA       |
| 67 | 0H2560A0  | CONTROSTAFFA ZINCATA PORTA C.T.         |
| 68 | VM1165B0  | STAFFA SUPERIORE PORTA CT BT            |
| 69 | VM1166A0  | COPERCHIO STAFFA SUPERIORE PORTA        |
| 70 | GN1275A0  | GUARNIZIONE CAMMINO SILICONE NERO XVC   |
| 71 | 0H3790A0  | LAMIERA TENUTA CAMMINO                  |
| 72 | VE1095A0  | TELERUTTORE GE 25A 230V 50/60           |
| 73 | PE1810B0  | SCHEDA DI POTENZA BAKERLUX              |
| 74 | VE1110A0  | CONDENSATORE 6,3 µF 450VAC 50/60Hz      |
| 75 | VM1745A0  | SUPPORTO PER SCHEDA                     |
| 76 | VM1075A1  | CLIP DI FISSAGGIO PER TELERUTTORI       |
| 77 | 0H6361A0  | LAMIERA FISSAGGIO TELERUTTORI           |
| 78 | 0H6357A0  | SUPPORTO COMPONENTI BL DYNAMIC          |
| 79 | VM1750A0  | MORSETTIERA A PETTINE                   |
| 80 | VM1967A0  | TAPPO FORO DIO                          |
| 81 | VM1505A0  | PASSAPARETE CON DIAFRAMMA               |
| 82 | MR1004A0  | MORSETT. 7FTW GV V0 VL CU 1+2+3/4+5+6   |
| 83 | VM1310A0  | SCATOLA COPRI MORSETTIERA XB/XV/XVC/XG  |
| 84 | CE1460A1  | CAVO 5X4MMQ H07RN-F L=1,8MT             |
| 85 | VM1191A2  | SCROCCO MANIGLIA SX CT BT               |
| 86 | VM1461A0  | COPERCHIO SX SCROCCO PORTA XBC/XVC      |
| 87 | VM1975A0  | STAFFA INFERIORE SOSTEGNO PORTA         |
| 88 | TB1980A0  | TB1815A-ALLACCIAMENTO FORNI ALLA RETE   |
| 89 | EL1375A0  | FILTRO ACQUA Ø8 MESH100                 |
| 90 | RC1210A1  | RACCORDO 3/4 VALVOLA DI NON RITORNO     |
| 91 | GN1200A0  | GUARNIZIONE D=24 RACCORDO 3/4 GOMMA     |
| 92 | EL1185A0  | RACCORDO A GOMITO J.GUEST Ø8 - Ø8       |
| 93 | EL1345A0  | CLIP BLOCCA PINZETTA RACCORDI Ø8        |
| 94 | EL1195A0  | RACCORDO A GOMITO CON J.GUEST           |
| 95 | GRL1290A0 | SUPPORTO LAT. SX BL 6 600X400           |
| 96 | GRL1291A0 | SUPPORTO LAT. DX BL 6 600X400           |

**MOD: XB695**

Зип Общепит

Pagina 3

**EXPLODED VIEW  
DISEGNO ESPLOSO**



vsezip.ru

+7(812)987-08-81

# MOD: XB695

Зип Общепит

Pagina 4

## EXPLODED VIEW DISEGNO ESPLOSO



### DESCRIPTION

|    |          |                                          |
|----|----------|------------------------------------------|
| 1  | OD2125A0 | BAKERLUX CHEFLUX COVER                   |
| 2  | OD2132A0 | XB69- XV59- LEFT SIDE EXTERNAL PANEL     |
| 3  | OD2143A0 | XB695 XB595 DYNAMIC EXT. RIGHT PANEL     |
| 4  | OF1428A0 | XB69- XV59- ZINCED PLATED BACK PANEL     |
| 5  | OE1303A0 | BAKERLUX CHEFLUX ZINCED BOTTOM PANEL     |
| 6  | PD1060A0 | CT BT FOOT FIX COMPONENT                 |
| 7  | PD1063A0 | CT BT FOOT BLOCKING BRACKET              |
| 8  | PE1985A0 | BAKERLUX CONTROL BOARD + COVER           |
| 9  | VM1973A0 | BAKERLUX DYNAMIC BOARD                   |
| 10 | MS1010A0 | BAKERLUX/CHEFLUX STICKER WITH SERIGRAPHY |
| 11 | VT1135A0 | INTERNAL GLASS 743x620x6 XBC604          |
| 12 | VM1510A0 | XBC/XVC GROOVED DOOR PIN BUSHING         |
| 13 | VM1978A0 | CL BL DOOR LOWER FULCRUM-CAP             |
| 14 | TB2210A0 | XV593/XB693/XB695 LEFT DOOR COLUMN       |
| 15 | VM1977A0 | CL BL DOOR UPPER FULCRUM-CAP             |
| 16 | VM1511A0 | XBC/XVC SLEEK DOOR PIN BUSHING           |
| 17 | TB2218A0 | BL CL LOWER LISTEL L= 854 20x20x1        |
| 18 | VM1896A0 | LOWER GLASS SUPPORT                      |
| 19 | VT1255A0 | XB69- XC59- EXTERNAL GLASS               |
| 20 | VM1976A0 | CL BL DOOR COLUMN BLANKING CAP           |
| 21 | TB2209A0 | XV593/XB693/XB695 RIGHT DOOR COLUMN      |
| 22 | VM1897A0 | UPPER GLASS SUPPORT BACKSTOP             |
| 23 | OH2650A0 | XBC/XVC ST. STEEL INTERNAL GLASS HINGE   |
| 24 | TF1010A0 | TEFLON BUSHING FOR INTERNAL GLASS        |
| 25 | VM1180A0 | HANDLE HAFT XVC204/304/504/704           |
| 26 | GN1342B0 | DOOR GASKET GN1000B FOR XBC604-605       |
| 27 | OH1450A0 | XB-XV-XG ST. STEEL MUFFLE FRONT CORNER   |
| 28 | VM1230A0 | UPPER ALUMINIUM HINGE FOR INTERNAL       |
| 29 | GN1180A0 | INTERNAL GLASS HINGE CARBOGRAPHITE       |
| 30 | OG1474A0 | XB69- XV59- FAN GUARD                    |
| 31 | TB2215A0 | XB69- XV59- HUMIDITY INTERNAL PIPE Ø16x1 |
| 32 | RS1261A0 | BAKERLUX/CHEFLUX HEATING ELEMENT         |
| 33 | GN1326A0 | ELEMENT SEALING 70X22X0.8                |
| 34 | OH4820A0 | BULB HOLDING BRACKET                     |
| 35 | OG1476A0 | BL CL FAN GUARD SPACER                   |
| 36 | VN1030A4 | MOTOR FAN D196 H81 39 BLADE NUT M8       |
| 37 | RS1150A0 | CIRC. HEAT. ELEMENT D=230 5 TURNS        |
| 38 | OH2551A0 | XBC/XVC ST. STEEL DRAIN COVER            |
| 39 | VT1195A0 | BOROSILICATE LIGHT BULB GLASS COVER      |
| 40 | GN1065A1 | SEAL FOR LAMP GLASS COVER (PURE          |
| 41 | GN1055A0 | OR 46x2 VMQ 70 RED                       |
| 42 | VE1005A3 | HALOGEN LAMP 33W ENERGY SAVER            |
| 43 | VE1015A1 | LAMP HOLDER SERIE 2 FOR HALOGEN LAMP     |
| 44 | OH6334A0 | BL CL COOKING CHAMBER HOLDING BRACKET    |
| 45 | VM1260A0 | 90°C CURVED DRAIN PIPE                   |
| 46 | EL1252A0 | ONE INLET WATER VALVE J.G.CONN.          |
| 47 | VE1562A0 | UNIPOLAR NA PUSH BUTTON                  |
| 48 | VN1130A0 | 330W 230V 50/60HZ MOTOR                  |
| 49 | OH3586A0 | ZINCATE MOTOR GUARD PLATE XBC-XVC        |
| 50 | OH6335A0 | BRACKET FOR FEET                         |

|    |           |                                          |
|----|-----------|------------------------------------------|
| 51 | OH6240A0  | BAKERLUX/CHEFLUX ST. STEEL CORNER PANEL  |
| 52 | GN1140A1  | MOLDED MOTOR SUPPORT GASKET              |
| 53 | OH4305A1  | ST. STEEL MOTOR SHAFT SEALING DISC       |
| 54 | VM1460A0  | XBC/XVC RIGHT DOOR LATCH CAP             |
| 55 | VM1192A1  | CT BT RIGHT DOOR SPRING LATCH            |
| 56 | VM1192A1  | CT BT RIGHT DOOR SPRING LATCH COVER      |
| 57 | VE1020A2  | MAGNETIC DOOR MICROSWITCH                |
| 58 | VM1201A1  | MAGNETIC SUPPORT PLATE FOR DOOR MICROSW. |
| 59 | VM1974A0  | BOARD CLOSING PLATE                      |
| 60 | OH6333A0  | BL CL THREADED DOOR COUNTER BRACKET      |
| 61 | PE1971A0  | RJ45 CONNECTION + RESET POINT            |
| 62 | VN1120B1  | 12V COOLING DOWN FAN                     |
| 63 | VM1555A1  | CT BT COOLING DOWN FAN SUPPORT           |
| 64 | VM1556A0  | XBC-XVC COOLING FAN GUARD                |
| 65 | VM1195A0  | HOLES BLANKING PLATE XVC204/304/504/704  |
| 66 | VM1240A0  | NYLON SUPPORT CAP                        |
| 67 | OH2560A0  | XBC/XVC ZINC PLAT. DOOR COUNTERBRACKET   |
| 68 | VM1165B0  | CT BT DOOR UPPER BRACKET                 |
| 69 | VM1166A0  | CAP FOR DOOR UPPER STIRRUP XVC204/304/5  |
| 70 | GN1275A0  | BLACK SILICON XBC/XVC CHIMNEY SEALING    |
| 71 | OH3790A0  | CHIMNEY HOLDING PLATE                    |
| 72 | VE1095A0  | REMOTE CONTROL SWITCH GE 25A 230V        |
| 73 | PE1810B0  | BAKERLUX POWER CARD                      |
| 74 | VE1110A0  | CONDENSER 6,3 µF 450VAC 50/60Hz          |
| 75 | VM1745A0  | BOARD SUPPORT                            |
| 76 | VM1075A1  | PLASTIC CLIP TO FIX CONTACTORS           |
| 77 | OH6361A0  | REMOTE CONTROL SWITCH FIXING PANEL       |
| 78 | OH6357A0  | BAKERLUX DYNAMIC COMPONENTS HOLDER       |
| 79 | VM1750A0  | TERMINAL BOARD                           |
| 80 | VM1967A0  | CAP FOR D10 HOLE                         |
| 81 | VM1505A0  | WALL PASSING WITH DIAPHRAGM              |
| 82 | MR1004A0  | TERMINAL 7FTW GV V0 VL CU 1+2+3/4+5+6    |
| 83 | VM1310A0  | COVER FOR TERMINAL BOX XB/XV/XVC/XG      |
| 84 | CE1460A1  | CABLE 5X4MMQ H07RN-F L=1,8MT             |
| 85 | VM1191A2  | CT BT LEFT DOOR SPRING LATCH             |
| 86 | VM1461A0  | XBC/XVC LEFT DOOR LATCH CAP              |
| 87 | VM1975A0  | DOOR SUPPORT LOWER BRACKET               |
| 88 | TB1980A0  | TB1815A-ALLACCIAMENTO FORNI ALLA RETE    |
| 89 | EL1375A0  | Ø8 MESH100 WATER FILTER                  |
| 90 | RC1210A1  | 3/4 FEM. UNION +FILTER + NONRETURN VALVE |
| 91 | GN1200A0  | 3/4 CONNECTION SEAL D=24 RUBBER+NET      |
| 92 | EL1185A0  | ELBOW CONNECTION J. GUEST Ø8 - Ø8        |
| 93 | EL1345A0  | CLIP TO FIX Ø08 mm CONNECTION JOINT      |
| 94 | EL1195A0  | ELBOW UNION WITH J.GUEST TERMINAL        |
| 95 | GRL1290A0 | BAKERLUX 6 600x400 LEFT LATERAL SUPPORT  |
| 96 | GRL1291A0 | BAKERLUX 6 600x400 RIGHT LATERAL SUPPORT |