Зип Общепит
vsezip.ru
+7(812)987-08-81

GEV

Spare Parts for

Combi Ovens

Spare parts suitable for

BONNET

2017

Find the complete and up-to-date range of products in our GEV Webshop

heating elements

immersion heating elements

with compression flange 50 x 26mm



1

GEV No.	418932	**Ref. No.**	71244E
description	heating element 2000W 240V heating circuits 1 flange 50x26mm L 350mm W 30mm Hmm compression flange connection male faston 6.3mm tube ø 6.3mm immersion heater		

heating elements for convection



1

GEV No.	418925	**Ref. No.**	71844E BAAN309621
description	heating element 1500W 230V heating circuits 1 L 293mm W 106mm L1 32mm L2 261mm W2 83mm flange length 50mm flange width 26mm connection length 63mm connection male faston 6.3mm tube ø 8.5mm hole ø 6.2mm W1 23mm convection heating element convection oven INCOLOY windings 2		
accessories for	418925		
	GEV No. 520588	Ref. No. —	
	gasket L 46mm W 22mm hole distance 24.5mm silicone for heating element		



1

GEV No.	418933	**Ref. No.**	71240E
description	heating element 2000W 240V heating circuits 1 L 390mm W 134mm W2 100mm flange length 50mm flange width 20mm connection length 50mm connection M4 tube ø 10mm thread M4 W1 34mm rectangular flange convection heating element convection oven		

1

GEV No.	418917	**Ref. No.**	309252 71241E BAAN71241E
description	heating element 3000W 240V heating circuits 3 L 570mm W 140mm W2 110mm flange length 110mm flange width 20mm hole distance 40mm connection length 55mm connection M4 tube ø 10mm thread M4 W1 30mm rectangular flange convection heating element convection oven		

1

GEV No.	418918	**Ref. No.**	71242E BAAN309253
description	heating element 3000W 240V heating circuits 3 L 570mm W 140mm W2 110mm flange length 110mm flange width 20mm hole distance 40mm connection length 55mm connection M4 tube ø 10mm thread M4 W1 30mm rectangular flange convection heating element convection oven		

accessories

sealing washers

O-rings



1

GEV No.	510408	**Ref. No.**	2001827H
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

GEV No.	510409	**Ref. No.**	318044 905588 966001 BAAN1323306 BAAN311999
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

energy regulators

EGO

1-circuit

1

GEV No.	380015	**Ref. No.**	1800602 301200 70486E 72113E BAAN167036 BAAN304497
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

thermostats

bi-metal thermostats

bi-metal thermostats

1

GEV No.	375927	**Ref. No.**	301045
description	bi-metal thermostat hole distance 23.5mm switch-off temp. 50°C 1NO 10A connection F6.3		

control and safety thermostats

EGO

control thermostats

55.10/19_ series

1

GEV No.	375002	**Ref. No.**	7471032 BAAN1209939 BAAN310615
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.13_ series

1

GEV No.	375830	**Ref. No.**	905866 905886
description	safety thermostat switch-off temp. 365°C 1-pole 1NC 16A probe ø 3mm probe L 160mm capillary pipe 1730mm capillary pipe isolated 1710mm gland nut probe		

1

GEV No.	390801	**Ref. No.**	71280E
description	thermostat switch-off temp. 140°C 1-pole 16A probe ø 6mm probe L 78mm capillary pipe 1500mm capillary pipe isolatedmm gland nut probe connection male faston 6.3mm		

55.32_ series

1

GEV No.	375984	**Ref. No.**	301061 BAAN171095 BAAN304480
description	safety thermostat switch-off temp. 225°C 3-pole 3NC 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		

1

GEV No.	375706	**Ref. No.**	301049 BAAN169338 BAAN304476
description	safety thermostat switch-off temp. 400°C 3-pole 3NC 20A probe ø 3.9mm probe L 228mm capillary pipe 1190mm capillary pipe isolatedmm gland nut probe SS		

Зип Общепит
vsezip.ru
+7(812)987-08-81

56._ series

1

GEV No.	375442	**Ref. No.**	301039 301066 BAAN172196 BAAN304485
description	safety thermostat capillary pipe 1760mm probe ø 4mm 1-pole probe L 100mm 16A capillary pipe isolated 1600mm gland nut switch-off temp. 320°C probe M10x1		
accessories for	375442		

GEV No.	101860	Ref. No.	—
nut thread M10x1 H 4mm WS 14 chrome-plated brass Qty 1 pcs			

control thermostats with operation switch

55.34_ series

1

GEV No.	375246	**Ref. No.**	301034
description	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		

accessories

gland nut accessories

ducts

1

GEV No.	550148	**Ref. No.**	91373062 BAAN1323396 BAAN312763
description	gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone		

connecting bows

1

GEV No.	550060	**Ref. No.**	300177
description	connecting bow long for thermostat Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

1

GEV No.	301202[1]	**Ref. No.**	905913
description	rocker switch mounting measurements 30x22mm black 2NO 230V 20A 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar		

[1]non-illuminated

microswitches

lever actuated

1

GEV No.	345257	**Ref. No.**	300688 3755E BAAN305693
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm		

pin-plunger actuated

M10

1

GEV No.	345032	**Ref. No.**	303621
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		

Зип Общепит
vsezip.ru
+7(812)987-08-81

M12

1

GEV No.	345350	**Ref. No.**	1700340 BAAN1320656 BAAN302929
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g		
accessories for	345350		

GEV No.	345351	Ref. No.	—

nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs

system switches (ROLD)

1

GEV No.	345536	**Ref. No.**	900162
description	element holder mounting ø 16mm flat black		

1

GEV No.	345606	**Ref. No.**	2001544H
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		

1

GEV No.	345538	**Ref. No.**	900163
description	push button ø 11.9mm black		

1

GEV No.	345651	**Ref. No.**	900053 BAAN1323148 BAAN311603
description	switch 2CO 250V 16A connection male faston 6.3mm		

cam switches

7-position

1

GEV No.	300106	**Ref. No.**	300010 BAAN166926 BAAN304345
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

magnetic switches

accessories

magnets



1

GEV No.	345336	**Ref. No.**	2001868H BAAN1321497 BAAN307903
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		

encoders and potentiometers

1

GEV No.	300265	**Ref. No.**	309411 BAAN172230 BAAN701367
description	potentiometer		

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs

1

GEV No.	359585	**Ref. No.**	74540008
description	neon light bulb socket E10 230V green ø 10mm L 28mm		
accessories for	359585		

GEV No.	359060	Ref. No.	—

lamp socket mounting measurements ø16.2mm socket E10 connection screw

GEV No.	359685	Ref. No.	—

lamp socket mounting measurements ø16.2mm socket E10

indicator lights (complete)

ø 6mm

1

GEV No.	359005	**Ref. No.**	2002147H
description	indicator light ø 6mm 230V yellow cable length 400mm		

ø12mm

with plug-in socket

1

GEV No.	359925	**Ref. No.**	308334 BAAN167305 BAAN304818
description	indicator light ø 12mm 400V green connection 2-wire cable length 700mm temp.-resist. 150°C		

ø13mm

with plug-in socket

1

GEV No.	359143	**Ref. No.**	904300 904360 BAAN1323249 BAAN311747
description	indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

30x22mm

1

GEV No.	359150	**Ref. No.**	S175P15
description	indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2		

screw-on/push-on fit

neon light bulbs

1

GEV No.	359585	**Ref. No.**	74540008
description	neon light bulb socket E10 230V green ø 10mm L 28mm		
accessories for	359585		

GEV No.	359060	Ref. No.	—

lamp socket mounting measurements ø16.2mm socket E10 connection screw

GEV No.	359685	Ref. No.	—

lamp socket mounting measurements ø16.2mm socket E10

light bulbs

for ovens

1

GEV No.	359610	**Ref. No.**	70597E
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

1

GEV No.	357153	**Ref. No.**	70598E
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type		

1

GEV No.	359614	**Ref. No.**	308463
description	light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs		

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

halogen lamp

for socket G4 / G6.35 / G9

1

GEV No.	359599	**Ref. No.**	308477 BAAN172222 BAAN304831
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

fluorescent lamps

fluorescent lamps

G23

1

GEV No.	359933	**Ref. No.**	309597 71819E BAAN309597 BAAN71819E
description	fluorescent lamp socket G23 L 237mm 11W 230V		

oven lamps

lamps

light bulbs

1

GEV No.	359610	**Ref. No.**	70597E
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

1

GEV No.	357153	**Ref. No.**	70598E
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type		

1

GEV No.	359614	**Ref. No.**	308463
description	light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs		

halogen lamps

for socket G4 / G6.35 / G9

1

GEV No.	359599	**Ref. No.**	308477 BAAN172222 BAAN304831
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

sockets

G4 / G5,3 / G6,35

1

GEV No.	359646	**Ref. No.**	147328
description	lamp socket socket G4/G5.3/G6.35 24V ø 17mm H 15mm connection cable 130mm mounting distance 26mm for halogen lamp holder length 31mm cable length 130mm		

alarm devices

buzzers

1

GEV No.	350050	**Ref. No.**	305106
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		

contactors

SIEMENS

power contactors

1

GEV No.	380957	**Ref. No.**	2001138H
description	power contactor resistive load 22A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-17-1AB01 50/60Hz		

Зип Общепит
vsezip.ru
+7(812)987-08-81

TELEMECANIQUE (Schneider Electric)

power contactors

1

GEV No.	380617	**Ref. No.**	1700468
description	power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7		

1

GEV No.	380976	**Ref. No.**	1700732 300698
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection		

1

GEV No.	380979	**Ref. No.**	300697 300699 300760 5875E 900130 905239 905241 905686 906759 910566 BAAN1322995 BAAN169330 BAAN304436 BAANS084P20
description	power contactor resistive load 40A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D25P7		

1

GEV No.	380980	**Ref. No.**	300700
description	power contactor resistive load 50A 230VAC (AC3/400V) 32A/15kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D32P7		

relays

power relays

with bracket mounting

1

GEV No.	380312	**Ref. No.**	2001867H 2001887H
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		

1

GEV No.	380139	**Ref. No.**	2001873H
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

GEV No.	380403	**Ref. No.**	2001258H 2001873H 900073 BAAN1323154 BAAN311608
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		

2

GEV No.	380702	**Ref. No.**	2002044H
description	power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V		

1

GEV No.	380185	**Ref. No.**	2001929h 300283 BAAN1027526 BAAN171090 BAAN304383
description	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA		

relay sockets

1

GEV No.	380137	**Ref. No.**	5937E
description	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
accessories for	380137		
	GEV No. 380805	Ref. No. —	
	support bracket		

transformers

open transformers

with plug connection

1

GEV No.	400956	**Ref. No.**	308479
description	transformer primary 230VAC secondary 12VAC 20VA connection male faston 6.3mm 50/60Hz type T602012/E temperature restriction 150°C ambient temperature max. 80°C		

electronic controllers

EVCO - EVERY CONTROL

universal controllers

built-in version

1

GEV No.	378131	**Ref. No.**	651225 S225P20
description	electronic controller EVERY CONTROL EVK411M mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC/Pt100/Pt1000 relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP65 dependend on probe°C display 3½ digits		
accessories for	378131		
	GEV No. 379050	Ref. No. —	
	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire		
	GEV No. 379160	Ref. No. —	
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	GEV No. 379781	Ref. No. —	
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	GEV No. 379944	Ref. No. —	
	temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m		

solenoid valves

solenoid valves (water)

ELBI

1

GEV No.	373020	**Ref. No.**	241447
description	solenoid valve double angled 230VAC inlet 3/4" outlet 14mm input 10l/min DN10 t.max. 90°C duty cycle 100% ELBI flow regulating valve inlet white		

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%

1

GEV No.	372017	**Ref. No.**	144937 BAAN171061 BAAN302233
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		

TP

1

GEV No.	370021	**Ref. No.**	1700434 3697E BAAN1320666 BAAN302969
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		

spare parts for	370021			
	GEV No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370021			
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			

accessories for	370021			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370017	**Ref. No.**	634084
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar		

spare parts for	370017			
	GEV No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories for	370017			
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

GEV No.	370018	**Ref. No.**	904693
description	solenoid valve single straight 230VAC inlet 3/4" outlet 14mm DN10 TP		
spare parts for	370018		
	GEV No. 371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370018		
	GEV No. 371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No. 371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No. 371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No. 371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No. 371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No. 371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No. 371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No. 371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No. 371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No. 371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No. 371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No. 371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No. 371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	GEV No. 371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	GEV No. 371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories for	370018			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370025	**Ref. No.**	314345 3664E BAAN305607
description	solenoid valve triple straight 230VAC inlet 3/4“ outlet 11.5mm DN10 TP		
spare parts for	370025		
	GEV No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370025			
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			

acce ssorie s fo	370025			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min. brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370020	**Ref. No.**	914123
description	solenoid valve double angled 230VAC inlet 3/4“ outlet 14mm DN10 TP		
spare parts for	370020		
	GEV No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370020			
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			
	GEV No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories for	370020			
	GEV No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370015	Ref. No.	634085
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
accessories for	370015		
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			
	GEV No.	371221	Ref. No.	—
	reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	GEV No.	371222	Ref. No.	—
	reducer TP flow rate 6l/min grey tolerance ±15%			
	GEV No.	371223	Ref. No.	—
	reducer TP flow rate 10l/min white tolerance ±15%			
	GEV No.	371224	Ref. No.	—
	reducer TP flow rate 12l/min bronze tolerance ±15%			

accessories for	370015			
	GEV No.	371225	Ref. No.	—
	reducer TP flow rate 16l/min light brown tolerance ±15%			
	GEV No.	371226	Ref. No.	—
	reducer TP flow rate 20l/min red tolerance ±15%			
	GEV No.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	GEV No.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	GEV No.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	GEV No.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	GEV No.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	GEV No.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	GEV No.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	GEV No.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

1

GEV No.	370016	Ref. No.	23458 BAAN1322350 BAAN303848
description	solenoid valve single angled 230VAC inlet 3/4" outlet 14mm DN10 TP		
spare parts for	370016		
	GEV No.	371013	Ref. No.	—
	solenoid coil TP 230VAC 50/60Hz			
accessories for	370016			
	GEV No.	371220	Ref. No.	—
	reducer TP flow rate 3l/min red tolerance ±15%			

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories for	370016		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	GEV No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	GEV No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		
	GEV No.	371238	Ref. No. —
	reducer TP flow rate 3.4l/min dark green tolerance ±25%		
	GEV No.	371239	Ref. No. —
	reducer TP flow rate 5l/min black tolerance ±25%		
	GEV No.	371240	Ref. No. —
	reducer TP flow rate 8l/min blue tolerance ±20%		
	GEV No.	503139	Ref. No. —
	solenoid valve filter ø 19.5mm H 16mm		

1

GEV No.	370024	Ref. No.	634089
description	solenoid valve triple angled 230VAC inlet 3/4" outlet 14mm DN10 TP		
spare parts for	370024		
	GEV No.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370024		
	GEV No.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	GEV No.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	GEV No.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	GEV No.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	GEV No.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	GEV No.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	GEV No.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	GEV No.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	GEV No.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	GEV No.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	GEV No.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	GEV No.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		
	GEV No.	371235	Ref. No. —
	reducer TP flow rate 1.2l/min brown tolerance ±25%		
	GEV No.	371236	Ref. No. —
	reducer TP flow rate 1.5l/min light brown tolerance ±25%		
	GEV No.	371237	Ref. No. —
	reducer TP flow rate 2.5l/min yellow tolerance ±25%		

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories for	370024			
	GEV No.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	GEV No.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	GEV No.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			

solenoid valves with reducers

1

GEV No.	370255	**Ref. No.**	914135
description	solenoid valve triple angled 230VAC inlet 3/4" outlet 11.5mm plastic		

1

GEV No.	370250	**Ref. No.**	147723
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output B 0.25l/min flow regulating valve outlet B red		

ball valves electric

1

GEV No.	401190	**Ref. No.**	314359
description	ball valve inlet 3/4" IT outlet 3/4" IT IP42 230V L 68mm 50/60Hz closed off-current mode of operation electric connection cable 300mm 3.5W duty cycle 50%		

fans

axial fans

ebm-papst

1

GEV No.	601030[1]	**Ref. No.**	780002656
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
accessories for	601030		
	GEV No. 550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	GEV No. 692497	Ref. No.	—
	guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm		

[1]with ball bearings

import

1

GEV No.	601080[1]	**Ref. No.**	304194 780002656 906107 BAAN167195 BAAN312100
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		
	GEV No. 550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	GEV No. 692519	Ref. No.	—
	guard L 120mm W 120mm plastic		

[1]with ball bearings

Зип Общепит
vsezip.ru
+7(812)987-08-81

cross flow fans

COPREL

with standard coil

1

GEV No.	602060	**Ref. No.**	304229
description	cross flow fan COPREL FFR roller ø 60mm roller length 240mm laminated core thickness 20mm motor position right 230V/50-60Hz 33W universal bearing silicone connection male faston 6.3mm airflow 149m³/h -10 up to +60°C		

hot air motors



1

GEV No.	500812	**Ref. No.**	71251E
description	fan motor 220-240/380-415V 3 phase 50Hz 0.26kW 1440rpm speeds 1 D1 ø 17mm D2 ø 13.5mm		



1

GEV No.	499206	**Ref. No.**	304267 BAAN1050261 BAAN1051644
description	fan motor 230/400V 3 phase 50/60Hz 0.12kW 1400/1700rpm speeds 2 L1 145mm L2 30mm L3 25mm D1 ø 17mm D2 ø 14mm M6 1.2/0.7A suitable capacitor 16µF/450V Cos(fi) 0.53 type 1079TH		

pumps

wash and rinse pumps

HANNING

pumps

1

GEV No.	499284	**Ref. No.**	314361
description	pump inlet ø 28mm outlet ø 26mm type UP60-321 Ru. 220-240V 50Hz 1 phase 0.27kW L 190mm rotation direction right capacitor 5µF HANNING		
spare parts for	499284		

GEV No.	365017	Ref. No.	2000001 304269
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			

GEV No.	507558	Ref. No.	—
mechanical shaft seal for shaft ø 7mm height counter ring 5mm ID ø 6.75mm ED ø 20mm mounting ø counter ring18.5/slide ring 20mm			

GEV No.	532644	Ref. No.	—
O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs			

drain pumps

ASKOLL

1

GEV No.	500346	**Ref. No.**	2001518H
description	drain pump inlet ø 30mm outlet ø 22mm 230V 40W 50Hz ASKOLL type M231 XP with holder		

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

booster pumps II

accessories

1

GEV No.	365017	**Ref. No.**	2000001 304269
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

1

GEV No.	365012	**Ref. No.**	2000059
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

condensators & interference suppression filters

operating capacitors

plastic

1

GEV No.	365021	**Ref. No.**	2001118H 304259
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		

1

GEV No.	365019	**Ref. No.**	2001119H
description	operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection		

1

GEV No.	365017	**Ref. No.**	2000001 304269
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

1

GEV No.	365012	**Ref. No.**	2000059
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		

1

GEV No.	365013	**Ref. No.**	3709E
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		

metal

1

GEV No.	365139	**Ref. No.**	5843E
description	operating capacitor capacity 10µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		

Зип Общепит
vsezip.ru
+7(812)987-08-81

fuses

fine fuses

1

GEV No.	358666	**Ref. No.**	309316
description	fine fuse size ø5x20mm 0.315A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358530	**Ref. No.**	2001921H
description	fine fuse size ø5x20mm 0.8A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358677	**Ref. No.**	2001981H 2002146H
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358752	**Ref. No.**	3090506
description	fine fuse size ø6.3x32mm 10A fast-acting rated 500V Qty 10 pcs		

electric accessories

terminals

connection terminals with screw/faston connections

1

GEV No.	550411	**Ref. No.**	2001039H 306090 306157 5876E 906154
description	power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm²		

gas thermostats

PEL

25S1 series

1

GEV No.	101172	**Ref. No.**	310137
description	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
spare parts for	101172		

GEV No.	100259	Ref. No.	—

bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5

GEV No.	101060	Ref. No.	7473048 BAAN310651

magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA

GEV No.	106200	Ref. No.	—

nut thread M9x1 suitable for PEL 24/25S

accessories for	101172

GEV No.	100908	Ref. No.	—

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

GEV No.	100909	Ref. No.	—

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

GEV No.	101246	Ref. No.	—

olive for pipe ø 4mm Qty 1 pcs

GEV No.	101278	Ref. No.	—

olive for pipe ø 10mm Qty 1 pcs

GEV No.	101286	Ref. No.	—

olive ID ø 6mm Qty 1 pcs

GEV No.	101300	Ref. No.	—

union nut thread M16x1.5 tube ø 10mm

GEV No.	101450	Ref. No.	—

olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm

GEV No.	101451	Ref. No.	—

union nut thread M16x1.5 tube ø 8mm

GEV No.	110079	Ref. No.	—

knob dial plate gas thermostat 1-8 silver

GEV No.	110081	Ref. No.	171475

knob ø 70mm shaft ø 8x6.5mm shaft flat universal

Зип Общепит
vsezip.ru
+7(812)987-08-81

gas valves and ignition boxes

gas control valves

SIT

ELETTROSIT

1

GEV No.	101127	**Ref. No.**	7472025 BAAN1209942 BAAN310630
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		
	GEV No. 101312	Ref. No. —	microswitch
	GEV No. 101352	Ref. No. —	solenoid coil 230V 50Hz suitable for ELETTROSIT
accessories for	101127		
	GEV No. 100006	Ref. No. —	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm
	GEV No. 100904	Ref. No. —	locking screw M10x1 for pipe ø 4mm Qty 1 pcs
	GEV No. 100905	Ref. No. —	locking screw M10x1 for pipe ø 6mm Qty 1 pcs
	GEV No. 101301	Ref. No. —	gas connection thread 1/2" straight ELETTROSIT screw with O-ring
	GEV No. 101303	Ref. No. —	gas connection straight thread 3/4" ELETTROSIT
	GEV No. 101309	Ref. No. —	extension

NOVASIT

accessories

1

GEV No.	101313	**Ref. No.**	2020037
description	solenoid coil 230V 50Hz		
accessories for	101313		
	GEV No. 550896	Ref. No. —	gasket with screw gas valves NOVASIT

TANDEM



1

GEV No.	101189	**Ref. No.**	310305 BAAN829205 BAAN847641
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem		
spare parts for	101189		
	GEV No. 101379	Ref. No. —	solenoid coil 230V 50Hz suitable for Tandem
accessories for	101189		
	GEV No. 100904	Ref. No. —	locking screw M10x1 for pipe ø 4mm Qty 1 pcs
	GEV No. 100905	Ref. No. —	locking screw M10x1 for pipe ø 6mm Qty 1 pcs
	GEV No. 101274	Ref. No. —	olive for pipe ø 16mm Qty 1 pcs
	GEV No. 101275	Ref. No. —	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs
	GEV No. 101925	Ref. No. —	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT
	GEV No. 102845	Ref. No. —	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem
	GEV No. 102846	Ref. No. —	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem

Table continues overleaf

Зип Общелит
vsezip.ru
+7(812)987-08-81

accessories for	101189			
	GEV No.	102847	Ref. No.	—
	O-ring			

1

GEV No.	107831	**Ref. No.**	310196
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 pressure range 3-50mbar type Tandem 830 SIT equiv. no. 0.830.030		
spare parts for	107831		
	GEV No.	101379	Ref. No.	—
	solenoid coil 230V 50Hz suitable for Tandem			
accessories for	107831			
	GEV No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	101274	Ref. No.	—
	olive for pipe ø 16mm Qty 1 pcs			
	GEV No.	101275	Ref. No.	—
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	GEV No.	101925	Ref. No.	—
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			
	GEV No.	102845	Ref. No.	—
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	GEV No.	102846	Ref. No.	—
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			
	GEV No.	102847	Ref. No.	—
	O-ring			

ignition boxes

SIT



1

GEV No.	107519	**Ref. No.**	310324 BAAN1064197 BAAN1067290
description	ignition box SIT type 579DBC electrodes 2 waiting time 3s safety time 5s 220/240V 12VA 50/60Hz		

ignition parts

pilot burners

SIT

100 series

1

GEV No.	106906	**Ref. No.**	2020124 7434003
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	GEV No.	100245	Ref. No.	—
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100855	Ref. No.	—
	pilot burner bracket triple			
	GEV No.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium			
	GEV No.	100918	Ref. No.	—
	screw for pilot burner			
	GEV No.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories for	106906			
	GEV No.	100245	Ref. No.	—
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100246	Ref. No.	—
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No.	—
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No.	—
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107702	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories

ignition electrodes



GEV No.	100707	**Ref. No.**	7455048
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

electrodes

GEV No.	100701	**Ref. No.**	308480 BAAN824045 BAAN838031
description	ignition electrode connection M4 Qty 1 pcs		
accessories for	100701		
	GEV No.	100906	Ref. No. 317980 BAAN829766 BAAN838033
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



GEV No.	100707	**Ref. No.**	7455048
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

GEV No.	100906	**Ref. No.**	317980 BAAN829766 BAAN838033
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables

GEV No.	100176	**Ref. No.**	307997
description	ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C		

Зип Общепит
vsezip.ru
+7(812)987-08-81

ignition units

GEV No.	102388	**Ref. No.**	308466 680782 BAAN308466
description	ignition unit outputs 4 230VAC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 type WAC-T4 0.6VA 50/60Hz		

thermocouples

thermocouple sets universal

GEV No.	107648	**Ref. No.**	7473055
description	thermocouple set SIT 11-piece L 1200mm		

GEV No.	102286	**Ref. No.**	634321
description	thermocouple set 8-piece L 900mm flexible		

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT



GEV No.	102682	**Ref. No.**	310276 7473056 BAAN310657 BAAN840079
description	thermocouple SIT aluminized tip M9x1 L 850mm plug connection ø6.0(6.5)mm		



GEV No.	107613	**Ref. No.**	310277 7473029 BAAN310646 BAAN838026
description	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		



GEV No.	107614	**Ref. No.**	7473034
description	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		

threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1

SIT



GEV No.	107634	**Ref. No.**	310193
description	thermocouple SIT M8x1 L 1500mm M8x1		
accessories for	107634		

GEV No.	102067	Ref. No.	—
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

extensions



GEV No.	102811	**Ref. No.**	7492000
description	thermocouple extension thread M9x1 - M9x1 L 600mm		

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories

interrupters

1

GEV No.	101265	**Ref. No.**	605680 905680
description	interrupter thread M9x1		

gas nozzles

pilot burner nozzles

pilot burner nozzles SIT

100 series

1

GEV No.	102973	**Ref. No.**	7433158
description	pilot burner nozzle natural gas bore ø 0.45mm Qty 1 pcs		

160 series

1

GEV No.	107172	**Ref. No.**	310274 BAAN834138 BAAN838035
description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs		

1

GEV No.	107650	**Ref. No.**	311171
description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

1

GEV No.	107174	**Ref. No.**	310273 BAAN829765 BAAN838038
description	pilot burner nozzle SIT natural gas code 41 Qty 1 pcs		

screw connections

union screws

1

GEV No.	100906	**Ref. No.**	317980 BAAN829766 BAAN838033
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

1

GEV No.	100907	**Ref. No.**	317979 BAAN829767 BAAN838027
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		

for ice-cube maker

hoses

formed hoses

straight

silicone hoses

1

GEV No.	530063	**Ref. No.**	71289E
description	silicone hose ID ø 18mm ED ø 25mm L 1m t.max. 200°C transparent		

brewing units

filter holder gaskets

O-rings

1

GEV No.	510409	**Ref. No.**	318044 905588 966001 BAAN1323306 BAAN311999
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

Зип Общепит
vsezip.ru
+7(812)987-08-81

knobs

producer-specific knobs

BONNET

1

GEV No.	110081	**Ref. No.**	171475
description	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		

locks

edgemount latches

handle latches

CAFF/FERMOD



1

GEV No.	690412	**Ref. No.**	21433E 384634 BAAN1322230 BAAN303576
description	handle latch L 150mm mounting distance 133mm non lockable G 790 total length 254mm handle length 105mm		
accessories for	690412		

GEV No.	690418	Ref. No.	—

door catch L 36mm W 19mm H 29mm mounting distance 12mm zinc-coated steel for refrigeration units

GEV No.	690419	Ref. No.	—

door catch L 52mm W 20mm H 30mm mounting distance 26-37mm zamak for refrigeration units

GEV No.	700061	Ref. No.	—

door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units

GEV No.	700435	Ref. No.	—

door catch L 58mm W 20mm H 35mm mounting distance 42mm zamak for refrigeration units

door catches

1

GEV No.	700082	**Ref. No.**	679486 S486P51
description	door catch L 38mm W 18mm mounting distance 26mm		

shelves and shelf rails

grates

universal

without upstand



1

GEV No.	970123	**Ref. No.**	635022
description	grate W 650mm D 530mm GN 2/1 stainless steel wire gauge frame 7.8mm lengthwise wires gauge 3.8mm crossing wires 2 suitable for refrigerator		
accessories for	970123		

GEV No.	690330	Ref. No.	—

rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel

GEV No.	694700	Ref. No.	—

shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs

GEV No.	694701	Ref. No.	—

shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs

gaskets

gaskets for heated units

window seals



1

GEV No.	901306	**Ref. No.**	366122
description	window gasket profile 1515 Qty supplied by meter		

Зип Общепит
vsezip.ru
+7(812)987-08-81



1

GEV No.	901513	**Ref. No.**	71095
description	window gasket profile 1615 suitable for BOURGEOIS Qty supplied by meter		

door seals



1

GEV No.	901424	**Ref. No.**	71204E 71206E BAAN309220 BAAN309222
description	door seal profile 2711 L 2600mm Qty 1		



1

GEV No.	518126	**Ref. No.**	71876E
description	door seal profile 2980 L 2820mm		

O-rings

EPDM

ø5.34mm

1

GEV No.	510408	**Ref. No.**	2001827H
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		



1

GEV No.	510409	**Ref. No.**	318044 905588 966001 BAAN1323306 BAAN311999
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		

ø7,00mm

1

GEV No.	532000	**Ref. No.**	366185
description	O-ring EPDM thickness 7mm ID ø 57mm Qty 1 pcs		

special gaskets

miscellaneous

1

GEV No.	511600	**Ref. No.**	71860E
description	gasket ED ø 80mm		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS

1

GEV No.	523522	**Ref. No.**	21090500
description	deep-groove ball bearing type 6004-2RS shaft ø 20mm ED ø 42mm W 12mm with sealing discs deep-groove ball bearing DIN 625-1		

dosing pumps

accessories

container filters with non-return valve

1

GEV No.	361058	**Ref. No.**	2000034
description	container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm		

Зип Общепит
vsezip.ru
+7(812)987-08-81

hoses

supply hoses

PVC supply hoses



1

GEV No.	520010	**Ref. No.**	2001753H 42551
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
accessories for	520010		

GEV No.	520053	Ref. No.	—
screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm			

GEV No.	520054	Ref. No.	—
flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs			

1

GEV No.	520011	**Ref. No.**	2001738H
description	supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal		

industrial hoses

Niplaflex hoses

1

GEV No.	530561	**Ref. No.**	2001726H
description	pressure hose ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C		

PVC hoses

PVC hoses without fabric

1

GEV No.	520029	**Ref. No.**	2001747H
description	PVC hose ID ø 6mm ED ø 9mm L 10m thickness 1.5mm t.max. 60°C transparent		

silicone hoses

without fabric



1

GEV No.	530063	**Ref. No.**	71289E
description	silicone hose ID ø 18mm ED ø 25mm L 1m t.max. 200°C transparent		

with fabric

with monofilament braid



1

GEV No.	530542	**Ref. No.**	71265E
description	silicone hose with monofilament braid ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 4bar burst pressure at 95°C non definedbar burst pressure 130°C non definedbar t.max. 200°C Qty 5m		

valves and tank inlets

ball valves

ball valves electric

1

GEV No.	401190	**Ref. No.**	314359
description	ball valve inlet 3/4" IT outlet 3/4" IT IP42 230V L 68mm 50/60Hz closed off-current mode of operation electric connection cable 300mm 3.5W duty cycle 50%		

water cycle components

supply filters

1

GEV No.	520261	**Ref. No.**	91297387
description	supply filter thread 1/2" IT - 1/2" IT total length 58mm red brass mesh opening 0.4mm		

Зип Общепит
vsezip.ru
+7(812)987-08-81

ancillary products

clamps

hose clamps

DIN 3017 - W2

1

GEV No.	520114	**Ref. No.**	917110
description	hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017		

fastening material

nuts

hexagonal nuts

DIN 985

1

GEV No.	560141	**Ref. No.**	389540 BAAN1050326
description	hexagonal nut thread M5 H 5.4mm SS WS 8 Qty 20 pcs DIN/ISO DIN 985 self-locking		

fasteners

clamps

hose clamps

DIN 3017 - W2

1

GEV No.	520114	**Ref. No.**	917110
description	hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017		

consumables

fuses

fine fuses

1

GEV No.	358666	**Ref. No.**	309316
description	fine fuse size ø5x20mm 0.315A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358530	**Ref. No.**	2001921H
description	fine fuse size ø5x20mm 0.8A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358677	**Ref. No.**	2001981H 2002146H
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

ø6.3x32mm 500V

1

GEV No.	358752	**Ref. No.**	3090506
description	fine fuse size ø6.3x32mm 10A fast-acting rated 500V Qty 10 pcs		

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

A

alarm devices 7
axial fans 15

B

ball valves 26
ball valves electric 15, 26
bi-metal thermostats 3, 3
booster pumps II 17

C

cam switches 5
clamps 27, 27
condensators & interference suppression filters 17
consumables 27
contactors 7
container filters 25
control thermostats 3
cross flow fans 16

D

door catches 24
door seals 25
dosing pumps 25
drain pumps 16

E

edgemount latches 24
electric accessories 18
electronic controllers 9
energy regulators 2

F

fans 15
fasteners 27
fastening material 27
fine fuses 27
fluorescent lamps 7, 7
fuses 18, 27

G

gas control valves 19
gas nozzles 23
gas thermostats 18
gaskets for heated units 24
grates 24

H

halogen lamp 7
handle latches 24
heating elements 2
heating elements for convection 2
hexagonal nuts 27
hose clamps 27, 27
hoses 26
hot air motors 16

I

ignition boxes 20
ignition cables 21
ignition units 22
immersion heating elements 2
indicator lights 6
indicator lights (complete) 6
industrial hoses 26

L

lamps 6
light bulbs 6

M

magnetic switches 5
microswitches 4

N

neon light bulbs 6, 6
Niplaflex hoses 26
nuts 27

O

operating capacitors 17
O-rings 25
oven lamps 7

P

pilot burners 20
pumps 16
PVC hoses 26
PVC supply hoses 26

R

relays 8
rocker/momentary rocker switches 4

S

safety thermostats 3
shelves and shelf rails 24
silicone hoses 26
solenoid valves 10
supply filters 26, 26
supply hoses 26
switches and momentary switches 4
system switches (ROLD) 5

Зип Общепит
vsezip.ru
+7(812)987-08-81

T

terminals 18
thermocouples 22
thermostats 3
transformers 9

V

valves and tank inlets 26

W

wash and rinse pumps 16
water cycle components 26
window seals 24