






## heating elements

### heating elements for convection




<b>GEV No.</b>	418087	<b>Ref. No.</b>	RCK6002125
<b>description</b>	heating element 15000W 230/400V heating circuits 3 ID ø 398mm ED ø 415mm L 452mm H 121mm L1 32mm W1 105mm H1 80mm H2 25mm flange length 142mm flange width 25mm hole distance 126mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
<b>accessories for</b>	418087		
	<b>GEV No.</b>	550548	<b>Ref. No.</b> RCK2005173
	gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173		



<b>GEV No.</b>	415251	<b>Ref. No.</b>	00568 RC00568000
<b>description</b>	heating element 2500W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 242mm H 35mm L1 46mm W1 31mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
<b>spare parts for</b>	415251		
	<b>GEV No.</b>	510368	<b>Ref. No.</b> —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		



<b>GEV No.</b>	418086	<b>Ref. No.</b>	RCK6002001
<b>description</b>	heating element 8400W 230V heating circuits 3 ID ø 218mm ED ø 235mm L 275mm H 112mm L1 40mm W1 105mm H1 32mm H2 80mm flange length 142mm flange width 25mm hole distance 64mm connection M4 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
<b>accessories for</b>	418086		
	<b>GEV No.</b>	550548	<b>Ref. No.</b> RCK2005173
	gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173		

## Зип-Общепит

### flange gaskets

vsezip.ru


+7(812)987-08-81

<b>GEV No.</b>	550548	<b>Ref. No.</b>	RCK2005173
<b>description</b>	gasket L 144mm W 25.5mm thickness 2.2mm for heating element suitable for GIORIK equiv. no. 2005173		

## energy regulators

### EGO

#### 1-circuit

			
<b>GEV No.</b>	380015	<b>Ref. No.</b>	00012 00937 06501 RC00006501 RC00012000 RC00937000
<b>description</b>	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

## thermostats

### control and safety thermostats

#### EGO

#### control thermostats

#### 55.10/19\_ series

			
<b>GEV No.</b>	375002	<b>Ref. No.</b>	00569 RC00569000
<b>description</b>	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		


Зип Общежит

vsezip.ru

+7(812)987-08-81




<b>GEV No.</b>	375437	<b>Ref. No.</b>	RC40100042
<b>description</b>	thermostat t.max. 324°C temperature range 66-324°C 1-pole 1NO 16A probe ø 4mm probe L 124mm capillary pipe 1470mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




<b>GEV No.</b>	375220	<b>Ref. No.</b>	00238 RC00238000
<b>description</b>	safety thermostat switch-off temp. 330°C 3-pole 20A probe ø 11mm probe L 18.5mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		

55.34\_series



<b>GEV No.</b>	375183	<b>Ref. No.</b>	00285 RC00285000
<b>description</b>	thermostat t.max. 298°C temperature range 50-298°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		



<b>GEV No.</b>	375628	<b>Ref. No.</b>	RCK6010008
<b>description</b>	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		

safety thermostats

55.10/19\_series



<b>GEV No.</b>	375250	<b>Ref. No.</b>	00427 RC00427000
<b>description</b>	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS		
<b>spare parts for</b>	375250		
	<b>GEV No.</b>	551083	<b>Ref. No.</b> —
	cap for safety thermostat thread M8x1		



<b>GEV No.</b>	390142	<b>Ref. No.</b>	00305 RC00305000
<b>description</b>	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		




## switches and momentary switches

## rocker/momentary rocker switches

30x22mm



1

<b>GEV No.</b>	301003	<b>Ref. No.</b>	00021 04702 RC00004702 RC00021000
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
<b>accessories for</b>	301003		
	<b>GEV No.</b>	301036	<b>Ref. No.</b> —
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

## push/momentary push switches

ø16mm



1

<b>GEV No.</b>	346346	<b>Ref. No.</b>	RCK6032038
<b>description</b>	momentary push switch mounting ø 16mm red 1NO/indicator light 250V 3A connection male faston 2.8mm ambient temperature max. 125/55°C protection IP40		

## microswitches

## lever actuated



1

<b>GEV No.</b>	345107	<b>Ref. No.</b>	00204 RC00204000
<b>description</b>	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 98mm ambient temperature max. 125°C mounting distance 22mm actuating force: 30g lever length 90mm		

## pin-plunger actuated

M10




1

<b>GEV No.</b>	347216	<b>Ref. No.</b>	RC01853000
<b>description</b>	microswitch with plunger thread M10x0.75 thread L 14mm 250V 10A 1CO connection male faston 6.3mm stroke 7.5mm mounting distance 22mm L 28mm ambient temperature max. 125°C type NR6K5 actuating force: 260g		

Зип Общепит

vsezip.ru

+7(812)987-08-81

	<b>GEV No.</b>	346347	<b>Ref. No.</b>	RCK6043088
<b>description</b>	microswitch with plunger thread M10x0.75 thread L 14mm 250V 6A 2NO connection male faston 6.3mm stroke 4mm mounting distance 22mm ambient temperature max. 85°C actuating force: 100g			

## cam switches

## on/off



1

<b>GEV No.</b>	300129	<b>Ref. No.</b>	RCK6030007
<b>description</b>	cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		

## 7-position



1

<b>GEV No.</b>	300106	<b>Ref. No.</b>	RC01482000
<b>description</b>	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		

## operation switches



1


<b>GEV No.</b>	300002	<b>Ref. No.</b>	00070 RC00070000
<b>description</b>	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		




Зип-Общепит


vsezip.ru

+7(812)987-08-81



1

<b>GEV No.</b>	300080	<b>Ref. No.</b>	RC40100006
<b>description</b>	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
<b>accessories for</b>	300080		
	<b>GEV No.</b>	551456	<b>Ref. No.</b> —
	gasket for switch ED $\varnothing$ 14mm ID $\varnothing$ 2.5mm thickness 3.5mm white		




1

<b>GEV No.</b>	300200	<b>Ref. No.</b>	00037 RC00037000
<b>description</b>	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		

rotary switches


**BREMAS**  
A1600 series



1

<b>GEV No.</b>	346341	<b>Ref. No.</b>	RCK6030030
<b>description</b>	rotary switch 8 1-2-3-4-5-6-7-8 sets of contacts 10 type CS0169134 400V 16A shaft $\varnothing$ 4x5mm shaft L 20mm shaft square connection screw		

encoders and potentiometers




1


<b>GEV No.</b>	300187	<b>Ref. No.</b>	RCK6010097
<b>description</b>	potentiometer 4.7KOhm rotation 310° shaft $\varnothing$ 0.6x4.5mm shaft L 20mm cable length 650mm		


indicator lights

indicator lights 2-piece (lens and indicator lamp)  
indicator light lenses  $\varnothing$  10mm (type SR2.3)




1


<b>GEV No.</b>	359123	<b>Ref. No.</b>	00053 RC00053000
<b>description</b>	indicator light housings mounting measurements $\varnothing$ 10mm green round Qty 1 pcs		
<b>accessories for</b>	359123		
	<b>GEV No.</b>	359132	<b>Ref. No.</b> 00052 RC01782000
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		



1


<b>GEV No.</b>	359124	<b>Ref. No.</b>	00319 RC00319000
<b>description</b>	indicator light housings mounting measurements $\varnothing$ 10mm yellow round Qty 1 pcs		
<b>accessories for</b>	359124		
	<b>GEV No.</b>	359132	<b>Ref. No.</b> 00052 RC01782000
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lamps for socket type SRZ / SDK / SDY / SFK



1

<b>GEV No.</b>	359130	<b>Ref. No.</b>	RC00052000
<b>description</b>	indicator lamp 230V clear connection male faston 6.3mm $\varnothing$ 8mm		


  


1

<b>GEV No.</b>	359132	<b>Ref. No.</b>	00052 RC01782000
<b>description</b>	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lights (complete)

$\varnothing$  6mm



1

<b>GEV No.</b>	359031	<b>Ref. No.</b>	00011 RC00011000
<b>description</b>	indicator light $\varnothing$ 6mm 230V green		



Зип-Общепит

oven lamps

ø12mm

with screw socket



1

<b>GEV No.</b>	359048	<b>Ref. No.</b>	RC40200150
<b>description</b>	indicator light ø 12mm 230V yellow connection male faston 6.3mm		

## screw-on/push-on fit

light bulbs

for ovens



1

<b>GEV No.</b>	359610	<b>Ref. No.</b>	00566 RC00566000
<b>description</b>	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

## halogen lamp

for socket G4 / G6.35 / G9



1

<b>GEV No.</b>	357191	<b>Ref. No.</b>	RCE00C4396
<b>description</b>	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		



1

<b>GEV No.</b>	359599	<b>Ref. No.</b>	RCK6061054
<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C		



1



<b>GEV No.</b>	359946	<b>Ref. No.</b>	RC01856000
<b>description</b>	halogen lamp socket G9 230V 40W temp.-resist. 300°C		

universal oven lamps

mounting diameter 35.5mm



1

<b>GEV No.</b>	359718	<b>Ref. No.</b>	00805 RC00805000	
<b>description</b>	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas			
<b>spare parts for</b>	359718			
	<b>GEV No.</b>	359701	<b>Ref. No.</b>	—
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W			
	<b>GEV No.</b>	359740	<b>Ref. No.</b>	—
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT			

## 30x70mm




1

<b>GEV No.</b>	359338	<b>Ref. No.</b>	RCK6063077
<b>description</b>	lamp glass		



1

<b>GEV No.</b>	359337	<b>Ref. No.</b>	RCK6063075	
<b>description</b>	oven lamp socket G4 cable length 800mm connection Faston 6.3mm L 70mm W 29mm			
<b>accessories for</b>	359337			
	<b>GEV No.</b>	359599	<b>Ref. No.</b>	RCK6061054
	halogen lamp socket G4 12V 20W temp.-resist. 500°C			

## 55x70mm



1


<b>GEV No.</b>	359659	<b>Ref. No.</b>	00275 RC00275000
<b>description</b>	oven lamp complete 230V 25W socket E14 L 70mm W 55mm mounting measurements 55x70mm temp.-resist. 300°C connection male faston 6.3mm		





Зип.Общепит  
timers


vsezip.ru  
with time spread


(812) 987-08-81


			
1			
<b>GEV No.</b>	359299	<b>Ref. No.</b>	RC02027000
<b>description</b>	gasket L 91mm W 77mm hole ø 3mm for oven lamp		




lamps			
light bulbs			
			
1			
<b>GEV No.</b>	359610	<b>Ref. No.</b>	00566 RC00566000
<b>description</b>	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

halogen lamps			
for socket G4 / G6.35 / G9			
			
1			
<b>GEV No.</b>	357191	<b>Ref. No.</b>	RCE00C4396
<b>description</b>	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

			
1			
<b>GEV No.</b>	359599	<b>Ref. No.</b>	RCK6061054
<b>description</b>	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

			
1			
<b>GEV No.</b>	359946	<b>Ref. No.</b>	RC01856000
<b>description</b>	halogen lamp socket G9 230V 40W temp.-resist. 300°C		

electric timers			
with time spread			
			
1			
<b>GEV No.</b>	350074	<b>Ref. No.</b>	RCK6032047
<b>description</b>	timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower°		

mechanical timers				
				
1				
<b>GEV No.</b>	350049	<b>Ref. No.</b>	RC01261000	
<b>description</b>	timer M2 with bell 2-pole operation time 30min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral			
<b>accessories for</b>	350049			
	<b>GEV No.</b>	110366	<b>Ref. No.</b>	—
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	<b>GEV No.</b>	111205	<b>Ref. No.</b>	—
	dial plate graduation 30min permanent position yes rotation 30-300° ø 60mm			

				
1				
<b>GEV No.</b>	350040	<b>Ref. No.</b>	RC00576000	
<b>description</b>	timer M2 with bell 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral			
<b>accessories for</b>	350040			
	<b>GEV No.</b>	110366	<b>Ref. No.</b>	—
	knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	<b>GEV No.</b>	111202	<b>Ref. No.</b>	—
	dial plate graduation 60min permanent position yes rotation 0-300° ø 60mm timers knob ø 45mm with permanent position			

→ electric components



+7(812)987-08-81

## alarm devices

## buzzers



1

<b>GEV No.</b>	350080	<b>Ref. No.</b>	RCK6010103
<b>description</b>	buzzer buzzer		

## contactors

## ISKRA (FANAL)

## power contactors



1

<b>GEV No.</b>	380204	<b>Ref. No.</b>	06208 RC00006208
<b>description</b>	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10		



1

<b>GEV No.</b>	380424	<b>Ref. No.</b>	RCK6046041
<b>description</b>	power contactor resistive load 35A 230VAC (AC3/400V) 32A/15kW main contacts 3NO connection screw connection type Fanal DSL30 type ISKRA KNL30		

## accessories for

<b>GEV No.</b>	381378	<b>Ref. No.</b>	—
<b>description</b>	overload switch connection screw setting range 24,5-30A for contactors KNL30 type BR30 24.5-30A		



## power relays

with bracket mounting



1

<b>GEV No.</b>	380403	<b>Ref. No.</b>	00774 01213 RC00001213 RC00774000
----------------	--------	-----------------	--

**description** power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500

## time relays

## time relays



1

<b>GEV No.</b>	381119	<b>Ref. No.</b>	RCK6042049
----------------	--------	-----------------	------------

**description** time relay LOVATO TM D time range 0.06-180s



1

<b>GEV No.</b>	380607	<b>Ref. No.</b>	RCK6042054
----------------	--------	-----------------	------------

**description** time relay LOVATO TM M1 time range 0s-10 days 12-24V AC/DC 8A 1CO connection grip connection



1

<b>GEV No.</b>	380606	<b>Ref. No.</b>	RCK6042056
----------------	--------	-----------------	------------


**description** time relay LOVATO TM PL time range 2x 0.1s-100 days 12-240V AC/DC 8A 1CO connection grip connection





## transformers


### for lighting


1			
<b>GEV No.</b>	401175	<b>Ref. No.</b>	RCK6041J65
<b>description</b>	transformer primary 230V secondary 11.5V 90VA		

## probes

### universal probes

#### temperature probes


1			
<b>GEV No.</b>	379860	<b>Ref. No.</b>	RCK6000100
<b>description</b>	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		


1			
<b>GEV No.</b>	379222 <sup>1</sup>	<b>Ref. No.</b>	RCK6000083
<b>description</b>	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø4x110mm cable length 1.4m 3-wire		

<sup>1</sup>3-wire

## electronics

### PCBs

1			
<b>GEV No.</b>	401166	<b>Ref. No.</b>	RCK6010095
<b>description</b>	display		

1			
<b>GEV No.</b>	401172	<b>Ref. No.</b>	RCK6010093
<b>description</b>	PCB combi-steamer VE 06/10		

Зип Общепит


vsezip.ru


+7(812)987-08-81

<b>GEV No.</b>	401167	<b>Ref. No.</b>	RCK6010096
<b>description</b>	PCB combi-steamer VE 06/10 230V 50/60Hz		
<b>accessories for</b>	401167		
<b>GEV No.</b>	401062	<b>Ref. No.</b>	—
<b>description</b>	buzzer board 230VAC L 48mm W 45mm connection Faston 6.3mm		

## solenoid valves

### solenoid valves (water)


RPE			
1			
<b>GEV No.</b>	374017	<b>Ref. No.</b>	RCK6042070
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		

JOHN GUEST			
1			
<b>GEV No.</b>	370768 <sup>1</sup>	<b>Ref. No.</b>	RC01964000
<b>description</b>	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input/ min output/ min DN10 t.max. 90°C duty cycle 100% RPE		

<sup>1</sup>cylindrical outlet

## pressure switches

### for steam control

1			
<b>GEV No.</b>	541074	<b>Ref. No.</b>	RC01842000
<b>description</b>	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51 bar connection 1/8" pressure connection 1/8"		



# fans

## axial fans


### import




<b>1</b>	<b>GEV No.</b>	601604 <sup>1</sup>	<b>Ref. No.</b>	RC01863000
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing slide bearing manuf. no. AA1282HS-AT connection cable 300mm fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m <sup>3</sup> /h 2600rpm			

<sup>1</sup>with slide bearings

## hot air motors



<b>1</b>	<b>GEV No.</b>	500640	<b>Ref. No.</b>	RCK6032122
<b>description</b>	fan motor 220-240V 1 phase 50Hz 0.05/0.25HP 1400/2700rpm speeds 2 L1 145mm L2 65mm L3 35mm D1 ø 15mm D2 ø 12mm M10L ET 1.1/0.55A suitable capacitor 12.5µF/450V at 50Hz 1400/2700rpm type 2758D2253 no. 6032122			
<b>spare parts for</b>	500640			
	<b>GEV No.</b>	560280	<b>Ref. No.</b>	—
	nut thread M10L H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			



<b>1</b>	<b>GEV No.</b>	500642	<b>Ref. No.</b>	RCK6033145
<b>description</b>	fan motor 380-415V 3 phase 50Hz 0.22/0.75kW 700/1400rpm speeds 2 L1 166mm L2 45mm L3 67mm D1 ø 24mm D2 ø 20mm M6R ITA at 50Hz 380-415V at 50Hz 700/1400rpm type FB80 4/8 no. 629764			

# Зип Общепит

## vsezip.ru

### +7(812)987-08-81




<b>1</b>	<b>GEV No.</b>	601202	<b>Ref. No.</b>	RCK5901006
<b>description</b>	fan wheel D1 ø 180mm H1 100mm blades 16 D2 ø 11.5mm D3 ø 16mm H2 30mm			



<b>1</b>	<b>GEV No.</b>	601203	<b>Ref. No.</b>	RCK5901010
<b>description</b>	fan wheel D1 ø 310mm H1 100mm blades 30 D2 ø 19.5mm D3 ø 23mm H2 46mm			

## hot air fans

### miscellaneous



<b>1</b>	<b>GEV No.</b>	601011	<b>Ref. No.</b>	00565 RC00565000
<b>description</b>	hot air fan 220-240V 40W 50/60Hz L1 65mm L2 15mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH			
<b>accessories for</b>	601011			
	<b>GEV No.</b>	550879	<b>Ref. No.</b>	—
	insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan			




Table continues overleaf




Зип-Общепит

fuses




vsezip.ru

+7(812)987-08-81

accessories for	601011			
	GEV No.	601260	Ref. No.	—
	nut thread M6L IT for hot air fan			

## pumps

### vibration pumps

				
1				
GEV No.	500568	Ref. No.	RC01969000	
description	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32			
spare parts for	500568			
	GEV No.	390698	Ref. No.	—
	thermal fuse switch-off temp. 110°C suitable for ULKA pump			
	GEV No.	520153	Ref. No.	—
	bracket rubber dimensions 53x34x28mm			


## condensators & interference suppression filters

### operating capacitors


plastic			
			
1			
GEV No.	365014	Ref. No.	LF3068081 RCK2013001
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		

### filters

#### interference suppression filters


			
1			
GEV No.	365044	Ref. No.	RCK6090050
description	interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs		

### fine fuses


			
1			
GEV No.	358677	Ref. No.	RC01861000
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

## electric accessories

### cables

accessories			
cable glands			
threaded cable glands			
screw connections			
			
1			
GEV No.	550571	Ref. No.	RC00241000
description	cable gland thread PG16 cable ø 12.0-14.0mm mounting ø 21.5mm nickel-plated brass Qty 1 pcs		

### terminals

connection terminals with screw/faston connections			
			
1			
GEV No.	550977 <sup>1</sup>	Ref. No.	RC00194000
description	power terminal block 6-pole max. 40A max 450V connection ø6mm <sup>2</sup> / F6.3 temp.-resist. 150°C cross section 6mm <sup>2</sup> with ground lug		


<sup>1</sup>with ground lug

+7(812)987-08-81

gas thermostats

PEL

25ST series



<b>GEV No.</b>	101172	<b>Ref. No.</b>	01133 RC01133000
<b>description</b>	gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper		
<b>spare parts for</b>	101172		
	<b>GEV No.</b>	100259	<b>Ref. No.</b> —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	<b>GEV No.</b>	101060	<b>Ref. No.</b> —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	<b>GEV No.</b>	106200	<b>Ref. No.</b> —
	nut thread M9x1 suitable for PEL 24/255		
<b>accessories for</b>	101172		
	<b>GEV No.</b>	100908	<b>Ref. No.</b> —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	<b>GEV No.</b>	100909	<b>Ref. No.</b> —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	<b>GEV No.</b>	101246	<b>Ref. No.</b> —
	olive for pipe ø 4mm Qty 1 pcs		
	<b>GEV No.</b>	101278	<b>Ref. No.</b> —
	olive for pipe ø 10mm Qty 1 pcs		
	<b>GEV No.</b>	101286	<b>Ref. No.</b> —
	olive ID ø 6mm Qty 1 pcs		
	<b>GEV No.</b>	101300	<b>Ref. No.</b> —
	union nut thread M16x1.5 tube ø 10mm		
	<b>GEV No.</b>	101450	<b>Ref. No.</b> —
	olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm		
	<b>GEV No.</b>	101451	<b>Ref. No.</b> —
	union nut thread M16x1.5 tube ø 8mm		
	<b>GEV No.</b>	110079	<b>Ref. No.</b> —
	knob dial plate gas thermostat 1-8 silver		
	<b>GEV No.</b>	110081	<b>Ref. No.</b> RC05001300
	knob ø 70mm shaft ø 8x6.5mm shaft flat universal		

gas control valves

TANDEM



<b>GEV No.</b>	101881	<b>Ref. No.</b>	RCK7020080
<b>description</b>	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.041 suitable for Tandem		
<b>spare parts for</b>	101881		
	<b>GEV No.</b>	101379	<b>Ref. No.</b> —
	solenoid coil 230V 50Hz suitable for Tandem		
<b>accessories for</b>	101881		
	<b>GEV No.</b>	101274	<b>Ref. No.</b> RCK7070036
	olive for pipe ø 16mm Qty 1 pcs		
	<b>GEV No.</b>	101275	<b>Ref. No.</b> —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		
	<b>GEV No.</b>	101925	<b>Ref. No.</b> —
	plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT		
	<b>GEV No.</b>	102845	<b>Ref. No.</b> —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	<b>GEV No.</b>	102846	<b>Ref. No.</b> —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		
	<b>GEV No.</b>	102847	<b>Ref. No.</b> —
	O-ring		



ignition boxes

SIT



1

<b>GEV No.</b>	101685	<b>Ref. No.</b>	RCK7020085
<b>description</b>	ignition box SIT type 503EFD electrodes 2 waiting time 1.5s safety time 10s 220/240V 10VA 50-60Hz protection IP40		

miscellaneous



1

<b>GEV No.</b>	401171	<b>Ref. No.</b>	RCK6010084
<b>description</b>	ignition box		

ignition parts





pilot burners

SIT

100 series



1

<b>GEV No.</b>	106906	<b>Ref. No.</b>	00445 RC00445000
<b>description</b>	pilot burner SIT type 100 series 3 flames nozzle $\varnothing$ 0.2mm gas connection 6mm		
<b>spare parts for</b>	106906		
	<b>GEV No.</b>	100245	<b>Ref. No.</b> 00435 RC00435000
	pilot burner nozzle LPG code 20 bore $\varnothing$ 0.2mm Qty 1 pcs thread M8x0.75		
	<b>GEV No.</b>	100855	<b>Ref. No.</b> 00411 RC00411000
	pilot burner bracket triple		
	<b>GEV No.</b>	100885	<b>Ref. No.</b> —
	air mixing sleeve for pilot burner Qty 1 pcs		
	<b>GEV No.</b>	100916	<b>Ref. No.</b> —
	compression spring for pilot burner Qty 1 pcs		

<b>spare parts for</b>	106906		
	<b>GEV No.</b>	100917	<b>Ref. No.</b> —
	gasket for pilot burner Qty 1 pcs aluminium		
	<b>GEV No.</b>	100918	<b>Ref. No.</b> —
	screw for pilot burner		
	<b>GEV No.</b>	107162	<b>Ref. No.</b> —
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs		
	<b>GEV No.</b>	107701	<b>Ref. No.</b> —
	pilot burner bottom part SIT 100 series nozzle $\varnothing$ 0.2mm		
<b>accessories for</b>	106906		
	<b>GEV No.</b>	100245	<b>Ref. No.</b> 00435 RC00435000
	pilot burner nozzle LPG code 20 bore $\varnothing$ 0.2mm Qty 1 pcs thread M8x0.75		
	<b>GEV No.</b>	100246	<b>Ref. No.</b> 00436 RC00436000
	pilot burner nozzle natural gas bore $\varnothing$ 0.35mm Qty 1 pcs thread M8x0.75		
	<b>GEV No.</b>	100904	<b>Ref. No.</b> —
	locking screw M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs		
	<b>GEV No.</b>	100905	<b>Ref. No.</b> —
	locking screw M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs		
	<b>GEV No.</b>	102110	<b>Ref. No.</b> —
	pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm		
	<b>GEV No.</b>	102111	<b>Ref. No.</b> —
	pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm		
	<b>GEV No.</b>	107171	<b>Ref. No.</b> —
	pilot burner nozzle SIT natural/liquid gas bore $\varnothing$ 0.25mm Qty 1 pcs		
	<b>GEV No.</b>	107700	<b>Ref. No.</b> —
	pilot burner bottom part SIT 100 series nozzle $\varnothing$ 0.25mm		
	<b>GEV No.</b>	107702	<b>Ref. No.</b> —
	pilot burner bottom part SIT 100 series nozzle $\varnothing$ 0.35mm		




	<b>GEV No.</b>	106907	<b>Ref. No.</b> RC30100005
	pilot burner SIT type 100 series 3 flames nozzle $\varnothing$ 0.35mm gas connection 6mm		
<b>spare parts for</b>	106907		
	<b>GEV No.</b>	100246	<b>Ref. No.</b> 00436 RC00436000
	pilot burner nozzle natural gas bore $\varnothing$ 0.35mm Qty 1 pcs thread M8x0.75		
	<b>GEV No.</b>	100855	<b>Ref. No.</b> 00411 RC00411000
	pilot burner bracket triple		












Table continues overleaf



2 gas components



Зип-Общепит


vsezip.ru


+7(812)987-08-81


spare parts for		106907	
	GEV No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	GEV No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	GEV No.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	GEV No.	100918	Ref. No. —
screw for pilot burner			
	GEV No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	GEV No.	107702	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			
accessories for		106907	
	GEV No.	100245	Ref. No. 00435 RC00435000
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	GEV No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	GEV No.	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	GEV No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	GEV No.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	GEV No.	107171	Ref. No. —
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	GEV No.	107700	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	GEV No.	107701	Ref. No. —
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			

accessories			
pilot burner brackets			
universal			
	1		
GEV No.	100855	Ref. No.	00411 RC00411000
description pilot burner bracket triple			
accessories for 100855			
	GEV No.	100855	Ref. No. 00411 RC00411000
pilot burner bracket triple			

accessories for		100855	
	GEV No.	100886	Ref. No. —
pilot burner bracket suitable for 100 series 3-piece			
	GEV No.	100888	Ref. No. —
screw bolt for pilot burner			

pilot burner nozzles			
	1		
GEV No.	100245	Ref. No.	00435 RC00435000
description pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			

	1		
GEV No.	100246	Ref. No.	00436 RC00436000
description pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			

ignition electrodes			
	1		
GEV No.	100706	Ref. No.	00120 RC00120000
description ignition electrode connection M4 Qty 1 pcs			

140 - 145 -150 series			
	1		
GEV No.	107114 <sup>1</sup>	Ref. No.	RCK7090028
description pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm			
spare parts for 107114			
	GEV No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			
accessories for 107114			
	GEV No.	100204	Ref. No. RC01219000
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	GEV No.	100205	Ref. No. —
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			













<sup>1</sup>incl. thermocouple fitting  
Table continues overleaf




Зип Общепит

vsezip.ru





+7(812)98708881

accessories for		107114	
	GEV No.	100206	Ref. No. —
	pilot burner nozzle SIT natural gas code 36 bore $\varnothing$ 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	GEV No.	100207	Ref. No. RCK7042013
	pilot burner nozzle SIT natural gas code 27 bore $\varnothing$ 0.40/0.38mm suitable for SIT 140 series		
	GEV No.	100216	Ref. No. —
	pilot burner nozzle SIT natural gas code 38 bore $\varnothing$ 0.45mm Qty 1 pcs suitable for SIT 150 series		
	GEV No.	100701	Ref. No. 01168 RC01168000
	ignition electrode connection M4 Qty 1 pcs		
	GEV No.	100801	Ref. No. —
	gasket for pilot burner Qty 1 pcs		
	GEV No.	100897	Ref. No. —
	olive for pipe $\varnothing$ 4mm Qty 1 pcs for pilot burner		
	GEV No.	100898	Ref. No. —
	olive for pipe $\varnothing$ 6mm Qty 1 pcs for pilot burner		
	GEV No.	100906	Ref. No. RCK7050028
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm		

accessories for		100051	
	GEV No.	100209	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 40 bore $\varnothing$ 0.4mm Qty 1 pcs		
	GEV No.	100701	Ref. No. 01168 RC01168000
	ignition electrode connection M4 Qty 1 pcs		
	GEV No.	100906	Ref. No. RCK7050028
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	GEV No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 $\varnothing$ mm for thermocouple		
	GEV No.	100908	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs		
	GEV No.	100909	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs		
	GEV No.	102110	Ref. No. —
	pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm		
	GEV No.	102111	Ref. No. —
	pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm		
	GEV No.	102508	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 5 pcs		
	GEV No.	102509	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 5 pcs		
	GEV No.	102699	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 25.2 bore $\varnothing$ 2x0.25mm Qty 1 pcs 2 bores		
	GEV No.	102795	Ref. No. —
	olive for pipe $\varnothing$ 4mm Qty 1 pcs		
	GEV No.	102797	Ref. No. —
	olive for pipe $\varnothing$ 6mm Qty 1 pcs		
	GEV No.	106703	Ref. No. RCK7042008
	pilot burner nozzle POLIDORO natural gas code 27.2 bore $\varnothing$ 2x0.27mm Qty 1 pcs		
	GEV No.	106704	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 16.2 bore $\varnothing$ 2x0.16mm Qty 1 pcs		
	GEV No.	106763	Ref. No. —
	pilot burner nozzle POLIDORO natural gas code 27.2A bore $\varnothing$ 2x0.27mm Qty 1 pcs		
	GEV No.	106859	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 24 bore $\varnothing$ 0.24mm Qty 1 pcs		

POLIDORO

pilot burners

	1		
GEV No.	100051	Ref. No.	RCK7090026
description	pilot burner POLIDORO 3 flames code gas connectionmm		
spare parts for	100051		
	GEV No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 $\varnothing$ mm for thermocouple		
accessories for	100051		
	GEV No.	100000	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 22 bore $\varnothing$ 0.22mm Qty 1 pcs		
	GEV No.	100208	Ref. No. —
	pilot burner nozzle POLIDORO LPG code 20 bore $\varnothing$ 0.2mm Qty 1 pcs		

2 gas components





Зип Общепит

vsezip.ru

+7(812)987-08-81

electrodes




<b>GEV No.</b>	100701	<b>Ref. No.</b>	01168 RC01168000
<b>description</b>	ignition electrode connection M4 Qty 1 pcs		
<b>accessories for</b>	100701		
	<b>GEV No.</b>	100906	<b>Ref. No.</b> RCK7050028
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		




<b>GEV No.</b>	100706	<b>Ref. No.</b>	00120 RC00120000
<b>description</b>	ignition electrode connection M4 Qty 1 pcs		



<b>GEV No.</b>	102333	<b>Ref. No.</b>	RCK2012111
<b>description</b>	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 23mm L2 19mm BL1 18mm BL2 3mm BL3 23mm to clip		



<b>GEV No.</b>	102334	<b>Ref. No.</b>	RCK2012110
<b>description</b>	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 9mm L2 12mm L3 62mm BL1 18mm BL2 3mm BL3 23mm to clip		



<b>GEV No.</b>	100906	<b>Ref. No.</b>	RCK7050028
<b>description</b>	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables



<b>GEV No.</b>	100176	<b>Ref. No.</b>	RCK6050610
<b>description</b>	ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C		



<b>GEV No.</b>	100140	<b>Ref. No.</b>	RCK6050051
<b>description</b>	ignition cable cable length 400mm connection ø2.4mm / ø4mm		



<b>GEV No.</b>	100018	<b>Ref. No.</b>	00123 RC00123000
<b>description</b>	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		

2 gas components






ignition units

Зип Общепит


vsezip.ru

+7(812)987-08-81




1

<b>GEV No.</b>	102485	<b>Ref. No.</b>	RC00862000 RCK6041059
<b>description</b>	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		




1

<b>GEV No.</b>	101002	<b>Ref. No.</b>	00862
<b>description</b>	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		



<b>GEV No.</b>	107609	<b>Ref. No.</b>	00118 RC00118000
<b>description</b>	thermocouple SIT M9x1 L 600mm plug connection $\varnothing 6.0(6.5)$ mm		



<b>GEV No.</b>	107611	<b>Ref. No.</b>	RC40400110 RCK6010057
<b>description</b>	thermocouple SIT M9x1 L 850mm plug connection $\varnothing 6.0(6.5)$ mm		


thermocouples

plug-in thermocouples


plug-in thermocouples standard

with barrel socket  $\varnothing 6(6.5)$ mm

thermocouples SIT



<b>GEV No.</b>	107605	<b>Ref. No.</b>	RC01483000
<b>description</b>	thermocouple SIT M8x1 L 1500mm plug connection $\varnothing 6.0(6.5)$ mm		




<b>GEV No.</b>	107613	<b>Ref. No.</b>	RC40400100
<b>description</b>	thermocouple SIT M9x1 L 1200mm plug connection $\varnothing 6.0(6.5)$ mm		


threaded thermocouples

threaded thermocouples standard

with socket with thread M8x1


SIT



<b>GEV No.</b>	107634	<b>Ref. No.</b>	00864 RC00864000	
<b>description</b>	thermocouple SIT M8x1 L 1500mm M8x1			
<b>accessories for</b>	107634			
	<b>GEV No.</b>	102067	<b>Ref. No.</b>	00865 RC00865000
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

accessories

nuts



1

<b>GEV No.</b>	102067	<b>Ref. No.</b>	00865 RC00865000
<b>description</b>	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

gas components

Зип Общепит

vsezip.ru

+7(812)987-08-81

interrupters



1

<b>GEV No.</b>	101265	<b>Ref. No.</b>	RC00460000
<b>description</b>	interrupter thread M9x1		

pilot burner nozzles

pilot burner nozzles POLIDORO



<b>GEV No.</b>	106703	<b>Ref. No.</b>	RCK7042008
<b>description</b>	pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs		

pilot burner nozzles SIT

100 series



<b>GEV No.</b>	100245	<b>Ref. No.</b>	00435 RC00435000
<b>description</b>	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		



<b>GEV No.</b>	100246	<b>Ref. No.</b>	00436 RC00436000
<b>description</b>	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		

140/150 series



<b>GEV No.</b>	100204	<b>Ref. No.</b>	RC01219000
<b>description</b>	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		



<b>GEV No.</b>	100207	<b>Ref. No.</b>	RCK7042013
<b>description</b>	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		

screw connections

olives



<b>GEV No.</b>	101274	<b>Ref. No.</b>	RCK7070036
<b>description</b>	olive for pipe ø 16mm Qty 1 pcs		

<b>accessories for</b>	101274		
<b>GEV No.</b>	101275	<b>Ref. No.</b>	—



union screw thread 1/2" for pipe ø 16mm Qty 1 pcs

gas burners

bar burners

bar burners



1

<b>GEV No.</b>	105776	<b>Ref. No.</b>	RCK7090100
<b>description</b>	bar burner ø 50mm Wmm Hmm L 305mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm		



1

<b>GEV No.</b>	105775	<b>Ref. No.</b>	RCK7090101
<b>description</b>	bar burner ø 50mm Wmm Hmm L 425mm with bolt M5x12 flange width 52mm convection oven flange ø 75mm		

gas nozzles

main nozzles

gas nozzles M10x1



1

<b>GEV No.</b>	100477	<b>Ref. No.</b>	01195
<b>description</b>	gas injector thread M10x1 WS 12 bore ø 1.65mm		

gas components




Зип-Общепит


vsezip.ru

+7(812)987-08-81

union screws

 <p>1</p>			
<b>GEV No.</b>	100906	<b>Ref. No.</b>	RCK7050028
<b>description</b>	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

doors




 <p>1</p>			
<b>GEV No.</b>	690585	<b>Ref. No.</b>	RCK2011212
<b>description</b>	bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass		

door mechanics

miscellaneous

 <p>1</p>			
<b>GEV No.</b>	690585	<b>Ref. No.</b>	RCK2011212
<b>description</b>	bush for door mechanism L 35mm ED ø 36mm int. ø 1 31mm int. ø 2 13mm mounting distance 28mm brass		


vibration pumps

 <p>1</p>			
<b>GEV No.</b>	500568	<b>Ref. No.</b>	RC01969000
<b>description</b>	vibration pump 230V 32W 50Hz inlet ø 7 outlet ø 1/8" IT CEME type E512/A32		
<b>spare parts for</b>	500568		
	<b>GEV No.</b>	390698	<b>Ref. No.</b> —
	thermal fuse switch-off temp. 110°C suitable for ULKA pump		
	<b>GEV No.</b>	520153	<b>Ref. No.</b> —
	bracket rubber dimensions 53x34x28mm		

handle latches


producer-specific


TECNOINOX


 <p>1</p>			
<b>GEV No.</b>	694067	<b>Ref. No.</b>	RC01940000
<b>description</b>	door catch with spigot 1-stage L 26mm total length 51mm thread M8		

espagnolette locks

universal

 <p>1</p>			
<b>GEV No.</b>	690041	<b>Ref. No.</b>	RCK5900121
<b>description</b>	cam L 148mm mounting distance 32mm		


 <p>1</p>			
<b>GEV No.</b>	690040	<b>Ref. No.</b>	RCK5900122
<b>description</b>	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		

 <p>1</p>			
<b>GEV No.</b>	700771	<b>Ref. No.</b>	RCK5900123
<b>description</b>	latch gear opening to the left shaft intake ø 8x8mm L 170mm W 40mm H 40mm		

gaskets

gaskets for heated units

door seals

 <p>1</p>			
<b>GEV No.</b>	902409	<b>Ref. No.</b>	RCK7070100
<b>description</b>	door seal profile 2714 Qty supplied by meter suitable for GIORIK		



Зип Общежит

shaft gaskets

shaft gaskets  
vsezip.ru

+7(812)987-08-81

1

<b>GEV No.</b>	900439	<b>Ref. No.</b>	RCK7070166
<b>description</b>	door seal profile 2750 Qty supplied by meter		

door seals with fixing hook

1

<b>GEV No.</b>	901434	<b>Ref. No.</b>	RC70044040
<b>description</b>	door seal W 600mm with 6 mounting clips H 400mm		

1

<b>GEV No.</b>	901371	<b>Ref. No.</b>	RC70044030
<b>description</b>	oven gasket L 540mm W 390mm with 6 mounting clips		

O-rings

EPDM

ø1.78mm

1

<b>GEV No.</b>	510824	<b>Ref. No.</b>	RC00007811
<b>description</b>	O-ring EPDM thickness 1.78mm ID ø 20.35mm Qty 1 pcs		

shaft gaskets

1

<b>GEV No.</b>	550549	<b>Ref. No.</b>	RCK7070150
<b>description</b>	shaft sealing for fan motor		

1

<b>GEV No.</b>	550550	<b>Ref. No.</b>	RCK7070151
<b>description</b>	shaft sealing for fan motor		

fittings, hose and pipe connectors

fittings

angle pieces

1

<b>GEV No.</b>	520824	<b>Ref. No.</b>	RCK7050374
<b>description</b>	angle piece thread 1/8" ET - 1/8" IT nickel-plated brass		

push-in fittings

JOHN GUEST

1



<b>GEV No.</b>	520494	<b>Ref. No.</b>	RC01922000
<b>description</b>	push-in fitting John Guest angled pipe connection ø10mm - ø10mm		
<b>accessories for</b>	520494		
<b>GEV No.</b>	520973	<b>Ref. No.</b>	—
<b>description</b>	hose John Guest thickness 1.5mm LLDPE blue ID ø 7mm ED ø 10mm		


mechanical components, equipment accessories




Зип-Общепит

consumables

			
1			
<b>GEV No.</b>	520495	<b>Ref. No.</b>	RC01927000
<b>description</b>	push-in fitting John Guest straight thread 1/8" BSP stub ø 8mm		
<b>accessories for</b>	520495		
			
<b>GEV No.</b>	520971	<b>Ref. No.</b>	—
<b>description</b>	hose thickness 1mm LLDPE blue ID ø 4mm ED ø 6mm operating pressure at 20°C 16bar		

<p>consumables</p> <p>fuses</p> <p>fine fuses</p>			
			
1			
<b>GEV No.</b>	358677	<b>Ref. No.</b>	RC01861000
<b>description</b>	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

## fastening material

<p>nuts</p> <p>hexagonal nuts</p> <p>hexagonal nuts metric (without norm)</p>			
			
1			
<b>GEV No.</b>	102067	<b>Ref. No.</b>	00865 RC00865000
<b>description</b>	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

**Зип Общепит**

**vsezip.ru**

**+7(812)987-08-81**

Зип Общепит

vsezip.ru

+7(812)987-08-81

<b>A</b>			
alarm devices	8	ignition units	17
axial fans	10	indicator lights	5
		indicator lights (complete)	5
<b>B</b>		<b>L</b>	
bar burners	18	lamps	5
		light bulbs	6
<b>C</b>		<b>M</b>	
cable glands	11	mechanical timers	7
cables	11	microswitches	4
cam switches	4		
condensators & interference suppression filters	11	<b>N</b>	
consumables	21	nuts	21
contactors	8		
control thermostats	2	<b>O</b>	
		operating capacitors	11
<b>D</b>		O-rings	20
door seals	19	oven lamps	6
door seals with fixing hook	20		
		<b>P</b>	
<b>E</b>		pilot burners	13
electric accessories	11	pressure switches	9
electric timers	7	probes	9
energy regulators	2	pumps	11
espagnolette locks	19	push/momentary push switches	4
		push-in fittings	20
<b>F</b>			
fans	10	<b>R</b>	
fastening material	21	relays	8
filters	11	rocker/momentary rocker switches	4
fine fuses	21	rotary switches	5
fittings	20		
fuses	11, 21	<b>S</b>	
		safety thermostats	3
<b>G</b>		shaft gaskets	20
gas burners	18	solenoid valves	9
gas control valves	12	switches and momentary switches	4
gas nozzles	18		
gas thermostats	12	<b>T</b>	
gaskets for heated units	19	temperature probes	9
		terminals	11
<b>H</b>		thermocouples	17
halogen lamp	6	thermostats	2
heating elements	2	threaded cable glands	11
heating elements for convection	2	time relays	8
hexagonal nuts	21	timers	7
hot air fans	10	transformers	9
hot air motors	10		
		<b>U</b>	
<b>I</b>		universal probes	9
ignition boxes	13		
ignition cables	16		

**Зип Общепит****V**

vibration pumps

11

**vsezip.ru****+7(812)987-08-81**