

Зип Общепит

vsezip.ru

+7(812)987-08-81



VARIMIXER

*Selection of spare parts
for professional mixers*



BEARINGS



LF Code: 5132431
GEV Code: 523113
OEM p/n: R15-105

BEARING 6005-2HRS-C3 FAG

outer ø 47 mm - inner ø 25 mm - thickness 12 mm



LF Code: 9063057
GEV Code: 523122
OEM p/n: R20-100

BEARING 6006-2RSR-C3 FAG

outer ø 55 mm - inner ø 30 mm - thickness 13 mm



LF Code: 9063056
GEV Code: 523121
OEM p/n: R40-100

BEARING 6008-2RSR-C3 FAG

outer ø 68 mm - inner ø 40 mm - thickness 15 mm



LF Code: 9063058
GEV Code: 523123
OEM p/n: R15-103

BEARING 6010-2RSR-C3

outer ø 80 mm - inner ø 50 mm - thickness 16 mm



LF Code: 9063060
GEV Code: 523125
OEM p/n: R100-100

BEARING 6011-2RSR-C3 FAG

outer ø 90 mm - inner ø 55 mm - thickness 18 mm



LF Code: 9063055
GEV Code: 523120
OEM p/n: R20-97

BEARING 6205-C-2HRS-C3 FAG

outer ø 52 mm - inner ø 25 mm - thickness 15 mm



LF Code: 9063059
GEV Code: 523124
OEM p/n: R40-97

BEARING 6208-2RSR-C3 FAG

outer ø 80 mm - inner ø 40 mm - thickness 18 mm



LF Code: 9063061
GEV Code: 523126
OEM p/n: R60-99

BEARING 6209-C-2HRS-C3 FAG

outer ø 85 mm - inner ø 45 mm - thickness 19 mm



LF Code: 9063062
GEV Code: 523127
OEM p/n: R100-97

BEARING 6211-C-2HRS-C3 FAG

outer ø 100 mm - inner ø 55 mm - thickness 21 mm



LF Code: 9063054
GEV Code: 523119
OEM p/n: R30-101Z

NEEDLE BEARING BK2518-RS

outer \varnothing 32 mm - inner \varnothing 25 mm - thickness 18 mm
complete with bushing and gasket



LF Code: 9063050
GEV Code: 523115
OEM p/n: R40-101Z

NEEDLE BEARING COMPLETE BK3016

outer \varnothing 37 mm - inner \varnothing 30 mm - thickness 16 mm
complete with bushing and gasket



LF Code: 9063064
GEV Code: 523129
OEM p/n: R100-101Z

NEEDLE BEARING BK3520-A

outer \varnothing 42 mm - inner \varnothing 36 mm - thickness 20 mm
complete with bushing and gasket



LF Code: 9063065
GEV Code: 523130
OEM p/n: R100-101

NEEDLE BEARING BK3520-A

outer \varnothing 22 mm - inner \varnothing 36 mm - thickness 20 mm
complete with bushing



LF Code: 9063053
GEV Code: 523118
OEM p/n: R20-96

NEEDLE BEARING HK2016-2RS

outer \varnothing 26 mm - inner \varnothing 20 mm - thickness 16 mm
complete with bushing LRI7



LF Code: 9063063
GEV Code: 523128
OEM p/n: R30-96

NEEDLE BEARING HK2820-2RS

outer \varnothing 35 mm - inner \varnothing 28 mm - thickness 20 mm
complete with bushing



LF Code: 9063049
GEV Code: 523114
OEM p/n: R40-96

NEEDLE BEARING HK 3516-2RS

outer \varnothing 42 mm - inner \varnothing 35 mm - thickness 16 mm
complete with bushing



LF Code: 9063052
GEV Code: 523117
OEM p/n: R60-96

NEEDLE BEARING HK3520-2RS

outer \varnothing 42 mm - inner \varnothing 35 mm - thickness 20 mm
complete with bushing \varnothing 35x30 mm



LF Code: 9063051
GEV Code: 523116
OEM p/n: R100-96

NEEDLE BEARING HK4520-2RS

outer \varnothing 52 mm - inner \varnothing 45 mm - thickness 20 mm
complete with bushing

BELTS



LF Code: 9062123
GEV Code: 560693
OEM p/n: R20-91

TOOTHED BELT R20-91 29X10X1050 MM



LF Code: 9062116
GEV Code: 560686
OEM p/n: R27-91

TOOTHED BELT R27-91 29X9X932 MM



LF Code: 9062119
GEV Code: 560689
OEM p/n: R40-90Z

TOOTHED BELT R40-90Z 11X7X710MM 3 PCS



LF Code: 9062120
GEV Code: 560690
OEM p/n: R60-90Z

TOOTHED BELT R60-90Z 10X8X850MM 3 PCS



LF Code: 9062117
GEV Code: 560687
OEM p/n: R60-91

TOOTHED BELT R60-91 38X11X1042 MM



LF Code: 9062121
GEV Code: 560691
OEM p/n: RN20-90

TOOTHED BELT RN20-90 20X5X880 MM



LF Code: 9062122
GEV Code: 560692
OEM p/n: R100-90Z

TOOTHED BELT XPZ1000 - 3 PCS



LF Code: 9062125
GEV Code: 560695
OEM p/n: W40P-90.1

BELT POLY 914J H28 11 GROOVES



LF Code: 9062118
GEV Code: 560688
OEM p/n: AR005-090-TD001

BELT POLY V 559J H18 7 GROOVES



LF Code: 9062124
GEV Code: 560694
OEM p/n: R20-19

BELT-TIGHTENER FORK

Зип Общепит

vsezip.ru

+7(812)987-08-81

BUSHINGS
CAMS
CIRCLIPS



LF Code: 9704015
GEV Code: 702026
OEM p/n: 56SN20-21.1

PROTECTION BUSHING Ø 25 MM

thread M13 - NEW MODEL



LF Code: 9704016
GEV Code: 702025
OEM p/n: R15-65E

LIFT BUSHING



LF Code: 9704017
GEV Code: 702024
OEM p/n: STA6580

THREADED BUSHING M5



LF Code: 9704018
GEV Code: 702023
OEM p/n: STA2505

BUSHING FOR PULLEY PIN MB0610DU



LF Code: 5132240
GEV Code: 560685
OEM p/n: RN20-65.1Z

BUSHING FOR LIFT PIN



LF Code: 9707027
GEV Code: 701999
OEM p/n: 56SN30-23

LIFT CAM FOR SAFETY GRID Ø 30 MM

inner ø 8 mm



LF Code: 9707028
GEV Code: 702022
OEM p/n: 56SN20-22.1

LIFT CAM FOR SAFETY GRID Ø 35 MM

inner ø 6 mm
complete with grub screw



LF Code: 9707028
GEV Code: 701998
OEM p/n: 56SN30-22

CAM FOR MICROSWITCH Ø 35 MM


inner ø 8 mm
complete with grub screw



LF Code: 9258001
GEV Code: 551537
OEM p/n: STA3514 - STA6204

STOP RING J-52

zinc-plated iron alloy - outer ø 57.2 mm
UNI 7437 - DIN 472



FITTINGS
FLANGES
GASKETS



LF Code: 9349001
GEV Code: 702035
OEM p/n: R15-156

FITTING FOR PULLEY 1/2\"M-1/8\"F



LF Code: 9161001
GEV Code: 703016
OEM p/n: R15-17.1

FLANGE FOR MOTOR PULLEY



LF Code: 9186068
GEV Code: 703015
OEM p/n: RN20-207

GASKET FOR UPPER TURRET 270X250MM



LF Code: 9186070
GEV Code: 703013
OEM p/n: R60-209.1

COLLAR GASKET RUBBER

outer \varnothing 92 mm - inner \varnothing 60 mm - thickness 16 mm



LF Code: 9186071
GEV Code: 703012
OEM p/n: R100-209

COLLAR GASKET RUBBER

outer \varnothing 110 mm - inner \varnothing 60 mm - ring thickness 16.5 mm



LF Code: 9186072
GEV Code: 703011
OEM p/n: W20-209

GASKET - BAYONET FITTING

outer \varnothing 72 mm - inner \varnothing 40 mm - thickness 10 mm



LF Code: 9186073
GEV Code: 703010
OEM p/n: W40-209

MOTOR PULLEY GASKET

outer \varnothing 95 mm - inner \varnothing 54 mm - thickness 14 mm



LF Code: 9186069
GEV Code: 703014
OEM p/n: R15-211

CONICAL GASKET FOR HUB - RUBBER

outer \varnothing 105 mm - inner \varnothing 75 mm



LF Code: 9186074
GEV Code: 703009
OEM p/n: RN20-211

RUBBER GASKET 91X91 MM

central hole \varnothing 79 mm

Зип Общепит

vsezip.ru

+7(812)987-08-81

GEARS
GREASES



LF Code: 9212082
GEV Code: 703000
OEM p/n: R20-9

GEAR FOR DRIVE SHAFT Ø 85 MM

inner ø 25 mm - 26x teeth - total height 43.5 mm



LF Code: 9212076
GEV Code: 703006
OEM p/n: R20-32

LOWER PINION Ø 75 MM

inner ø 22 mm - 34x teeth



LF Code: 9212079
GEV Code: 703003
OEM p/n: R30-32

LOWER PINION Ø 80 MM

inner ø 28 mm - 23x teeth



LF Code: 9212081
GEV Code: 703001
OEM p/n: R60-32.1

LOWER PINION Ø 90 MM

inner ø 39 mm - 22x teeth



LF Code: 9212077
GEV Code: 703005
OEM p/n: R20-31

UPPER PINION Ø 55 MM

inner ø 23 mm - 15x teeth



LF Code: 9212078
GEV Code: 703004
OEM p/n: R30-31

UPPER PINION Ø 65 MM

inner ø 28 mm - 16x teeth



LF Code: 9212074
GEV Code: 703008
OEM p/n: AR60-31

UPPER PINION Ø 70 MM

inner ø 32 mm - 16x teeth



LF Code: 9212075
GEV Code: 703007
OEM p/n: R40-31

UPPER PINION Ø 70 MM

inner ø 30 mm - 17x teeth



LF Code: 9212080
GEV Code: 703002
OEM p/n: R40-32


UPPER PINION Ø 90 MM

inner ø 30 mm - 22x teeth



LF Code: 9120003
GEV Code: 703017
OEM p/n: R15-142

GREASE FOR STAND MIXER



IRONMONGERY PINS



LF Code: 9528053
GEV Code: 551536
OEM p/n: STA6204

SPLIT PIN Ø 2 MM FOR PIN



LF Code: 9250013
GEV Code: 630992
OEM p/n: R20-275

SPRING FOR BELT TIGHTENER Ø 23X70 MM

inner ø 55 mm - thickness 8 mm



LF Code: 9528051
GEV Code: 560696
OEM p/n: STA2011

MOTOR SHAFT KEY 5X5X57 MM



LF Code: 9528050
GEV Code: 560697
OEM p/n: STA2030

LOCKING KEY FOR PULLEY 8X7X20 MM



LF Code: 9324007
GEV Code: 703020
OEM p/n: R20-285

PIN 6X60 MM



LF Code: 9324006
GEV Code: 703018
OEM p/n: R30-285

MOTOR PULLEY PIN Ø 6X85 MM



LF Code: 9324009
GEV Code: 560699
OEM p/n: R60-285

MOTOR PULLEY PIN Ø 6X95 MM



LF Code: 9324014
GEV Code: 702037
OEM p/n: STA6251

PIN 8X30 MM



LF Code: 9324010
GEV Code: 560700
OEM p/n: AR31-305

THREADED PIN M8X120 MM



LF Code: 9324015
GEV Code: 702038
OEM p/n: R30-79

HOOK PIN Ø 9X45 MM



LF Code: 9324008
GEV Code: 560698
OEM p/n: RN100-67

LIFT PIN Ø 12X80 MM



LF Code: 9324013
GEV Code: 702038
OEM p/n: STA5690

FASTENING PIN M8X25 MM



LF Code: 9324012
GEV Code: 702039
OEM p/n: R15-46Z

TOOTHED PIN FOR RACK+PINION M15X220 MM

complete with nut and circlip



LF Code: 9324011
GEV Code: 702040
OEM p/n: R30-33Z

BAYONET DRIVE SHAFT KIT

kit including: 1 circlip - 1 key



LF Code: 9324005
GEV Code: 703019
OEM p/n: RN20-63ME

SUPPORT FOR LIFT PIN



LF Code: 9319110
GEV Code: 360829
OEM p/n: AR31-174.5

MUSHROOM PUSH BUTTON - STOP - RED

SCHNEIDER - 2 contacts normally closed -
mounting template ø 22 mm



LF Code: 9319108
GEV Code: 348334
OEM p/n: AR31-174.3

STOP BUTTON RED Ø 28 MM

SCHNEIDER - 1 contact normally closed -
mounting template ø 22 mm



LF Code: 9319109
GEV Code: 360830
OEM p/n: AR31-174.2

START BUTTON GREEN Ø 28 MM

SCHNEIDER - 1 contact normally closed -
mounting template ø 22 mm



LF Code: 9391007
GEV Code: 702034
OEM p/n: R27-16M4

LOWER FORK 200X150X5 MM



LF Code: 9391009
GEV Code: 702033
OEM p/n: R30-69Z

SUPPORT TIE ROD COMPLETE 170 MM



LF Code: 9391010
GEV Code: 702032
OEM p/n: R60-69Z

SUPPORT TIE ROD COMPLETE 250 MM



WATERTIGHT SEALS WHISKS

+7(812)987-08-81



LF Code: 9391011
GEV Code: 702031
OEM p/n: 56SN20-24

SPACER FOR BUSHING Ø 30X6X5 MM



LF Code: 9391012
GEV Code: 702030
OEM p/n: R40-34

NYLON SPACER Ø 50 MM

inner ø 40,5 mm - thickness 7 mm



LF Code: 9391013
GEV Code: 702029
OEM p/n: R100-37

NYLON SPACER Ø 65 MM

inner ø 55 mm - thickness 8 mm



LF Code: 9453008
GEV Code: 702027
OEM p/n: R30-108R

SEALING GASKET FOR BEARING

outer ø 32 mm - inner ø 25 mm - thickness 4 mm



LF Code: 9453007
GEV Code: 702028
OEM p/n: R100-108R

SEALING GASKET FOR BEARING

outer ø 44 mm - inner ø 34 mm - thickness 4 mm



LF Code: 9740104
GEV Code: 710076
OEM p/n: CR10-28M

METAL WHISK - WIRE Ø 2,5 MM

total height incl. connection 290 mm



GEV Großküchen-Ersatzteil-Vertrieb GmbH
Gadastr. 4
85232 Bergkirchen • Germany
www.gev-online.com
Tel.: +49 8142 6522-50
order@gev-online.com

LF SpA a socio unico
Via Voltri 80
47522 Cesena FC • Italy
www.lfspareparts724.com
Tel.: +39 0547 34 11 11
info@lfspareparts.com