# MOD: XF043

# EXPLODED VIEW
# DISEGNO ESPLOSO




## LEGEND - LEGENDA

| | |
|---|---|
| **1** | 0D1720B0 |
| **2** | 0F1235A0 |
| **3** | 0G1280A0 |
| **4** | 0H3110A1 |
| **5** | 0H3111A1 |
| **6** | 0H3510B0 |
| **7** | CE1130A1 |
| **8** | CR1070A0 |
| **9** | CR1075B0 |
| **10** | ED1070A0 |
| **11** | GN1240A0 |
| **12** | GN1260A0 |
| **13** | GN224 |
| **14** | GRL1105A0 |
| **15** | MG1015B0 |
| **16** | MN1100A0 |
| **17** | MN1101A1 |
| **18** | PD1001A0 |
| **19** | PE1510B1 |
| **20** | RS1150A0 |
| **21** | TM1005A0 |
| **22** | TR006 |
| **23** | TR254 |
| **24** | VE1115A0 |
| **25** | VE221 |
| **26** | VI1035A1 |
| **27** | VM1065A0 |
| **28** | VM1075A1 |
| **29** | VM1375A0 |
| **30** | VM1376A0 |
| **31** | VM1380B0 |
| **32** | VM1435A0 |
| **33** | VM250 |
| **34** | VN032 |
| **35** | VN1000B0 |
| **36** | VN1025A2 |
| **37** | VT1190B0 |
| **38** | VT1191A0 |
| **39** | 0E1201A2 |
| **40** | 0H3586A0 |

# MOD: XF043

# EXPLODED VIEW
# DISEGNO ESPLOSO

## DESCRIZIONE CODICI

| | | |
|---|---|---|
| 1 | 0D1720B0 | MANTELLO INOX L.MICRO DOMENICA |
| 2 | 0F1235A0 | SCHIENA ZINCATA L. MICRO DOMENICA |
| 3 | 0G1280A0 | CARTER ARIA INOX L.MICRO DOMENICA |
| 4 | 0H3110A1 | PIASTRINA SUPERIORE FERMA VETRO |
| 5 | 0H3111A1 | PIASTRINA INFERIORE FERMA VETRO |
| 6 | 0H3510B0 | TUBO MANIGLIA D-EST=18 SP=1 L=708 |
| 7 | CE1130A1 | CAVO 5X1,5MMQ H07RN-F L=1,5M + MORS.K1/6 |
| 8 | CR1070A0 | ATTACCO CERNIERA PORTA FORNO RIBALTA |
| 9 | CR1075B0 | CERNIERA PORTA FORNO RIBALTA L.MICRO |
| 10 | ED1070A0 | ETICHETTA UNOX ELLISSE 78x33 ARGENTO |
| 11 | GN1240A0 | GUARNIZIONE COLONNINA-VETRO SILICONE |
| 12 | GN1260A0 | GUARNIZIONE L. MICRO DOMENICA |
| 13 | GN224 | GUARN.PTFE+CARB 100x22x0,8sp-c/fori 1999 |
| 14 | GRL1105A0 | GRIGLIA LATERALE DX/SX CROMATA |
| 15 | MG1015B0 | TERMINALE MANIGLIA L.M. |
| 16 | MN1100A0 | MANOPOLA SERIGR. TIMER 0-60 MIN L. MICRO |
| 17 | MN1101A1 | MANOPOLA SERIGR. TERMOSTATO 80-300°C |
| 18 | PD1001A0 | PIEDINO 35X35 H26 PLASTICA+GOMMA GRIGIO |
| 19 | PE1510B1 | SCHEDA LED LINEMICRO 230V |
| 20 | RS1150A0 | RESISTENZA CIRC. D=230 5 SPIRE |
| 21 | TM1005A0 | TIMER MI2 60 MIN 250V 16A |
| 22 | TR006 | TERMOSTATO 50-295°C 55.19052.861 |
| 23 | TR254 | TERM.SIC.BIP.335°C RIARMO MANUALE |
| 24 | VE1115A0 | MINICONTATTORE QUADRIPOLARE 20 A 230 V |
| 25 | VE221 | CONDENS.ICAR PRL 5uF 450V FASTON |
| 26 | VI1035A1 | NOTTOLINO M6x12,5 CON TAGLIO OTT.CROM.FE |
| 27 | VM1065A0 | CUFFIA COPRI CAMINO FUMI L.M. |
| 28 | VM1075A1 | CLIP DI FISSAGGIO PER TELERUTTORI |
| 29 | VM1375A0 | COLONNINA SX PORTA L. MICRO ANNA |
| 30 | VM1376A0 | COLONNINA DX PORTA L. MICRO ANNA |
| 31 | VM1380B0 | TAPPO FISSAGGIO VETRO-PORTA L. MICRO |
| 32 | VM1435A0 | CRUSCOTTO COMANDI MANUAL L. MICRO 800 |
| 33 | VM250 | MORSETT.A PETTINE |
| 34 | VN032 | INVERTITORE P19.5J.02.H6.17 -0198 |
| 35 | VN1000B0 | MOTORE COND.5uF 200W ALB.M8 CONN.5 POLI |
| 36 | VN1025A2 | VENTOLA D=196 H=61 38 PALE INOX DADO M8 |
| 37 | VT1190B0 | VETRO INTERNO 712X372X4 BETFL |
| 38 | VT1191A0 | VETRO ESTERNO SER. 790X382X4 CHIARO |
| 39 | 0E1201A2 | LAMIERA PORTACOMPONENTI ESTERNA |
| 40 | 0H3586A0 | LAMIERA PROTEZIONE MOTORE ZINCATO |

## DESCRIPTION

| | | |
|---|---|---|
| 1 | 0D1720B0 | |
| 2 | 0F1235A0 | |
| 3 | 0G1280A0 | |
| 4 | 0H3110A1 | STAINLESS STEEL UPPER PLATE TO |
| 5 | 0H3111A1 | STAINLESS STEEL LOWER PLATE TO |
| 6 | 0H3510B0 | |
| 7 | CE1130A1 | CABLE 5x1,5MMQ H07RN-F L=1,5M |
| 8 | CR1070A0 | HINGE LATCH L. C. |
| 9 | CR1075B0 | |
| 10 | ED1070A0 | UNOX ELLIPTICAL STICKER 78x33-SILVER |
| 11 | GN1240A0 | BLACK SILICON SEAL FOR COLUMN-GLASS |
| 12 | GN1260A0 | DOOR GASKET L. MICRO DOMENICA |
| 13 | GN224 | PTFE+CARB 100x22x0,8sp-w/holes |
| 14 | GRL1105A0 | |
| 15 | MG1015B0 | HANDLE END L.M. |
| 16 | MN1100A0 | SERIGR. 0-60 MIN TIMER KNOB L. MICRO |
| 17 | MN1101A1 | SERIGR. 80-300°C THERMOSTAT KNOB |
| 18 | PD1001A0 | FOOT 35X35 H26 GREY PLASTIC+RUBBER |
| 19 | PE1510B1 | LINEMICRO LED BOARD |
| 20 | RS1150A0 | CIRC.HEAT. ELEMENT D=230 5 TURNS |
| 21 | TM1005A0 | TIMER MI2 60 MIN 250V 16A |
| 22 | TR006 | THERMOSTAT 50-295° C 55.19052.861 |
| 23 | TR254 | SECURITY THERMOSTAT BIP. 335°C |
| 24 | VE1115A0 | MINICONTACTOR WITH 4 POLES 20 A 230 V |
| 25 | VE221 | ICAR CONDENSER PRL 5uF 450V FASTON |
| 26 | VI1035A1 | CHROMIUM PLATED BRASS NUT M6x12,5 |
| 27 | VM1065A0 | PLASTIC COVER FOR FUMES CHIMNEY L.M. |
| 28 | VM1075A1 | PLASTIC CLIP TO FIX CONTACTORS |
| 29 | VM1375A0 | LEFT DOOR COLUMN L. MICRO ANNA |
| 30 | VM1376A0 | RIGHT DOOR COLUMN L. MICRO ANNA |
| 31 | VM1380B0 | |
| 32 | VM1435A0 | CONTROL PANEL LINE MICRO 800 |
| 33 | VM250 | "COMB" TERMINAL BOARD |
| 34 | VN032 | REVERS.SWITCH MOTOR P19.5J.02.H6.17 |
| 35 | VN1000B0 | MOTOR COND.5uF 200W ALB.M8 CONN.5 |
| 36 | VN1025A2 | FAN D=196 H=61 38 BLADES STAINLESS |
| 37 | VT1190B0 | |
| 38 | VT1191A0 | |
| 39 | 0E1201A2 | |
| 40 | 0H3586A0 | ZINCATE MOTOR GUARD PLATE XBC-XVC |