

Зип Общепит



vsezip.ru

Service part catalogue

+7(812)987-08-81


SelfCookingCenter® 5 Senses

Combi Master 102 - 10 x 2/1 GastronormE

E12MH1407



SelfCookingCenter® 5 Senses




SelfCookingCenter® 5 Senses

Pos.	Part No.	Description	Qty.
1		Control panel	1
2		Electrical installation	1
3		ClimaPlus	1
4		Steam generator	1
5		Hot air heating	1
6		Motor and fan wheel	1
7		Interior cabinet	1
8		Door	1
9		Exterior cabinet	1
10		Water	1
11		CleanJet + Care	1
13		Standard accessory	1

Control panel


+7(812)987-08-81



Control panel**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	87.01.006	Control panel insert with overlay	1
2	42.00.161	Control pcb	1
7	16.00.282	Dial	3
8	5110.1027	Distance plate for front panel	2
10	40.00.464	Potentiometer CT	1
11	5110.1029	Gasket mode switch	3
13	16.01.908	Sealing f. panel insert	1


Electrical installation +7(812)987-08-81



Electrical installation +7(812)987-08-81

Pos.	Part No.	Description	Qty.
1	40.01.589	Solid state relais	4
2	10.00.061	Pan head screw Torx T20 M4x12	8
3	10.00.061	Pan head screw Torx T20 M4x12	2
4	1204.0120	Tooth lock washer A4,3	2
5	40.03.931	Heat sink small 2 SSR	2
6	40.03.371	Mounting device heat sink SSR	1
7	10.01.266	Pan head screw Torx T20 10,5mm	12
8	40.03.661	Fan housing	1
9	40.03.428	Cooling fan with NTC	1
10	40.03.257	Converter 230VAC 24VDC	1
24	40.03.998	Bus cable 1.15m	1
31	40.00.306	Cable entry	1
32	40.03.732	Tie rap 160 mm	1
33	1105.0121	Hex combination nut M5 galv	2
35	40.04.048	Buzzer	1
36	40.00.593	Power supply cable 5x10mm ²	1
A		Electrical installation	1

Electrical installation +7(812)987-08-81




Electrical installation+7(812)987-08-81

Pos.	Part No.	Description	Qty.
1	40.03.360	Contactor assembly	1
6	40.03.802	Cable control harness	1
8	40.01.329	Dry up protector 183°	1
9	3014.0302	Hex nut M10 for dry-up protector	1
10	40.01.482	Safety temperature limiter 365°C	1
11	3014.0327	Hex nut M10x1,0	1
12	40.03.669	Contactor B&J K3-40B00 190 R	1
13	40.02.641	Auxilliary contact B&J HN10 N/O	1
17	40.03.348	Control transformer T1	1
18	10.01.065	Hex nut M5	1
19	40.03.404	Mounting support transformer	1
20	10.01.065	Hex nut M5	1
21	40.02.424	Electronic noice filter	1
25	4001.0224	Fuse 6.35x32mm	2
26	40.02.512	Fuse holder 2x6.3A	1
29	10.00.365	Pan head screw Torx M3x20	2
37	40.03.726	Terminal block grey WKN 16/U	3
38	40.03.727	Terminal block blue WKN 16/U	1
39	40.03.731	Earth terminal WKN 35SL/U	1
40	40.03.729	Terminal block grey WKN 35/U	1
44	4001.1203	End plate for mounting rail	1

ClimaPlus

+7(812)987-08-81




ClimaPlus

+7(812)987-08-81

Pos.	Part No.	Description	Qty.
1	22.00.882	Mounting device f. pressure sensor	1
2	3017.1011	Pressure sensor for humidity control Huba 401	1
4	22.00.850	Outer humidity meas. Piece	1
5	22.00.881	Gasket f. hum. meas. Pipe	1
6	1104.0122	Hex combination nut M4 galv	3
7	22.00.525	Hose set f. humidity control	1
8	22.00.725	Humidity control cpl.	1
9	22.00.915	Air inlet pipe	1
10	22.00.960	Drain hose for humidity control	1
11	2066.0527	Hose clamp ø14mm	2
12	22.00.767	Vent cover	1
13	22.00.837	O-ring for humidity control	2
15	10.00.111	Cable clip long	2

Steam generator


+7(812)987-08-81



Steam generator
+7(812)987-08-81

Pos.	Part No.	Description	Qty.
1	44.00.943	Steam generator insulated	1
2	10.00.709	Hex nut M6 w. locking	2
14	44.01.334	Heating element	1
15	44.01.339	Heating element w/o pipe	1
17	44.00.279	Gasket f. heating element	2
18	10.00.709	Hex nut M6 w. locking	18
19	2066.0519	Hose clamp 35,6mm	1
20	2066.0526	Hose clamp Ø46mm	1
21	44.00.207	Emptying pump	1
22	1006.0762	Hex screw M6x10	2
24	44.00.232	Fixing device f. pump steam generator	1
25	10.00.709	Hex nut M6 w. locking	2
26	44.01.222	Drain hose steam generator	1
27	40.04.106	Thermocouple steam generator *B5*	1
29	10.00.414	Cable strap black 120°	1
30	1104.0122	Hex combination nut M4 galv	1
31	2112.1006	Steam hose Ø50x50mm	1
32	2066.0504	Hose clamp 40-60mm	1
34	44.00.280	Gasket f. heating element+Level elektrode insert	1
35	2920.1300	Level elektrode insert	1
36	10.00.709	Hex nut M6 w. locking	4
37	44.01.417	Filling level electrode 90 mm	1
38	44.01.168	Fixing angle steam generator	1
39	44.01.181	Fixing angle steam generator	1
40	44.01.031	Closing cap for steam generator	1
41	10.00.982	Hose clamp D=18.2	1
43	2066.0518	Hose clamp 30mm	2
45	2066.0504	Hose clamp 40-60mm	1
A	8354.1320	Pump connection spout cpl.	1

Pump connection spout 17(812)987-08-81




Pump connection spout

Pos.	Part No.	Description	Qty.
1	2118.1000	Pump connection spout	1
2	2120.1259	Stop plug 10mm	1
3	2110.1008	Silicon hose ø10x2mm	1
4	2066.0527	Hose clamp ø14mm	2
5	2066.0530	Hose clamp ø16.4mm	1
6	2062.0331	Junction pressure hose GS 10	1
7	4005.0101	Tie rap 145 mm	1

Hot air heating


+7(812)987-08-81



Hot air heating**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	40.03.413	Mating flange f. heating assembly	1
2	40.03.298	Heating assembly	1
4	10.00.109	Hex screw M5x23	6
5	10.01.076	Cap nut M5*A2	1
6	40.03.416	Gasket f. heating assembly	1
7	1107.0103	Star lock ø3	2

Motor and fan wheel +7(812)987-08-81




Motor and fan wheel +7(812)987-08-81

Pos.	Part No.	Description	Qty.
1	40.03.513	Fan motor with motor shaft gasket	1
3	10.01.049	Square necked mushroom head bolt 6x30	4
4	10.00.709	Hex nut M6 w. locking	2
5	22.00.721	Flange f. motor shaft gasket	1
6	22.00.722	Mounting support f. gasket flange	1
7	22.00.985	Motor shaft gasket D15	1
8	20.01.755	Isolation for mounting plate for motor	1
9	10.01.065	Hex nut M5	3
10	22.00.829	Fan wheel	1
11	10.00.936	Hex screw M8x20	1
12	1308.0162	Washer A8,4	1
13	10.00.111	Cable clip long	3
14	20.01.411	Bushing for motor mounting bar	4

Interior cabinet

+7(812)987-08-81




Interior cabinet**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	40.00.290	Thermocouple humidity *B4*	1
2	10.00.087	Clamp strap f. sensor	1
3	10.00.100	Hex nut M4, self-locking	1
7	40.04.362	Wiring interior light	1
8	40.00.098	Reflector f. interior light	1
9	40.00.091	Gasket frame w. glass a. gaskets	1
10	3024.0201	Halogen bulb 300°C	1
11	20.01.803	Door gasket	1
12	40.04.040	Meat probe sensor	1
13	10.00.612	Hex nut M16 flat	1
14	1315.0104	Copper washer 16x20x1,5	1
16	40.04.373	Screen core temperature sensor	1
17	10.01.076	Cap nut M5*A2	2
20	40.03.488	Thermocouple interior cabinet B1	1
21	40.03.782	Screen interior cabinet sensor	1
22	10.01.076	Cap nut M5*A2	2
23	54.01.117	Outlet sieve	1
24	40.01.482	Safety temperature limiter 365°C	1
25	3014.0327	Hex nut M10x1,0	1
A	22.00.926	Air baffle	1

Air baffle

+7(812)987-08-81




Air baffle**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
4	22.00.734	Hand protection	1
6	10.00.515	Rivet 3,2x5 A4	4
7	40.03.780	Fixing clip core temp. cable	1
8	22.00.491	Surge guard for Meat probe sensor	1
9	2760.1370	Latch hook for air baffle	2
10	1604.0167	Rivet 4x10	3
13	10.00.744	Washer A4,3 *A4	1

Door

+7(812)987-08-81




Door**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	24.00.152	Door handle	1
2	24.00.176	Door lock with spring U-bolt	1
6	24.00.504	Lock cover	1
8	24.00.133	Door mounting support top	1
9	1008.0768	Ornamental screw M8x16	3
11	24.00.223	Door mounting support bottom	1
12	1006.1962	Countersunk screw Torx M6x16	2
14	24.00.137	Door bolt	1
15	10.01.162	Hex screw M8x10	1
17	24.00.048	Door bolt	1
18	1008.0769	Ornamental screw M8x30	1
20	2001.0109	Compression spring	1
21	24.00.141	Holding bracket f. door catch	1
22	1006.0760	Hex screw M6x16	2
24	24.00.142	Door catch	1
25	1005.2000	Interlocking tooth screw M5x8	1
27	24.01.100	Spring U-bolt for door lock	1
A	24.00.113	Door	1

Door

+7(812)987-08-81




Door**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	24.00.200	Inner glass pane	1
2	24.00.147	Sleeve for door bolt top	1
3	24.00.146	Door setting bolt	1
4	24.00.502	Fixing device f. magnet with magnet	1
5	24.01.188	Drain door drip collector	1
6	24.01.801	Door drip collector	1
9	24.00.171	Silicone buffer 7mm for door	1
10	1005.1966	Countersunk screw Torx M5x16	2
11	10.00.041	Rivet nut M5 hexagon closed	2
14	87.00.077	Fixing bracket kit for interior glass pane	1

Exterior cabinet

+7(812)987-08-81




Exterior cabinet**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	1104.0820	Snap nut 4,2mm	3
2	1110.0800	Cage nut M10	3
3	12.00.205	Upper part of pedestal	1
4	12.01.133	Lower part of pedestal	4
6	10.00.975	Hex screw M10x35	1
7	12.00.516	Turning lock f. lower part of pedestal	1
10	16.01.146	Bracket for door contact switch	1
11	1105.0123	Hex combination nut M4	1
13	22.00.767	Vent cover	1
14	16.01.965	Opening mechanism for panel insert	1
18	40.04.343	Door switch 1.05m	1
A		Exterior cabinet	1

Exterior cabinet

+7(812)987-08-81




Exterior cabinet**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	16.02.154	Top cover	1
2	1003.2265	Countersunk self tapping screw 4,2x16	5
3	1104.0820	Snap nut 4,2mm	5
5	16.00.154	Side panel right	1
6	1603.0166	Rivet 3,2x7,9 CNS closed	4
7	16.00.155	Side panel left	1
8	10.00.992	Hex self tapping screw B4,2x32	2
9	1104.0820	Snap nut 4,2mm	2
10	16.01.927	Back panel	1
11	16.01.858	Front panel	1
12	1603.0166	Rivet 3,2x7,9 CNS closed	4
13	16.00.681	Crossbar front panel	1
15	16.02.627		1
16	1004.2160	Hex self tapping screw 4,2x16	3
19	16.00.331	Crossbar top	1
20	1603.0166	Rivet 3,2x7,9 CNS closed	4
22	16.01.434	Gasket f. breather tube d=73mm	1
24	40.02.684	Air inlet filter cpl.	1
25	16.00.329	Cover f. USB interface	1
26	10.00.103	EJOT PT-screw KA 3.5x10	1
27	40.04.046	Interface cable USB 1.0m	1
28	10.00.460	EJOT PT-Screw Torx 3,5x14	2
29	50.00.300	Drip collector	1
30	50.00.303	Bushing drip collector	2
31	50.01.614	Drain pipe with bushing	1
32	50.00.296	Clip f. drip collector	4

Water

+7(812)987-08-81



Water**+7(812)987-08-81**

Pos.	Part No.	Description	Qty.
1	54.00.879	Ventilation pipe	1
2	54.01.142	Rubber form piece venting pipe	1
3a	10.01.262	Hose clamp 76 mm	1
3b	10.01.262	Hose clamp 76 mm	1
4	50.00.086	Locking plate f. water distribution	1
6	2066.0205	Hose clamp 8-16x9 mm SW 7mm	1
8	50.00.313	T-fitting water connection	1
9	50.01.238	Hand shower roll guide *lead free*	1
10	50.01.213	Connect. hose f. hand shower roll guide	1
11	50.00.085	Plug-in spring f. hand shower roll guide	1
12	50.00.130	Hand shower	1
13	50.00.156	Clamp f. hand shower roll guide	1
15	1105.0121	Hex combination nut M5 galv	1
30	54.01.169	Inspection lid, quenching nozzle, B2	1
31	54.01.168	Gasket f. inspection lid quenching	1
32	54.01.191	Collecting pan	1
33	10.00.745	Cap nut M6*A2	1
34	50.01.147	Single solenoid valve Y1	1
35	50.00.071	Water distribution hor. w/o roll guide con.	1
38	2067.0050	Pressure hose d10mm	1.3
39	2067.0050	Pressure hose d10mm	.65
47	50.01.146	Single solenoid valve Y2	1
48	50.00.070	Water distribution hor roll guide con.	1
49	2067.0050	Pressure hose d10mm	.42
51	8354.1304	Venting valve for steam generator	1
52	1900.0202	Water filter	3
54	2022.0101	Grommet d8mm	1
56	50.00.554	O-ring for hand shower 11x2mm	2

Combi Master 102 - 10 x 2/1 GastronormE
E12MH1407

Зип Общепит



vsezip.ru

CleanJet + Care

+7(812)987-08-81

Зип Общепит



Combi Master 102 - 10 x 2/1 GastronormE
E12MH1407


vsezip.ru

CleanJet + Care

+7(812)987-08-81

Pos.	Part No.	Description	Qty.
------	----------	-------------	------

Standard accessory +7(812)987-08-81



Standard accessory +7(812)987-08-81

Pos.	Part No.	Description	Qty.
1	60.12.116	Hinging rack left	1
2	60.12.117	Hinging rack right	1
8	10.01.191	Sticker set	1

Index

Part-no.	Description	Page
16.02.627		31
22.00.926	Air baffle	21
40.02.684	Air inlet filter cpl.	31
22.00.915	Air inlet pipe	11
40.02.641	Auxilliary contact B&J HN10 N/O	9
16.01.927	Back panel	31
16.01.146	Bracket for door contact switch	29
40.03.998	Bus cable 1.15m	7
50.00.303	Bushing drip collector	31
20.01.411	Bushing for motor mounting bar	19
40.04.048	Buzzer	7
10.00.111	Cable clip long	11, 19
40.03.802	Cable control harness	9
40.00.306	Cable entry	7
10.00.414	Cable strap black 120°	13
1110.0800	Cage nut M10	29
10.01.076	Cap nut M5*A2	17, 21
10.00.745	Cap nut M6*A2	33
50.00.156	Clamp f. hand shower roll guide	33
10.00.087	Clamp strap f. sensor	21
50.00.296	Clip f. drip collector	31
44.01.031	Closing cap for steam generator	13
54.01.191	Collecting pan	33
2001.0109	Compression spring	25
50.01.213	Connect. hose f. hand shower roll guide	33
40.03.360	Contactor assembly	9
40.03.669	Contactor B&J K3-40B00 190 R	9
87.01.006	Control panel insert with overlay	5
42.00.161	Control pcb	5
40.03.348	Control transformer T1	9
40.03.257	Converter 230VAC 24VDC	7
40.03.428	Cooling fan with NTC	7

Index

+7(812)987-08-81

Part-no.	Description	Page
1315.0104	Copper washer 16x20x1,5	21
1005.1966	Countersunk screw Torx M5x16	27
1006.1962	Countersunk screw Torx M6x16	25
1003.2265	Countersunk self tapping screw 4,2x16	31
16.00.329	Cover f. USB interface	31
16.00.681	Crossbar front panel	31
16.00.331	Crossbar top	31
16.00.282	Dial	5
5110.1027	Distance plate for front panel	5
24.00.113	Door	25
24.00.137	Door bolt	25
24.00.048	Door bolt	25
24.00.142	Door catch	25
24.01.801	Door drip collector	27
20.01.803	Door gasket	21
24.00.152	Door handle	25
24.00.176	Door lock with spring U-bolt	25
24.00.223	Door mounting support bottom	25
24.00.133	Door mounting support top	25
24.00.146	Door setting bolt	27
40.04.343	Door switch 1.05m	29
24.01.188	Drain door drip collector	27
22.00.960	Drain hose for humidity control	11
44.01.222	Drain hose steam generator	13
50.01.614	Drain pipe with bushing	31
50.00.300	Drip collector	31
40.01.329	Dry up protector 183°	9
40.03.731	Earth terminal WKN 35SL/U	9
10.00.103	EJOT PT-screw KA 3.5x10	31
10.00.460	EJOT PT-Screw Torx 3,5x14	31
40.02.424	Electronic noise filter	9
44.00.207	Emptying pump	13

Index

Part-no.	Description	Page
4001.1203	End plate for mounting rail	9
40.03.661	Fan housing	7
40.03.513	Fan motor with motor shaft gasket	19
22.00.829	Fan wheel	19
44.01.417	Filling level electrode 90 mm	13
44.01.168	Fixing angle steam generator	13
44.01.181	Fixing angle steam generator	13
87.00.077	Fixing bracket kit for interior glass pane	27
40.03.780	Fixing clip core temp. cable	23
24.00.502	Fixing device f. magnet with magnet	27
44.00.232	Fixing device f. pump steam generator	13
22.00.721	Flange f. motor shaft gasket	19
16.01.858	Front panel	31
4001.0224	Fuse 6.35x32mm	9
40.02.512	Fuse holder 2x6.3A	9
16.01.434	Gasket f. breather tube d=73mm	31
40.03.416	Gasket f. heating assembly	17
44.00.279	Gasket f. heating element	13
44.00.280	Gasket f. heating element+Level electrode insert	13
22.00.881	Gasket f. hum. meas. Pipe	11
54.01.168	Gasket f. inspection lid quenching	33
40.00.091	Gasket frame w. glass a. gaskets	21
5110.1029	Gasket mode switch	5
2022.0101	Grommet d8mm	33
3024.0201	Halogen bulb 300°C	21
22.00.734	Hand protection	23
50.00.130	Hand shower	33
50.01.238	Hand shower roll guide *lead free*	33
40.03.931	Heat sink small 2 SSR	7
40.03.298	Heating assembly	17
44.01.334	Heating element	13
44.01.339	Heating element w/o pipe	13

Index

+7(812)987-08-81

Part-no.	Description	Page
1105.0123	Hex combination nut M4	29
1104.0122	Hex combination nut M4 galv	11, 13
1105.0121	Hex combination nut M5 galv	7, 33
10.00.100	Hex nut M4, self-locking	21
10.01.065	Hex nut M5	9, 19
10.00.709	Hex nut M6 w. locking	13, 19
3014.0302	Hex nut M10 for dry-up protector	9
3014.0327	Hex nut M10x1,0	9, 21
10.00.612	Hex nut M16 flat	21
10.00.109	Hex screw M5x23	17
1006.0762	Hex screw M6x10	13
1006.0760	Hex screw M6x16	25
10.01.162	Hex screw M8x10	25
10.00.936	Hex screw M8x20	19
10.00.975	Hex screw M10x35	29
1004.2160	Hex self tapping screw 4,2x16	31
10.00.992	Hex self tapping screw B4,2x32	31
60.12.116	Hinging rack left	37
60.12.117	Hinging rack right	37
24.00.141	Holding bracket f. door catch	25
2066.0205	Hose clamp 8-16x9 mm SW 7mm	33
2066.0518	Hose clamp 30mm	13
2066.0519	Hose clamp 35,6mm	13
2066.0504	Hose clamp 40-60mm	13
10.01.262	Hose clamp 76 mm	33
10.00.982	Hose clamp D=18.2	13
2066.0527	Hose clamp ø14mm	11, 15
2066.0530	Hose clamp ø16.4mm	15
2066.0526	Hose clamp ø46mm	13
22.00.525	Hose set f. humidity control	11
22.00.725	Humidity control cpl.	11
24.00.200	Inner glass pane	27

Index

Part-no.	Description	Page
54.01.169	Inspection lid, quenching nozzle, B2	33
40.04.046	Interface cable USB 1.0m	31
1005.2000	Interlocking tooth screw M5x8	25
20.01.755	Isolation for mounting plate for motor	19
2062.0331	Junction pressure hose GS 10	15
2760.1370	Latch hook for air baffle	23
2920.1300	Level electrode insert	13
24.00.504	Lock cover	25
50.00.086	Locking plate f. water distribution	33
12.01.133	Lower part of pedestal	29
40.03.413	Mating flange f. heating assembly	17
40.04.040	Meat probe sensor	21
22.00.985	Motor shaft gasket D15	19
22.00.882	Mounting device f. pressure sensor	11
40.03.371	Mounting device heat sink SSR	7
22.00.722	Mounting support f. gasket flange	19
40.03.404	Mounting support transformer	9
50.00.554	O-ring for hand shower 11x2mm	33
22.00.837	O-ring for humidity control	11
16.01.965	Opening mechanism for panel insert	29
1008.0768	Ornamental screw M8x16	25
1008.0769	Ornamental screw M8x30	25
22.00.850	Outer humidity meas. Piece	11
54.01.117	Outlet sieve	21
10.00.365	Pan head screw Torx M3x20	9
10.01.266	Pan head screw Torx T20 10,5mm	7
10.00.061	Pan head screw Torx T20 M4x12	7
50.00.085	Plug-in spring f. hand shower roll guide	33
40.00.464	Potentiometer CT	5
40.00.593	Power supply cable 5x10mm ²	7
2067.0050	Pressure hose d10mm	33
3017.1011	Pressure sensor for humidity control Huba 401	11

Index

+7(812)987-08-81

Part-no.	Description	Page
2118.1000	Pump connection spout	15
8354.1320	Pump connection spout cpl.	13
40.00.098	Reflector f. interior light	21
10.00.515	Rivet 3,2x5 A4	23
1603.0166	Rivet 3,2x7,9 CNS closed	31
1604.0167	Rivet 4x10	23
10.00.041	Rivet nut M5 hexagon closed	27
54.01.142	Rubber form piece venting pipe	33
40.01.482	Safety temperature limiter 365°C	9, 21
40.04.373	Screen core temperature sensor	21
40.03.782	Screen interior cabinet sensor	21
16.01.908	Sealing f. panel insert	5
16.00.155	Side panel left	31
16.00.154	Side panel right	31
2110.1008	Silicon hose Ø10x2mm	15
24.00.171	Silicone buffer 7mm for door	27
50.01.147	Single solenoid valve Y1	33
50.01.146	Single solenoid valve Y2	33
24.00.147	Sleeve for door bolt top	27
1104.0820	Snap nut 4,2mm	29, 31
40.01.589	Solid state relais	7
24.01.100	Spring U-bolt for door lock	25
10.01.049	Square necked mushroom head bolt 6x30	19
1107.0103	Star lock Ø3	17
44.00.943	Steam generator insulated	13
2112.1006	Steam hose Ø50x50mm	13
10.01.191	Sticker set	37
2120.1259	Stop plug 10mm	15
22.00.491	Surge guard for Meat probe sensor	23
50.00.313	T-fitting water connection	33
40.03.727	Terminal block blue WKN 16/U	9
40.03.726	Terminal block grey WKN 16/U	9

Index

+7(812)987-08-81

Part-no.	Description	Page
40.03.729	Terminal block grey WKN 35/U	9
40.00.290	Thermocouple humidity *B4*	21
40.03.488	Thermocouple interior cabinet B1	21
40.04.106	Thermocouple steam generator *B5*	13
4005.0101	Tie rap 145 mm	15
40.03.732	Tie rap 160 mm	7
1204.0120	Tooth lock washer A4,3	7
16.02.154	Top cover	31
12.00.516	Turning lock f. lower part of pedestal	29
12.00.205	Upper part of pedestal	29
22.00.767	Vent cover	11, 29
54.00.879	Ventilation pipe	33
8354.1304	Venting valve for steam generator	33
10.00.744	Washer A4,3 *A4	23
1308.0162	Washer A8,4	19
50.00.070	Water distribution hor roll guide con.	33
50.00.071	Water distribution hor. w/o roll guide con.	33
1900.0202	Water filter	33
40.04.362	Wiring interior light	21

Зип Общепит



vsezip.ru

+7(812)987-08-81

Зип Общепит

vsezip.ru

+7(812)987-08-81

Зип Общепит

Deckblatt Elektrische Dokumentation, Cover sheet electrical

vsezip.ru


Die Elektrische Dokumentation besteht aus: 1. diesem Deckblatt, 2. dem Schaltplan und 3. der Legende.
The electric documentation contains: 1. this cover sheet, 2. the wiring diagram and 3. the legend.

Typ Type	CMP 102E	
Spannung (SPL) Voltage	3NAC400 V 50/60 Hz	
Deckblatt-Nr. Front Page No.	75-21536	Version
Schaltplan Wiring diagram	76-00457	Version
Legende Legend electr. components	78-01064	Version
Geräteserialnr. Serial number	E12MH1102	Version
Erstellt am Created at	02.11.2011	Ersteller Creator
Gültig ab Valid from	16.09.2014	Änderung Modification

Зип Общепит

vsezip.ru

+7(812)987-08-81



76-00457


MODUL 1
Leistung/Power

CM

Version

5

3NAC40



76-00457

Version

5

MODUL 2
Heizung/Heating


CM

3NAC40

Зип Общепит

vsezip.ru

7(812)987-08-81



76-00457

MODUL 3
Sensoren/Sensors

CM

Version

5

3NAC40

Positionsliste
Bill of material

Seite 1 von 2

Зип Общепит

vsezip.ru

+7(812)987-08-81

Name Name	Artikelnr. Item number	Artikelbezeichnung		Item desc
-A4	42.00.161	Bedienplatine CMP		Operator PC
-A4-F1	3019.0125	Sicherung 1,6AT		Fuse 1,6AT
-B1	40.03.488	Thermoelement Garraum		Thermocoup
-B2	54.01.169	Thermoelement Ablöschung		Thermocoup
-B3	40.04.040	Thermoelement Kerntemperatur		Thermocoup
-B4	40.00.290	Thermoelement Feuchte		Thermocoup
-B5	40.04.106	Thermoelement Dampfgenerator		Thermocoup
-F1/F2	4001.0224	Steuersicherung		Control fuse
-F3	40.01.329	Sicherheitstemperaturbegrenzer DG		Safety therm
-F4	40.01.482	Sicherheitstemperaturbegrenzer 360°C/680°F		Safety therm
-G1	40.03.257	Gleichrichter Kühllüfter		DC converte
-H1	3024.0201	Garraumbeleuchtung		Interior cabl
-K1	40.03.669	Hauptschütz		Main contact
-M1	40.03.513	Lüftermotor		Fan motor
-M4	44.00.207	SC-Pumpe		SC-pump
-M5	40.03.428	Kühllüfter		Cooling fan
-P1	3017.1011	Differenzdrucksensor		Differential
-R1	44.01.334	Dampfheizkörper		Heating eler
-R2	44.01.339	Dampfheizkörper		Heating eler
-R4	40.03.298	Heißluftheizkörper		Heating eler
-S2	44.01.417	Niveauelektrode		Water level
-S3	40.04.343	Türkontaktschalter		Door contact
-S7	40.00.464	Potentiometer Zeit / Kerntemperatur		Time / Core
-T1	40.03.348	Steuertrafo		Control tran
-T1-F1	3019.0120	Sicherung Steuertrafo T1 2AT		Fuse contro
-T1-F2	3019.0114	Sicherung Steuertrafo T1 5AmT		Fuse contro
-T2	40.04.048	SCC WE: Lautsprecher / CMP: Alarmsummer		SCC WE: Sp
-V1-V12	40.01.589	Leistungshalbleiter		Solid state r
-W0	40.00.593	Anschlusskabel		Cable: powe
-W11	40.04.362	Kabel: Garraumbeleuchtung		Cable: inter
-W17	40.03.802	Kabel: Steuerstamm		Cable: contr
Änderungsdatum	25.04.2014	Name	CMP 102E-Option	Dokument
Erzeuger	SCHD	Spannung	3NAC400 V 50/60 Hz	Version

Positionsliste
Bill of material

Seite 2 von 2

Зип Общепит

Name Name	Artikelnr. Item number	Artikelbezeichnung	Item description
-Y1	50.01.147	Magnetventil Füllen	Solenoid valve
-Y2	50.01.146	Magnetventil Ablöschung	Solenoid valve
-Y5	22.00.725	Klima ventil	Clima valve
-Z1	40.02.424	Entstörfilter/Varistor	Electronic noise

Änderungsdatum	25.04.2014	Name	CMP 102E-Option	Dokumentation
Erzeuger	SCHD	Spannung	3NAC400 V 50/60 Hz	Version