



Spare parts for:

Ovens

Зип Общепит

vsezip.ru

+7(812)987-08-81



Suitable for:

ЕММЕPI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

EMMEPI

Suitable for:



Alarm

vsezip.ru

- 3397204 ALARM BUZZER SET 12V 50Hz**
cable length 395 mm
for Convection oven (RATIONAL)
since 1/06/97
Series CM - Series CPC - Series SCC



+7(812)987-08-81

EMMEPI 809553

Axial motors

- 3240519 AXIAL FAN EBM 119x119x38 mm**
ball bearing
230V 50Hz 19W 2650rpm
4656N



EMMEPI 827851

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



EMMEPI 809503

EMMEPI 831100001

- 3240337 AXIAL VENTILATOR SUNON 80x80x38 mm**
ball bearings
230V 50/60Hz 18W 2400rpm
SF23080A-2083HBL.GN



EMMEPI 827852

Bearings

- 3063017 BEARING 6203 2RS NSK**
external $\varnothing$ 40 mm -internal $\varnothing$ 17 mm-thickness 12 mm



EMMEPI E55110014
EMMEPI 809855

EMMEPI 8C0202

EMMEPI 808555

- 3063121 BEARING 6203 2RS SKF**
 $\varnothing$ ext. 40 mm - $\varnothing$ int. 17 mm - thickness 12 mm



EMMEPI E55110014
EMMEPI 809855

EMMEPI 8C0202

EMMEPI 808555



Suitable for:

EMMEPI
Зин Общепит



Suitable for:

Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm

with faston terminal 3x0.8 mm for ignition
with faston terminal $\varnothing$ 2 mm for plug
for Convection oven gas (MBM) - Series JOKER



EMMEPI 808276

3001002 SIT IGNITION LEAD 1000 mm

with faston 6.35x0.8 mm ignition
with faston $\varnothing$ 4 mm for electrode



EMMEPI 809430

3001016 SIT IGNITION LEAD 1000 mm

with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



EMMEPI C10259

EMMEPI 809389

3001017 SIT IGNITION LEAD 600 mm

with faston 6.35x0.8 mm ignition
with faston $\varnothing$ 4 mm for electrode



EMMEPI

3001018 SIT IGNITION LEAD 600 mm

with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



EMMEPI C00171

EMMEPI 808230

Capacitors

3068010 CAPACITOR μ F 6.3 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



EMMEPI 8C1588

3068014 CAPACITOR μ F 8 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



EMMEPI 132110008



Suitable for:

ЕММЕПИ

Suitable for:



Contact thermostats

3443026 CONTACT THERMOSTAT 110°C M4
for Convection oven (RATIONAL)
since 1/06/97
Series CM - Series CP



+7(812)987-08-81

ЕММЕПИ 809559

Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ЕММЕПИ 8C0148

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact




ЕММЕПИ C00571

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



ЕММЕПИ 807553

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ЕММЕПИ C00287

ЕММЕПИ 907041

3351059 THERMAL RELAY SIEMENS 1.8-2.5 A
1 contact normally open
1 contact normally closed
3RU1116-1CB0 serie S00
for Convection oven electric (FOINOX) MM10EB
for Convection oven electric (LAINOX) ME102D
ME102M - ME102P - ME102T - ME202D - ME202M
ME202P - ME202T - VE102D - VE102M - VE102P
VE102T - VE202D - VE202M - VE202P - VE202T
for Convection oven gas (LAINOX) MG102T - MG202T
VG102T - VG202T



ЕММЕПИ 808952



Suitable for:

ЭММЕПИ

Suitable for:



Drain pumps

3122404 DRAIN ELECTRIC PUMP BE28B4-178 LH

100W 230V 50Hz
inlet external $\varnothing$ 30 mm - outlet external $\varnothing$ 24 mm
for Convection oven (RATIONAL) - Series CC
Series CCC - Series CCD - Series CCM - Series CD
Series CM - Series CPC



EMMEPI 809563

EMMEPI 809735

3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz

inlet external $\varnothing$ 24 mm - outlet external $\varnothing$ 24 mm
for Convection oven (RATIONAL) - Series CC
Series CCC - Series CCD - Series CCM - Series CD
Series CM - Series CPC



EMMEPI 809563

EMMEPI 809735

3122000 DRAIN ELECTROPUMP 296005 34W 230/240V

0.2A 50Hz
for Convection oven electric (BERTO'S) FME10M
for Convection oven electric (FOINOX)



EMMEPI 808670

Electrical gas valves and accessories

3526102 ELECTRIC COUPLING WITH CABLE

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705

3526090 ELETTROSIT VALVE $\varnothing$ 3/4"FF

inlet $\varnothing$ 3/4" F - outlet $\varnothing$ 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



EMMEPI C00302

EMMEPI 813416

3526096 VALVE MICROSWITCH

maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526181 VALVE VK4105C HONEYWELL $\varnothing$ 1/2"

inlet-outlet $\varnothing$ 1/2" unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15÷60°C
power supply 220/240V 50Hz
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



EMMEPI 809510



Suitable for:

3526079

VALVE 820 NOVA ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Convection oven electric (MBM) FCE6
for Convection oven gas (ANGELO PO) - Series FC
Series FCV
for Convection oven gas (MBM) FFM061 - FGC060
FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
FGMD060 - FGMD061 - FGMD065 - FGMD100
FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
FGM200 - FGM201 - FGP050 - FGP080 - FGP160



EMMEPI 813436

3526104

VALVE 830 TANDEM ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (EBERHARDT)
for Convection oven gas (EMMEPI)
for Convection oven gas (SILKO)
for Convection oven gas (UNOX)
for Convection oven gas (ZANUSSI)



EMMEPI 8C0068

EMMEPI 809595

3091014

CONTROL BOX CM11

model BRAHMA - 230V 50/60Hz 7VA
for Convection oven (KELVIN)
for Convection oven (SOGECO)
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G



EMMEPI 809878

EMMEPI

Suitable for:

3526261

VALVE 822 NOVA ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G - FBA-106G
FBA-110G - FBA-210G - FBE-106G - FBE-110G
FDA-106G - FDA-110G - FDA-210G - FDE-106G
FDE-110G - FDE-210G - FUA-106G - FUA-110G
FUA-210G - FUE-106G - FUE-110G - FUE-210G



EMMEPI 808578

3526140

VALVE 836 TANDEM ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Convection oven gas (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FDV - Series NCV
Series RCV - Series ZCV



EMMEPI 809326

Electronic boxes

3526402

CONTROL BOX S4560A1008

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven (ZANUSSI) FCVG6L4
for Convection oven gas (LAINOX) MG220T - VG105S
for Convection oven gas (ZANUSSI) FCVMG62



EMMEPI 809751



Suitable for:

ЭМПЕПИ



3091017 CONTROL BOX S4560B1006

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven electric (RATIONAL) CM101
CM201



EMMEPI 808611

3091012 CONTROL BOX 503 EDF FOR TANDEM

model SIT - 220/240V 50/60Hz 7VA
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG10EC
DG10ES - DG10MX - DG102EC - DG102MX - GF10GM
GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



EMMEPI 8C0069

EMMEPI 809602

3091024 CONTROL BOX 537 ABC

model SIT - 230V 50/60Hz 10VA
for Convection oven gas (FOINOX) FM401GTD
FP100GTD




EMMEPI 809752

Electronic printed-circuit boards

3390238 ELECTRONIC BOARD CPU 280x110 mm


for Convection oven (RATIONAL)
since 1/01/97
Series CM - Series CPC



EMMEPI 809736

3390363 ELECTRONIC DISPLAY BOARD 80x90 mm

for cooking chamber
for Convection oven electric (SOGECO) MX20N
MX20S - MX2011N - MX2011S - MX40N - MX40S
MX6N - MX6S - MX810N - MX810S



EMMEPI 8C0429



Suitable for:

3390364 ELECTRONIC DISPLAY BOARD 80x90 mm
for TIMER/PENETRATION PROBE
for Convection oven electric (SOGECO)
Series CNV06.11 - Series CNV10.11
Series CNV10.21 - Series CNV20.11
Series CNV20.21 - Series MX - Series MXB
Series P - Series PMX



EMMEPI 8C0430

EMMEPI



Suitable for:

3390223 REVERSE ELECTRONIC BOARD 90x105 mm 230V
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
DE102MX - EF4 - EF4PM - EF6PM - EF8PM - VE06EC
VE06MX - VE10EC - VE10MX - VE102EC - VE102MX
VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
GF4PM - GF6PM - GF8PM - VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



EMMEPI 809099

Electronic thermostats and controllers

3445250 THERMOSTAT EVK412 TCJ/PTC/NTC/PT1000
power supply 12-24V
temperature setting range -100+1300°C
ON-OFF control with two actuation points
2 changeover relay outputs 8/16A 250V
room temperature 0+55°C
probe type TCJ-PTC-NTC-PT1000-PT100 (not included)
connections by screw terminal block
front dimensions 74x32x67 mm
mounting hole 71x29 mm
for Convection oven electric (SOGECO) PVMX5S
PVMX8S - VMX10S - VMX2ES - VMX20S - VMX2011S
VMX40S - VMX6S



EMMEPI 8C0257

EMMEPI 8C0258

EMMEPI 809889

3445141 THERMOSTAT EV7401J J/K/PTC/NTC/PT100
double power supply 24/230V 50/60Hz
thermostat setting range +50+270°C
ON-OFF control with one actuation point only
1 changeover relay output 8(3)A 250V
room temperature 0+55°C
multiprobe:
thermocouple "J" -100+700°C
thermocouple "K" -100+1150°C
PTC -50+150°C
NTC -40+110°C
Pt 100 2/3 wires: -100+650°C
connections by extractable screw terminal block
front dimensions 72x72x100 mm
for Convection oven (GIORIK)



EMMEPI 807302



Suitable for:

EMMEPI



3445139 THERMOSTAT EV7401M J/K/PTC/NTC/PT100

double power supply 24/230V 50/60Hz
ON-OFF control with one actuation point only
changeover relay outlet 8(3)A 250V
2 types of programmable temperature alarms
inbuilt failure alarm
password entry to configuration parameters
room temperature 0÷60°C
multiple probe:
thermocouple "J" -100/750°C
thermocouple "K" -100/1200°C
PTC -50/150°C
NTC -40+110°C
Pt 100 2/3 wires: -100/700°C
connections by extractable screw terminal block
front dimensions 72x72x100 mm



EMMEPI 8C0173

Suitable for:

3445133 THERMOSTAT IC912LX/H PT100

power supply 12Vca/dc 15W
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
changeover relay output 8(3)A 250V
failure message display
room temperature -5+65°C
PT100 probe (not included)
connections by screw terminal block
front dimensions 74x32x67 mm
mounting hole 71x29 mm



EMMEPI 831131

3446128 TIMER EVK702 12V

2 changeover relay outlets 8(3)A 250V
room temperature 0÷55°C
power supply 12Vca/dc
connections with screw terminal block
dimensions 75x33x67 mm
mounting hole 71x28 mm
for Convection oven (SOGECO) - Series C - Series P
Series PVMX - Series VMX



EMMEPI 809892

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 12A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for Convection oven electric (UNOX) XV202 - XV301
XV401 - XV501



EMMEPI 806287

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Convection oven (KELVIN)
for Convection oven electric (GIERRE) FEV106M
FEV166E - FEV166M - FEV166P - FEV168E
FEV168M - FEV56M
for Convection oven electric (SMEG) ALFA30V
ALFA31V
for Convection oven gas (GIERRE) FEV107M - FEV167E
FEV167M - FEV167P - FEV57M



EMMEPI E11110001
EMMEPI 809397

EMMEPI 8C0297

EMMEPI 808020



Suitable for:

ЕММЕПИ

Suitable for:



Fans for motors

3240030 FAN $\varnothing$ 180 mm
 thickness 60 mm
 total blades 16 - $\varnothing$ tapered hole 11.5-16.5 mm
 for Convection oven (LAINOX)
 for Convection oven electric (FOINOX) FC06SE
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
 MM06EB - MM06EBM
 for Convection oven electric (GIORIK) EF5GM
 for Convection oven gas (FOINOX) FC06G - FC06GA
 FM06GDG - FP05G - FP05GA - MM06GA - MM06GB
 for Convection oven gas (GIORIK) GF5GM - G6VGEC



ЕММЕПИ 807604

ЕММЕПИ 808961

3240392 FAN $\varnothing$ 300 mm
 thickness 100 mm
 total blades 24 - $\varnothing$ tapered hole 19-24 mm
 for Convection oven (FOINOX) - Series FC
 Series FM - Series MM



ЕММЕПИ 808407

3240036 FAN $\varnothing$ 350 mm
 thickness 100 mm
 total blades 24 - $\varnothing$ tapered hole 19-24 mm
 for Convection oven electric (FOINOX) FC12SE
 FC20E - FC20EA - FC20EEP - FC200EM - FC401EM
 FM20EB - FM200EM - FM401EM - FP10E - FP10EA
 MM20EA - MM20EB - MM200EM - MM401EM
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FC20G - FC20GA - FC200GM - FC401GM - FM20G
 FM20GB - FM200GM - FM401GM - FP10G - FP10GA
 MM20GA - MM20GB - MM200GEP - MM200GM - MM401GM



ЕММЕПИ 8C0003

Filters

3160348 AIR INLET FILTER 212x60 mm
 for Convection oven (RATIONAL)
 since 1/06/97
 Series CPC
 for Convection oven electric (RATIONAL) CD101
 CD102 - CD201 - CD202 - CD61 - CM202 - CM61
 for Convection oven gas (RATIONAL) CM101G - CM61G



ЕММЕПИ 809502



Suitable for:

ЭМПЕПИ

Suitable for:



Gas burners

3023159 BURNER $\varnothing$ 50x485 mm

made of STAINLESS steel

for Convection oven gas (FOINOX) FC12G - FC12GA
FM10GB - FP10G - FP10GA - MM10GA - MM10GB

+7(812)987-08-81



EMMEPI 809328

Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET $\varnothing$ 54x42x2 mm



EMMEPI 903300

Gaskets for oven door

3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer

profile dimensions 14x12 mm

BLACK COLOR

for Convection oven (ANGELO PO)

for Convection oven (BERTO'S)

for Convection oven (GIGA)

for Convection oven (LAINOX)



EMMEPI 807587

3286027 GASKET FOR OVEN GLASS 3198 - 6 m

made of silicone elastomer

profile dimensions 14x12 mm

BLACK COLOR

for Convection oven (ANGELO PO)

for Convection oven (BERTO'S)

for Convection oven (GIGA)

for Convection oven (LAINOX)



EMMEPI 807587

3286028 GASKET FOR OVEN GLASS 3198 - 25 m

made of silicone elastomer

profile dimensions 14x12 mm

BLACK COLOR

for Convection oven (ANGELO PO)

for Convection oven (BERTO'S)

for Convection oven (GIGA)

for Convection oven (LAINOX)



EMMEPI 807587



Suitable for:

EMMEPI



3786116 OVEN DOOR GASKET

made of silicone elastomer
profile dimensions 27x15 mm
COLOUR BLACK
SOLD PER METRE
for Convection oven (SOGECO) - Series CNV10.11
Series CNV10.21 - Series CNV20.11
Series CNV20.21 - C20 - C2011 - C40 - C56 - C6
C810 - MBS06.11 - MBS06.23 - MBS10.11
Series MBS10.21 - MBS20.11 - MBS20.21 - MDS06.11
MDS06.23 - MDS10.11 - Series MDS10.21
MDS20.11 - Series MDS20.21 - MXB20 - MXB2011
MXB40 - MXB56 - MXB6 - MXB810 - Series MX20
MX2011 - MX40 - Series MX56 - Series MX6
Series MX810 - PMX16 - Series PMX56
Series PMX810 - P16 - P56 - P810



EMMEPI 8C0917

3286052 OVEN DOOR GASKET - 15 m

made of silicone elastomer
profile dimensions 25x22 mm
COLOUR BLACK
for Convection oven electric (COVEN) TEC10MD
TEC10MX - TEC10NMD - TEC10NMX - TEC15
TEC15MD - TEC20 - TEC20MD - TEC3MD - TEC3MX
TEC4MX - TEC5P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC10G - TEC15G
TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



EMMEPI 9629918

3286051 OVEN DOOR GASKET - 3 m

made of silicone elastomer
profile dimensions 25x22 mm
COLOUR BLACK
for Convection oven electric (COVEN) TEC10MD
TEC10MX - TEC10NMD - TEC10NMX - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20MD - TEC3MX
TEC4MX - TEC5P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC10G - TEC15G
TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



EMMEPI 9629918

3286052 OVEN DOOR GASKET - 15 m

made of silicone elastomer
profile dimensions 25x22 mm
COLOUR BLACK
for Convection oven electric (COVEN) TEC10MD
TEC10MX - TEC10NMD - TEC10NMX - TEC15
TEC15MD - TEC20 - TEC20MD - TEC3MD - TEC3MX
TEC4MX - TEC5P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC10G - TEC15G
TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



EMMEPI 9629918

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193

EMMEPI 807581

EMMEPI 807582

EMMEPI 807583

EMMEPI 808226

EMMEPI 808668

EMMEPI 809283



Suitable for:

EMMEPI



3286084 OVEN DOOR GASKET 04880 - 3 m
made of silicone elastomer
profile dimensions
BLACK COLOUR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3286030 OVEN DOOR GASKET 04880 - 15 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOUR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3286029 OVEN DOOR GASKET 04880 - 6 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3286029 OVEN DOOR GASKET 04880 - 6 m
made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3186319 OVEN DOOR GASKET 530x473 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD61
CM61 - CPC61 - CPC61E
for Convection oven gas (RATIONAL) CM101G - CM61G
CPC61G



EMMEPI 809657



Suitable for:

5013418 OVEN DOOR GASKET 635x480 mm
made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK)




EMMEPI 809796

3186311 OVEN DOOR GASKET 740x630 mm
made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK) - Series N



EMMEPI 8C0029

3186344 OVEN GLASS GASKET 1100 mm
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven (FOINOX) - Series MM



EMMEPI 809024

EMMEPI



Suitable for:

5022931 OVEN DOOR GASKET 660x390 mm
made of silicone elastomer
with fastening clips
COLOUR BLACK
for EMMEPI OVEN FE200
for TECNOEKA COOKING RANGE KCV96P-M/KCV96-M/
for TECNOEKA OVEN KF912-GA/KF912GRILL-GA/
KF912IX-GA/KF913DIX/KF9133DIX/KF1001G-GAM/
KF1001GIXAL-GAM/KF911/KF911IX/KF964AL/KF964ALM/
KF964I/KF964IM




EMMEPI 132110003

3186426 OVEN DOOR GASKET 780x470 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD101
CM101N - CPC101 - CPC101E
for Convection oven gas (RATIONAL) CM101G
CPC101G



EMMEPI 809562

3186345 OVEN GLASS GASKET 1700 mm
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven electric (FOINOX) FC05EU
FC06SE - FM06EB - FM06EDG - MM06EA - MM06EB
for Convection oven gas (FOINOX) FM06GDG
MIDI005GEP - MM06GA



EMMEPI 808666



Suitable for:

3786179 OVEN GLASS GASKET 3500 mm
made of silicone elastomer
profile dimensions 13x11 mm
COLOUR BLACK
for Convection oven (COVEN) - Series TEC5
Series TEC6
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC7




EMMEPI 9629920

EMMEPI



Suitable for:

3186246 OVEN GLASS GASKET 4400 mm
made of silicone elastomer
composed of 2 pieces 2200 mm
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven electric (FOINOX) FC20EA
FM10EB - FM10EDG - FM20EB - FM20EDG - MM20EA
MM20EB
for Convection oven gas (FOINOX) FM10GB - FM10GDG
FM20GB - FM20GDG - MM10GA - MM10GB - MM20GA
MM20GB



EMMEPI 808665

Gearmotors

3340149 HUMIDITY CONTROL MOTOR 12V
for Convection oven electric (RATIONAL) CPC101
CPC102 - CPC201 - CPC202 - CPC61 - SCC101E
SCC102E - SCC201E - SCC202E - SCC61E - SCC62E
for Convection oven gas (RATIONAL) CPC101G
CPC102G - CPC201G - CPC202G - CPC61G - SCC101G
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



EMMEPI 809507

Handles

3242044 BUSHING FOR DOOR HANDLE
for Convection oven electric (FOINOX) MM06EB



EMMEPI 809054

3242255 CENTRAL LOCK MECHANISM RIGHT
for OVEN
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX 10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Electric oven (CAPIC) R220



EMMEPI 809052



Suitable for:

3242041 CLASP $\varnothing$ 3x25 mm
for Convection oven electric (FOINOX) MM06EB



EMMEPI 809053

3242447 FASTENING PLATE FOR DOOR HANDLE
for OVEN



EMMEPI 809598

3242254 HANDLE LOCK FOR OVEN DOOR
for Convection oven (FOINOX)
since 1/01/95
Series FM6



EMMEPI 809031

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm
for Convection oven (COVEN) - Series TEC5 - TEC8
TEC9P
for Convection oven electric (COVEN) TEC10MX
TEC4MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC6G - TEC7G



EMMEPI 131110006

EMMEPI 131110007

EMMEPI 808747

EMMEPI

Suitable for:

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



EMMEPI 8C0315

EMMEPI 809875

3242080 HANDLE GUIDE LOCK
for OVEN



EMMEPI 809599

3242064 HANDLE SPACER BUSHING
for Convection oven electric (FOINOX) MM06EB



EMMEPI 809055

3242422 OVEN DOOR HANDLE
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC10PMEC - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20MD - 10EMD
10EMX
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC10GPMEC - TEC15G - TEC15GMD
TEC20G - TEC20GMD - 10GMD



EMMEPI 8C0559





Suitable for:

EMMEPI



3242449 OVEN DOOR HANDLE

for Convection oven (SOGECO) - Series C
Series CNV - Series MBS - Series MDS - Series P
Series PST
for Convection oven electric (SOGECO) - Series MX
Series MXB - Series PMX



EMMEPI 8C0921

3242144 OVEN DOOR HANDLE 260x30 mm

with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



EMMEPI 9629921

3242057 OVEN HANDLE BOTTOM TIE ROD 122 mm

for FOINOX OVEN series FC06
for Convection oven (FOINOX) - Series FC06



EMMEPI 8C0037

EMMEPI 8C0852

3242043 OVEN HANDLE TOP TIE ROD 155 mm

for Convection oven electric (FOINOX) FC06



EMMEPI 8C0036

EMMEPI 8C0851

3242253 PIN FOR DOOR HANDLE

for Convection oven (BERTO'S) WAVE6TURBO
for Convection oven (FOINOX) MM2/3EA - MM2/3EB
MM2/3EM
for Convection oven gas (BERTO'S) FMG6EP - FMG6M



EMMEPI 809029

3242419 PIN FOR OVEN DOOR HANDLE M10x1

overall length 52 mm
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



EMMEPI 809708

3242251 SPRING FOR DOOR HANDLE $\varnothing$ 16x37 mm for OVEN



EMMEPI 809028

3242059 STRIKE FOR DOOR HANDLE distance between mounting holes 21 mm for OVEN



EMMEPI 809056



Suitable for:

3242252 WASHER FOR DOOR HANDLE
for Convection oven electric (FOINOX) MM06EB



EMMEPI 809027

EMMEPI

Suitable for:

vsezip.ru

+7(812)987-08-81



Heating elements

3355366 HEATING ELEMENT 1500W 230V
length 105 mm - width 340 mm
flange 70x22 mm
for Convection oven electric (KELVIN) KE106
KPE405 - NKE106
for Convection oven electric (SOGECO) 5E - 56E
6E



EMMEPI 8C0256

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



EMMEPI 827915

3755092 HEATING ELEMENT 3000/3266W 230/240V
external ø 190 mm - overall height 70 mm
flange 100x22 mm
for Convection oven electric (FOINOX) FC06
FC06EA - FC12E - FC12EA-EDG
for Electric oven electric (FOINOX) SPEEDY MW
SPEEDY UMU



EMMEPI 808778

3355717 HEATING ELEMENT 15000W 230V
external ø 575 mm - height 210 mm
2 flanges 220x24 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD102 - CD202
CCC102 - CCC202 - CCD102 - CCD202 - CCM102
CCM202 - CM102N - CPC102 - CPC202



EMMEPI 809571

5037521 HEATING ELEMENT 2500W 230V
external ø 195 mm - overall height 75 mm
flange 70x22 mm
for EMMEPI OVEN FE440
for TECNOEKA COOKING RANGE KCV96-M
for TECNOEKA OVEN KF412-KF412U-KF412GRILL-KF723M-
KF723-KF723GRILL-KF723U-KF9133DIX-KF921-KF964AL-
KF964ALM-KF964I-KF964IM



EMMEPI 132110013

3755265 HEATING ELEMENT 3000W 240V
external ø 190 mm - total height 75 mm
flange 100x22 mm
for Convection oven electric (COVEN) TEC10
TEC10MX - TEC3 - TEC3H - TEC3MX - TEC4MX
TEC4P - TEC6 - TEC6MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



EMMEPI 9629911



Suitable for:

EMMEPI



3355567 HEATING ELEMENT 3150W 220V

external $\varnothing$ 220 mm - overall height 95 mm
flange 95x22 mm
for Convection oven electric (LAINOX) CE041M
FE004 - VE004D - VE004H - VE004M - VE004S
VE004X - VE04P - VE042P



EMMEPI 142110001

3355368 HEATING ELEMENT 3500W 230V

length 560 mm - width 280 mm
flange 70x22 mm
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) KE210
NKE210
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21 - 20E - 40E



EMMEPI 8C0392

3355433 HEATING ELEMENT 3500W 240V

length 115 mm - width 625 mm
flange 70x22 mm
for Convection oven electric (BERTO'S) FME10
FME10EP - FPE12TURBO - WAV-E12TURBO
for Convection oven electric (FOINOX) FC12SE
FC12SEA - FC20E - FC20EA - FM10E - FM10EB
FM10EDG - FM20EB - FP10E - FP10EA - MM10EA
MM10EB - MM20EA - MM20EB



EMMEPI 808780

3355431 HEATING ELEMENT 4360/3660W 220/240V

immersed length 310 mm
flange external $\varnothing$ 63 mm
with bulb sheath $\varnothing$ 6 mm
complete with O-RING
nut and washer upon request
for boiler
for Convection oven electric (BERTO'S) FME10M
for Convection oven electric (FOINOX) FM06EB
FM06EDG - FM10E - FM10EB - FM10EDG - FM20EB
FM20EDG



EMMEPI 808674

3755206 HEATING ELEMENT 6000W 240V

external $\varnothing$ 230 mm - height 130 mm
flange 140x25 mm
for Convection oven electric (FOINOX) FC05EU
FC05EUM - FC06E - FC50EM - MIDI005EEP
MIDI005EM
for Convection oven electric (LAINOX) A10PES



EMMEPI 808781

3355749 HEATING ELEMENT 7350W 230V

external $\varnothing$ 230 mm - overall height 165 mm
flange 143x25 mm - complete with cables
for Convection oven electric (GIORIK) EF4PM
EF5GM



EMMEPI 806187



Suitable for:

3355530 HEATING ELEMENT 7500W 230V

immersed length 300 mm
flange external $\varnothing$ 72 mm
with bulb sheath $\varnothing$ 6 mm
complete with O-RING
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
for Convection oven electric (MBM) FEM060 - FEM061
FEM100 - FEM101 - FEM102 - FEM200 - FEM201
FEM202 - FEM207SC - FEM209 - FEM610L - FEM62
for Convection oven gas (MBM) FMM060 - FMM061
FMM100 - FMM101



EMMEPI 807858

3355715 HEATING ELEMENT 9000W 230V

external $\varnothing$ 455 mm - height total 210 mm
flange 220x24 mm
for OVEN CCC61-CCC101-CCC201-CCD61-CCD101-CCD201
CCM101-CCM201-CCM61-CM61-CPC61-CPC101-CPC201
CM201N-CM101N
for OVEN CD61/CD101/CD201 SINCE JUNE 97
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD201 - CD61
CCC101 - CCC201 - CCC61 - CCD101 - CCD201 - CCD61
CCM101 - CCM201 - CCM61 - CM101N - CM201N
CM61 - CPC101 - CPC201 - CPC61



EMMEPI 809555

3755208 HEATING ELEMENT 920W 230V

length 260 mm - width 210 mm
total height 120 mm - couplings $\varnothing$ 13 mm
for Convection oven electric (FOINOX) FC06
FC06EA - FC12E - FC12EA-EDG - FP05EA



EMMEPI 808779

EMMEPI

Suitable for:

3355707 HEATING ELEMENT 9000W 230V

immersed length 200 mm
flange 82x82 mm
with bulb sheath - recommended probe 3397083
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD102 - CD201 - CD202 - CD61
CCC101 - CCC201 - CCC202 - CCC61 - CCD102 - CCD202
CCD61 - CCM101 - CCM201 - CCM202 - CCM61
CM101M - CM202N - CM61 - CPC102 - CPC201
CPC202 - CPC61



EMMEPI 809556

3355716 HEATING ELEMENT 9000W 230V

external $\varnothing$ 500 mm - height 130 mm
flange 220x24 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD201
CCC101 - CCC201 - CCD101 - CCD201 - CCM101
CCM201 - CM101N - CM2014N - CPC101 - CPC201



EMMEPI 809554

3755745 INTERNAL HEATING ELEMENT 15000W 230V

$\varnothing$ external 650 mm
D shaped flange 210x25 mm - faston fittings
for Convection oven electric (RATIONAL)
since 1/06/97
CD202
since 1/05/97
CD102
CCC102 - CCC202 - CCD102 - CCD202 - CCM102
CCM202 - CM102N - CM202N - CPC102 - CPC202



EMMEPI 809570





Suitable for:

3755672 QUARTZ HEATING ELEMENT BOTTOM 200W 115V
length 337 mm - ø 11 mm



ЭМПЕИ

Suitable for:

vsezip.ru

+7(812)987-08-81



EMMEPI 8C0618

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



EMMEPI C00131

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

3053232 OVEN DOOR TOP HINGE

for Convection oven electric (FOINOX) FC06E
FC06EA - FC06SE - FC12E - FC12EA - FC12SE
FC12SEA - FM06EB - FM06EDG - FM10E - FM10EB
FM10EDG - FP05E - FP05EA - FP10E - FP10EA
MM06EA - MM06EB - MM06EBM - MM10EA - MM10EB
for Convection oven gas (FOINOX) FC06G - FC06GA
FC12G - FC12GA - FM06GDG - FM10GB - FM10GDG
FP05G - FP05GA - FP10G - FP10GAP - MM06GA
MM06GB - MM10GA - MM10GB - MM20GB



EMMEPI 8C1386



Suitable for:

EMMEPI



5031555 RIGHT-LEFT HINGE FOR OVEN

mounting distance 130 mm - overall length 155 mm
height 157 mm
for Convection oven electric (TECNOEKA) KF911
KF911IX - KF964AL - KF964IM - KF965
for Convection oven gas (TECNOEKA) KF1001G
KF1001GLPG



EMMEPI 132110006

5037262 ROLLER HOLDER KIT RIGHT-LEFT

mounting distance 95 mm - overall length 110 mm
height 140 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF723
KF911 - KF921 - KF931 - KF964IM



EMMEPI

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



EMMEPI C00130

EMMEPI C10080

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

5037262 ROLLER HOLDER KIT RIGHT-LEFT

mounting distance 95 mm - overall length 110 mm
height 140 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF723
KF911 - KF921 - KF931 - KF964IM



EMMEPI

Hose reels

3359557 HYDRO-GUN NITO 1

special connection only for MIDIREEL GROUP
with spray regulator



EMMEPI 8C2178



Suitable for:

ЭМПИ

Suitable for:



Hydraulic plumbing

3450209 RUBBER PIPE $\varnothing$ 13x20 mm - 40 m
operating temperature $-40+100^{\circ}\text{C}$



EMMEPI 907295

3450109 RUBBER PIPE $\varnothing$ 13x20 mm - 5 m
operating temperature $-40+100^{\circ}\text{C}$



EMMEPI 907295

Ironmongery (screws,nuts,washers)

3528010 STAINL.STEEL SCREW WASHER M6 UNI 6592
dimensions $\varnothing$ 12x6.4x1.6 mm



EMMEPI E25110025

EMMEPI 8C1731

Knobs

3241340 BLACK KNOB $\varnothing$ 38 mm
D-shaped hole 6x4.6 mm
for Convection oven (FOINOX) - Series FM



EMMEPI 808669

3241055 FIXING CLIP
for knob with $\varnothing$ 8 mm hole



EMMEPI C00196

3241615 GREY KNOB $\varnothing$ 49 mm
D shaft hole 6x4.6 mm
for Convection oven electric (GIORIK) EF10GM
EF5GM - EF7GM
for Convection oven gas (GIORIK) GF10GM - GF5GM
GF7GM



EMMEPI 8C1602



Suitable for:

EMMEPI
Зин Общепит



Suitable for:

Lamps
vsezip.ru

3221172 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 96x80 mm
for Convection oven



EMMEPI 131110027

3221255 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 140x72 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



EMMEPI 808975

3221349 GLASS F.OVEN RECEPTACLE LAMP ø 72 mm

for Proving oven electric (MORETTI) L105.105
L60.60 - L65.105
for Proving oven electric (ZANUSSI) FLP55 - FLP80
ZMBD4L - ZMBD6L - ZMMD4L - ZMMD6L



EMMEPI 808851

3221256 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 112x65 mm
max temperature 500°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



EMMEPI 808976

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm

for OVEN-PIZZA OVEN



EMMEPI 808808

3221132 GREEN INDICATOR LAMP 230V

head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 807773

EMMEPI 808971

EMMEPI 809382

3221164 GREEN INDICATOR LAMP 230V

head ø 7 mm - hole ø 6 mm - 120°C
dashboard mounting



EMMEPI 8C0298

3221199 GREEN INDICATOR LAMP 250V

head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 808943



Suitable for:

ЭМПЕИ

Suitable for:



- 3221012 GREEN INDICATOR LIGHT 220V**
mounting hole 30x22 mm - 125°C
universal application



EMMEPI 806080

- 3221262 GREEN LAMP RECEPTACLE**
head ø 14.5 mm - hole ø 12 mm



EMMEPI 808461

- 3221202 TRANSPARENT INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 809084

- 3221120 LAMP RECEPTACLE E14 25W 230V**
for Convection oven electric (GEMINI FORNI)
Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160



EMMEPI 808979

vsezip.ru

+7(812)987-08-81

- 3221199 GREEN INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 808943

- 3221358 WHITE LAMP RECEPTACLE**
head ø 16 mm - hole ø 13 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 809085



Suitable for:

3221311 LAMP RECEPTACLE E14 25W 230V
 mounting hole $\varnothing$ 36 mm
 max temperature 300°C
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (INOXTREND)
 for Convection oven (MBM)



EMMEPI 809715

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for Convection oven electric (EMMEPI) F2011GT-SP
 for Convection oven electric (KELVIN) NKE234
 NKE234S
 for Convection oven electric (SOGECO)
 Series MBS10.21 - Series MDS10.21
 Series MDS20.21
 for Convection oven gas (CONVOTHERM) OGS6.10



EMMEPI 809884

3221187 LAMP RECEPTACLE HARDENED GLASS $\varnothing$ 87 mm
 for Convection oven (ANGELO PO)
 for Convection oven electric (GIORIK) EF8PM



EMMEPI 814524

3221095 ORANGE INDICATOR LAMP 230V
 head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
 universal application



EMMEPI 806128

EMMEPI 808970

EMMEPI 809248

EMMEPI

Suitable for:

3221052 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 57 mm
 for OVEN-PIZZA OVEN



EMMEPI 808808

+7(812)987-08-81

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
 lamp glass $\varnothing$ 42 mm
 mounting hole $\varnothing$ 38 mm
 max temperature 300°C
 for OVEN
 for Convection oven electric (SMEG) ALFA31V
 ALFA51X - ALFA51XGN - ALFA55X



EMMEPI 809935

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for Convection oven electric (EMMEPI) F2011GT-SP
 for Convection oven electric (KELVIN) NKE234
 NKE234S
 for Convection oven electric (SOGECO)
 Series MBS10.21 - Series MDS10.21
 Series MDS20.21
 for Convection oven gas (CONVOTHERM) OGS6.10



EMMEPI 809884





Suitable for:

EMMEPI



3221080 RED INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
for Convection oven (FOINOX) - Series FC
Series FM



EMMEPI 808969

Suitable for:

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
external dimensions 140x75 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (INOXTREND)
for Convection oven (KELVIN)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



EMMEPI 808977

EMMEPI 809341

3221202 TRANSPARENT INDICATOR LAMP 250V
head $\varnothing$ 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 809084

3221358 WHITE LAMP RECEPTACLE
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 809085

Level regulators

3341035 LEVEL ADJUSTER RL30/3ES/F-G
230V 50/60Hz
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
VE20EC - VE20MX
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



EMMEPI 807853

Level sensors

3341051 LEVEL PROBE 3 ELECTRODES $\varnothing$ 15 mm 108 mm



EMMEPI 809561

3341052 LEVEL PROBE 3 ELECTRODES $\varnothing$ 15 mm 130 mm



EMMEPI 809569



Suitable for:

ЭМПЕИ

Suitable for:



Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V

for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM
for Convection oven gas (ZANUSSI) FCS061G



EMMEPI 807351

9240027 LID MAGNET

external $\varnothing$ 22 mm - M5x10 mm
for Convection oven electric (ANGELO PO) FC1011E
FC1221E - FC611E - FM1011E1 - FM1011E2
FM1011E3 - FM1221E1 - FM1221E2 - FM1221E3
FM2021E1 - FM2021E2 - FM2021E3 - FM611E1
FM611E2 - FM611E3 - FM721E1 - FM721E2
FM721E3
for Convection oven gas (ANGELO PO) FC1011G
FC1221G - FC611G - FM1011G1 - FM1011G2
FM1011G3 - FM1221G1 - FM1221G2 - FM1221G3
FM2021G1 - FM2021G2 - FM2021G3 - FM611G1
FM611G2 - FM611G3 - FM721G1 - FM721G2
FM721G3



EMMEPI 8C2146

3240436 MAGNETIC MICRO SWITCH MK12

with cable 4000 mm - head 32x15 mm
for Convection oven (FRIMA)
for Convection oven (RATIONAL)



EMMEPI 809557

9014015 MAGNETIC MICROSWITCH $\varnothing$ 10x26 mm

0.5A 250V - NO contact
with cable length 750 mm



EMMEPI TR0309

3240148 MICROSWITCH MAGNET 63x19x11 mm

for Convection oven (ZANUSSI) - Series AOS



EMMEPI TR0220

3240141 MAGNETIC MICROSWITCH E5101V

0.04A 250V - NO contact - head 32x13 mm
with magnet 63x19x11 mm
with cable length 900 mm
for Convection oven (MARENO)



EMMEPI 8C0129

3240407 MECHANICAL MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels



EMMEPI 809481



Suitable for:

EMMEPI



Suitable for:

3240410 MICRO SWITCH 16A 250V

for ANGELO PO OLD OVENS FC-FCV
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
FC1211G-FC1211E
for ANGELO PO FRYER 030FE1-030FE1B-70FE
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
30FES2-30FES2B-091FE28
for IMESA DRYER ES10-ES55-ES75
for IMESA WASHING MACHINE
LM30-LM40-LM55-LM70-LM85
RC30-RC40-RC55-RC70
for SIRMAN CUTTER C4-C6-C6VV-C9
for GRANDIMPIANTI DRYER EMS10-EMS15
for FAGOR CALENDER PE30/140-PE30/160-PE30/200
for FOINOX OVEN J00611E-J00611G-J01011E-J01011G
J01021E-J01021G-J02011E-J02011G-J02021E-J02021G
for IPSO CALENDER RI1600/30-RI1600/30AV



EMMEPI E61110053

EMMEPI 61110053

EMMEPI 807351

3240148 MICROSWITCH MAGNET 63x19x11 mm

for Convection oven (ZANUSSI) - Series AOS



EMMEPI TR0220

3240419 MICROSWITCH MF9 16A 250V

for Convection oven (SOGECO)



EMMEPI 809173

EMMEPI 809885

3240406 MICROSWITCH 10A 250V

for Convection oven electric (JUNO-RÖDER-SENKING)
5717-3



EMMEPI E61110082

EMMEPI 8C2018

EMMEPI 808879

3240820 MICROSWITCH 16A 250V



EMMEPI E00010041

EMMEPI 808053

5037263 MICROSWITCH 16A 250V

for EMMEPI OVEN FE900
for TECNOEKA OVEN KF911-KF911IX-KF921-KF964I-
KF964IM-KF1000G



EMMEPI 132110023

Motors

3240704 MOTOR FB80 4/8 0.75/0.22Kw 380/415V

50Hz - 1.4/0.4A - 1400/700rpm
for Convection oven electric (GIORIK) DE10EC
DE102EC - EF6PM - EF8PM - VE10EC - VE20EC
for Convection oven gas (GIORIK) DG102EC - VG20EC



EMMEPI 813154

3240319 MOTOR LM50/2 0.04Kw 220/240V 50Hz

0.6A capacitor 4 µF
for Convection oven electric (FOINOX) BLUPASTRYVIP



EMMEPI 809001



Suitable for:

5004420 MOTOR ST100L/4 0.55Kw 50/60Hz

220/240/346-415V 50Hz 0.55Kw 2.6/1.5A 1400rpm
200/240/346-460V 60Hz 0.55Kw 2.3/1.3A 1700rpm
for Convection oven (FOINOX) FC100 - FC200 - FC201
FC401 - FM100 - FM200 - FM201 - FM401 - FP100
FP80 - MM100 - MM200 - MM201 - MM401



EMMEPI 809406

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan ø 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



EMMEPI 800758

EMMEPI 8C2135

EMMEPI 807206

3240699 MOTOR 1058.1400 0.5/0.1HP 220/240V 50Hz

2/0.7A - 2700/1400rpm - capacitor 20 µf
for Convection oven electric (GIORIK) EF4PM
EF5GM
for Convection oven gas (GIORIK) GF4PM - GF5GM



EMMEPI 807848

EMMEPI

Suitable for:

3240277 MOTOR ST80/4 50/60Hz

220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
1350-1650rpm
for Convection oven electric (GIORIK) CE10MX
CE102MX - CE20MX - DE10MX - DE102MX - EF10GM
EF7GM - VE10M - VE102EC - VE102M - VE20MX
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES
for Convection oven gas (GIORIK) CG10MX - CG102MX
CG20MX - DG10MX - DG102MX - VG10MX - VG102MX
VG20MX



EMMEPI 807314

3240029 MOTOR 1057 0.5/0.10HP 220/240V 50Hz

2/4 poles 2/0.7A 1400rpm - capacitor 20 µF
for Convection oven (LAINOX)



EMMEPI 808973

Non-return and expansion valves

1526503 NON-RETURN VALVE ø 40 mm

ballcock - outlets ø 12 mm
stainless steel cap



EMMEPI 907460



Suitable for:

ЭМПЭП

Suitable for:



Penetration probes

3397006 PENETRATION PROBE

connector fitting
probe length 180 mm
compartment internal cable length 680 mm
compartment external cable length 1400 mm
for Convection oven electric (FOINOX) FC12EA
FC12SEA - FC20E - FC20EA - MM10EA - MM10EB
MM20EA - MM20EB
for Convection oven gas (FOINOX) FC12G - FC12GA
FC20G - FC20GA - MM10GA - MM10GB - MM20GA
MM20GB



EMMEPI 808682

3322056 PENETRATION PROBE ALC90

2 wires
probe length 100 mm
chamber internal cable length 960 mm
for Convection oven electric (SOGECO) MX10E-D
MX10E-S - MX20E-D - MX20E-S - MX6E-D - MX6E-S
PMX56E-D - PMX56E-S - VMX10E-D - VMX10E-S
VMX20E-D - VMX20E-S - VMX6E-D - VMX6E-S
for Convection oven gas (SOGECO) MX10G-D - MX10G-S
MX20G-D - MX20G-S - MX6G-D - MX6G-S - PMX56G-D
PMX56G-S - VMX10G-D - VMX10G-S - VMX20G-D
VMX20G-S - VMX6G-D - VMX6G-S



EMMEPI 8C0282

3397040 PENETRATION PROBE PT100

connector fitting
probe length 185 mm
compartment internal cable length 445 mm
compartment external cable length 1440 mm
for Convection oven electric (FOINOX) FM06EB
MM2ED - MM2EEP - MM2EM - MM3ED - MM3EEP
MM3EM



EMMEPI 8C1187

3397056 PENETRATION PROBE THERMOCOUPLE K

2 wires - probe length 175 mm
cable length 3000 mm
with fastening coupling M10
for Convection oven (RATIONAL) - Series CC



EMMEPI 809658

Pilot burners and accessories

3020077 FITTING FOR PIPE $\varnothing$ 4 mm



EMMEPI 806019

3020084 NUT & OLIVE $\varnothing$ 6 mm



EMMEPI 8C0070

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



EMMEPI 8C0412

EMMEPI 807907

3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



EMMEPI 830885



Suitable for:

3020201 PILOT GAS JET $\varnothing$ 0.14 mm



EMMEPI 8C0955

3020202 PILOT GAS JET $\varnothing$ 0.27 mm



EMMEPI 8C1497

3020449 PILOT GAS JET $\varnothing$ 0.54 mm



EMMEPI 808033

3020040 PILOT JET $\varnothing$ 0.30 mm



EMMEPI 808365

3020187 PILOT NOZZLE $\varnothing$ 0.51 mm



EMMEPI 808364

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



EMMEPI 808353

EMMEPI

Suitable for:

3020042 PILOT GAS JET $\varnothing$ 0.19 mm



EMMEPI 809996

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



EMMEPI 809994

3020054 PILOT JET $\varnothing$ 0.20 mm



EMMEPI 8C0030

3020055 PILOT JET $\varnothing$ 0.35 mm



EMMEPI 8C0031

3020077 FITTING FOR PIPE $\varnothing$ 4 mm



EMMEPI 806019





Suitable for:

3020042 PILOT GAS JET $\varnothing$ 0.19 mm



EMMEPI 809996

3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)



EMMEPI 8C1496

EMMEPI 809474

3020042 PILOT GAS JET $\varnothing$ 0.19 mm



EMMEPI 809996

3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

ЭМПИ

Suitable for:

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



EMMEPI 809994

3020077 FITTING FOR PIPE $\varnothing$ 4 mm



EMMEPI 806019

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



EMMEPI 809994



+7(812)987-08-81

vsezip.ru



Suitable for:

EMMEPI



Suitable for:

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting
for Convection oven gas (ZANUSSI)



EMMEPI 808039

EMMEPI 808197

EMMEPI 809197

3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



EMMEPI 806154

EMMEPI 807835

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



EMMEPI C00070

EMMEPI C00392

EMMEPI C00711

EMMEPI 051E10007

EMMEPI 808180

3020077 FITTING FOR PIPE $\varnothing$ 4 mm



EMMEPI 806019

3020054 PILOT JET $\varnothing$ 0.20 mm



EMMEPI 8C0030

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020055 PILOT JET $\varnothing$ 0.35 mm



EMMEPI 8C0031

3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020036 THREE-FLAME PILOT BURNER SIT
with NG nozzle $\varnothing$ 0.35 mm
with 3 positions bracket



EMMEPI C00166

EMMEPI 8C0638

3020077 FITTING FOR PIPE $\varnothing$ 4 mm



EMMEPI 806019



Suitable for:

3020054 PILOT JET $\varnothing$ 0.20 mm



EMMEPI 8C0030

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020012 TWO-FLAME PRINTED PILOT BURNER SIT

without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6



EMMEPI 806153

EMMEPI

Suitable for:

3020055 PILOT JET $\varnothing$ 0.35 mm

vsezip.ru

+7(812)987-08-81

EMMEPI 8C0031

3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020040 PILOT JET $\varnothing$ 0.30 mm



EMMEPI 808365

Pressure switches

3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V

fitting $\varnothing$ 1/8" M
for Convection oven (OLIS) - Series CVM
Series ECV
for Convection oven electric (KELVIN) KE106A
KE110A - KE210A - KPE405 - KPE408 - NKE106A
NKE110A - NKE210A
for Convection oven electric (LAINOX) VE100H
for Convection oven gas (KELVIN) KG106A - KG110A
KG210A - KPG405 - KPG408A - NKG106A - NKG110A
NKG210A



EMMEPI 8C0444

3320157 PRESSURE SWITCH CLEANJET 6A 250V

for Convection oven (RATIONAL)
since 1/01/01
Series CPC



EMMEPI 809754





Suitable for:

EMMEPI
Зин Общепит



Suitable for:

Probes
vsezip.ru

+7(812)987-818-81

3397129 CHAMBER TEMPERATURE PROBE PT100
2 wires - bulb $\varnothing$ 3x150 mm
probe length 150 mm
cable length 2000 mm
for Convection oven (SOGECO) - Series VMX



EMMEPI 809887

3445021 PROBE PT100 1500 mm
2-wire probe
bulb $\varnothing$ 4x55 mm
for chamber temperature
for all models
for Convection oven (COVEN)
for Convection oven (SOLYMAC)



EMMEPI 9629931

3445109 PROBE TCJ EC-SND-2312 3000 mm
2 wires - temperature range $-50+350^{\circ}\text{C}$
error limits $\pm 0.75\%$ below 0°C
30 seconds response time
bulb $\varnothing$ 6x100 mm
vetrotex cable



EMMEPI 8C0221

3397023 TEMPERATURE PROBE
2 wires - probe for thermocouple type chamber
probe length 110 mm
cable length 290 mm
with fastening fitting M8
for Convection oven electric (RATIONAL) CM101
CM102 - CM201 - CM202 - CM61 - CPC101 - CPC102
CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM102G
CM201G - CM202G - CM61G - CPC101G - CPC102G
CPC201G - CPC202G - CPC61G



EMMEPI 809525

3397025 TEMPERATURE PROBE
2 wires - probe for thermocouple type chamber
probe length 120 mm
cable length 1800 mm
with fastening coupling M8
for Convection oven (RATIONAL)
since 1/06/97



EMMEPI 809564

3397101 TEMPERATURE PROBE TCJ
2 wires
bulb $\varnothing$ 6x100 mm
vetrotex cable length 900 mm
for Convection oven (GIORIK)



EMMEPI 807176



Suitable for:

ЭМПЕПИ




Suitable for:

Relays

3351007 MINI RELAY 55.32 10A 240V 50/60Hz

2 switching contacts
manual push-button



EMMEPI 809015

3351016 RELAY CRYDOM SOB667330


for Convection oven (RATIONAL)
since 1/05/97
Series CPC - Series SCC



EMMEPI 809558

3351008 RELAY 62.83 16A 230V 50/60Hz

3 switching contacts



EMMEPI 905475

Rotary switches

3057050 CONNECTING BRACKET

connecting thermostat and switch



EMMEPI C00218

3057019 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC) - Series SOLYMIX
for Convection oven electric (GIERRE) BRIOMAXI
BRIOMIDI - FEV106M - FEV120M - FEV166E
FEV166M - FEV166P - FEV168E - FEV168M
FEV168P - FEV56M - FEV60M
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM
EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIERRE) FEV107M - FEV121M
FEV167E - FEV167M - FEV167P - FEV169E
FEV169M - FEV169P - FEV57M - FEV61M
for Convection oven gas (GIORIK) CG06MX - CG10MX



EMMEPI 808145

3057026 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E



EMMEPI 806286

3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) EF4



EMMEPI C00685

EMMEPI 808687



Suitable for:

ЕММЕПИ



3057224 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 380V
D-shaped pin $\varnothing$ 5x4 mm
for Convection oven electric (GIORIK) EF4PM
EF6PM - EF8PM
for Convection oven gas (GIORIK) GF4PM - GF6PM
GF8PM



ЕММЕПИ 807551

3057214 SELECTOR SWITCH 0-3 POSITIONS


contact capacity 32A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (COVEN) TEC10MD
TEC20MD - TEC3MX - TEC6MD
for Convection oven electric (SOGECO) - Series MX
Series PMX56 - Series PMX810 - Series PVMX5
Series PVMX8 - Series VMX - VMX20N - VMX2011N
VMX40N



ЕММЕПИ 8C1483

3057010 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (FOINOX) - Series FC
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - MCE051M
MCE071M - MCE101M - MCE102M - MCE201M
MCE202M
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG105M - FG105X - FG110M
FG110X - MCG051M - MCG071M - MCG101M - MCG102M
MCG201M - MCG202M - PG040M - PG040X - PG080M
PG080X



ЕММЕПИ 807290

ЕММЕПИ 808806

3057047 SELECTOR SWITCH 5 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (FOINOX) - Series FM
Series MIDI - Series MM



ЕММЕПИ 808962

Solenoid valves

3120014 SOLENOID VALVE 264 220/240V $\varnothing$ 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet $\varnothing$ 10 mm



ЕММЕПИ 902410

3120167 SOLENOID VALVE 264A 220/240V $\varnothing$ 14 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - three outlets $\varnothing$ 14 mm



ЕММЕПИ E00010011

3120004 SOLENOID VALVE 319 220/240V $\varnothing$ 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet $\varnothing$ 10 mm



ЕММЕПИ 8C0206

3120005 SOLENOID VALVE 329 220/240V $\varnothing$ 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet $\varnothing$ 10 mm



ЕММЕПИ 809327

ЕММЕПИ 809335

ЕММЕПИ 902390



Suitable for:

EMMEPI



3120007 SOLENOID VALVE 349 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



EMMEPI 8C0145

EMMEPI 808922

3120009 SOLENOID VALVE 351 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



EMMEPI 809566

3120011 SOLENOID VALVE 353 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm



EMMEPI 809565

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



EMMEPI C00507

EMMEPI C10167

EMMEPI 8C1700

EMMEPI 813434

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



EMMEPI C10168

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



EMMEPI



Suitable for:

EMMEPI

Suitable for:



Sparking and detection plugs

3020327 ROUND DETECTION PLUG $\varnothing$ 8x45 mm

overall length 95 mm
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



EMMEPI 809603

3020190 ROUND DETECTION PLUG $\varnothing$ 9x63 mm

overall length 204 mm
for Convection oven gas (KELVIN)
for Convection oven gas (SOGECO)



EMMEPI 809880

3020124 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm

female connection
overall length 58 mm



EMMEPI 807741

3020375 ROUND SPARKING PLUG $\varnothing$ 7.5x60 mm

overall length 78 mm
for Convection oven gas (RATIONAL)
since 1/06/97
Series CM - Series CPC



EMMEPI 809511

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

EMMEPI C00173

EMMEPI 8C1498

3020175 ROUND SPARKING PLUG $\varnothing$ 7x68 mm

overall length 200 mm
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G
for Convection oven gas (SOGECO)



EMMEPI 8C1697

3020328 ROUND SPARKING PLUG $\varnothing$ 8x45 mm

overall length 83 mm
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



EMMEPI 809604



Suitable for:

3020065 ROUND SPARKING PLUG $\varnothing$ 9.5x77 mm

overall length 125 mm
for Convection oven gas (FOINOX) FC100GEP
FC200GEP - FC200GM - FC201GEP - FC401GEP
FC401GM - FC60GEP - FC60GM - FDG55EP - FDG55TD
FM06GDG - FM10GB - FM10GDG - FM100GEP
FM100GM - FM100GTD - FM200GEP - FM200GTD
FM201GEP - FM201GM - FM401GEP - FM401GM
FM401GTD - FM60GEP - FM60GM - FM60GTD
FP100GEP - FP100GM - FP100GTD - FP50GEP
JO0611G - JO1011G - JO1021G - JO2011G
JO2021G - MID1005GEP - MM06GA - MM10GA
MM10GB - MM100GEP - MM100GM - MM100GTD
MM20GA - MM200GEP - MM200GM - MM200GTD
MM201GM - MM201GTD - MM401GEP - MM401GM
MM401GTD - MM60GEP - MM60GM - MM60GTD



EMMEPI 809281



EMMEPI

Suitable for:

3020189 ROUND SPARKING PLUG $\varnothing$ 9x63 mm

overall length 204 mm
for Convection oven gas (SOGECO)



EMMEPI 809879

Switches

3319168 BIPOLAR SWITCH 16A 250V

for Convection oven (FOINOX) - Series FC
Series FD - Series FM - Series MM



EMMEPI 808807

3319617 DOUBLE CONTACT SWITCH 16A 250V

for Convection oven (FOINOX)



EMMEPI 809021

3319029 GREEN BIPOLAR SWITCH 16A 250V

with indicator lamp
max temperature 120°C
mounting hole 22x30 mm



EMMEPI 818181

3319944 GREEN BIPOLAR SWITCH 16A 250V

with indicator light
0-I silk-screen printing
temperature max 120°C
mounting hole 22x30 mm



EMMEPI 712110000



Suitable for:

EMMEPI



3319425 ORANGE BIPOLAR SWITCH 15A 250V
with indicator lamp
mounting hole 13x20 mm
for Convection oven (SOGECO) - Series C
Series VMX



EMMEPI 809883

3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V
with protection cap
mounting hole $\varnothing$ 16 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (WHIRLPOOL) ACV/G10C2
ACV/G10C4 - ACV/G10C6 - ACV/G102/1C4
ACV/G102/1C6 - ACV/G20C4 - ACV/G61C3
ACVG202/1C4
for Convection oven gas (ZANUSSI)



EMMEPI 809886

3319949 YELLOW BIPOLAR SWITCH 16A 250V
with indicator lamp
mounting hole $\varnothing$ 25 mm
for Convection oven electric (SOGECO) CM10-S
CM20-S - CM56-S - CM6-S - CM810-S - MX10
Series MX20 - Series MX56 - Series MX6
Series MX810



EMMEPI 804027

3319315 2-POLE RED PUSH-BUTTON 3A 250V
with indicator lamp
max temperature 125°C
mounting hole $\varnothing$ 17 mm
for Convection oven gas (GIORIK) CG20MX - DG06EC
DG06ES - DG06MX - DG10EC - DG10ES - DG10MX
DG102EC - DG102MX - GF10GM - GF4PM - GF5GM
GF6PM - GF7GM - GF8PM - VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



EMMEPI 809600

Telethermometers

3441037 WHITE TELETHERMOMETER $\varnothing$ 52 mm 50-350°C
plastic sheath
capillary length 970 mm
bulb $\varnothing$ 6x40mm
for Convection oven electric (BERTO'S) FME10N
for Convection oven electric (FOINOX) FP05E



EMMEPI 808667

3441071 WHITE TELETHERMOMETER $\varnothing$ 60 mm 50-350°C
metal sheath
covered capillary length 1600 mm
plastic covered bulb $\varnothing$ 6x20 mm
for Convection oven (KELVIN) K106M - K110M - K210M



EMMEPI 809747



Suitable for:

ЭМПЭП

Suitable for:



Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V




EMMEPI C00395

+7(812)987-08-81

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.

interrupted contact with terminals



EMMEPI 513120001

3440014 INTERRUPTION CONNECTOR M8x1



EMMEPI 8C1701

3440015 INTERRUPTION CONNECTOR M9x1



EMMEPI C00169

EMMEPI 807350

EMMEPI 807842

3440133 THERMOCOUPLE SIT M10x1 100 cm



EMMEPI 808521

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 806185

3440037 THERMOCOUPLE SIT M9x1 100 cm.



EMMEPI 806185

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 806185



Suitable for:

3440038 THERMOCOUPLE SIT M9x1 120 cm




EMMEPI 8C0639

EMMEPI 806186

EMMEPI

Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EMMEPI 8C0639

EMMEPI 806186

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EMMEPI 8C0639

EMMEPI 806186

3440039 THERMOCOUPLE SIT M9x1 150 cm



EMMEPI C10201

EMMEPI 814980

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI 806183

EMMEPI 808178

3440035 THERMOCOUPLE SIT M9x1 60 cm.



EMMEPI 806183

EMMEPI 808178

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI 806183

EMMEPI 808178

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EMMEPI 806184

EMMEPI 808138



Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.



EMMEPI 806184

EMMEPI 808138

EMMEPI

Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EMMEPI 806184

EMMEPI 808138

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



EMMEPI 808151

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



EMMEPI 806271

Thermostats

3444352 SINGLE-PHASE THERMOSTAT 130°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb $\varnothing$ 6x129 mm
for Convection oven electric (FOINOX) J01011E
J01021E - J02011E - J02021E - J0611E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



EMMEPI 808671

3444339 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin 6x4.6 mm
capillary length 880 mm - 16A 250V
bulb $\varnothing$ 6x130 mm
for Convection oven (FOINOX) - Series MM



EMMEPI 809017

3444552 SINGLE-PHASE THERMOSTAT 30-120°C

D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 6x115 mm
for Convection oven electric (BERTO'S) FC200EA
FC200EB
for Convection oven gas (BERTO'S) FC200GA
FC200GB



EMMEPI 808809

3444676 SINGLE-PHASE THERMOSTAT 335°C

with manual reset
covered capillary length 920 mm - 16A 250V
bulb $\varnothing$ 3x150 mm
for Convection oven (BERTO'S)
for Convection oven electric (BAKE OFF)
BISTROT1064 - BISTROT434 - BISTROT434/05
BISTROT464 - BISTROT464/05 - BISTROT664
6TTR05
for Convection oven electric (FOINOX) J01011E
J01021E - J02021E - J0611E
for Convection oven gas (FOINOX) J01011G - J01021G
J02011G - J02021G - J0611G



EMMEPI 808664



Suitable for:

EMMEPI
vsezi.ru
+7(812)987-08-81



3444285 SINGLE-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x77 mm
for Convection oven electric (GIORIK) EF4 - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) CG10MX - CG102MX
DG06EC - DG06ES - DG06MX - DG10EC - DG10ES
DG10MX - DG102EC - DG102MX - GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG06MX - VG10EC - VG10MX - VG102EC - VG102MX



EMMEPI 807658

3444781 SINGLE-PHASE THERMOSTAT 360°C

with automatic reset
covered capillary length 1170 mm - 16A 230V
bulb ø 4x95 mm - with stuffing gland nut M14x1
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD102 - CD201 - CD202 - CD61
CM101N - CM102N - CM201N - CM202N - CM61 - CPC101
CPC102 - CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM61G
CPC101G - CPC61G



EMMEPI 809504

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven (LAINOX)
for Convection oven (ZANUSSI)



EMMEPI 808672

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven (BONNET)
for Convection oven (BOURGEOIS)
for Convection oven (ZANUSSI)



EMMEPI 908326

3444305 SINGLE-PHASE THERMOSTAT 50-500°C

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 4x230 mm
for Electric oven (FIMAR) MICRO1C - MICRO2C



EMMEPI 808542

5031404 SINGLE-PHASE THERMOSTAT 60-318°C

D-shaped pin ø 6x4.6 mm
capillary length 870 mm - 16A 250V
bulb ø 3x139 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF412
KF412U - KF620 - KF620IX - KF620U - KF620UIX
KF622 - KF630UD - KF723 - KF723U - KF937
KF937UD



EMMEPI 132110015



Suitable for:

EMMEPI



5025542 SINGLE-PHASE THERMOSTAT 66-310°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1500 mm
double bulb $\varnothing$ 3x120 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF412GRILL
KF622GRILL - KF723M - KF911 - KF911IX - KF933
KF933U - KF964ALM - KF964IM - KF965
KF965AL/UD - KF965M - KF966UD - KF980DOUBLE
KF980DOUBLEV/A - KF980I - KF980V/A - KF981
KF981DOUBLE - KF981DOUBLE EV/UD
KF981DOUBLE UD



EMMEPI 132110016

Suitable for:

3444586 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 4x228 mm



EMMEPI 8C0363

3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 6x80 mm
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10MX
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



EMMEPI 808057

3444175 THREE-PHASE THERMOSTAT 335°C

with manual reset
covered capillary length 1200 mm
bulb $\varnothing$ 3x200 mm - with stuffing gland M10x1
with tank seal fitting M16
for Convection oven (SOGECO)



EMMEPI 809891

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb $\varnothing$ 3x190 mm
for Convection oven electric (SMEG) ALFA135X
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



EMMEPI 807790

3444458 3-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 900 mm - 20A 400V
bulb $\varnothing$ 4x120 mm - with stuff.gland coupling M10x1
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
DE102MX - EF10GM - EF4PM - EF5GM - EF6PM
EF7GM - EF8PM - VE06EC - VE06MX - VE10EC
VE10M - VE102EC - VE102M - VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG20MX
VG20EC - VG20MX



EMMEPI 808718



Suitable for:

EMMEPI

Suitable for:



Timezip.ru

3446057 FOOT FOR 90.26 TIMER

8 feet - 10A 250V
for Convection oven (FOINOX) - Series MM



EMMEPI 809018

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (GIORIK)
for Convection oven (MARENO)



EMMEPI 813170

3446004 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (ANGELO PO)
for Convection oven (ZANUSSI)



EMMEPI 828794

3446039 TIMER 120 MINUTES MS65

manually set cycle 120 minutes
contact capacity 16(4)A 250V 50Hz
max temperature 100°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
DE10ES - DE10MX - DE102MX - EF10GM - EF4
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - VE06MX
VE10MX - VE102MX - VE20MX
for Convection oven electric (INOXTREND)
BUA-606E-00 - BUA-610E-00 - FBA-106E-00
FBA-106E-01 - FBA-110E-00 - FBA-110E-01
FBA-120E-00 - FBA-210E-00 - FDA-106E-00
FDA-106E-01 - FDA-120E-00 - FDA-210E-00
for Convection oven gas (GIORIK) CG06MX - CG10MX



EMMEPI 809442

5047410 TIMER 120 MINUTES MS65

mechanical timer with sound alarm
120-minutes mechanically set cycle
contact capacity 16(4)A 230V 50Hz
max temperature 100°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (TECNOEKA) KF723
KF911 - KF911IX - KF921 - KF931 - KF964AL
KF964ALM - KF964I - KF964IM - KF980DOUBLE
KF980DOUBLEV - KF980DOUBLEV/A - KF980I
KF980V/A



EMMEPI 8C1391

3446038 TIMER 120 MINUTES M2

mechanical movement with balance wheel
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C - D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (SOGECO) LN - P - VMX
for Convection oven electric (KELVIN) KE106M
KE110M - KE210M - KE234 - KE234S - NKE106M
NKE110M - NKE210M - NKE234
for Convection oven gas (KELVIN) KG106M - KG110M
KG210M - NKG106M - NKG110M - NKG210M



EMMEPI 8C2008



Suitable for:

3446056 TIMER 120 MINUTES M2

mechanical timer with acoustic alarm
manual left position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (FOINOX) - Series BLUPASTRY
Series FC - Series FM - Series FP - Series SPEEDY
for Convection oven electric (FOINOX) MM06EB
for Convection oven electric (GAYC) G2
for Convection oven electric (ROLLER GRILL) FC110
FC60



EMMEPI 809674

3446053 TIMER 6 SECONDS 5A 250V

for Convection oven (FOINOX) - Series MM



EMMEPI 809016

3446054 TIMER 60 SECONDS 5A 230V

for Convection oven (FOINOX) - Series MM



EMMEPI 809019

5031403 120 MINUTES TIMER MS65

mechanical timer with sound alarm
120 minutes mechanically set cycle
contact capacity 16(4)A 230V 50Hz
max temperature 100°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven electric (TECNOEKA) KF412
KF412U - KF620 - KF620U - KF723GRILL - KF723M



EMMEPI 132110014

EMMEPI

Suitable for:

3446224 TIMER 120 MINUTES 16A 250V

contact capacity 16(4)A 250V
max temperature 85°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Convection oven (SOGECO) - Series C
Series CNV



EMMEPI 8C0791

3446057 FOOT FOR 90.26 TIMER

8 feet - 10A 250V
for Convection oven (FOINOX) - Series MM



EMMEPI 809018

3446057 FOOT FOR 90.26 TIMER

8 feet - 10A 250V
for Convection oven (FOINOX) - Series MM



EMMEPI 809018





Suitable for:

ЭМПИ

Suitable for:



Timers and cycle reversing switches

3322276 CONTROLLER P195 4 CAMS 230V 50Hz

cycle 270 seconds

for Convection oven (SOGECO) - Series C

Series MX - Series MXB - Series PMX - Series PVMX

Series VMX

for Convection oven electric (SOGECO) MBS06.11E

MBS10.11E - MBS10.21E - MBS20.11E - MBS20.21E

MDS06.11E - MDS10.11E - MDS10.21E - MDS20.11E

MDS20.21E - PST05.64E - PST08.64E - PST08.68E

for Convection oven gas (SOGECO) MBS06.11G

MBS10.11G - MBS10.21G - MBS20.11G - MBS20.21G

MDS06.11G - MDS10.11G - MDS10.21G - MDS20.11G

MDS20.21G - PST05.64G - PST08.64G - PST08.68G



EMMEPI 8C0289

+7(812)987-08-81