

**GAS BOILING PAN WITH DIRECT-INDIRECT HEATING 40-60 L**  
**PENTOLA GAS RISCALDAMENTO DIRETTO-INDIRETTO 40-60 L****+7(812)987-08-81**

| PNC     | Model     | Ref. | Page | Notes                       |
|---------|-----------|------|------|-----------------------------|
| 168 930 | MPD/G 240 | a    | 1- 2 | 40 L Zanussi - Diretta      |
| 168 931 | MPD/G 260 | b    | 1- 2 | 60 L Zanussi - Diretta      |
| 168 932 | MPI/G 260 | c    | 1- 2 | 60 L Zanussi - Indiretta    |
| 168 130 | RPD/G 240 | e    | 1- 2 | 40 L Electrolux - Diretta   |
| 168 131 | RPD/G 260 | f    | 1- 2 | 60 L Electrolux - Diretta   |
| 168 132 | RPI/G 260 | g    | 1- 2 | 60 L Electrolux - Indiretta |

**Index**


|        |                                  |
|--------|----------------------------------|
| Pag. 1 | Boiling pan-shelf and components |
| 2      | Gas components                   |
| 3-5    | Spare parts list                 |

**Indice**


|                              |
|------------------------------|
| Ripiano-pentola e componenti |
| Componenti gas               |
| Lista ricambi                |

**Brand / Marchio :** Z- E  
**Factory code:** 9PDX

OS / DOC



GAS BOILING PAN WITH DIRECT- INDIRECT HEATING 40-60 L  
PENTOLA GAS RISCALDAMENTO DIRETTO-INDIRETTO 40-60 L



55 - Vite minimo / Minimum screw

|               |              |         |                    |
|---------------|--------------|---------|--------------------|
| 004857 ø 1,65 | 2H,2E,2E+,2L | G20     | 20mbar             |
| 056353 ø 1,90 | LL           | G25     | 20mbar (Germania)  |
| 002992 ø 1,05 | 3+,3B/P      | G30/G31 | 28-30/37mbar       |
| 052605 ø 0,90 | 3B/P         | G30/G31 | 50 mbar (Germania) |

79 - Ugello bruciatore pilota / Pilot burner nozzle

|              |              |         |                    |
|--------------|--------------|---------|--------------------|
| 053670 n° 41 | 2H,2E,2E+,2L | G20     | 20mbar             |
| 053670 n° 41 | LL           | G25     | 20mbar (Germania)  |
| 054593 n° 25 | 3+,3B/P      | G30/G31 | 28-30/37mbar       |
| 054593 n° 25 | 3B/P         | G30/G31 | 50 mbar (Germania) |

74 - Ugello bruciatore / Burner nozzle

|               |              |         |                    |    |
|---------------|--------------|---------|--------------------|----|
| 002268 ø 2,60 | 2H,2E,2E+,2L | G20     | 20mbar             | ae |
| 004856 ø 2,95 | LL           | G25     | 20mbar (Germania)  | ae |
| 054083 ø 1,70 | 3+,3B/P      | G30/G31 | 28-30/37mbar       | ae |
| 002862 ø 1,50 | 3B/P         | G30/G31 | 50 mbar (Germania) | ae |

74 - Ugello bruciatore / Burner nozzle

|               |              |         |                    |      |
|---------------|--------------|---------|--------------------|------|
| 004856 ø 2,95 | 2H,2E,2E+,2L | G20     | 20mbar             | bcfg |
| 054084 ø 3,20 | LL           | G25     | 20mbar (Germania)  | bcfg |
| 054631 ø 1,80 | 3+,3B/P      | G30/G31 | 28-30/37mbar       | bcfg |
| 002905 ø 1,60 | 3B/P         | G30/G31 | 50 mbar (Germania) | bcfg |

**GAS BOILING PAN WITH DIRECT- INDIRECT HEATING 40-60 L**  
**PENTOLA GAS RISCALDAMENTO DIRETTO-INDIRETTO 40-60 L**