Зип Общепит
vsezip.ru
+7(812)987-08-81

GEV

Spare Parts for

# Combi Ovens

Spare parts suitable for

# BONNET

2017

Find the complete and up-to-date range of products in our GEV Webshop

# heating elements

## immersion heating elements

### with compression flange 50 x 26mm



1

| | | | |
|---|---|---|---|
| **GEV No.** | 418932 | **Ref. No.** | 71244E |
| **description** | heating element 2000W 240V heating circuits 1 flange 50x26mm L 350mm W 30mm Hmm compression flange connection male faston 6.3mm tube ø 6.3mm immersion heater | | |

## heating elements for convection



1

| | | | |
|---|---|---|---|
| **GEV No.** | 418925 | **Ref. No.** | 71844E<br>BAAN309621 |
| **description** | heating element 1500W 230V heating circuits 1 L 293mm W 106mm L1 32mm L2 261mm W2 83mm flange length 50mm flange width 26mm connection length 63mm connection male faston 6.3mm tube ø 8.5mm hole ø 6.2mm W1 23mm convection heating element convection oven INCOLOY windings 2 | | |
| **accessories for** | 418925 | | |
| | GEV No. 520588 | Ref. No. — | |
| | gasket L 46mm W 22mm hole distance 24.5mm silicone for heating element | | |



1

| | | | |
|---|---|---|---|
| **GEV No.** | 418933 | **Ref. No.** | 71240E |
| **description** | heating element 2000W 240V heating circuits 1 L 390mm W 134mm W2 100mm flange length 50mm flange width 20mm connection length 50mm connection M4 tube ø 10mm thread M4 W1 34mm rectangular flange convection heating element convection oven | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 418917 | **Ref. No.** | 309252<br>71241E<br>BAAN71241E |
| **description** | heating element 3000W 240V heating circuits 3 L 570mm W 140mm W2 110mm flange length 110mm flange width 20mm hole distance 40mm connection length 55mm connection M4 tube ø 10mm thread M4 W1 30mm rectangular flange convection heating element convection oven | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 418918 | **Ref. No.** | 71242E<br>BAAN309253 |
| **description** | heating element 3000W 240V heating circuits 3 L 570mm W 140mm W2 110mm flange length 110mm flange width 20mm hole distance 40mm connection length 55mm connection M4 tube ø 10mm thread M4 W1 30mm rectangular flange convection heating element convection oven | | |

## accessories

### sealing washers

#### O-rings



1

| | | | |
|---|---|---|---|
| **GEV No.** | 510408 | **Ref. No.** | 2001827H |
| **description** | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs | | |



1

| | | | |
|---|---|---|---|
| **GEV No.** | 510409 | **Ref. No.** | 318044<br>905588<br>966001<br>BAAN1323306<br>BAAN311999 |
| **description** | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs | | |

# energy regulators

## EGO

### 1-circuit

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380015 | **Ref. No.** | 1800602<br>301200<br>70486E<br>72113E<br>BAAN167036<br>BAAN304497 |
| **description** | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010 | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

# thermostats

## bi-metal thermostats

### bi-metal thermostats

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375927 | **Ref. No.** | 301045 |
| **description** | bi-metal thermostat hole distance 23.5mm switch-off temp. 50°C 1NO 10A connection F6.3 | | |

## control and safety thermostats

### EGO

### control thermostats

#### 55.10/19_ series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375002 | **Ref. No.** | 7471032<br>BAAN1209939<br>BAAN310615 |
| **description** | thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270° | | |

### safety thermostats

#### 55.13_ series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375830 | **Ref. No.** | 905866<br>905886 |
| **description** | safety thermostat switch-off temp. 365°C 1-pole 1NC 16A probe ø 3mm probe L 160mm capillary pipe 1730mm capillary pipe isolated 1710mm gland nut probe | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 390801 | **Ref. No.** | 71280E |
| **description** | thermostat switch-off temp. 140°C 1-pole 16A probe ø 6mm probe L 78mm capillary pipe 1500mm capillary pipe isolatedmm gland nut probe connection male faston 6.3mm | | |

#### 55.32_ series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375984 | **Ref. No.** | 301061<br>BAAN171095<br>BAAN304480 |
| **description** | safety thermostat switch-off temp. 225°C 3-pole 3NC 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375706 | **Ref. No.** | 301049<br>BAAN169338<br>BAAN304476 |
| **description** | safety thermostat switch-off temp. 400°C 3-pole 3NC 20A probe ø 3.9mm probe L 228mm capillary pipe 1190mm capillary pipe isolatedmm gland nut probe SS | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

## 56._ series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375442 | **Ref. No.** | 301039<br>301066<br>BAAN172196<br>BAAN304485 |
| **description** | safety thermostat capillary pipe 1760mm probe ø 4mm 1-pole probe L 100mm 16A capillary pipe isolated 1600mm gland nut switch-off temp. 320°C probe M10x1 | | |
| **accessories for** | 375442 | | |

| | | | |
|---|---|---|---|
| GEV No. | 101860 | Ref. No. | — |
| nut thread M10x1 H 4mm WS 14 chrome-plated brass Qty 1 pcs | | | |

## control thermostats with operation switch

### 55.34_ series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 375246 | **Ref. No.** | 301034 |
| **description** | thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper | | |

## accessories

## gland nut accessories

### ducts

1

| | | | |
|---|---|---|---|
| **GEV No.** | 550148 | **Ref. No.** | 91373062<br>BAAN1323396<br>BAAN312763 |
| **description** | gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone | | |

### connecting bows

1

| | | | |
|---|---|---|---|
| **GEV No.** | 550060 | **Ref. No.** | 300177 |
| **description** | connecting bow long for thermostat Qty 1 pcs | | |

# switches and momentary switches

## rocker/momentary rocker switches

### 30x22mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 301202[1] | **Ref. No.** | 905913 |
| **description** | rocker switch mounting measurements 30x22mm black 2NO 230V 20A 0-1 connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar | | |

[1]non-illuminated

## microswitches

### lever actuated

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345257 | **Ref. No.** | 300688<br>3755E<br>BAAN305693 |
| **description** | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm | | |

### pin-plunger actuated

#### M10

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345032 | **Ref. No.** | 303621 |
| **description** | microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

## M12

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345350 | **Ref. No.** | 1700340<br>BAAN1320656<br>BAAN302929 |
| **description** | microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g | | |
| **accessories for** | 345350 | | |

| | | | |
|---|---|---|---|
| GEV No. | 345351 | Ref. No. | — |

nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs

## system switches (ROLD)

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345536 | **Ref. No.** | 900162 |
| **description** | element holder mounting ø 16mm flat black | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345606 | **Ref. No.** | 2001544H |
| **description** | momentary switch unit 2CO 250V 16A connection male faston 6.3mm | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345538 | **Ref. No.** | 900163 |
| **description** | push button ø 11.9mm black | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 345651 | **Ref. No.** | 900053<br>BAAN1323148<br>BAAN311603 |
| **description** | switch 2CO 250V 16A connection male faston 6.3mm | | |

## cam switches

### 7-position

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300106 | **Ref. No.** | 300010<br>BAAN166926<br>BAAN304345 |
| **description** | cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper | | |

## magnetic switches

### accessories

### magnets




1

| | | | |
|---|---|---|---|
| **GEV No.** | 345336 | **Ref. No.** | 2001868H<br>BAAN1321497<br>BAAN307903 |
| **description** | magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4 | | |

## encoders and potentiometers

1

| | | | |
|---|---|---|---|
| **GEV No.** | 300265 | **Ref. No.** | 309411<br>BAAN172230<br>BAAN701367 |
| **description** | potentiometer | | |

# lamps

## indicator lights

### indicator lights 3-piece (housing, lens and bulb)

#### lamps

##### neon light bulbs

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359585 | **Ref. No.** | 74540008 |
| **description** | neon light bulb socket E10 230V green ø 10mm L 28mm | | |
| **accessories for** | 359585 | | |

| | | | |
|---|---|---|---|
| GEV No. | 359060 | Ref. No. | — |

lamp socket mounting measurements ø16.2mm socket E10 connection screw

| | | | |
|---|---|---|---|
| GEV No. | 359685 | Ref. No. | — |

lamp socket mounting measurements ø16.2mm socket E10

### indicator lights (complete)

#### ø 6mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359005 | **Ref. No.** | 2002147H |
| **description** | indicator light ø 6mm 230V yellow cable length 400mm | | |

#### ø12mm

##### with plug-in socket

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359925 | **Ref. No.** | 308334<br>BAAN167305<br>BAAN304818 |
| **description** | indicator light ø 12mm 400V green connection 2-wire cable length 700mm temp.-resist. 150°C | | |

#### ø13mm

##### with plug-in socket

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359143 | **Ref. No.** | 904300<br>904360<br>BAAN1323249<br>BAAN311747 |
| **description** | indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs | | |

#### 30x22mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359150 | **Ref. No.** | S175P15 |
| **description** | indicator light mounting measurements 30x22mm 230V yellow connection male faston 6.3mm temp.-resist. 125/55°C type RL2 | | |

## screw-on/push-on fit

#### neon light bulbs

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359585 | **Ref. No.** | 74540008 |
| **description** | neon light bulb socket E10 230V green ø 10mm L 28mm | | |
| **accessories for** | 359585 | | |

| | | | |
|---|---|---|---|
| GEV No. | 359060 | Ref. No. | — |

lamp socket mounting measurements ø16.2mm socket E10 connection screw

| | | | |
|---|---|---|---|
| GEV No. | 359685 | Ref. No. | — |

lamp socket mounting measurements ø16.2mm socket E10

#### light bulbs

##### for ovens

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359610 | **Ref. No.** | 70597E |
| **description** | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 357153 | **Ref. No.** | 70598E |
| **description** | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359614 | **Ref. No.** | 308463 |
| **description** | light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

## halogen lamp

### for socket G4 / G6.35 / G9

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359599 | **Ref. No.** | 308477<br>BAAN172222<br>BAAN304831 |
| **description** | halogen lamp socket G4 12V 20W temp.-resist. 500°C | | |

## fluorescent lamps

### fluorescent lamps

#### G23

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359933 | **Ref. No.** | 309597<br>71819E<br>BAAN309597<br>BAAN71819E |
| **description** | fluorescent lamp socket G23 L 237mm 11W 230V | | |

## oven lamps

### lamps

#### light bulbs

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359610 | **Ref. No.** | 70597E |
| **description** | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 357153 | **Ref. No.** | 70598E |
| **description** | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359614 | **Ref. No.** | 308463 |
| **description** | light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs | | |

## halogen lamps

### for socket G4 / G6.35 / G9

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359599 | **Ref. No.** | 308477<br>BAAN172222<br>BAAN304831 |
| **description** | halogen lamp socket G4 12V 20W temp.-resist. 500°C | | |

## sockets

### G4 / G5,3 / G6,35

1

| | | | |
|---|---|---|---|
| **GEV No.** | 359646 | **Ref. No.** | 147328 |
| **description** | lamp socket socket G4/G5.3/G6.35 24V ø 17mm H 15mm connection cable 130mm mounting distance 26mm for halogen lamp holder length 31mm cable length 130mm | | |

# alarm devices

## buzzers

1

| | | | |
|---|---|---|---|
| **GEV No.** | 350050 | **Ref. No.** | 305106 |
| **description** | buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB | | |

# contactors

## SIEMENS

### power contactors

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380957 | **Ref. No.** | 2001138H |
| **description** | power contactor resistive load 22A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-17-1AB01 50/60Hz | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

## TELEMECANIQUE (Schneider Electric)

### power contactors

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380617 | **Ref. No.** | 1700468 |
| **description** | power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09B7 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380976 | **Ref. No.** | 1700732<br>300698 |
| **description** | power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380979 | **Ref. No.** | 300697<br>300699<br>300760<br>5875E<br>900130<br>905239<br>905241<br>905686<br>906759<br>910566<br>BAAN1322995<br>BAAN169330<br>BAAN304436<br>BAANS084P20 |
| **description** | power contactor resistive load 40A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D25P7 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380980 | **Ref. No.** | 300700 |
| **description** | power contactor resistive load 50A 230VAC (AC3/400V) 32A/15kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D32P7 | | |

## relays

### power relays

#### with bracket mounting

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380312 | **Ref. No.** | 2001867H<br>2001887H |
| **description** | power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380139 | **Ref. No.** | 2001873H |
| **description** | power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000 | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380403 | **Ref. No.** | 2001258H<br>2001873H<br>900073<br>BAAN1323154<br>BAAN311608 |
| **description** | power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500 | | |

2

| | | | |
|---|---|---|---|
| **GEV No.** | 380702 | **Ref. No.** | 2002044H |
| **description** | power relays FINDER 230VAC 16A 3NO connection male faston 6.3mm flange dimensions 36x38x68mm manuf. no. 62.83.8.230.0300 230V | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380185 | **Ref. No.** | 2001929h<br>300283<br>BAAN1027526<br>BAAN171090<br>BAAN304383 |
| **description** | power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA | | |

## relay sockets

1

| | | | |
|---|---|---|---|
| **GEV No.** | 380137 | **Ref. No.** | 5937E |
| **description** | relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8 | | |
| **accessories for** | 380137 | | |
| | GEV No. 380805 | Ref. No. — | |
| | support bracket | | |

## transformers

### open transformers

#### with plug connection

1

| | | | |
|---|---|---|---|
| **GEV No.** | 400956 | **Ref. No.** | 308479 |
| **description** | transformer primary 230VAC secondary 12VAC 20VA connection male faston 6.3mm 50/60Hz type T602012/E temperature restriction 150°C ambient temperature max. 80°C | | |

## electronic controllers

### EVCO - EVERY CONTROL

#### universal controllers

##### built-in version

1

| | | | |
|---|---|---|---|
| **GEV No.** | 378131 | **Ref. No.** | 651225<br>S225P20 |
| **description** | electronic controller EVERY CONTROL EVK411M mounting measurements 71x29mm 12V voltage AC/DC NTC/PTC/Pt100/Pt1000 relay outputs 1 CO-16A(8) NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/mA yes protection IP65 dependend on probe°C display 3½ digits | | |
| **accessories for** | 378131 | | |
| | GEV No. 379050 | Ref. No. — | |
| | temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 2.7m without screw connection 3-wire | | |
| | GEV No. 379160 | Ref. No. — | |
| | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire | | |
| | GEV No. 379781 | Ref. No. — | |
| | temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire | | |
| | GEV No. 379944 | Ref. No. — | |
| | temperature probe Pt1000 cable Vetrotex probe -70 up to +500°C cable -50 up to +350°C connection 2-wire thread probe ø6x180mm cable length 1.7m | | |

# solenoid valves

## solenoid valves (water)

### ELBI

1

| | | | |
|---|---|---|---|
| **GEV No.** | 373020 | **Ref. No.** | 241447 |
| **description** | solenoid valve double angled 230VAC inlet 3/4" outlet 14mm input 10l/min DN10 t.max. 90°C duty cycle 100% ELBI flow regulating valve inlet white | | |

### ROBERTSHAW/INVENSYS

*medium temperature: 90°C 90°C 60°C*
*ambient temperature: 60°C 25°C 60°C*
*duty cycle: 40% 100% 100%*

1

| | | | |
|---|---|---|---|
| **GEV No.** | 372017 | **Ref. No.** | 144937<br>BAAN171061<br>BAAN302233 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS) | | |

### TP

1

| | | | |
|---|---|---|---|
| **GEV No.** | 370021 | **Ref. No.** | 1700434<br>3697E<br>BAAN1320666<br>BAAN302969 |
| **description** | solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white | | |

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 370021 | | | |
| | GEV No. | 371013 | Ref. No. | — |
| | solenoid coil TP 230VAC 50/60Hz | | | |
| **accessories for** | 370021 | | | |
| | GEV No. | 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | | |
| | GEV No. | 371221 | Ref. No. | — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | | |
| | GEV No. | 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | | |

| | | | | |
|---|---|---|---|---|
| **accessories for** | 370021 | | | |
| | GEV No. | 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | | |
| | GEV No. | 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | | |
| | GEV No. | 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
| | GEV No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |
| | GEV No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | GEV No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | GEV No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
| | GEV No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
| | GEV No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | GEV No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
| | GEV No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | GEV No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | GEV No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | GEV No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | GEV No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 370017 | **Ref. No.** | 634084 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar | | |

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 370017 | | | |
| | GEV No. | 371013 | Ref. No. | — |
| | solenoid coil TP 230VAC 50/60Hz | | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **accessories for** | 370017 | | | |
| | GEV No. | 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | | |
| | GEV No. | 371221 | Ref. No. | — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | | |
| | GEV No. | 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | | |
| | GEV No. | 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | | |
| | GEV No. | 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | | |
| | GEV No. | 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
| | GEV No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |
| | GEV No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | GEV No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | GEV No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
| | GEV No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
| | GEV No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | GEV No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
| | GEV No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | GEV No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | GEV No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | GEV No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | GEV No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

| | | | |
|---|---|---|---|
| **GEV No.** | 370018 | **Ref. No.** | 904693 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 14mm DN10 TP | | |
| **spare parts for** | 370018 | | |
| | GEV No. 371013 | Ref. No. | — |
| | solenoid coil TP 230VAC 50/60Hz | | |
| **accessories for** | 370018 | | |
| | GEV No. 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | |
| | GEV No. 371221 | Ref. No. | — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |
| | GEV No. 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | |
| | GEV No. 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | |
| | GEV No. 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | |
| | GEV No. 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | |
| | GEV No. 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | |
| | GEV No. 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | |
| | GEV No. 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | |
| | GEV No. 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | |
| | GEV No. 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | |
| | GEV No. 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | |
| | GEV No. 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | |
| | GEV No. 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | |
| | GEV No. 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **accessories for** | 370018 | | | |
| | GEV No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | GEV No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | GEV No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 370025 | **Ref. No.** | 314345<br>3664E<br>BAAN305607 |
| **description** | solenoid valve triple straight 230VAC inlet 3/4“ outlet 11.5mm DN10 TP | | |
| **spare parts for** | 370025 | | |
| | GEV No. | 371013 | Ref. No. | — |
| | solenoid coil TP 230VAC 50/60Hz | | | |
| **accessories for** | 370025 | | | |
| | GEV No. | 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | | |
| | GEV No. | 371221 | Ref. No. | — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | | |
| | GEV No. | 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | | |
| | GEV No. | 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | | |
| | GEV No. | 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | | |
| | GEV No. | 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
| | GEV No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |
| | GEV No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | GEV No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | GEV No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
| | GEV No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |

| | | | | |
|---|---|---|---|---|
| **acce ssorie s fo** | 370025 | | | |
| | GEV No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | GEV No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min. brown tolerance ±25% | | | |
| | GEV No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | GEV No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | GEV No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | GEV No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | GEV No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 370020 | **Ref. No.** | 914123 |
| **description** | solenoid valve double angled 230VAC inlet 3/4“ outlet 14mm DN10 TP | | |
| **spare parts for** | 370020 | | |
| | GEV No. | 371013 | Ref. No. | — |
| | solenoid coil TP 230VAC 50/60Hz | | | |
| **accessories for** | 370020 | | | |
| | GEV No. | 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | | |
| | GEV No. | 371221 | Ref. No. | — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | | |
| | GEV No. | 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | | |
| | GEV No. | 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | | |
| | GEV No. | 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | | |
| | GEV No. | 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
| | GEV No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

| accessories for | 370020 | | | |
|---|---|---|---|---|
| | GEV No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | GEV No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | GEV No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
| | GEV No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
| | GEV No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | GEV No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
| | GEV No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | GEV No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | GEV No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | GEV No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | GEV No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

1

| GEV No. | 370015 | Ref. No. | 634085 |
|---|---|---|---|
| description | solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP | | |
| accessories for | 370015 | | |
| | GEV No. | 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | | |
| | GEV No. | 371221 | Ref. No. | — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | | |
| | GEV No. | 371222 | Ref. No. | — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | | |
| | GEV No. | 371223 | Ref. No. | — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | | |
| | GEV No. | 371224 | Ref. No. | — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | | |

| accessories for | 370015 | | | |
|---|---|---|---|---|
| | GEV No. | 371225 | Ref. No. | — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | | |
| | GEV No. | 371226 | Ref. No. | — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | | |
| | GEV No. | 371230 | Ref. No. | — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | | |
| | GEV No. | 371231 | Ref. No. | — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | | |
| | GEV No. | 371232 | Ref. No. | — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | | |
| | GEV No. | 371233 | Ref. No. | — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | | |
| | GEV No. | 371234 | Ref. No. | — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | | |
| | GEV No. | 371235 | Ref. No. | — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | | |
| | GEV No. | 371236 | Ref. No. | — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | | |
| | GEV No. | 371237 | Ref. No. | — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | | |
| | GEV No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | GEV No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | GEV No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

1

| GEV No. | 370016 | Ref. No. | 23458<br>BAAN1322350<br>BAAN303848 |
|---|---|---|---|
| description | solenoid valve single angled 230VAC inlet 3/4" outlet 14mm DN10 TP | | |
| spare parts for | 370016 | | |
| | GEV No. | 371013 | Ref. No. | — |
| | solenoid coil TP 230VAC 50/60Hz | | | |
| accessories for | 370016 | | | |
| | GEV No. | 371220 | Ref. No. | — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

| accessories for | 370016 | | |
|---|---|---|---|
| | GEV No. | 371221 | Ref. No. — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |
| | GEV No. | 371222 | Ref. No. — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | |
| | GEV No. | 371223 | Ref. No. — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | |
| | GEV No. | 371224 | Ref. No. — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | |
| | GEV No. | 371225 | Ref. No. — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | |
| | GEV No. | 371226 | Ref. No. — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | |
| | GEV No. | 371230 | Ref. No. — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | |
| | GEV No. | 371231 | Ref. No. — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | |
| | GEV No. | 371232 | Ref. No. — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | |
| | GEV No. | 371233 | Ref. No. — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | |
| | GEV No. | 371234 | Ref. No. — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | |
| | GEV No. | 371235 | Ref. No. — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | |
| | GEV No. | 371236 | Ref. No. — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | |
| | GEV No. | 371237 | Ref. No. — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | |
| | GEV No. | 371238 | Ref. No. — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | |
| | GEV No. | 371239 | Ref. No. — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | |
| | GEV No. | 371240 | Ref. No. — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | |
| | GEV No. | 503139 | Ref. No. — |
| | solenoid valve filter ø 19.5mm H 16mm | | |

1

| GEV No. | 370024 | Ref. No. | 634089 |
|---|---|---|---|
| description | solenoid valve triple angled 230VAC inlet 3/4" outlet 14mm DN10 TP | | |
| spare parts for | 370024 | | |
| | GEV No. | 371013 | Ref. No. — |
| | solenoid coil TP 230VAC 50/60Hz | | |
| accessories for | 370024 | | |
| | GEV No. | 371220 | Ref. No. — |
| | reducer TP flow rate 3l/min red tolerance ±15% | | |
| | GEV No. | 371221 | Ref. No. — |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |
| | GEV No. | 371222 | Ref. No. — |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | |
| | GEV No. | 371223 | Ref. No. — |
| | reducer TP flow rate 10l/min white tolerance ±15% | | |
| | GEV No. | 371224 | Ref. No. — |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | |
| | GEV No. | 371225 | Ref. No. — |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | |
| | GEV No. | 371226 | Ref. No. — |
| | reducer TP flow rate 20l/min red tolerance ±15% | | |
| | GEV No. | 371230 | Ref. No. — |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | |
| | GEV No. | 371231 | Ref. No. — |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | |
| | GEV No. | 371232 | Ref. No. — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | |
| | GEV No. | 371233 | Ref. No. — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | |
| | GEV No. | 371234 | Ref. No. — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | |
| | GEV No. | 371235 | Ref. No. — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | |
| | GEV No. | 371236 | Ref. No. — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | |
| | GEV No. | 371237 | Ref. No. — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **accessories for** | 370024 | | | |
| | GEV No. | 371238 | Ref. No. | — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | | |
| | GEV No. | 371239 | Ref. No. | — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | | |
| | GEV No. | 371240 | Ref. No. | — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | | |

## solenoid valves with reducers

1

| | | | |
|---|---|---|---|
| **GEV No.** | 370255 | **Ref. No.** | 914135 |
| **description** | solenoid valve triple angled 230VAC inlet 3/4" outlet 11.5mm plastic | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 370250 | **Ref. No.** | 147723 |
| **description** | solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output B 0.25l/min flow regulating valve outlet B red | | |

# ball valves electric

1

| | | | |
|---|---|---|---|
| **GEV No.** | 401190 | **Ref. No.** | 314359 |
| **description** | ball valve inlet 3/4" IT outlet 3/4" IT IP42 230V L 68mm 50/60Hz closed off-current mode of operation electric connection cable 300mm 3.5W duty cycle 50% | | |

# fans

## axial fans

### ebm-papst

1

| | | | |
|---|---|---|---|
| **GEV No.** | 601030[1] | **Ref. No.** | 780002656 |
| **description** | axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C | | |
| **accessories for** | 601030 | | |
|  | GEV No. 550898 | Ref. No. | — |
| | connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan | | |
| | GEV No. 692497 | Ref. No. | — |
| | guard ø 105mm mounting distance 150mm for axial fan ebm-papst-mm | | |

[1]with ball bearings

### import

1

| | | | |
|---|---|---|---|
| **GEV No.** | 601080[1] | **Ref. No.** | 304194<br>780002656<br>906107<br>BAAN167195<br>BAAN312100 |
| **description** | axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C | | |
| **accessories for** | 601080 | | |
|  | GEV No. 550898 | Ref. No. | — |
| | connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan | | |
| | GEV No. 692519 | Ref. No. | — |
| | guard L 120mm W 120mm plastic | | |

[1]with ball bearings

Зип Общепит
vsezip.ru
+7(812)987-08-81

## cross flow fans

### COPREL

#### with standard coil

1

| | | | |
|---|---|---|---|
| **GEV No.** | 602060 | **Ref. No.** | 304229 |
| **description** | cross flow fan COPREL FFR roller ø 60mm roller length 240mm laminated core thickness 20mm motor position right 230V/50-60Hz 33W universal bearing silicone connection male faston 6.3mm airflow 149m³/h -10 up to +60°C | | |

## hot air motors




1

| | | | |
|---|---|---|---|
| **GEV No.** | 500812 | **Ref. No.** | 71251E |
| **description** | fan motor 220-240/380-415V 3 phase 50Hz 0.26kW 1440rpm speeds 1 D1 ø 17mm D2 ø 13.5mm | | |




1

| | | | |
|---|---|---|---|
| **GEV No.** | 499206 | **Ref. No.** | 304267<br>BAAN1050261<br>BAAN1051644 |
| **description** | fan motor 230/400V 3 phase 50/60Hz 0.12kW 1400/1700rpm speeds 2 L1 145mm L2 30mm L3 25mm D1 ø 17mm D2 ø 14mm M6 1.2/0.7A suitable capacitor 16µF/450V Cos(fi) 0.53 type 1079TH | | |

## pumps

### wash and rinse pumps

#### HANNING

#### pumps

1

| | | | |
|---|---|---|---|
| **GEV No.** | 499284 | **Ref. No.** | 314361 |
| **description** | pump inlet ø 28mm outlet ø 26mm type UP60-321 Ru. 220-240V 50Hz 1 phase 0.27kW L 190mm rotation direction right capacitor 5µF HANNING | | |
| **spare parts for** | 499284 | | |

| | | | |
|---|---|---|---|
| GEV No. | 365017 | Ref. No. | 2000001<br>304269 |
| operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection | | | |

| | | | |
|---|---|---|---|
| GEV No. | 507558 | Ref. No. | — |
| mechanical shaft seal for shaft ø 7mm height counter ring 5mm ID ø 6.75mm ED ø 20mm mounting ø counter ring18.5/slide ring 20mm | | | |

| | | | |
|---|---|---|---|
| GEV No. | 532644 | Ref. No. | — |
| O-ring EPDM thickness 3mm ID ø 78mm Qty 1 pcs | | | |

## drain pumps

### ASKOLL

1

| | | | |
|---|---|---|---|
| **GEV No.** | 500346 | **Ref. No.** | 2001518H |
| **description** | drain pump inlet ø 30mm outlet ø 22mm 230V 40W 50Hz ASKOLL type M231 XP with holder | | |



Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

## booster pumps II

### accessories

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365017 | **Ref. No.** | 2000001<br>304269 |
| **description** | operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365012 | **Ref. No.** | 2000059 |
| **description** | operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection | | |

# condensators & interference suppression filters

## operating capacitors

### plastic

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365021 | **Ref. No.** | 2001118H<br>304259 |
| **description** | operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365019 | **Ref. No.** | 2001119H |
| **description** | operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365017 | **Ref. No.** | 2000001<br>304269 |
| **description** | operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365012 | **Ref. No.** | 2000059 |
| **description** | operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365013 | **Ref. No.** | 3709E |
| **description** | operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection | | |

### metal

1

| | | | |
|---|---|---|---|
| **GEV No.** | 365139 | **Ref. No.** | 5843E |
| **description** | operating capacitor capacity 10µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# fuses

## fine fuses

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358666 | **Ref. No.** | 309316 |
| **description** | fine fuse size ø5x20mm 0.315A fast-acting rated 250V Qty 10 pcs | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358530 | **Ref. No.** | 2001921H |
| **description** | fine fuse size ø5x20mm 0.8A fast-acting rated 250V Qty 10 pcs | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358677 | **Ref. No.** | 2001981H<br>2002146H |
| **description** | fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358752 | **Ref. No.** | 3090506 |
| **description** | fine fuse size ø6.3x32mm 10A fast-acting rated 500V Qty 10 pcs | | |

# electric accessories

## terminals

### connection terminals with screw/faston connections

1

| | | | |
|---|---|---|---|
| **GEV No.** | 550411 | **Ref. No.** | 2001039H<br>306090<br>306157<br>5876E<br>906154 |
| **description** | power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² | | |

# gas thermostats

## PEL

### 25S1 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101172 | **Ref. No.** | 310137 |
| **description** | gas thermostat PEL type 25ST 100-300°C gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 8x6.5mm shaft L 21/15mm shaft flat upper | | |
| **spare parts for** | 101172 | | |

| | | | |
|---|---|---|---|
| GEV No. | 100259 | Ref. No. | — |

bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5

| | | | |
|---|---|---|---|
| GEV No. | 101060 | Ref. No. | 7473048<br>BAAN310651 |

magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA

| | | | |
|---|---|---|---|
| GEV No. | 106200 | Ref. No. | — |

nut thread M9x1 suitable for PEL 24/25S

| | |
|---|---|
| **accessories for** | 101172 |

| | | | |
|---|---|---|---|
| GEV No. | 100908 | Ref. No. | — |

union screw thread M10x1 for pipe ø 4mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 100909 | Ref. No. | — |

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101246 | Ref. No. | — |

olive for pipe ø 4mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101278 | Ref. No. | — |

olive for pipe ø 10mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101286 | Ref. No. | — |

olive ID ø 6mm Qty 1 pcs

| | | | |
|---|---|---|---|
| GEV No. | 101300 | Ref. No. | — |

union nut thread M16x1.5 tube ø 10mm

| | | | |
|---|---|---|---|
| GEV No. | 101450 | Ref. No. | — |

olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm

| | | | |
|---|---|---|---|
| GEV No. | 101451 | Ref. No. | — |

union nut thread M16x1.5 tube ø 8mm

| | | | |
|---|---|---|---|
| GEV No. | 110079 | Ref. No. | — |

knob dial plate gas thermostat 1-8 silver

| | | | |
|---|---|---|---|
| GEV No. | 110081 | Ref. No. | 171475 |

knob ø 70mm shaft ø 8x6.5mm shaft flat universal

Зип Общепит
vsezip.ru
+7(812)987-08-81

# gas valves and ignition boxes

## gas control valves

### SIT

### ELETTROSIT

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101127 | **Ref. No.** | 7472025<br>BAAN1209942<br>BAAN310630 |
| **description** | gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175 | | |
| **spare parts for** | 101127 | | |
| | GEV No. 101312 | Ref. No. — | microswitch |
| | GEV No. 101352 | Ref. No. — | solenoid coil 230V 50Hz suitable for ELETTROSIT |
| **accessories for** | 101127 | | |
| | GEV No. 100006 | Ref. No. — | piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm |
| | GEV No. 100904 | Ref. No. — | locking screw M10x1 for pipe ø 4mm Qty 1 pcs |
| | GEV No. 100905 | Ref. No. — | locking screw M10x1 for pipe ø 6mm Qty 1 pcs |
| | GEV No. 101301 | Ref. No. — | gas connection thread 1/2" straight ELETTROSIT screw with O-ring |
| | GEV No. 101303 | Ref. No. — | gas connection straight thread 3/4" ELETTROSIT |
| | GEV No. 101309 | Ref. No. — | extension |

### NOVASIT

### accessories

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101313 | **Ref. No.** | 2020037 |
| **description** | solenoid coil 230V 50Hz | | |
| **accessories for** | 101313 | | |
| | GEV No. 550896 | Ref. No. — | gasket with screw gas valves NOVASIT |

### TANDEM



1

| | | | |
|---|---|---|---|
| **GEV No.** | 101189 | **Ref. No.** | 310305<br>BAAN829205<br>BAAN847641 |
| **description** | gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem | | |
| **spare parts for** | 101189 | | |
| | GEV No. 101379 | Ref. No. — | solenoid coil 230V 50Hz suitable for Tandem |
| **accessories for** | 101189 | | |
| | GEV No. 100904 | Ref. No. — | locking screw M10x1 for pipe ø 4mm Qty 1 pcs |
| | GEV No. 100905 | Ref. No. — | locking screw M10x1 for pipe ø 6mm Qty 1 pcs |
| | GEV No. 101274 | Ref. No. — | olive for pipe ø 16mm Qty 1 pcs |
| | GEV No. 101275 | Ref. No. — | union screw thread 1/2" for pipe ø 16mm Qty 1 pcs |
| | GEV No. 101925 | Ref. No. — | plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT |
| | GEV No. 102845 | Ref. No. — | gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem |
| | GEV No. 102846 | Ref. No. — | gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem |

Table continues overleaf

Зип Общелит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **accessories for** | 101189 | | | |
| | GEV No. | 102847 | Ref. No. | — |
| | O-ring | | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 107831 | **Ref. No.** | 310196 |
| **description** | gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 pressure range 3-50mbar type Tandem 830 SIT equiv. no. 0.830.030 | | |
| **spare parts for** | 107831 | | |
| | GEV No. | 101379 | Ref. No. | — |
| | solenoid coil 230V 50Hz suitable for Tandem | | | |
| **accessories for** | 107831 | | | |
| | GEV No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | GEV No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | GEV No. | 101274 | Ref. No. | — |
| | olive for pipe ø 16mm Qty 1 pcs | | | |
| | GEV No. | 101275 | Ref. No. | — |
| | union screw thread 1/2" for pipe ø 16mm Qty 1 pcs | | | |
| | GEV No. | 101925 | Ref. No. | — |
| | plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT | | | |
| | GEV No. | 102845 | Ref. No. | — |
| | gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem | | | |
| | GEV No. | 102846 | Ref. No. | — |
| | gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem | | | |
| | GEV No. | 102847 | Ref. No. | — |
| | O-ring | | | |

## ignition boxes

### SIT



1

| | | | |
|---|---|---|---|
| **GEV No.** | 107519 | **Ref. No.** | 310324<br>BAAN1064197<br>BAAN1067290 |
| **description** | ignition box SIT type 579DBC electrodes 2 waiting time 3s safety time 5s 220/240V 12VA 50/60Hz | | |

## ignition parts

## pilot burners

### SIT

#### 100 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 106906 | **Ref. No.** | 2020124<br>7434003 |
| **description** | pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm | | |
| **spare parts for** | 106906 | | |
| | GEV No. | 100245 | Ref. No. | — |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | |
| | GEV No. | 100855 | Ref. No. | — |
| | pilot burner bracket triple | | | |
| | GEV No. | 100885 | Ref. No. | — |
| | air mixing sleeve for pilot burner Qty 1 pcs | | | |
| | GEV No. | 100916 | Ref. No. | — |
| | compression spring for pilot burner Qty 1 pcs | | | |
| | GEV No. | 100917 | Ref. No. | — |
| | gasket for pilot burner Qty 1 pcs aluminium | | | |
| | GEV No. | 100918 | Ref. No. | — |
| | screw for pilot burner | | | |
| | GEV No. | 107162 | Ref. No. | — |
| | pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs | | | |
| | GEV No. | 107701 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.2mm | | | |

Table continues overleaf

Зип Общепит
vsezip.ru
+7(812)987-08-81

| | | | | |
|---|---|---|---|---|
| **accessories for** | 106906 | | | |
| | GEV No. | 100245 | Ref. No. | — |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | |
| | GEV No. | 100246 | Ref. No. | — |
| | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | | |
| | GEV No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | GEV No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
|  | GEV No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
|  | GEV No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | GEV No. | 107171 | Ref. No. | — |
| | pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs | | | |
| | GEV No. | 107700 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.25mm | | | |
| | GEV No. | 107702 | Ref. No. | — |
| | pilot burner bottom part SIT 100 series nozzle ø 0.35mm | | | |

## accessories

### ignition electrodes




| | | | |
|---|---|---|---|
| **GEV No.** | 100707 | **Ref. No.** | 7455048 |
| **description** | ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs | | |

## electrodes

| | | | |
|---|---|---|---|
| **GEV No.** | 100701 | **Ref. No.** | 308480<br>BAAN824045<br>BAAN838031 |
| **description** | ignition electrode connection M4 Qty 1 pcs | | |
| **accessories for** | 100701 | | |
| | GEV No. | 100906 | Ref. No. 317980<br>BAAN829766<br>BAAN838033 |
| | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |




| | | | |
|---|---|---|---|
| **GEV No.** | 100707 | **Ref. No.** | 7455048 |
| **description** | ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs | | |

| | | | |
|---|---|---|---|
| **GEV No.** | 100906 | **Ref. No.** | 317980<br>BAAN829766<br>BAAN838033 |
| **description** | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |

## ignition cables

### pre-assembled cables

| | | | |
|---|---|---|---|
| **GEV No.** | 100176 | **Ref. No.** | 307997 |
| **description** | ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

## ignition units

| | | | |
|---|---|---|---|
| **GEV No.** | 102388 | **Ref. No.** | 308466<br>680782<br>BAAN308466 |
| **description** | ignition unit outputs 4 230VAC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 type WAC-T4 0.6VA 50/60Hz | | |

## thermocouples

### thermocouple sets universal

| | | | |
|---|---|---|---|
| **GEV No.** | 107648 | **Ref. No.** | 7473055 |
| **description** | thermocouple set SIT 11-piece L 1200mm | | |

| | | | |
|---|---|---|---|
| **GEV No.** | 102286 | **Ref. No.** | 634321 |
| **description** | thermocouple set 8-piece L 900mm flexible | | |

### plug-in thermocouples

#### plug-in thermocouples standard

##### with barrel socket ø6(6.5)mm

###### thermocouples SIT




| | | | |
|---|---|---|---|
| **GEV No.** | 102682 | **Ref. No.** | 310276<br>7473056<br>BAAN310657<br>BAAN840079 |
| **description** | thermocouple SIT aluminized tip M9x1 L 850mm plug connection ø6.0(6.5)mm | | |




| | | | |
|---|---|---|---|
| **GEV No.** | 107613 | **Ref. No.** | 310277<br>7473029<br>BAAN310646<br>BAAN838026 |
| **description** | thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm | | |




| | | | |
|---|---|---|---|
| **GEV No.** | 107614 | **Ref. No.** | 7473034 |
| **description** | thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm | | |

## threaded thermocouples

### threaded thermocouples standard

#### with socket with thread M8x1

##### SIT




| | | | |
|---|---|---|---|
| **GEV No.** | 107634 | **Ref. No.** | 310193 |
| **description** | thermocouple SIT M8x1 L 1500mm M8x1 | | |
| **accessories for** | 107634 | | |

| | | | |
|---|---|---|---|
| GEV No. | 102067 | Ref. No. | — |
| nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1 | | | |

## extensions



| | | | |
|---|---|---|---|
| **GEV No.** | 102811 | **Ref. No.** | 7492000 |
| **description** | thermocouple extension thread M9x1 - M9x1 L 600mm | | |





Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

## accessories

### interrupters

1

| | | | |
|---|---|---|---|
| **GEV No.** | 101265 | **Ref. No.** | 605680<br>905680 |
| **description** | interrupter thread M9x1 | | |

# gas nozzles

## pilot burner nozzles

### pilot burner nozzles SIT

#### 100 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 102973 | **Ref. No.** | 7433158 |
| **description** | pilot burner nozzle natural gas bore ø 0.45mm Qty 1 pcs | | |

#### 160 series

1

| | | | |
|---|---|---|---|
| **GEV No.** | 107172 | **Ref. No.** | 310274<br>BAAN834138<br>BAAN838035 |
| **description** | pilot burner nozzle SIT LPG code 25 Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 107650 | **Ref. No.** | 311171 |
| **description** | pilot burner nozzle SIT LPG code 30 Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 107174 | **Ref. No.** | 310273<br>BAAN829765<br>BAAN838038 |
| **description** | pilot burner nozzle SIT natural gas code 41 Qty 1 pcs | | |

## screw connections

### union screws

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100906 | **Ref. No.** | 317980<br>BAAN829766<br>BAAN838033 |
| **description** | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 100907 | **Ref. No.** | 317979<br>BAAN829767<br>BAAN838027 |
| **description** | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | |

## for ice-cube maker

### hoses

#### formed hoses

##### straight

##### silicone hoses

1

| | | | |
|---|---|---|---|
| **GEV No.** | 530063 | **Ref. No.** | 71289E |
| **description** | silicone hose ID ø 18mm ED ø 25mm L 1m t.max. 200°C transparent | | |

### brewing units

#### filter holder gaskets

##### O-rings

1

| | | | |
|---|---|---|---|
| **GEV No.** | 510409 | **Ref. No.** | 318044<br>905588<br>966001<br>BAAN1323306<br>BAAN311999 |
| **description** | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# knobs

## producer-specific knobs

### BONNET

1

| | | | |
|---|---|---|---|
| **GEV No.** | 110081 | **Ref. No.** | 171475 |
| **description** | knob ø 70mm shaft ø 8x6.5mm shaft flat universal | | |

# locks

## edgemount latches

### handle latches

### CAFF/FERMOD




1

| | | | |
|---|---|---|---|
| **GEV No.** | 690412 | **Ref. No.** | 21433E<br>384634<br>BAAN1322230<br>BAAN303576 |
| **description** | handle latch L 150mm mounting distance 133mm non lockable G 790 total length 254mm handle length 105mm | | |
| **accessories for** | 690412 | | |

| | | | |
|---|---|---|---|
| GEV No. | 690418 | Ref. No. | — |

door catch L 36mm W 19mm H 29mm mounting distance 12mm zinc-coated steel for refrigeration units

| | | | |
|---|---|---|---|
| GEV No. | 690419 | Ref. No. | — |

door catch L 52mm W 20mm H 30mm mounting distance 26-37mm zamak for refrigeration units

| | | | |
|---|---|---|---|
| GEV No. | 700061 | Ref. No. | — |

door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units

| | | | |
|---|---|---|---|
| GEV No. | 700435 | Ref. No. | — |

door catch L 58mm W 20mm H 35mm mounting distance 42mm zamak for refrigeration units

door catches

1

| | | | |
|---|---|---|---|
| **GEV No.** | 700082 | **Ref. No.** | 679486<br>S486P51 |
| **description** | door catch L 38mm W 18mm mounting distance 26mm | | |

# shelves and shelf rails

## grates

### universal

#### without upstand



1

| | | | |
|---|---|---|---|
| **GEV No.** | 970123 | **Ref. No.** | 635022 |
| **description** | grate W 650mm D 530mm GN 2/1 stainless steel wire gauge frame 7.8mm lengthwise wires gauge 3.8mm crossing wires 2 suitable for refrigerator | | |
| **accessories for** | 970123 | | |



| | | | |
|---|---|---|---|
| GEV No. | 690330 | Ref. No. | — |

rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel

| | | | |
|---|---|---|---|
| GEV No. | 694700 | Ref. No. | — |

shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs

| | | | |
|---|---|---|---|
| GEV No. | 694701 | Ref. No. | — |

shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs

# gaskets

## gaskets for heated units

### window seals




1

| | | | |
|---|---|---|---|
| **GEV No.** | 901306 | **Ref. No.** | 366122 |
| **description** | window gasket profile 1515 Qty supplied by meter | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81




1

| | | | |
|---|---|---|---|
| **GEV No.** | 901513 | **Ref. No.** | 71095 |
| **description** | window gasket profile 1615 suitable for BOURGEOIS Qty supplied by meter | | |

## door seals




1

| | | | |
|---|---|---|---|
| **GEV No.** | 901424 | **Ref. No.** | 71204E<br>71206E<br>BAAN309220<br>BAAN309222 |
| **description** | door seal profile 2711 L 2600mm Qty 1 | | |




1

| | | | |
|---|---|---|---|
| **GEV No.** | 518126 | **Ref. No.** | 71876E |
| **description** | door seal profile 2980 L 2820mm | | |

## O-rings

### EPDM

#### ø5.34mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 510408 | **Ref. No.** | 2001827H |
| **description** | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs | | |



1

| | | | |
|---|---|---|---|
| **GEV No.** | 510409 | **Ref. No.** | 318044<br>905588<br>966001<br>BAAN1323306<br>BAAN311999 |
| **description** | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs | | |

#### ø7,00mm

1

| | | | |
|---|---|---|---|
| **GEV No.** | 532000 | **Ref. No.** | 366185 |
| **description** | O-ring EPDM thickness 7mm ID ø 57mm Qty 1 pcs | | |

## special gaskets

### miscellaneous

1

| | | | |
|---|---|---|---|
| **GEV No.** | 511600 | **Ref. No.** | 71860E |
| **description** | gasket ED ø 80mm | | |

# transmission technology and ball bearings

## ball bearings

### deep-groove ball bearings 2RS

1

| | | | |
|---|---|---|---|
| **GEV No.** | 523522 | **Ref. No.** | 21090500 |
| **description** | deep-groove ball bearing type 6004-2RS shaft ø 20mm ED ø 42mm W 12mm with sealing discs deep-groove ball bearing DIN 625-1 | | |

# dosing pumps

## accessories

### container filters with non-return valve

1

| | | | |
|---|---|---|---|
| **GEV No.** | 361058 | **Ref. No.** | 2000034 |
| **description** | container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# hoses

## supply hoses

### PVC supply hoses



1

| | | | |
|---|---|---|---|
| **GEV No.** | 520010 | **Ref. No.** | 2001753H<br>42551 |
| **description** | supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal | | |
| **accessories for** | 520010 | | |

| | | | |
|---|---|---|---|
| GEV No. | 520053 | Ref. No. | — |
| screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm | | | |

| | | | |
|---|---|---|---|
| GEV No. | 520054 | Ref. No. | — |
| flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs | | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 520011 | **Ref. No.** | 2001738H |
| **description** | supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal | | |

## industrial hoses

### Niplaflex hoses

1

| | | | |
|---|---|---|---|
| **GEV No.** | 530561 | **Ref. No.** | 2001726H |
| **description** | pressure hose ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C | | |

### PVC hoses

#### PVC hoses without fabric

1

| | | | |
|---|---|---|---|
| **GEV No.** | 520029 | **Ref. No.** | 2001747H |
| **description** | PVC hose ID ø 6mm ED ø 9mm L 10m thickness 1.5mm t.max. 60°C transparent | | |

### silicone hoses

#### without fabric



1

| | | | |
|---|---|---|---|
| **GEV No.** | 530063 | **Ref. No.** | 71289E |
| **description** | silicone hose ID ø 18mm ED ø 25mm L 1m t.max. 200°C transparent | | |

#### with fabric

##### with monofilament braid



1

| | | | |
|---|---|---|---|
| **GEV No.** | 530542 | **Ref. No.** | 71265E |
| **description** | silicone hose with monofilament braid ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 4bar burst pressure at 95°C non definedbar burst pressure 130°C non definedbar t.max. 200°C Qty 5m | | |

# valves and tank inlets

## ball valves

### ball valves electric

1

| | | | |
|---|---|---|---|
| **GEV No.** | 401190 | **Ref. No.** | 314359 |
| **description** | ball valve inlet 3/4" IT outlet 3/4" IT IP42 230V L 68mm 50/60Hz closed off-current mode of operation electric connection cable 300mm 3.5W duty cycle 50% | | |

# water cycle components

## supply filters

1

| | | | |
|---|---|---|---|
| **GEV No.** | 520261 | **Ref. No.** | 91297387 |
| **description** | supply filter thread 1/2" IT - 1/2" IT total length 58mm red brass mesh opening 0.4mm | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ancillary products

## clamps

### hose clamps

#### DIN 3017 - W2

1

| | | | |
|---|---|---|---|
| **GEV No.** | 520114 | **Ref. No.** | 917110 |
| **description** | hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017 | | |

# fastening material

## nuts

### hexagonal nuts

#### DIN 985

1

| | | | |
|---|---|---|---|
| **GEV No.** | 560141 | **Ref. No.** | 389540<br>BAAN1050326 |
| **description** | hexagonal nut thread M5 H 5.4mm SS WS 8 Qty 20 pcs DIN/ISO DIN 985 self-locking | | |

## fasteners

### clamps

### hose clamps

#### DIN 3017 - W2

1

| | | | |
|---|---|---|---|
| **GEV No.** | 520114 | **Ref. No.** | 917110 |
| **description** | hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017 | | |

# consumables

## fuses

### fine fuses

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358666 | **Ref. No.** | 309316 |
| **description** | fine fuse size ø5x20mm 0.315A fast-acting rated 250V Qty 10 pcs | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358530 | **Ref. No.** | 2001921H |
| **description** | fine fuse size ø5x20mm 0.8A fast-acting rated 250V Qty 10 pcs | | |

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358677 | **Ref. No.** | 2001981H<br>2002146H |
| **description** | fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs | | |

#### ø6.3x32mm 500V

1

| | | | |
|---|---|---|---|
| **GEV No.** | 358752 | **Ref. No.** | 3090506 |
| **description** | fine fuse size ø6.3x32mm 10A fast-acting rated 500V Qty 10 pcs | | |

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81


## A

alarm devices 7
axial fans 15

## B

ball valves 26
ball valves electric 15, 26
bi-metal thermostats 3, 3
booster pumps II 17

## C

cam switches 5
clamps 27, 27
condensators & interference suppression filters 17
consumables 27
contactors 7
container filters 25
control thermostats 3
cross flow fans 16

## D

door catches 24
door seals 25
dosing pumps 25
drain pumps 16

## E

edgemount latches 24
electric accessories 18
electronic controllers 9
energy regulators 2

## F

fans 15
fasteners 27
fastening material 27
fine fuses 27
fluorescent lamps 7, 7
fuses 18, 27

## G

gas control valves 19
gas nozzles 23
gas thermostats 18
gaskets for heated units 24
grates 24

## H

halogen lamp 7
handle latches 24
heating elements 2
heating elements for convection 2
hexagonal nuts 27
hose clamps 27, 27
hoses 26
hot air motors 16

## I

ignition boxes 20
ignition cables 21
ignition units 22
immersion heating elements 2
indicator lights 6
indicator lights (complete) 6
industrial hoses 26

## L

lamps 6
light bulbs 6

## M

magnetic switches 5
microswitches 4

## N

neon light bulbs 6, 6
Niplaflex hoses 26
nuts 27

## O

operating capacitors 17
O-rings 25
oven lamps 7

## P

pilot burners 20
pumps 16
PVC hoses 26
PVC supply hoses 26

## R

relays 8
rocker/momentary rocker switches 4

## S

safety thermostats 3
shelves and shelf rails 24
silicone hoses 26
solenoid valves 10
supply filters 26, 26
supply hoses 26
switches and momentary switches 4
system switches (ROLD) 5

Зип Общепит
vsezip.ru
+7(812)987-08-81

## T

terminals 18
thermocouples 22
thermostats 3
transformers 9

## V

valves and tank inlets 26

## W

wash and rinse pumps 16
water cycle components 26
window seals 24