





## heating elements

## immersion heating elements

## 3 hole flange ø47.5mm



|                                                                                   |                                                                                                                                                                                                                                                                                                          |                 |                         |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>Part No.</b>                                                                   | 415931                                                                                                                                                                                                                                                                                                   | <b>Ref. No.</b> | 5007076<br>5007076K     |
| <b>description</b>                                                                | heating element 12000W 220V mounting ø 47.5mm heating circuits 3 L 585mm W 28mm H 28mm number of thermostat sleeves 1 thermostat sleeves ø 6.5mm length thermostat sleeves 170mm thermostat sleeve clinging tube ø 6.3mm hole distance 63mm hole ø 8mm cable length 950mm 3 hole flange immersion heater |                 |                         |
| <b>For models:</b>                                                                | OD20.20, OS20.20, OSC20.20, OSP20.20                                                                                                                                                                                                                                                                     |                 |                         |
| <b>accessories for</b>                                                            | 415931                                                                                                                                                                                                                                                                                                   |                 |                         |
|  | <b>Part No.</b>                                                                                                                                                                                                                                                                                          | 510408          | <b>Ref. No.</b> 6005015 |
|                                                                                   | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs                                                                                                                                                                                                                                                         |                 |                         |
|  | <b>Part No.</b>                                                                                                                                                                                                                                                                                          | 510562          | <b>Ref. No.</b> —       |
|                                                                                   | O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs                                                                                                                                                                                                                                                     |                 |                         |




|                                                                                     |                                                                                                                                                                                                                                                                                                                        |                 |                         |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>Part No.</b>                                                                     | 415803                                                                                                                                                                                                                                                                                                                 | <b>Ref. No.</b> | 5007062<br>5007062K     |
| <b>description</b>                                                                  | heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 325mm W 26mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 6mm length thermostat sleeves 160mm thermostat sleeve clinging tube ø 6.3mm hole distance 62mm hole ø 8mm cable length 790mm connection cable 3 hole flange immersion heater |                 |                         |
| <b>For models:</b>                                                                  | OD10.10, OD10.20, OS10.10, OS10.20, OSC10.10, OSC10.20, OSP10.10, OSP10.20                                                                                                                                                                                                                                             |                 |                         |
| <b>spare parts for</b>                                                              | 415803                                                                                                                                                                                                                                                                                                                 |                 |                         |
|  | <b>Part No.</b>                                                                                                                                                                                                                                                                                                        | 510408          | <b>Ref. No.</b> 6005015 |
|                                                                                     | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs                                                                                                                                                                                                                                                                       |                 |                         |
| <b>accessories for</b>                                                              | 415803                                                                                                                                                                                                                                                                                                                 |                 |                         |
|  | <b>Part No.</b>                                                                                                                                                                                                                                                                                                        | 510562          | <b>Ref. No.</b> —       |
|                                                                                     | O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs                                                                                                                                                                                                                                                                   |                 |                         |

Зип Ощепит

vsezip.ru

+7(812)987-08-81



|                                                                                   |                                                                                                                                                                                                                                                                                                       |                 |                                |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------|
| <b>Part No.</b>                                                                   | 415802                                                                                                                                                                                                                                                                                                | <b>Ref. No.</b> | 5007071<br>5007071K<br>5030632 |
| <b>description</b>                                                                | heating element 9000W 230V mounting ø 47.5mm heating circuits 3 L 385mm W 35mm H 46mm number of thermostat sleeves 1 thermostat sleeves ø 6mm length thermostat sleeves 160mm thermostat sleeve clinging tube ø 8.5mm hole distance 62mm hole ø 8mm cable length 800mm 3 hole flange immersion heater |                 |                                |
| <b>For models:</b>                                                                | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS10.10, OS10.20, OS12.20, OS20.10, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP6.10                                                                                                     |                 |                                |
| <b>accessories for</b>                                                            | 415802                                                                                                                                                                                                                                                                                                |                 |                                |
|  | <b>Part No.</b>                                                                                                                                                                                                                                                                                       | 510562          | <b>Ref. No.</b> —              |
|                                                                                   | O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs                                                                                                                                                                                                                                                  |                 |                                |

## miscellaneous



|                    |                                                                                                                                                                                                                                                                                                     |                 |                    |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|
| <b>Part No.</b>    | 420042                                                                                                                                                                                                                                                                                              | <b>Ref. No.</b> | 2619180<br>5017003 |
| <b>description</b> | heating element 13200W 230V heating circuits 3 L 545mm W 65mm H 33mm number of thermostat sleeves 1 thermostat sleeves ø 8mm length thermostat sleeves 160mm tube ø 8.5mm hole distance 71mm hole ø 7mm cable length 1000mm flange connection immersion heater flange width 57mm flange length 88mm |                 |                    |
| <b>For models:</b> | OEB20.20, OES20.20                                                                                                                                                                                                                                                                                  |                 |                    |



|                    |                                                                                                                                                                                                                                                                                                                              |                 |         |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 417733                                                                                                                                                                                                                                                                                                                       | <b>Ref. No.</b> | 5056321 |
| <b>description</b> | heating element 13300W 230V heating circuits 3 L 275mm W 35mm H 70mm number of thermostat sleeves 2 thermostat sleeves ø 3.5/8mm length thermostat sleeves 120/140mm thermostat sleeve eccentric, clinging tube ø 8.5mm hole distance 67mm hole ø 8mm combi-steamer flange width 82mm flange length 82mm with gasket and nut |                 |         |



|                                                                                     |                                                                                                                                                                                                                                                                                                      |                 |                         |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------|
| <b>Part No.</b>                                                                     | 420043                                                                                                                                                                                                                                                                                               | <b>Ref. No.</b> | 2619178<br>5017001      |
| <b>description</b>                                                                  | heating element 6600W 230V heating circuits 3 L 275mm W 65mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7.8mm length thermostat sleeves 150mm tube ø 8.5mm hole distance 71mm hole ø 7mm cable length 1050mm flange connection immersion heater flange width 57mm flange length 88mm |                 |                         |
| <b>For models:</b>                                                                  | OEB10.10, OEB10.20, OEB6.20, OES10.10, OES10.20, OES6.20                                                                                                                                                                                                                                             |                 |                         |
| <b>accessories for</b>                                                              | 420043                                                                                                                                                                                                                                                                                               |                 |                         |
|  | <b>Part No.</b>                                                                                                                                                                                                                                                                                      | 550992          | <b>Ref. No.</b> 6015023 |
|                                                                                     | gasket L 87mm W 57mm hole ø 6mm hole distance 70/40mm 4 holes thickness 3mm suitable for CONVOTHERM                                                                                                                                                                                                  |                 |                         |

# Зип Общепит

## vsezip.ru

### (812)987-08-81

|                                                                                   |                                                                                                                                                                                                                                                                      |                        |                         |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|
|  |                                                                                                                                                                                                                                                                      |                        |                         |
| 1                                                                                 |                                                                                                                                                                                                                                                                      |                        |                         |
| <b>Part No.</b>                                                                   | 417601                                                                                                                                                                                                                                                               | <b>Ref. No.</b>        | 2619187<br>5017012      |
| <b>description</b>                                                                | heating element 6600W 230V heating circuits 3 L 275mm W 70mm H 25mm hole distance 40x70mm hole ø 6.5mm cable length 1010mm tube ø 8.5mm flange length 87mm flange width 56mm thermostat sleeves ø 6mm number of thermostat sleeves 1 length thermostat sleeves 170mm |                        |                         |
| <b>For models:</b>                                                                | OEB10.10, OEB10.20, OEB6.20, OES10.10, OES10.20, OES6.20                                                                                                                                                                                                             |                        |                         |
| <b>accessories for</b>                                                            | 417601                                                                                                                                                                                                                                                               |                        |                         |
|                                                                                   |                                                                                                                                                                                     | <b>Part No.</b> 550992 | <b>Ref. No.</b> 6015023 |
|                                                                                   | gasket L 87mm W 57mm hole ø 6mm hole distance 70/40mm 4 holes thickness 3mm suitable for CONVOTHERM                                                                                                                                                                  |                        |                         |

|                                                                                   |                                                                                                                                                                                                                                                                                                                |                 |         |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
|  |                                                                                                                                                                                                                                                                                                                |                 |         |
| 1                                                                                 |                                                                                                                                                                                                                                                                                                                |                 |         |
| <b>Part No.</b>                                                                   | 417734                                                                                                                                                                                                                                                                                                         | <b>Ref. No.</b> | 5056320 |
| <b>description</b>                                                                | heating element 9000W 230V heating circuits 3 L 210mm W 40mm H 70mm number of thermostat sleeves 2 thermostat sleeves ø 3.5/8mm length thermostat sleeves 119/139mm thermostat sleeve eccentric, clinging tube ø 8.5mm hole distance 67mm hole ø 8mm flange combi-steamer flange width 82mm flange length 82mm |                 |         |

|                                                                                    |                                                                                                                                                                                                                                                                                                                    |                        |                         |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|
|  |                                                                                                                                                                                                                                                                                                                    |                        |                         |
| 1                                                                                  |                                                                                                                                                                                                                                                                                                                    |                        |                         |
| <b>Part No.</b>                                                                    | 417719                                                                                                                                                                                                                                                                                                             | <b>Ref. No.</b>        | 2619188<br>5017013      |
| <b>description</b>                                                                 | heating element 9900W 230V heating circuits 3 L 415mm W 52mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 160mm thermostat sleeve eccentric, clinging tube ø 8.5mm hole distance 71mm hole ø 7mm 4 hole flange immersion heater flange width 57mm flange length 88mm |                        |                         |
| <b>For models:</b>                                                                 | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES6.10, OES6.20                                                                                                                                                                                       |                        |                         |
| <b>accessories for</b>                                                             | 417719                                                                                                                                                                                                                                                                                                             |                        |                         |
|                                                                                    |                                                                                                                                                                                                                                 | <b>Part No.</b> 550992 | <b>Ref. No.</b> 6015023 |
|                                                                                    | gasket L 87mm W 57mm hole ø 6mm hole distance 70/40mm 4 holes thickness 3mm suitable for CONVOTHERM                                                                                                                                                                                                                |                        |                         |

|                                                                                     |                                                                                                                                                                                                                                               |                        |                         |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|
|  |                                                                                                                                                                                                                                               |                        |                         |
| 1                                                                                   |                                                                                                                                                                                                                                               |                        |                         |
| <b>Part No.</b>                                                                     | 418685                                                                                                                                                                                                                                        | <b>Ref. No.</b>        | 2619179<br>5017002      |
| <b>description</b>                                                                  | heating element 9900W 230V heating circuits 3 L 415mm W 65mm H 37mm number of thermostat sleeves 1 thermostat sleeves ø 6.5mm length thermostat sleeves 160mm tube ø 8.5mm hole distance 72mm hole ø 7mm flange width 58mm flange length 88mm |                        |                         |
| <b>For models:</b>                                                                  | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES6.10, OES6.20                                                                                                                            |                        |                         |
| <b>accessories for</b>                                                              | 418685                                                                                                                                                                                                                                        |                        |                         |
|                                                                                     |                                                                                                                                                            | <b>Part No.</b> 550992 | <b>Ref. No.</b> 6015023 |
|                                                                                     | gasket L 87mm W 57mm hole ø 6mm hole distance 70/40mm 4 holes thickness 3mm suitable for CONVOTHERM                                                                                                                                           |                        |                         |

|                                                                                    |                                                                                                                                                                                                                                                                                                                                                                   |                        |                                           |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------------------------|
|  |                                                                                                                                                                                                                                                                                                                                                                   |                        |                                           |
| 1                                                                                  |                                                                                                                                                                                                                                                                                                                                                                   |                        |                                           |
| <b>Part No.</b>                                                                    | 415874                                                                                                                                                                                                                                                                                                                                                            | <b>Ref. No.</b>        | 5007067<br>5007068<br>5007068K<br>5030631 |
| <b>description</b>                                                                 | heating element 12000/14300W 220/240V heating circuits 3 thread 1½" L 585mm W 40mm H 30mm thermostat sleeves ø 6.5mm length thermostat sleeves 160mm thermostat sleeve eccentric, clinging tube ø 6.3mm cable length 750mm connection cable immersion heater flange with thread hole distance 63mm mounting ø 47.5mm hole ø 8/10mm number of thermostat sleeves 1 |                        |                                           |
| <b>For models:</b>                                                                 | HUD20.20                                                                                                                                                                                                                                                                                                                                                          |                        |                                           |
| <b>spare parts for</b>                                                             | 415874                                                                                                                                                                                                                                                                                                                                                            |                        |                                           |
|                                                                                    |                                                                                                                                                                                                                                                                                  | <b>Part No.</b> 510406 | <b>Ref. No.</b> 6005065                   |
|                                                                                    | flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs                                                                                                                                                                                                                                                                                      |                        |                                           |
| <b>accessories for</b>                                                             | 415874                                                                                                                                                                                                                                                                                                                                                            |                        |                                           |
|                                                                                    |                                                                                                                                                                                                                                                                                  | <b>Part No.</b> 510424 | <b>Ref. No.</b> —                         |
|                                                                                    | gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"                                                                                                                                                                                                                                                                                        |                        |                                           |
|                                                                                    |                                                                                                                                                                                                                                                                                  | <b>Part No.</b> 520211 | <b>Ref. No.</b> —                         |
|                                                                                    | reducer thread 2" ET - 1½" IT brass                                                                                                                                                                                                                                                                                                                               |                        |                                           |
|                                                                                    |                                                                                                                                                                                                                                                                                  | <b>Part No.</b> 520212 | <b>Ref. No.</b> —                         |
|                                                                                    | hexagonal nut thread 1½" brass WS 60 H 8mm                                                                                                                                                                                                                                                                                                                        |                        |                                           |
|                                                                                    |                                                                                                                                                                                                                                                                                 | <b>Part No.</b> 550361 | <b>Ref. No.</b> —                         |
|                                                                                    | blind flange ø 58mm thread 1½"                                                                                                                                                                                                                                                                                                                                    |                        |                                           |

|                                                                                      |                                                                                                                                                    |                        |                                                       |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------|
|  |                                                                                                                                                    |                        |                                                       |
| 1                                                                                    |                                                                                                                                                    |                        |                                                       |
| <b>Part No.</b>                                                                      | 415500                                                                                                                                             | <b>Ref. No.</b>        | 5007061<br>5007061K<br>5007063<br>5007063K<br>5030629 |
| <b>description</b>                                                                   | heating element 7500W 220V heating circuits 3 thread 1½" L 435mm W 33mm H 25mm tube ø 6.3mm cable length 780mm immersion heater flange with thread |                        |                                                       |
| <b>For models:</b>                                                                   | HUD10.10                                                                                                                                           |                        |                                                       |
| <b>accessories for</b>                                                               | 415500                                                                                                                                             |                        |                                                       |
|                                                                                      |                                                                 | <b>Part No.</b> 510406 | <b>Ref. No.</b> 6005065                               |
|                                                                                      | flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1½" Qty 1 pcs                                                                       |                        |                                                       |
|                                                                                      |                                                                 | <b>Part No.</b> 510424 | <b>Ref. No.</b> —                                     |
|                                                                                      | gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1½"                                                                         |                        |                                                       |
|                                                                                      |                                                                 | <b>Part No.</b> 520211 | <b>Ref. No.</b> —                                     |
|                                                                                      | reducer thread 2" ET - 1½" IT brass                                                                                                                |                        |                                                       |
|                                                                                      |                                                                 | <b>Part No.</b> 520212 | <b>Ref. No.</b> —                                     |
|                                                                                      | hexagonal nut thread 1½" brass WS 60 H 8mm                                                                                                         |                        |                                                       |
|                                                                                      |                                                                 | <b>Part No.</b> 550361 | <b>Ref. No.</b> —                                     |
|                                                                                      | blind flange ø 58mm thread 1½"                                                                                                                     |                        |                                                       |





Зип Общепит

vsezip.ru

812)987-08-81



1

| Part No.                                                                        | 415501                                                                                                                                                                 | Ref. No. | 5007066<br>5007066K<br>5030630 |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
| description                                                                     | heating element 9000W 230V heating circuits 3 thread 1 1/2" L 450mm W 32mm H 26mm tube ø 6.3mm cable length 820mm connection cable immersion heater flange with thread |          |                                |
| For models:                                                                     | HUD10.10, HUD12.20, HUD20.10, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10                                                                             |          |                                |
| accessories for                                                                 | 415501                                                                                                                                                                 |          |                                |
|                                                                                 | Part No.                                                                                                                                                               | 510406   | Ref. No. 6005065               |
| flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1 1/2" Qty 1 pcs |                                                                                                                                                                        |          |                                |
|                                                                                 | Part No.                                                                                                                                                               | 510424   | Ref. No. —                     |
| gasket copper ED ø 55mm ID ø 48mm thickness 2.2mm Centellen for thread 1 1/2"   |                                                                                                                                                                        |          |                                |
|                                                                                 | Part No.                                                                                                                                                               | 520211   | Ref. No. —                     |
| reducer thread 2" ET - 1 1/2" IT brass                                          |                                                                                                                                                                        |          |                                |
|                                                                                 | Part No.                                                                                                                                                               | 520212   | Ref. No. —                     |
| hexagonal nut thread 1 1/2" brass WS 60 H 8mm                                   |                                                                                                                                                                        |          |                                |
|                                                                                 | Part No.                                                                                                                                                               | 550361   | Ref. No. —                     |
| blind flange ø 58mm thread 1 1/2"                                               |                                                                                                                                                                        |          |                                |

## heating elements for convection



1

| Part No.                                                                                                   | 420524                                                                                                                                                                | Ref. No. | 2625104K<br>2630606         |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------|
| description                                                                                                | heating element 10200W 230V heating circuits 3 ID ø 250mm ED ø 320mm L 350mm H 58mm L1 70mm H1 8mm H2 58mm flange length 90mm flange width 70mm tube ø 8.5mm threaded |          |                             |
| spare parts for                                                                                            | 420524                                                                                                                                                                |          |                             |
|                                                                                                            | Part No.                                                                                                                                                              | 521013   | Ref. No. 2623226<br>6015025 |
| gasket set suitable for CONVOTHERM for heating element L 90mm W 71mm Qty 1m graphite hole distance 54/74mm |                                                                                                                                                                       |          |                             |



1

| Part No.    | 420558                                                                                                                                                                                                                                                                             | Ref. No. | 5056330 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | heating element 10500W 230V heating circuits 3 ID ø 400mm ED ø 417mm L 472mm H 100mm H1 15mm H2 83mm flange length 90mm flange width 70mm hole distance 55mm connection M5 tube ø 8.5mm cable length 180mm convection heating element flange for combi-steamer series CONVOTHERM 4 |          |         |



1

| Part No.    | 418684                                                                                                                                                                                                                                                                             | Ref. No. | 2619192<br>5017005 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
| description | heating element 10500W 230V heating circuits 3 ID ø 402mm ED ø 420mm L 475mm H 100mm L1 55mm W1 29mm H1 25mm H2 75mm flange length 90mm flange width 70mm hole distance 74mm connection M5 tube ø 8.5mm convection heating element mounting thread M5 rectangular flange with bolt |          |                    |
| For models: | OEB6.10, OES6.10                                                                                                                                                                                                                                                                   |          |                    |



1

| Part No.    | 417718                                                                                                                                                                                                 | Ref. No. | 5007035<br>5007035K<br>5030625 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
| description | heating element 12000W 220V heating circuits 3 ID ø 387mm ED ø 400mm L 430mm H 90mm H1 23mm H2 67mm thread M14 3 hole fixing connection male faston tube ø 6.5mm mounting pos. outer for combi-steamer |          |                                |
| For models: | AR100, AR108, AR28, AR30, AR40, AR50, AR54, HUD10.10, HUD20.10, OD6.10, OSC6.10, OSP10.10, OSP6.10, UG6.10                                                                                             |          |                                |



1

| Part No.                                                               | 415385                                                                                                                                                                                                   | Ref. No. | 5007036<br>5007036K<br>5030626 |
|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
| description                                                            | heating element 15000W 220V heating circuits 3 ID ø 390mm ED ø 405mm L 435mm H 110mm L1 22mm W1 300mm H1 22mm H2 84mm thread M14x1.5 6 hole fixing connection M5 tube ø 8.5mm convection heating element |          |                                |
| For models:                                                            | OD10.10, OD20.10, OS10.10, OS20.10, OSC10.10, OSC20.10, OSP10.10, OSP20.10                                                                                                                               |          |                                |
| accessories for                                                        | 415385                                                                                                                                                                                                   |          |                                |
|                                                                        | Part No.                                                                                                                                                                                                 | 361182   | Ref. No. —                     |
| nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs              |                                                                                                                                                                                                          |          |                                |
|                                                                        | Part No.                                                                                                                                                                                                 | 510417   | Ref. No. —                     |
| flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs          |                                                                                                                                                                                                          |          |                                |
|                                                                        | Part No.                                                                                                                                                                                                 | 520228   | Ref. No. —                     |
| tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 |                                                                                                                                                                                                          |          |                                |

Table continues overleaf




Зип Ощепит

vsezip.ru

+7(812)987-08-81

|                                                                                   |          |        |          |
|-----------------------------------------------------------------------------------|----------|--------|----------|
| accessories for                                                                   | 415385   |        |          |
|  | Part No. | 550262 | Ref. No. |
|                                                                                   | —        |        |          |
| flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm                              |          |        |          |



|             |                                                                                                                                                                            |          |                                 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------|
| Part No.    | 418886                                                                                                                                                                     | Ref. No. | 5007038<br>5007038K<br>5007042K |
| description | heating element 18000W 380V heating circuits 3 ID ø 380mm ED ø 393mm L 435mm H 120mm L1 50mm H1 15mm thread M14x1.5 screw mounting tube ø 6.5mm convection heating element |          |                                 |
| For models: | AR72, HUD10.10, HUD20.10, UG10.10, UG20.10                                                                                                                                 |          |                                 |



|                                                                                     |                                                                                                                                                                                                                                                                    |          |                             |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------|
| Part No.                                                                            | 418768                                                                                                                                                                                                                                                             | Ref. No. | 2619181<br>5017004          |
| description                                                                         | heating element 18900W 230V heating circuits 3 ID ø 467mm ED ø 484mm L 545mm H 99mm L1 6mm W1 28mm H1 14mm H2 85mm flange length 90mm flange width 70mm connection M4 connection length 112mm tube ø 8.5mm convection heating element with counterflange and cable |          |                             |
| For models:                                                                         | OEB10.10, OEB20.10, OEB6.20, OES10.10, OES20.10, OES6.20                                                                                                                                                                                                           |          |                             |
| spare parts for                                                                     | 418768                                                                                                                                                                                                                                                             |          |                             |
|  | Part No.                                                                                                                                                                                                                                                           | 521013   | Ref. No. 2623226<br>6015025 |
|                                                                                     | gasket set suitable for CONVOTHERM for heating element L 90mm W 71mm Qty 1m graphite hole distance 54/74mm                                                                                                                                                         |          |                             |
|                                                                                     | Part No.                                                                                                                                                                                                                                                           | 692931   | Ref. No. 2623218            |
|                                                                                     | connection set with fixing kit suitable for CONVOTHERM for heating element                                                                                                                                                                                         |          |                             |



|             |                                                                                                                                                                                                                                                    |          |                    |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
| Part No.    | 418876                                                                                                                                                                                                                                             | Ref. No. | 2619190<br>5017016 |
| description | heating element 18900W 230V heating circuits 3 ID ø 470mm ED ø 486mm L 540mm H 100mm L1 48mm H1 27mm H2 73mm flange length 90mm flange width 70mm hole distance 55mm connection M5 connection length 115mm tube ø 8.5mm convection heating element |          |                    |
| For models: | OEB10.10, OEB20.10, OEB6.20, OES10.10, OES20.10, OES6.20                                                                                                                                                                                           |          |                    |



|             |                                                                                                                                                                                                                                                                                                |          |         |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 420557                                                                                                                                                                                                                                                                                         | Ref. No. | 5056331 |
| description | heating element 18900W 230V heating circuits 3 ID ø 470mm ED ø 487mm L 540mm H 100mm H1 16mm H2 83mm flange length 90mm flange width 70mm hole distance 55mm connection M5 tube ø 8.5mm cable length 1300mm convection heating element flange connection for combi-steamer series CONVOTHERM 4 |          |         |



|             |                                                                                                                                                                                                                                                                                                  |          |         |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 420559                                                                                                                                                                                                                                                                                           | Ref. No. | 5056332 |
| description | heating element 2x16500W 230V heating circuits 6 ID ø 485mm ED ø 570mm L 590mm H 134mm H1 22mm H2 108mm flange length 175mm flange width 105mm hole distance 80mm connection length 150mm tube ø 8.5mm cable length 1500mm convection heating element flange for combi-steamer series CONVOTHERM |          |         |



|             |                                                                                                                                 |          |                    |
|-------------|---------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
| Part No.    | 419102                                                                                                                          | Ref. No. | 2619177<br>5017000 |
| description | heating element 33000W 230/400V heating circuits 6 ID ø 480mm ED ø 570mm L 590mm H 140mm flange length 175mm flange width 105mm |          |                    |
| For models: | OEB10.20, OEB12.20, OEB20.20, OES10.20, OES12.20, OES20.20                                                                      |          |                    |



|             |                                                                                                                                                                                                                                                                                            |          |         |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 419233                                                                                                                                                                                                                                                                                     | Ref. No. | 2618805 |
| description | heating element 5400W 230V heating circuits 2 ID ø 252mm ED ø 269mm L 297mm H 62mm L1 11mm W1 65mm H1 12mm H2 50mm flange length 100mm flange width 22mm hole distance 87mm connection 6.3x0.8 tube ø 8.5mm for combi-steamer mounting thread M5 with mounting accessories OES6.06 Mini P3 |          |         |
| For models: | OES6.06                                                                                                                                                                                                                                                                                    |          |         |





Зип Общепит

vsezip.ru

+7(812)987-08-81



|                                                                                                            |                                                                                                                                                                                                                                                              |                 |                                    |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------|
| <b>Part No.</b>                                                                                            | 420156                                                                                                                                                                                                                                                       | <b>Ref. No.</b> | 2123634<br>2625181<br>5017084      |
| <b>description</b>                                                                                         | heating element 6800W 230V heating circuits 2 ID ø 250mm ED ø 265mm L 300mm H 65mm L1 38mm H1 7mm H2 56mm flange length 90mm flange width 70mm connection male faston 6.3mm connection length 77mm tube ø 8.5mm convection heating element flange connection |                 |                                    |
| <b>spare parts for</b>                                                                                     | 420156                                                                                                                                                                                                                                                       |                 |                                    |
|                           | <b>Part No.</b>                                                                                                                                                                                                                                              | 521013          | <b>Ref. No.</b> 2623226<br>6015025 |
| gasket set suitable for CONVOTHERM for heating element L 90mm W 71mm Qty 1m graphite hole distance 54/74mm |                                                                                                                                                                                                                                                              |                 |                                    |



|                                                                                     |                                                                                                                                                                                           |                 |                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
| <b>Part No.</b>                                                                     | 415384                                                                                                                                                                                    | <b>Ref. No.</b> | 5007033<br>5007033K |
| <b>description</b>                                                                  | heating element 9000W 230V heating circuits 3 ID ø 390mm ED ø 403mm L 440mm H 88mm L1 30mm W1 300mm H1 18mm H2 70mm thread M14x1.5 6 hole fixing connection M5 convection heating element |                 |                     |
| <b>For models:</b>                                                                  | AR28, AR40, OD10.10, OD10.20, OD6.10, OS6.10, OSC6.10, OSP6.10                                                                                                                            |                 |                     |
| <b>spare parts for</b>                                                              | 415384                                                                                                                                                                                    |                 |                     |
|  | <b>Part No.</b>                                                                                                                                                                           | 510417          | <b>Ref. No.</b> —   |
| flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs                       |                                                                                                                                                                                           |                 |                     |
| <b>accessories for</b>                                                              | 415384                                                                                                                                                                                    |                 |                     |
|  | <b>Part No.</b>                                                                                                                                                                           | 520228          | <b>Ref. No.</b> —   |
| tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14              |                                                                                                                                                                                           |                 |                     |
|  | <b>Part No.</b>                                                                                                                                                                           | 520230          | <b>Ref. No.</b> —   |
| nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs                          |                                                                                                                                                                                           |                 |                     |
|  | <b>Part No.</b>                                                                                                                                                                           | 521101          | <b>Ref. No.</b> —   |
| nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs                                         |                                                                                                                                                                                           |                 |                     |
|  | <b>Part No.</b>                                                                                                                                                                           | 550262          | <b>Ref. No.</b> —   |
| flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm                                |                                                                                                                                                                                           |                 |                     |



|                    |                                                                                                                                                                                          |                 |         |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 420075                                                                                                                                                                                   | <b>Ref. No.</b> | 5007022 |
| <b>description</b> | mounting set suitable for convection heating element                                                                                                                                     |                 |         |
| <b>For models:</b> | AR100, AR108, AR28, AR30, AR40, AR50, AR54, AR72, HUD10.10, HUD20.10, HUD6.10, OD10.10, OD20.10, OD6.10, OS10.10, OS6.10, OSC10.10, OSC6.10, OSP10.10, OSP6.10, UG10.10, UG20.10, UG6.10 |                 |         |




|                    |                                                                                  |                 |                    |
|--------------------|----------------------------------------------------------------------------------|-----------------|--------------------|
| <b>Part No.</b>    | 692737                                                                           | <b>Ref. No.</b> | 2623227<br>6015024 |
| <b>description</b> | mounting set suitable for combi-steamer L 175mm W 105mm mounting pos. CONVOTHERM |                 |                    |
| <b>For models:</b> | OEB10.20, OEB12.20, OEB20.20, OES10.20, OES12.20, OES20.20                       |                 |                    |


## accessories

## sealing washers

## fibre gaskets



|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |         |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 510416                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Ref. No.</b> | 6005016 |
| <b>description</b> | flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs                                                                                                                                                                                                                                                                                                                                                                    |                 |         |
| <b>For models:</b> | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |                 |         |




|                    |                                                                                                      |                 |         |
|--------------------|------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 510406                                                                                               | <b>Ref. No.</b> | 6005065 |
| <b>description</b> | flat gasket fibre ED ø 60mm ID ø 48mm thickness 3mm for thread 1 1/2" Qty 1 pcs                      |                 |         |
| <b>For models:</b> | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10 |                 |         |

Зип Общепит

control and safety thermostats

## O-rings



|                    |                                                                                                                                                                                                                                |                 |         |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 510408                                                                                                                                                                                                                         | <b>Ref. No.</b> | 6005015 |
| <b>description</b> | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs                                                                                                                                                                               |                 |         |
| <b>For models:</b> | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |                 |         |

## flange gaskets



|                    |                                                                                                                                                                                                                                                                                |                 |         |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 550992                                                                                                                                                                                                                                                                         | <b>Ref. No.</b> | 6015023 |
| <b>description</b> | gasket L 87mm W 57mm hole ø 6mm hole distance 70/40mm 4 holes thickness 3mm suitable for CONVOTHERM                                                                                                                                                                            |                 |         |
| <b>For models:</b> | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20 |                 |         |

## thermostats

### bi-metal thermostats

#### bi-metal thermostats



|                    |                                                                                                                              |                 |         |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 391049                                                                                                                       | <b>Ref. No.</b> | 5056372 |
| <b>description</b> | bi-metal thermostat hole distance 24mm switch-off temp. 80°C 1NC 1-pole 10A 250V connection F6.3x0.8 suitable for CONVOTHERM |                 |         |

## EGO

### control thermostats

#### 55.10/19 series



|                    |                                                                                                                                                                                                                                       |                 |         |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 375631                                                                                                                                                                                                                                | <b>Ref. No.</b> | 5001032 |
| <b>description</b> | thermostat t.max. 249°C temperature range 55-249°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1270mm capillary pipe isolated 850mm gland nut 3/8"-M8x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318° |                 |         |
| <b>For models:</b> | OD10.20, OD12.20                                                                                                                                                                                                                      |                 |         |



|                    |                                                                                                                                                                                                                               |                 |         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 375632                                                                                                                                                                                                                        | <b>Ref. No.</b> | 5001020 |
| <b>description</b> | thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 1300mm capillary pipe isolated 850mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |         |
| <b>For models:</b> | OD10.20, OD12.20                                                                                                                                                                                                              |                 |         |

#### 55.13\_ series



|                    |                                                                                                                                                                                                                         |                 |                                |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------|
| <b>Part No.</b>    | 375116                                                                                                                                                                                                                  | <b>Ref. No.</b> | 5001021<br>5001021K<br>5001040 |
| <b>description</b> | thermostat t.max. 258°C temperature range 58-258°C 1-pole 1NC 16A probe ø 3.1mm probe L 201mm capillary pipe 1130mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |                                |
| <b>For models:</b> | AR100, AR108, AR12, AR16, AR18, AR28, AR30, AR40, AR50, AR54, AR72, AR8, HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10                                    |                 |                                |





Зип Общепит

vsezip.ru

+7(812)987-08-81

## safety thermostats

## 55.13\_ series



|                    |                                                                                                                                                |                 |                    |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|
| <b>Part No.</b>    | 375245                                                                                                                                         | <b>Ref. No.</b> | 5019002<br>5019004 |
| <b>description</b> | safety thermostat switch-off temp. 135°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 480mm capillary pipe isolatedmm gland nut probe SS |                 |                    |
| <b>For models:</b> | OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20         |                 |                    |

1

|                    |                                                                                                                                                                                                                                             |                 |                     |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
| <b>Part No.</b>    | 390126                                                                                                                                                                                                                                      | <b>Ref. No.</b> | 5001029<br>5001029K |
| <b>description</b> | safety thermostat switch-off temp. 340°C 1-pole 1NC 16A probe ø 3.1mm probe L 201mm capillary pipe 1170mm capillary pipe isolatedmm gland nut probe SS                                                                                      |                 |                     |
| <b>For models:</b> | AR108, AR72, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |                 |                     |

## 55.32\_ series



|                    |                                                                                                                                                    |                 |                                        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------|
| <b>Part No.</b>    | 375731                                                                                                                                             | <b>Ref. No.</b> | 5001026<br>5001026+6005081<br>5001026K |
| <b>description</b> | safety thermostat switch-off temp. 135°C 1-pole 1NC 16A probe ø 6mm probe L 77mm capillary pipe 520mm capillary pipe isolatedmm gland nut probe SS |                 |                                        |
| <b>For models:</b> | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10                                                                                                |                 |                                        |

1

|                    |                                                                                                                                                               |                 |         |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 375392                                                                                                                                                        | <b>Ref. No.</b> | 5001039 |
| <b>description</b> | safety thermostat switch-off temp. 360°C 3-pole 1CO/2NC 20A probe ø 4mm probe L 120mm capillary pipe 1490mm capillary pipe isolated 1450mm gland nut probe SS |                 |         |
| <b>For models:</b> | AR12, AR18, AR28, AR40, AR54, AR8, OES6.06                                                                                                                    |                 |         |



|                    |                                                                                                                                                |                 |                              |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|
| <b>Part No.</b>    | 375117                                                                                                                                         | <b>Ref. No.</b> | 5001030<br>5001030K<br>51021 |
| <b>description</b> | safety thermostat switch-off temp. 325°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 390mm capillary pipe isolatedmm gland nut probe SS |                 |                              |
| <b>For models:</b> | OD10.10, OD10.20, OD6.10                                                                                                                       |                 |                              |

1

|                    |                                                                                                                                     |                 |         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 375017                                                                                                                              | <b>Ref. No.</b> | 2618787 |
| <b>description</b> | safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 4mm probe L 122mm capillary pipe 1490mm capillary pipe isolatedmm probe |                 |         |
| <b>For models:</b> | OES6.06                                                                                                                             |                 |         |

Зип Общепит

vsezip.ru

+7(812)987-08-81

E-G-O



1

| Part No.    | 375474                                                                                                                                                                         | Ref. No. | 5001031 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | safety thermostat t.max. 340°C switch-off temp. 340°C 2-pole 1NC/1CO 1x20/1x0.5A probe ø 4mm probe L 120mm capillary pipe 1300mm capillary pipe isolated 900mm gland nut probe |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.20, OD6.10, OSG10.10, OSG12.20, OSG20.20                                                                                                       |          |         |

E-G-O



1

| Part No.    | 376061                                                                                                                             | Ref. No. | 5056329 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | safety thermostat switch-off temp. 340°C 1-pole 16A probe ø 3mm probe L 160mm capillary pipe 1200mm capillary pipe isolated 1140mm |          |         |

## 56.\_ series

E-G-O



1

| Part No.    | 381480                                                                                                                                                                              | Ref. No. | 5056319 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | safety thermostat switch-off temp. 170°C temperature range 14-170°C 1-pole 16A probe ø 6mm probe L 65mm capillary pipe 1460mm capillary pipe isolated 1400mm probe material SS 230V |          |         |

E-G-O



1

| Part No.    | 375870                                                                                                                                                                                                                                                                                                                                                                           | Ref. No. | 5001041 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | safety thermostat switch-off temp. 340°C 1-pole 16A probe ø 3mm probe L 160mm capillary pipe 1150mm capillary pipe isolated 1080mm gland nut probe                                                                                                                                                                                                                               |          |         |
| For models: | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSG10.10, OSG12.20, OSG20.20, OSG6.10 |          |         |

## accessories

## fitting parts



1

| Part No.    | 550389                         | Ref. No. | 4006041 |
|-------------|--------------------------------|----------|---------|
| description | bracket for contact thermostat |          |         |
| For models: | HUD12.20, HUD20.20             |          |         |



1

| Part No.    | 550388                                                                 | Ref. No. | 4006031 |
|-------------|------------------------------------------------------------------------|----------|---------|
| description | bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8 |          |         |
| For models: | HUD10.10, HUD20.10, HUD20.20, OD10.20, OD12.20                         |          |         |

## gland nut accessories

## ducts



1

| Part No.    | 550148                                                                                                                                                                                      | Ref. No. | 6005080 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone                                                                                                                            |          |         |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS12.20, OS20.10, OS20.20, OSC12.20, OSC20.10, OSC20.20, OSP12.20, OSP20.10, OSP20.20 |          |         |

## gaskets



1

| Part No.    | 699830                                                                                                                                                                                                                                                                         | Ref. No. | 6015026 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | gasket silicone ø 10mm L 8mm                                                                                                                                                                                                                                                   |          |         |
| For models: | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20 |          |         |





## switches and momentary switches

Зип-Общепит

## cam switches

on/off



1

|             |                                                                                        |          |         |
|-------------|----------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 301282                                                                                 | Ref. No. | 5003022 |
| description | cam switch sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 19.5mm 4-pole rotation 45° |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10                                    |          |         |

## 5 operating positions



1

|             |                                                                                                                                           |          |         |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 301277                                                                                                                                    | Ref. No. | 5003023 |
| description | cam switch 5 operating positions 7NO sequence 0-1-2-3-4 16A shaft $\varnothing$ 6x4.6mm shaft L 19mm connection male faston 6.3mm plastic |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10                                                                                       |          |         |

## magnetic switches

28.5x19mm




1

|             |                                                                                                 |          |         |
|-------------|-------------------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 348210                                                                                          | Ref. No. | 5056328 |
| description | magnetic switch L 28.5mm W 19mm cable length 450mm PIC MS-328/980A 5214 suitable for CONVOTHERM |          |         |




1



|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |                    |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
| Part No.    | 345117                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Ref. No. | 5003075<br>5013070 |
| description | magnetic switch L 28.5mm W 19mm 1NO 250V 0.04A P max. 10W connection cable cable length 1000mm                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |                    |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20, OSP12.20...(Other models you can see in the webshop) |          |                    |



1



|             |                                                                                             |          |         |
|-------------|---------------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 345217                                                                                      | Ref. No. | 5003082 |
| description | magnetic switch L 29mm W 19mm 1NO 125V 0.5A P max. 10W connection cable cable length 2000mm |          |         |



Зип-Общепит  
control equipment


RAFI  
Lumotast series

fascias

+7(812)987-08-81



1




|             |                                                                                                 |          |         |
|-------------|-------------------------------------------------------------------------------------------------|----------|---------|
| Part No.    | 347495                                                                                          | Ref. No. | 2518798 |
| description | magnetic switch L 29mm W 19mm 1NO 250V 0.3A P max. 10W connection cable cable length 2000mm PIC |          |         |
| For models: | OES6.06                                                                                         |          |         |

### M10x0.75



1




|                 |                                                                                                        |          |          |
|-----------------|--------------------------------------------------------------------------------------------------------|----------|----------|
| Part No.        | 345632                                                                                                 | Ref. No. | 5003079  |
| description     | magnetic switch thread M10x0.75 1NO 250V 0.5A P max. 50W connection cable cable length 2000mm type 102 |          |          |
| For models:     | OD10.20, OD12.20, OD20.20, OSG10.10, OSG12.20, OSG20.20, OSG6.10                                       |          |          |
| accessories for | 345632                                                                                                 |          |          |
|                 | Part No.                                                                                               | 100779   | Ref. No. |
|                 |                                                                                                        |          | —        |
|                 | nut thread M10x0.75 H 3mm WS 14 SS Qty 2 pcs                                                           |          |          |

### accessories

#### magnets



1



|             |                                                                     |          |         |
|-------------|---------------------------------------------------------------------|----------|---------|
| Part No.    | 345700                                                              | Ref. No. | 5003076 |
| description | magnet ømm L 29mm H 6.5mm W 19mm hole distance 16mm M3 hole ø 3.5mm |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OSP6.10        |          |         |



1

|             |                                                 |          |         |
|-------------|-------------------------------------------------|----------|---------|
| Part No.    | 345140                                          | Ref. No. | 5003054 |
| description | bezel clear                                     |          |         |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10 |          |         |

### momentary push switches



1

|             |                                                                |          |         |
|-------------|----------------------------------------------------------------|----------|---------|
| Part No.    | 345139                                                         | Ref. No. | 5003053 |
| description | momentary push switch mounting measurements ø16mm 230V 1NC/1NO |          |         |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10                |          |         |

|                 |        |          |        |          |         |
|-----------------|--------|----------|--------|----------|---------|
| accessories for | 345139 | Part No. | 345140 | Ref. No. | 5003054 |
|-----------------|--------|----------|--------|----------|---------|



bezel clear



bezel yellow



bezel rectangular green



bezel rectangular red



Part No. 359590 Ref. No. —  
light bulb socket T5.5K 24V 3W ø 5.5mm L 22mm clear



Part No. 359591 Ref. No. —  
light bulb socket T5.5K 48V 3W ø 5.5mm L 22mm clear



Part No. 359592 Ref. No. —  
light bulb socket T5.5K 12V 3W ø 5.5mm L 22mm clear



Part No. 359593 Ref. No. —  
light bulb socket T5.5K 60V 0.02A





## TELEMECANIQUE (EFA)

XB4 series

rotary switches



1

| Part No.    | 347383                                              | Ref. No. | 5003031<br>5003031K<br>5003035 |
|-------------|-----------------------------------------------------|----------|--------------------------------|
| description | switch mounting measurements ø22mm 2NO 0-1 latching |          |                                |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10     |          |                                |

## encoders and potentiometers



1

| Part No.    | 300268                                                                                                                                                       | Ref. No. | 5056359 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | encoder rotation 360° 0.01A shaft ø 6x5.5mm shaft L 17mm connection for ribbon cable for combi-steamer thread M10x0.75 5V CONVOTHERM 4 0.10hm CESI 32/LS EBE |          |         |



1

| Part No.    | 300098                                              | Ref. No. | 5009095 |
|-------------|-----------------------------------------------------|----------|---------|
| description | potentiometer                                       |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10 |          |         |

## lamps

## indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs



1

| Part No.    | 359055                                              | Ref. No. | 5003046 |
|-------------|-----------------------------------------------------|----------|---------|
| description | light bulb socket T1 1/2 12VW 0.08A ø 4.9mm L 13mm  |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10 |          |         |

Зип-Общепит

vsezip.ru

+7(812)987-08-81

indicator lights (complete)

ø16mm



| Part No.    | 362003                                                                                                                              | Ref. No. | 5004026 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | indicator light ø 16mm yellow connection F6.3 temp.-resist. 120°C                                                                   |          |         |
| For models: | AR100, AR108, AR12, AR16, AR18, AR28, AR30, AR40, AR50, AR54, AR72, AR8, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10 |          |         |

## screw-on/push-on fit

light bulbs

for ovens



1

| Part No.    | 359458                                                                                                                                                                                                                                                                                  | Ref. No. | 2618779 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | light bulb socket E14 15W 230V with gasket                                                                                                                                                                                                                                              |          |         |
| For models: | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20 |          |         |

PHILIPS



1

| Part No.    | 359610                                                                                                                                                           | Ref. No. | 5005040<br>5005040K |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips                                                                 |          |                     |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10 |          |                     |

PHILIPS



1

| Part No.    | 359612                                                                                           | Ref. No. | 5005045 |
|-------------|--------------------------------------------------------------------------------------------------|----------|---------|
| description | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips |          |         |

for indicator lights



1

| Part No.    | 359055                                              | Ref. No. | 5003046 |
|-------------|-----------------------------------------------------|----------|---------|
| description | light bulb socket T1 1/2 12VW 0.08A ø 4.9mm L 13mm  |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10 |          |         |

## oven lamps

## universal oven lamps

mounting diameter 35.5mm



1

| Part No.                                                                           | 359720                                                                                                                                                           | Ref. No. | 5005012                                 |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------|
| description                                                                        | oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas                                                       |          |                                         |
| For models:                                                                        | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10 |          |                                         |
| spare parts for                                                                    | 359720                                                                                                                                                           |          |                                         |
|   | Part No.                                                                                                                                                         | 359701   | Ref. No. 5005016                        |
|                                                                                    | lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W                                                                               |          |                                         |
|   | Part No.                                                                                                                                                         | 359705   | Ref. No. 5005017<br>5005017K<br>5030620 |
|                                                                                    | oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C                                                                                                |          |                                         |
|   | Part No.                                                                                                                                                         | 359721   | Ref. No. 5005025                        |
|                                                                                    | gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs                                                                                                    |          |                                         |
|  | Part No.                                                                                                                                                         | 359740   | Ref. No. —                              |
|                                                                                    | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT                                                                       |          |                                         |

1

| Part No.                                                                            | 359701                                                                                                                                                                                                                                                                          | Ref. No. | 5005016                                 |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------|
| description                                                                         | lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W                                                                                                                                                                                              |          |                                         |
| For models:                                                                         | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSG10.10, OSG12.20, OSG20.10, OSG20.20, OSG6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |          |                                         |
| accessories for                                                                     | 359701                                                                                                                                                                                                                                                                          |          |                                         |
|  | Part No.                                                                                                                                                                                                                                                                        | 359705   | Ref. No. 5005017<br>5005017K<br>5030620 |
|                                                                                     | oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C                                                                                                                                                                                                               |          |                                         |
|  | Part No.                                                                                                                                                                                                                                                                        | 359709   | Ref. No. —                              |
|                                                                                     | oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C                                                                                                                                                                                                               |          |                                         |
|  | Part No.                                                                                                                                                                                                                                                                        | 359721   | Ref. No. 5005025                        |
|                                                                                     | gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs                                                                                                                                                                                                                   |          |                                         |
|  | Part No.                                                                                                                                                                                                                                                                        | 359942   | Ref. No. —                              |
|                                                                                     | oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C                                                                                                                                                                                                               |          |                                         |

Зип Общепит

vsezip.ru

+7(812)987-08-81

| Part No.                                                                           | 359705                                                                                                                                                           | Ref. No. | 5005017<br>5005017K<br>5030620 |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
| description                                                                        | oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C                                                                                                |          |                                |
| For models:                                                                        | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10 |          |                                |
| accessories for                                                                    | 359705                                                                                                                                                           |          |                                |
|   | Part No.                                                                                                                                                         | 359610   | Ref. No. 5005040<br>5005040K   |
|                                                                                    | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips                                                                 |          |                                |
|   | Part No.                                                                                                                                                         | 359700   | Ref. No. —                     |
|                                                                                    | gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm                                                                                            |          |                                |
|   | Part No.                                                                                                                                                         | 359721   | Ref. No. 5005025               |
|                                                                                    | gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs                                                                                                    |          |                                |
|   | Part No.                                                                                                                                                         | 359837   | Ref. No. —                     |
|                                                                                    | gasket ID ø 33mm ED ø 46mm thickness 1mm graphite                                                                                                                |          |                                |
|  | Part No.                                                                                                                                                         | 359838   | Ref. No. —                     |
|                                                                                    | gasket ID ø 33mm ED ø 45mm                                                                                                                                       |          |                                |

1

| Part No.    | 359721                                                                                                                                                           | Ref. No. | 5005025 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs                                                                                                    |          |         |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10 |          |         |

55x70mm



1

| Part No.                                                                            | 360730                                                                  | Ref. No. | 5056316          |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------|------------------|
| description                                                                         | gasket                                                                  |          |                  |
| accessories for                                                                     | 360730                                                                  |          |                  |
|  | Part No.                                                                | 359596   | Ref. No. 5056314 |
|                                                                                     | halogen lamp socket G4 12V 10W temp.-resist. 500°C                      |          |                  |
|  | Part No.                                                                | 360728   | Ref. No. 5056317 |
|                                                                                     | lamp cover complete L 99.5mm W 84.5mm H 8.5mm mounting distance 68/83mm |          |                  |
|  | Part No.                                                                | 360729   | Ref. No. 5056315 |
|                                                                                     | lamp socket socket G4 with cable                                        |          |                  |





Зип-Общепит

products and oven lamps

vsezip.ru

+7(812)987-08-81



1

|                                                                                   |                                                                         |                 |                         |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------|-------------------------|
| <b>Part No.</b>                                                                   | 360728                                                                  | <b>Ref. No.</b> | 5056317                 |
| <b>description</b>                                                                | lamp cover complete L 99.5mm W 84.5mm H 8.5mm mounting distance 68/83mm |                 |                         |
| <b>accessories for</b>                                                            | 360728                                                                  |                 |                         |
|  | <b>Part No.</b>                                                         | 359596          | <b>Ref. No.</b> 5056314 |
|                                                                                   | halogen lamp socket G4 12V 10W temp.-resist. 500°C                      |                 |                         |
|  | <b>Part No.</b>                                                         | 360729          | <b>Ref. No.</b> 5056315 |
|                                                                                   | lamp socket socket G4 with cable                                        |                 |                         |
|  | <b>Part No.</b>                                                         | 360730          | <b>Ref. No.</b> 5056316 |
|                                                                                   | gasket                                                                  |                 |                         |



1

|                                                                                     |                                                                                                                                                                                                                                                                                         |                 |                    |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|
| <b>Part No.</b>                                                                     | 359297                                                                                                                                                                                                                                                                                  | <b>Ref. No.</b> | 5015003<br>5015006 |
| <b>description</b>                                                                  | frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm                                                                                                                                                                                                                             |                 |                    |
| <b>For models:</b>                                                                  | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20 |                 |                    |
| <b>accessories for</b>                                                              | 359297                                                                                                                                                                                                                                                                                  |                 |                    |
|  | <b>Part No.</b>                                                                                                                                                                                                                                                                         | 359299          | <b>Ref. No.</b> —  |
|                                                                                     | gasket L 91mm W 77mm hole ø 3mm for oven lamp                                                                                                                                                                                                                                           |                 |                    |



1

|                    |                                                                                                                                                                                                                                                                                         |                 |         |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 359296                                                                                                                                                                                                                                                                                  | <b>Ref. No.</b> | 5015002 |
| <b>description</b> | lamp glass L 74mm W 58mm thickness 3mm                                                                                                                                                                                                                                                  |                 |         |
| <b>For models:</b> | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20 |                 |         |

CONVOTHERM

1

|                    |                                                                                                                                                                                                                                                                                         |                 |                           |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------|
| <b>Part No.</b>    | 360641                                                                                                                                                                                                                                                                                  | <b>Ref. No.</b> | 6015018<br>6015020<br>N/A |
| <b>description</b> | gasket L 86mm W 71mm PTFE thickness 0.5mm for oven lamp                                                                                                                                                                                                                                 |                 |                           |
| <b>For models:</b> | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20 |                 |                           |



1

|                    |                                                       |                 |                    |
|--------------------|-------------------------------------------------------|-----------------|--------------------|
| <b>Part No.</b>    | 358180                                                | <b>Ref. No.</b> | 6015018<br>6015020 |
| <b>description</b> | gasket L 94mm W 78mm PTFE thickness 3mm for oven lamp |                 |                    |



1

|                                                                                     |                                                                         |                 |                         |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------|-------------------------|
| <b>Part No.</b>                                                                     | 360728                                                                  | <b>Ref. No.</b> | 5056317                 |
| <b>description</b>                                                                  | lamp cover complete L 99.5mm W 84.5mm H 8.5mm mounting distance 68/83mm |                 |                         |
| <b>accessories for</b>                                                              | 360728                                                                  |                 |                         |
|  | <b>Part No.</b>                                                         | 359596          | <b>Ref. No.</b> 5056314 |
|                                                                                     | halogen lamp socket G4 12V 10W temp.-resist. 500°C                      |                 |                         |
|  | <b>Part No.</b>                                                         | 360729          | <b>Ref. No.</b> 5056315 |
|                                                                                     | lamp socket socket G4 with cable                                        |                 |                         |
|  | <b>Part No.</b>                                                         | 360730          | <b>Ref. No.</b> 5056316 |
|                                                                                     | gasket                                                                  |                 |                         |



1

|                    |                                        |                 |         |
|--------------------|----------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 694335                                 | <b>Ref. No.</b> | 5015005 |
| <b>description</b> | lamp glass L 87mm W 72mm thickness 3mm |                 |         |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                                                                                   |                                                                                                                                                                                                                                                                                         |          |                             |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------|
| Part No.                                                                          | 359488                                                                                                                                                                                                                                                                                  | Ref. No. | 261878                      |
| description                                                                       | oven lamp complete mounting measurements 55x70mm 230V 15W socket E14 rectangular connection male faston 6.3mm L 87mm W 70mm                                                                                                                                                             |          |                             |
| For models:                                                                       | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20 |          |                             |
| spare parts for                                                                   | 359488                                                                                                                                                                                                                                                                                  |          |                             |
|  | Part No.                                                                                                                                                                                                                                                                                | 358180   | Ref. No. 6015018<br>6015020 |
|                                                                                   | gasket L 94mm W 78mm PTFE thickness 3mm for oven lamp                                                                                                                                                                                                                                   |          |                             |
|  | Part No.                                                                                                                                                                                                                                                                                | 359297   | Ref. No. 5015003<br>5015006 |
|                                                                                   | frame L 95mm W 81mm mounting distance 68/83mm thickness 6mm                                                                                                                                                                                                                             |          |                             |
|  | Part No.                                                                                                                                                                                                                                                                                | 359299   | Ref. No. —                  |
|                                                                                   | gasket L 91mm W 77mm hole ø 3mm for oven lamp                                                                                                                                                                                                                                           |          |                             |
|  | Part No.                                                                                                                                                                                                                                                                                | 694335   | Ref. No. 5015005            |
|                                                                                   | lamp glass L 87mm W 72mm thickness 3mm                                                                                                                                                                                                                                                  |          |                             |

|   |                                                                                     |
|---|-------------------------------------------------------------------------------------|
| 1 |  |
|---|-------------------------------------------------------------------------------------|

| Part No.    | 692171                                                                                                                                                                                                                         | Ref. No. | 5005020 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | frame for lamp lenses bore ø 6.3mm D1 ø 72mm D2 ø 56mm L 83mm W 83mm thickness 1mm                                                                                                                                             |          |         |
| For models: | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |          |         |



1

|                    |                                                                                                                                                                                                                                         |                 |         |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 359643                                                                                                                                                                                                                                  | <b>Ref. No.</b> | 5005022 |
| <b>description</b> | lamp glass ø 69mm thickness 4mm                                                                                                                                                                                                         |                 |         |
| <b>For models:</b> | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS10.10,<br>OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20,<br>OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20,<br>OSP12.20, OSP20.10, OSP20.20, OSP6.10 |                 |         |

Общепит

sezip.ru

1

2)987-08-81

|                                                                                   |                                                                                                                                                                                                                                                                       |          |          |                                |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|--------------------------------|
| Part No.                                                                          | 359701                                                                                                                                                                                                                                                                | Ref. No. | 5005016  |                                |
| description                                                                       | lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W                                                                                                                                                                                    |          |          |                                |
| For models:                                                                       | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSG10.10, OSG12.20, OSG20.20, OSG6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |          |          |                                |
| accessories for                                                                   | 359701                                                                                                                                                                                                                                                                |          |          |                                |
|  | Part No.                                                                                                                                                                                                                                                              | 359705   | Ref. No. | 5005017<br>5005017K<br>5030620 |
|                                                                                   | oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C                                                                                                                                                                                                     |          |          |                                |
|  | Part No.                                                                                                                                                                                                                                                              | 359709   | Ref. No. | —                              |
|                                                                                   | oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C                                                                                                                                                                                                     |          |          |                                |
|  | Part No.                                                                                                                                                                                                                                                              | 359721   | Ref. No. | 5005025                        |
|                                                                                   | gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs                                                                                                                                                                                                         |          |          |                                |
|  | Part No.                                                                                                                                                                                                                                                              | 359942   | Ref. No. | —                              |
|                                                                                   | oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C                                                                                                                                                                                                     |          |          |                                |

1

|                                                                                     |                                                                                            |                 |                 |         |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------|-----------------|---------|
| <b>Part No.</b>                                                                     | 360629                                                                                     | <b>Ref. No.</b> | 2628501         |         |
| <b>description</b>                                                                  | oven lamp incl. gasket mounting ø 10mm 12V 10W socket G4<br>CONVOTHERM temp.-resist. 300°C |                 |                 |         |
| <b>spare parts for</b>                                                              | 360629                                                                                     |                 |                 |         |
|  | <b>Part No.</b>                                                                            | 359596          | <b>Ref. No.</b> | 5056314 |
|                                                                                     | halogen lamp socket G4 12V 10W temp.-resist. 500°C                                         |                 |                 |         |

|                                                                                      |                                                                                            |          |          |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------|----------|
|  |                                                                                            |          |          |
| 1                                                                                    |                                                                                            |          |          |
| Part No.                                                                             | 360680                                                                                     | Ref. No. | 2628500  |
| description                                                                          | oven lamp incl. gasket mounting ø 10mm 12V 10W socket G4<br>CONVOTHERM temp.-resist. 300°C |          |          |
| spare parts for                                                                      | 360680                                                                                     |          |          |
|   | Part No.                                                                                   | 359596   | Ref. No. |
|                                                                                      | 5056314                                                                                    |          |          |
| halogen lamp socket G4 12V 10W temp.-resist. 500°C                                   |                                                                                            |          |          |





Зип-Общепит

timers

vsezip.ru

+7(812)987-08-81

## lamps

## light bulbs

PHILIPS



1

| Part No.    | 359610                                                                                                                                                           | Ref. No. | 5005040<br>5005040K |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips                                                                 |          |                     |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10 |          |                     |

PHILIPS



1

| Part No.    | 359612                                                                                           | Ref. No. | 5005045 |
|-------------|--------------------------------------------------------------------------------------------------|----------|---------|
| description | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips |          |         |

## sockets

## G4 / G5,3 / G6,35



1

| Part No.        | 360729                           | Ref. No. | 5056315 |
|-----------------|----------------------------------|----------|---------|
| description     | lamp socket socket G4 with cable |          |         |
| accessories for | 360729                           |          |         |



halogen lamp socket G4 12V 10W temp.-resist. 500°C



| Part No.    | 360728                                                                  | Ref. No. | 5056317 |
|-------------|-------------------------------------------------------------------------|----------|---------|
| description | lamp cover complete L 99.5mm W 84.5mm H 8.5mm mounting distance 68/83mm |          |         |



| Part No.    | 360730 | Ref. No. | 5056316 |
|-------------|--------|----------|---------|
| description | gasket |          |         |

## mechanical timers



1

| Part No.        | 350023                                                                                                                                                                             | Ref. No. | 5001003<br>5001003K |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description     | timer M2 2-pole operation time 90min impulse mechanical 2CO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral |          |                     |
| For models:     | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10                                                                        |          |                     |
| accessories for | 350023                                                                                                                                                                             |          |                     |
| Part No.        | 110366                                                                                                                                                                             | Ref. No. | —                   |
| description     | knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black                                                                                                       |          |                     |



1

| Part No.    | 350112                                                                                                                                                                          | Ref. No. | 5001001<br>5001001K |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description | timer M2 2-pole operation time 90min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection rear |          |                     |
| For models: | AR100, AR108, AR12, AR16, AR18, AR28, AR30, AR40, AR50, AR54, AR72, AR8, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10                                             |          |                     |

## alarm devices

## buzzers



1

| Part No.    | 350053                                                                                                                                                           | Ref. No. | 4003050 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | buzzer 12VAC connection male faston 3.2mm screw mounting                                                                                                         |          |         |
| For models: | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, UG10.10, UG10.20, UG20.10, UG20.20, UG4.05, UG6.05, UG6.10 |          |         |



Зип Общепит

auxiliary contacts

vsezip.ru

77(812)987-08-81



1

|                    |                                                                          |                 |         |
|--------------------|--------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 350050                                                                   | <b>Ref. No.</b> | 5003050 |
| <b>description</b> | buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB |                 |         |

## contactors

## BENEDIKT &amp; JÄGER

## power contactors



1

|                    |                                                                                                          |                 |         |
|--------------------|----------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 381476                                                                                                   | <b>Ref. No.</b> | 5056963 |
| <b>description</b> | power contactor resistive load 130A 230 (AC3/400V) 37kW main contacts 3NO connection screw type K3-74A00 |                 |         |



1

|                    |                                                                                                                                                    |                 |          |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|
| <b>Part No.</b>    | 380774                                                                                                                                             | <b>Ref. No.</b> | 5056373A |
| <b>description</b> | power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-18ND10 |                 |          |



1

|                    |                                                                                                                                                 |                 |         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 380775                                                                                                                                          | <b>Ref. No.</b> | 5056962 |
| <b>description</b> | power contactor resistive load 65A 230VAC (AC3/400V) 32A/15kW main contacts 3NO auxiliary contacts connection screw connection type K3-32A00230 |                 |         |



1

|                    |                                                                        |                 |         |
|--------------------|------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 381456                                                                 | <b>Ref. No.</b> | 5056966 |
| <b>description</b> | auxiliary contact contacts 1NC/1NO AC15 3A connection screw type HKA11 |                 |         |



1

|                    |                                                                                                 |                 |         |
|--------------------|-------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 380678                                                                                          | <b>Ref. No.</b> | 5056965 |
| <b>description</b> | auxiliary contact contacts 1NO AC15 10A for contactors K2/K3 connection screw type HN10 AC1 25A |                 |         |

## GENERAL ELECTRIC (AEG)

## power contactors



1

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |                                           |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------------------------------|
| <b>Part No.</b>    | 380247                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Ref. No.</b> | 4001020<br>4001020K<br>4001027<br>4011000 |
| <b>description</b> | power contactor resistive load 25A 400VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS4K 01A type GE CL00A 301                                                                                                                                                                                                                                                                                                                                                                  |                 |                                           |
| <b>For models:</b> | AR108, AR28, HUD10.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSG10.10, OSG12.20, OSG20.20, OSG6.10, OSP10.10, OSP10.20...(Other models you can see in the webshop) |                 |                                           |





Зип Ощепит

vsezip.ru

+7(812)987-08-81

1



1

| Part No.    | 380265                                                                                                                                                                                       | Ref. No. | 4001041<br>4011013K |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description | power contactor resistive load 60A 230VAC (AC3/400V) 32A/16kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS15K 00A type GE CL04A 310 H 98mm L 87mm W 55mm |          |                     |
| For models: | AR108, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10                      |          |                     |

## auxiliary contacts



1

| Part No.    | 380269                                                                                                                     | Ref. No. | 4001072 |
|-------------|----------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | auxiliary contact contacts 1NC AC15 6A for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 01 type GE BCLF 01 |          |         |
| For models: | HUD10.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10                                                              |          |         |



1

| Part No.    | 380268                                                                                                             | Ref. No. | 4001070 |
|-------------|--------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | auxiliary contact contacts 1NO for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 10 type GE BCLF 10 |          |         |
| For models: | HUD20.20                                                                                                           |          |         |

## TELEMECANIQUE (Schneider Electric)

## power contactors



1

| Part No.    | 381204                                                                                                                                                                     | Ref. No. | 4011000K |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection spring terminal type LC1D093P7 with RC circuit LAD4RCU |          |          |



1

| Part No.    | 381342                                                                                                                                                  | Ref. No. | 4011001<br>4011001K<br>4030609 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
| description | power contactor resistive load 25A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO/1NC connection elastic terminals type LC1D183P7 |          |                                |
| For models: | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.10, OES6.20                  |          |                                |



1

| Part No.    | 380952                                                                                                                                                                                                                                                                                                                   | Ref. No. | 4001015<br>4001030<br>4001030K<br>4030607 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------|
| description | power contactor resistive load 40A 230VAC (AC3/400V) 25A/11kW main contacts 4NO auxiliary contacts 1NO/1NC connection screw connection type LC1DT40P7                                                                                                                                                                    |          |                                           |
| For models: | AR100, AR108, AR12, AR16, AR18, AR28, AR30, AR40, AR50, AR54, AR72, HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10, UG10.10, UG20.10, UG6.05 |          |                                           |

## ABL SURSUM

## motor protection circuit breakers



1

| Part No.    | 380300                                                                                 | Ref. No. | 4002034 |
|-------------|----------------------------------------------------------------------------------------|----------|---------|
| description | motor protection circuit breaker type Mbs25-016 setting range 1-1.6A (AC3/400V) 0.55kW |          |         |
| For models: | HUD10.10, HUD20.10, HUD6.10, OD10.10, OD10.20, OD12.20, OD6.10, UG10.20, UG20.20       |          |         |

| accessories for | 380300 | Part No. | 380305 | Ref. No. | 4002039                                  |
|-----------------|--------|----------|--------|----------|------------------------------------------|
|                 |        |          |        |          | auxiliary contact contacts 1NO/1NC HMS11 |



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                 |        |                 |         |
|-----------------|--------|-----------------|---------|
| <b>Part No.</b> | 380301 | <b>Ref. No.</b> | 4002035 |
|-----------------|--------|-----------------|---------|

|                    |                                                                                         |
|--------------------|-----------------------------------------------------------------------------------------|
| <b>description</b> | motor protection circuit breaker type Mbs25-025 setting range 1.6-2.5A (AC3/400V) 1.1kW |
|--------------------|-----------------------------------------------------------------------------------------|

|                    |                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| <b>For models:</b> | AR18, AR28, AR40, AR54, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, OSG10.10, OSG12.20, OSG20.20, OSG6.10 |
|--------------------|--------------------------------------------------------------------------------------------------------------------|



1

|                 |        |                 |         |
|-----------------|--------|-----------------|---------|
| <b>Part No.</b> | 380302 | <b>Ref. No.</b> | 4002036 |
|-----------------|--------|-----------------|---------|

|                    |                                                                                       |
|--------------------|---------------------------------------------------------------------------------------|
| <b>description</b> | motor protection circuit breaker type Mbs25-040 setting range 2.5-4A (AC3/400V) 1.5kW |
|--------------------|---------------------------------------------------------------------------------------|

|                    |                                                                                   |
|--------------------|-----------------------------------------------------------------------------------|
| <b>For models:</b> | OD10.10, OD10.20, OD12.20, OD20.20, OD6.10, OSG10.10, OSG12.20, OSG20.20, OSG6.10 |
|--------------------|-----------------------------------------------------------------------------------|



1

|                 |        |                 |         |
|-----------------|--------|-----------------|---------|
| <b>Part No.</b> | 380322 | <b>Ref. No.</b> | 4002032 |
|-----------------|--------|-----------------|---------|

|                    |                                                                                                     |
|--------------------|-----------------------------------------------------------------------------------------------------|
| <b>description</b> | motor protection circuit breaker type SFK0E setting range 0.63-1A (AC3/400V) 0.5kW GENERAL ELECTRIC |
|--------------------|-----------------------------------------------------------------------------------------------------|

|                    |                                                                                                                                                               |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>For models:</b> | AR108, AR28, AR40, AR54, AR72, HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10, UG10.10, UG20.10, UG6.10 |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|



1

|                 |        |                 |         |
|-----------------|--------|-----------------|---------|
| <b>Part No.</b> | 380305 | <b>Ref. No.</b> | 4002039 |
|-----------------|--------|-----------------|---------|

|                    |                                          |
|--------------------|------------------------------------------|
| <b>description</b> | auxiliary contact contacts 1NO/1NC HMS11 |
|--------------------|------------------------------------------|

|                    |                                                                         |
|--------------------|-------------------------------------------------------------------------|
| <b>For models:</b> | HUD12.20, HUD20.20, OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10 |
|--------------------|-------------------------------------------------------------------------|

## solid state relays

## CRYDOM



1

|                 |        |                 |         |
|-----------------|--------|-----------------|---------|
| <b>Part No.</b> | 403868 | <b>Ref. No.</b> | 5056381 |
|-----------------|--------|-----------------|---------|

|                    |                                                                                     |
|--------------------|-------------------------------------------------------------------------------------|
| <b>description</b> | solid state relay CRYDOM 1 phase 90A 480V 4-32VDC L 58mm W 44mm screw type CWD4890P |
|--------------------|-------------------------------------------------------------------------------------|

## relays

## power relays

## with flange mounting



1

|                 |        |                 |         |
|-----------------|--------|-----------------|---------|
| <b>Part No.</b> | 380131 | <b>Ref. No.</b> | 4000017 |
|-----------------|--------|-----------------|---------|

|                    |                                                                                                             |
|--------------------|-------------------------------------------------------------------------------------------------------------|
| <b>description</b> | power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC |
|--------------------|-------------------------------------------------------------------------------------------------------------|






Зип-Общепит

with male contacts

female contact 2.0mm



1

|                                                                                    |                                                                                                                  |                 |                   |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>Part No.</b>                                                                    | 380377                                                                                                           | <b>Ref. No.</b> | 4000022           |
| <b>description</b>                                                                 | power relays FINDER 220-240VAC 10A 2CO connection F2 plug-in connection manuf. no. 55.32.8.230.0000 94.92.3 250V |                 |                   |
| <b>For models:</b>                                                                 | OD10.20, OD12.20                                                                                                 |                 |                   |
| <b>accessories for</b>                                                             | 380377                                                                                                           |                 |                   |
|   | <b>Part No.</b>                                                                                                  | 380341          | <b>Ref. No.</b> — |
|                                                                                    | relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4                                 |                 |                   |
|   | <b>Part No.</b>                                                                                                  | 380378          | <b>Ref. No.</b> — |
|                                                                                    | relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72                    |                 |                   |
|   | <b>Part No.</b>                                                                                                  | 380384          | <b>Ref. No.</b> — |
|                                                                                    | relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for                                    |                 |                   |
|  | <b>Part No.</b>                                                                                                  | 380399          | <b>Ref. No.</b> — |
|                                                                                    | relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3                       |                 |                   |

## plug-in/print relays



1

|                                                                                     |                                                                         |                 |                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------|-------------------|
| <b>Part No.</b>                                                                     | 381090                                                                  | <b>Ref. No.</b> | 4000012           |
| <b>description</b>                                                                  | print relay 12VDC at 250V 10A with relay socket                         |                 |                   |
| <b>spare parts for</b>                                                              | 381090                                                                  |                 |                   |
|  | <b>Part No.</b>                                                         | 380500          | <b>Ref. No.</b> — |
|                                                                                     | print relay 12VDC 2CO at 250V 8A connection pins raster size 5mm REIPOL |                 |                   |

vsezip.ru

+7(812)987-08-81

1

|                    |                                                                          |                 |         |
|--------------------|--------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 381091                                                                   | <b>Ref. No.</b> | 4000013 |
| <b>description</b> | print relay 230V voltage AC at 250V 10A with relay socket                |                 |         |
| <b>For models:</b> | OD10.10, OD12.20, OD20.20, OD6.10, OSG10.10, OSG12.20, OSG20.20, OSG6.10 |                 |         |

## transformers

## power supplies



1

|                    |                                                                                                                                                             |                 |                    |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|
| <b>Part No.</b>    | 402981                                                                                                                                                      | <b>Ref. No.</b> | 2618809<br>5056385 |
| <b>description</b> | power supply primary 100-240VAC secondary 12VDC 60VA secondary 5A H 38mm L 99mm W 155mm connection screw 50/60Hz type ABL1REM12050 combi-steamer P3-devices |                 |                    |
| <b>For models:</b> | OES6.06                                                                                                                                                     |                 |                    |

## probes

## producer-specific probes

## probes



1

|                    |                                                                                                                                                  |                 |         |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 400024                                                                                                                                           | <b>Ref. No.</b> | 5009050 |
| <b>description</b> | temperature probe NTC 100kOhm cable PVC probe -40 up to +125°C cable -10 up to 100°C connection plug thread M10 probe ø6x120mm cable length 0.1m |                 |         |
| <b>For models:</b> | HUD10.10, HUD12.20, HUD20.10, HUD20.20, HUD6.10                                                                                                  |                 |         |



1

|                    |                                                                                                                                             |                 |         |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 379409                                                                                                                                      | <b>Ref. No.</b> | 5001035 |
| <b>description</b> | temperature probe Pt100 cable PVC probe -100 up to 450°C cable -10 up to 100°C connection 2-wire thread M10 probe ø3x60mm cable length 0.7m |                 |         |
| <b>For models:</b> | OD10.10, OD10.20, OD12.20, OD20.20, OD6.10                                                                                                  |                 |         |



1

|                    |                                                                                                                                                      |                 |         |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------|
| <b>Part No.</b>    | 379726                                                                                                                                               | <b>Ref. No.</b> | 5009053 |
| <b>description</b> | temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 3-wire thread M10x1 probe ø3x130mm cable length 1.5m |                 |         |
| <b>For models:</b> | OD10.10, OD10.20, OD12.20, OD20.20, OD6.10                                                                                                           |                 |         |

Зип Общепит

vsezip.ru

+7(812)987-08-81

|                                                                                     |                                                                                                                                                          |          |         |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
|    |                                                                                                                                                          |          |         |
| Part No.                                                                            | 379104                                                                                                                                                   | Ref. No. | 5009052 |
| description                                                                         | temperature probe Pt100 cable silicone probe -50 up to +300°C<br>cable -50 up to +200°C connection 2-wire thread M10 probe<br>ø4.5x-20mm cable length 3m |          |         |
| For models:                                                                         | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10,<br>OSP10.20, OSP12.20                                                                               |          |         |
| accessories for                                                                     | 379104                                                                                                                                                   |          |         |
|    |                                                                                                                                                          |          |         |
| Part No.                                                                            | 510416                                                                                                                                                   | Ref. No. | 6005016 |
| flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread<br>M10 Qty 1 pcs |                                                                                                                                                          |          |         |

|                                                                                   |                                                                                                                                                        |          |                    |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
|  |                                                                                                                                                        |          |                    |
| Part No.                                                                          | 379105                                                                                                                                                 | Ref. No. | 5001022<br>5001023 |
| description                                                                       | temperature probe Pt100 cable silicone probe -50 up to +600°C cable -50 up to +180°C connection 2-wire thread M14x1.5 probe ø3x350mm cable length 2.4m |          |                    |
| For models:                                                                       | OD10.10, OD10.20, OD12.20, OD20.10, OD20.20, OD6.10                                                                                                    |          |                    |

|                                                                                   |                                                                                                                                                                       |          |         |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
|  |                                                                                                                                                                       |          |         |
| Part No.                                                                          | 379410                                                                                                                                                                | Ref. No. | 5001015 |
| description                                                                       | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread M10 probe ø3x125mm cable length 1.5m |          |         |
| For models:                                                                       | OSG10.10, OSG12.20, OSG20.20, OSG6.10                                                                                                                                 |          |         |

|                                                                                     |                                                                                                                                                                      |          |         |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
|  |                                                                                                                                                                      |          |         |
| Part No.                                                                            | 379420                                                                                                                                                               | Ref. No. | 5001016 |
| description                                                                         | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread M10 probe ø3x70mm cable length 0.7m |          |         |
| For models:                                                                         | OSG10.10, OSG12.20, OSG20.20, OSG6.10                                                                                                                                |          |         |

|                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |                                                       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------|
|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |                                                       |
| 1                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |                                                       |
| Part No.                                                                            | 379800                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Ref. No. | 5002100<br>5002100K<br>5002101<br>5016014K<br>5030618 |
| description                                                                         | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread M5 probe ø4x20mm cable length 3m                                                                                                                                                                                                                                                                                                            |          |                                                       |
| For models:                                                                         | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.06, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20, OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSG20.20, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |          |                                                       |
| accessories for                                                                     | 379800                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |          |                                                       |
|  | Part No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 521012   | Ref. No. 6005260                                      |
| gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |                                                       |

|                                                                                    |                                                                                                                                                                           |          |                                |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------|
|  |                                                                                                                                                                           |          |                                |
| Part No.                                                                           | 402164                                                                                                                                                                    | Ref. No. | 5002102<br>5002102K<br>5030619 |
| description                                                                        | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread M8 probe ø3x130/230mm cable length 2.1m  |          |                                |
| For models:                                                                        | OS10.10, OS10.20, OS12.20, OS20.10, OS20.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10 |          |                                |

|                                                                                    |                                                                                                                                                                   |          |         |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
|  |                                                                                                                                                                   |          |         |
| Part No.                                                                           | 379536                                                                                                                                                            | Ref. No. | 5016003 |
| description                                                                        | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x230mm cable length 2m |          |         |
| For models:                                                                        | OEB20.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OGS10.10, OGS10.20, OGS12.20, OGS20.10, OGS20.20, OGS6.10, OGS6.20                  |          |         |

|                                                                                      |                                                                                                                                                                    |          |                    |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
|  |                                                                                                                                                                    |          |                    |
| Part No.                                                                             | 379440                                                                                                                                                             | Ref. No. | 5002103<br>5016017 |
| description                                                                          | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x35mm cable length 1.6m |          |                    |
| For models:                                                                          | OS10.20, OS6.10, OSC10.10, OSC10.20, OSC12.20, OSC20.10, OSC20.20, OSC6.10, OSP10.10, OSP10.20, OSP12.20, OSP20.10, OSP20.20, OSP6.10                              |          |                    |

|                                                                                      |                                                                                                                                                                                                                                                                                                                                |          |         |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
|  |                                                                                                                                                                                                                                                                                                                                |          |         |
| Part No.                                                                             | 379751                                                                                                                                                                                                                                                                                                                         | Ref. No. | 5002104 |
| description                                                                          | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x35mm cable length 2.8m                                                                                                                                                             |          |         |
| For models:                                                                          | OEB10.10, OEB10.20, OEB12.20, OEB20.10, OEB20.20, OEB6.10, OEB6.20, OES10.10, OES10.20, OES12.20, OES20.10, OES20.20, OES6.10, OES6.20, OGB10.10, OGB10.20, OGB12.20, OGB20.10, OGB20.20, OGB6.10, OGB6.20, OS10.10, OS12.20, OS20.10, OS20.20, OSC10.10, OSC12.20, OSC20.10, OSC20.20, OSP10.10, OSP12.20, OSP20.10, OSP20.20 |          |         |