



Spare parts for:

Ovens

Зип Общепит

vsezip.ru

+7(812)987-08-81



Suitable for:

EMMEPI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2013-11211429





Suitable for:

ЭМПЕИ

Suitable for:



Alarm

usezip.ru

3397204 ALARM BUZZER SET 12V 50Hz
 cable length 395 mm
 for Convection oven (RATIONAL)
 since 1/06/97
 Series CM - Series CPC - Series SCC

+7(812)987-08-81



EMMEPI 809553

Axial motors

3240519 AXIAL FAN EBM 119x119x38 mm
 ball bearing
 230V 50Hz 19W 2650rpm
 4656N



EMMEPI 827851

3240501 AXIAL FAN SUNON 120x120x38 mm
 ball bearings
 230V 50/60Hz 22W 2850rpm
 DP200A 2123XBT.GN



EMMEPI 809503

EMMEPI 831100001

3240337 AXIAL VENTILATOR SUNON 80x80x38 mm
 ball bearings
 230V 50/60Hz 18W 2400rpm
 SF23080A-2083HBL.GN



EMMEPI 827852

Bearings

3063017 BEARING 6203 2RS NSK
 external \varnothing 40 mm -internal \varnothing 17 mm-thickness 12 mm



EMMEPI E55110014
EMMEPI 809855

EMMEPI 8C0202

EMMEPI 808555

3063121 BEARING 6203 2RS SKF
 \varnothing ext. 40 mm - \varnothing int. 17 mm - thickness 12 mm



EMMEPI E55110014
EMMEPI 809855

EMMEPI 8C0202

EMMEPI 808555



Suitable for:

EMMEPI

Suitable for:



Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm

with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2 mm for plug
for Convection oven gas (MBM) - Series JOKER



EMMEPI 808276

3001002 SIT IGNITION LEAD 1000 mm

with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



EMMEPI 809430

3001016 SIT IGNITION LEAD 1000 mm

with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



EMMEPI C10259

EMMEPI 809389

3001017 SIT IGNITION LEAD 600 mm

with faston 6.35x0.8 mm ignition
with faston \varnothing 4 mm for electrode



EMMEPI

3001018 SIT IGNITION LEAD 600 mm

with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



EMMEPI C00171

EMMEPI 808230

Capacitors

3068010 CAPACITOR μ F 6.3 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



EMMEPI 8C1588

3068014 CAPACITOR μ F 8 450V 50/60Hz

operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



EMMEPI 132110008



Suitable for:

Suitable for:



Contact thermostats

vsezip.ru

+7(812)987-08-81

3443026 CONTACT THERMOSTAT 110°C M4
 for Convection oven (RATIONAL)
 since 1/06/97
 Series CM - Series CP



EMMEPI 809559

Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



EMMEPI 8C0148

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



EMMEPI C00571

3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



EMMEPI 807553

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



EMMEPI C00287

EMMEPI 907041

3351059 THERMAL RELAY SIEMENS 1.8-2.5 A
 1 contact normally open
 1 contact normally closed
 3RU1116-1CBO serie S00
 for Convection oven electric (FOINOX) MM10EB
 for Convection oven electric (LAINOX) ME102D
 ME102M - ME102P - ME102T - ME202D - ME202M
 ME202P - ME202T - VE102D - VE102M - VE102P
 VE102T - VE202D - VE202M - VE202P - VE202T
 for Convection oven gas (LAINOX) MG102T - MG202T
 VG102T - VG202T



EMMEPI 808952



Suitable for:

EMMEPI

Suitable for:



Drain pumps

3122404 DRAIN ELECTRIC PUMP BE28B4-178 LH
 100W 230V 50Hz
 inlet external \varnothing 30 mm - outlet external \varnothing 24 mm
 for Convection oven (RATIONAL) - Series CC
 Series CCC - Series CCD - Series CCM - Series CD
 Series CM - Series CPC



EMMEPI 809563

EMMEPI 809735

3122402 DRAIN ELECTRO-PUMP 80W 230V 50Hz
 inlet external \varnothing 24 mm - outlet external \varnothing 24 mm
 for Convection oven (RATIONAL) - Series CC
 Series CCC - Series CCD - Series CCM - Series CD
 Series CM - Series CPC



EMMEPI 809563

EMMEPI 809735

3122000 DRAIN ELECTROPUMP 296005 34W 230/240V
 0.2A 50Hz
 for Convection oven electric (BERTO'S) FME10M
 for Convection oven electric (FOINOX)



EMMEPI 808670

Electrical gas valves and accessories

3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



EMMEPI C00302

EMMEPI 813416

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526181 VALVE VK4105C HONEYWELL \varnothing 1/2"
 inlet-outlet \varnothing 1/2" unthreaded
 maximum gas inlet pressure 60 mbar
 room temperature -15÷60°C
 power supply 220/240V 50Hz
 for Convection oven gas (FOINOX) J00611G - J01011G
 J01021G - J02011G - J02021G



EMMEPI 809510



Suitable for:

3526079

VALVE 820 NOVA ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Convection oven electric (MBM) FCE6
for Convection oven gas (ANGELO PO) - Series FC
Series FCV
for Convection oven gas (MBM) FFM061 - FGC060
FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
FGMD060 - FGMD061 - FGMD065 - FGMD100
FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
FGM200 - FGM201 - FGP050 - FGP080 - FGP160



EMMEPI 813436

3526104

VALVE 830 TANDEM ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (EBERHARDT)
for Convection oven gas (EMMEPI)
for Convection oven gas (SILKO)
for Convection oven gas (UNOX)
for Convection oven gas (ZANUSSI)



EMMEPI 8C0068

EMMEPI 809595

3091014

CONTROL BOX CM11

model BRAHMA - 230V 50/60Hz 7VA
for Convection oven (KELVIN)
for Convection oven (SOGECO)
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G



EMMEPI 809878

EMMEPI



Suitable for:

3526261

VALVE 822 NOVA ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G - FBA-106G
FBA-110G - FBA-210G - FBE-106G - FBE-110G
FDA-106G - FDA-110G - FDA-210G - FDE-106G
FDE-110G - FDE-210G - FUA-106G - FUA-110G
FUA-210G - FUE-106G - FUE-110G - FUE-210G



EMMEPI 808578

3526140

VALVE 836 TANDEM ø 1/2"FF

inlet ø 1/2" F - outlet ø 1/2" F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Convection oven gas (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FDV - Series NCV
Series RCV - Series ZCV



EMMEPI 809326

Electronic boxes

3526402

CONTROL BOX S4560A1008

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven (ZANUSSI) FCVG6L4
for Convection oven gas (LAINOX) MG220T - VG105S
for Convection oven gas (ZANUSSI) FCVMG62



EMMEPI 809751

+7(812)987708-81



Suitable for:

3091017 CONTROL BOX S4560B1006

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven electric (RATIONAL) CM101
CM201



EMMEPI 808611

EMMEPI



Suitable for:

3091012 CONTROL BOX 503 EDF FOR TANDEM

model SIT - 220/240V 50/60Hz 7VA
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG10EC
DG10ES - DG10MX - DG102EC - DG102MX - GF10GM
GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



EMMEPI 8C0069

EMMEPI 809602

3091024 CONTROL BOX 537 ABC

model SIT - 230V 50/60Hz 10VA
for Convection oven gas (FOINOX) FM401GTD
FP100GTD




EMMEPI 809752

Electronic printed-circuit boards

3390238 ELECTRONIC BOARD CPU 280x110 mm


for Convection oven (RATIONAL)
since 1/01/97
Series CM - Series CPC



EMMEPI 809736

3390363 ELECTRONIC DISPLAY BOARD 80x90 mm

for cooking chamber
for Convection oven electric (SOGECO) MX20N
MX20S - MX2011N - MX2011S - MX40N - MX40S
MX6N - MX6S - MX810N - MX810S



EMMEPI 8C0429



Suitable for:

3390364 ELECTRONIC DISPLAY BOARD 80x90 mm
 for TIMER/PENETRATION PROBE
 for Convection oven electric (SOGECO)
 Series CNV06.11 - Series CNV10.11
 Series CNV10.21 - Series CNV20.11
 Series CNV20.21 - Series MX - Series MXB
 Series P - Series PMX



EMMEPI 8C0430

EMMEPI



Suitable for:

3390223 REVERSE ELECTRONIC BOARD 90x105 mm 230V
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
 DE102MX - EF6 - EF6PM - EF6PM - EF6PM - VE06EC
 VE06MX - VE10EC - VE10MX - VE102EC - VE102MX
 VE20EC - VE20MX
 for Convection oven gas (GIORIK) CG06MX - CG10MX
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
 GF4PM - GF6PM - GF8PM - VG06EC - VG06MX
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



EMMEPI 809099

Electronic thermostats and controllers

3445250 THERMOSTAT EVK412 TCJ/PTC/NTC/PT1000
 power supply 12-24V
 temperature setting range -100+1300°C
 ON-OFF control with two actuation points
 2 changeover relay outputs 8/16A 250V
 room temperature 0+55°C
 probe type TCJ-PTC-NTC-PT1000-PT100 (not included)
 connections by screw terminal block
 front dimensions 74x32x67 mm
 mounting hole 71x29 mm
 for Convection oven electric (SOGECO) PVMX5S
 PVMX8S - VMX10S - VMX2ES - VMX20S - VMX2011S
 VMX40S - VMX6S



EMMEPI 8C0257

EMMEPI 8C0258

EMMEPI 809889

3445141 THERMOSTAT EV7401J J/K/PTC/NTC/PT100
 double power supply 24/230V 50/60Hz
 thermostat setting range +50+270°C
 ON-OFF control with one actuation point only
 1 changeover relay output 8(3)A 250V
 room temperature 0+55°C
 multiprobe:
 thermocouple "J" -100+700°C
 thermocouple "K" -100+1150°C
 PTC -50+150°C
 NTC -40+110°C
 Pt 100 2/3 wires: -100+650°C
 connections by extractable screw terminal block
 front dimensions 72x72x100 mm
 for Convection oven (GIORIK)



EMMEPI 807302



Suitable for:

EMMEPI



Suitable for:

3445139 THERMOSTAT EV7401M J/K/PTC/NTC/PT100

double power supply 24/230V 50/60Hz
 ON-OFF control with one actuation point only
 changeover relay outlet 8(3)A 250V
 2 types of programmable temperature alarms
 inbuilt failure alarm
 password entry to configuration parameters
 room temperature 0÷60°C
 multiple probe:
 thermocouple "J" -100/750°C
 thermocouple "K" -100/1200°C
 PTC -50/150°C
 NTC -40+110°C
 Pt 100 2/3 wires: -100/700°C
 connections by extractable screw terminal block
 front dimensions 72x72x100 mm



EMMEPI 8C0173

3445133 THERMOSTAT IC912LX/H PT100

power supply 12Vca/dc 15W
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 changeover relay output 8(3)A 250V
 failure message display
 room temperature -5+65°C
 PT100 probe (not included)
 connections by screw terminal block
 front dimensions 74x32x67 mm
 mounting hole 71x29 mm



EMMEPI 831131

3446128 TIMER EVK702 12V

2 changeover relay outlets 8(3)A 250V
 room temperature 0÷55°C
 power supply 12Vca/dc
 connections with screw terminal block
 dimensions 75x33x67 mm
 mounting hole 71x28 mm
 for Convection oven (SOGECO) - Series C - Series P
 Series PVMX - Series VMX



EMMEPI 809892

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 12A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for Convection oven electric (UNOX) XV202 - XV301
 XV401 - XV501



EMMEPI 806287

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Convection oven (KELVIN)
 for Convection oven electric (GIERRE) FEV106M
 FEV166E - FEV166M - FEV166P - FEV168E
 FEV168M - FEV56M
 for Convection oven electric (SMEG) ALFA30V
 ALFA31V
 for Convection oven gas (GIERRE) FEV107M - FEV167E
 FEV167M - FEV167P - FEV57M



EMMEPI E11110001
EMMEPI 809397

EMMEPI 8C0297

EMMEPI 808020



Suitable for:



Suitable for:

Fans for motors

3240030 FAN \varnothing 180 mm
 thickness 60 mm
 total blades 16 - \varnothing tapered hole 11.5-16.5 mm
 for Convection oven (LAINOX)
 for Convection oven electric (FOINOX) FC06SE
 FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
 MM06EB - MM06EBM
 for Convection oven electric (GIORIK) EF5GM
 for Convection oven gas (FOINOX) FC06G - FC06GA
 FM06GDG - FP05G - FP05GA - MM06GA - MM06GB
 for Convection oven gas (GIORIK) GF5GM - G6VGEC



EMMEPI 807604

EMMEPI 808961

3240392 FAN \varnothing 300 mm
 thickness 100 mm
 total blades 24 - \varnothing tapered hole 19-24 mm
 for Convection oven (FOINOX) - Series FC
 Series FM - Series MM



EMMEPI 809407

3240036 FAN \varnothing 350 mm
 thickness 100 mm
 total blades 24 - \varnothing tapered hole 19-24 mm
 for Convection oven electric (FOINOX) FC12SE
 FC20E - FC20EA - FC20EEP - FC200EM - FC401EM
 FM20EB - FM200EM - FM401EM - FP10E - FP10EA
 MM20EA - MM20EB - MM200EM - MM401EM
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FC20G - FC20GA - FC200GM - FC401GM - FM20G
 FM20GB - FM200GM - FM401GM - FP10G - FP10GA
 MM20GA - MM20GB - MM200GEP - MM200GM - MM401GM



EMMEPI 8C0003

Filters

3160348 AIR INLET FILTER 212x60 mm
 for Convection oven (RATIONAL)
 since 1/06/97
 Series CPC
 for Convection oven electric (RATIONAL) CD101
 CD102 - CD201 - CD202 - CD61 - CM202 - CM61
 for Convection oven gas (RATIONAL) CM101G - CM61G



EMMEPI 809502



Suitable for:

ЭММЕПИ

Suitable for:



Gas burners

rus

3023159 BURNER \varnothing 50x485 mm
 made of STAINLESS steel
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FM10GB - FP10G - FP10GA - MM10GA - MM10GB


+7(812)987-08-81



EMMEPI 809328

Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm



EMMEPI 903300

Gaskets for oven door

3286028 GASKET FOR OVEN GLASS 3198 - 25 m
 made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



EMMEPI 807587

3286027 GASKET FOR OVEN GLASS 3198 - 6 m
 made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



EMMEPI 807587

3286028 GASKET FOR OVEN GLASS 3198 - 25 m
 made of silicone elastomer
 profile dimensions 14x12 mm
 BLACK COLOR
 for Convection oven (ANGELO PO)
 for Convection oven (BERTO'S)
 for Convection oven (GIGA)
 for Convection oven (LAINOX)



EMMEPI 807587



Suitable for:



3786116 OVEN DOOR GASKET

made of silicone elastomer
 profile dimensions 27x15 mm
 COLOUR BLACK
 SOLD PER METRE
 for Convection oven (SOGECO) - Series CNV10.11
 Series CNV10.21 - Series CNV20.11
 Series CNV20.21 - C20 - C2011 - C40 - C56 - C6
 C810 - MBS06.11 - MBS06.23 - MBS10.11
 Series MBS10.21 - MBS20.11 - MBS20.21 - MDS06.11
 MDS06.23 - MDS10.11 - Series MDS10.21
 MDS20.11 - Series MDS20.21 - MXB20 - MXB2011
 MXB40 - MXB56 - MXB6 - MXB810 - Series MX20
 MX2011 - MX40 - Series MX56 - Series MX6
 Series MX810 - PMX16 - Series PMX56
 Series PMX810 - P16 - P56 - P810



EMMEPI 8C0917

3286052 OVEN DOOR GASKET - 15 m

made of silicone elastomer
 profile dimensions 25x22 mm
 COLOUR BLACK
 for Convection oven electric (COVEN) TEC10MD
 TEC10MX - TEC10NMD - TEC10NMX - TEC15
 TEC15MD - TEC20 - TEC20MD - TEC3MD - TEC3MX
 TEC4MX - TEC5P - TEC6 - TEC7
 for Convection oven gas (COVEN) TEC10G - TEC15G
 TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



EMMEPI 9629918

3286051 OVEN DOOR GASKET - 3 m

made of silicone elastomer
 profile dimensions 25x22 mm
 COLOUR BLACK
 for Convection oven electric (COVEN) TEC10MD
 TEC10MX - TEC10NMD - TEC10NMX - TEC15
 TEC15MD - TEC15MX - TEC20 - TEC20MD - TEC3MX
 TEC4MX - TEC5P - TEC6 - TEC7
 for Convection oven gas (COVEN) TEC10G - TEC15G
 TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



EMMEPI 9629918

3286052 OVEN DOOR GASKET - 15 m

made of silicone elastomer
 profile dimensions 25x22 mm
 COLOUR BLACK
 for Convection oven electric (COVEN) TEC10MD
 TEC10MX - TEC10NMD - TEC10NMX - TEC15
 TEC15MD - TEC20 - TEC20MD - TEC3MD - TEC3MX
 TEC4MX - TEC5P - TEC6 - TEC7
 for Convection oven gas (COVEN) TEC10G - TEC15G
 TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G



EMMEPI 9629918

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
 profile dimensions 26.4x26 mm
 BLACK COLOR
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (LAINOX)



EMMEPI 8C1193

EMMEPI 807581

EMMEPI 807582

EMMEPI 807583

EMMEPI 808226

EMMEPI 808668

EMMEPI 809283



Suitable for:

EMMEPI



Suitable for:

3286084 OVEN DOOR GASKET 04880 - 3 m

made of silicone elastomer
profile dimensions
BLACK COLOUR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3286030 OVEN DOOR GASKET 04880 - 15 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOUR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3286029 OVEN DOOR GASKET 04880 - 6 m

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)



EMMEPI 8C1193
EMMEPI 807583
EMMEPI 809283

EMMEPI 807581
EMMEPI 808226

EMMEPI 807582
EMMEPI 808668

3186319 OVEN DOOR GASKET 530x473 mm

made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD61
CM61 - CPC61 - CPC61E
for Convection oven gas (RATIONAL) CM101G - CM61G
CPC61G



EMMEPI 809657

+7(812)9874988

vsezi.ru



Suitable for:

5013418 OVEN DOOR GASKET 635x480 mm
made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK)




EMMEPI 809796

3186311 OVEN DOOR GASKET 740x630 mm
made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK) - Series N



EMMEPI 8C0029

3186344 OVEN GLASS GASKET 1100 mm
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven (FOINOX) - Series MM



EMMEPI 809024

EMMEPI



Suitable for:

5022031 OVEN DOOR GASKET 660x390 mm

made of silicone elastomer
with fastening clips
COLOUR BLACK
for EMMEPI OVEN FF900
for TECNOEKA COOKING RANGE KCV96P-M/KCV96-M/
for TECNOEKA OVEN KF912-GA/KF912GRILL-GA/
KF912IX-GA/KF913DIX/KF9133DIX/KF1001G-GAM/
KF1001GIXAL-GAM/KF911/KF911IX/KF964AL/KF964ALM/
KF964I/KF964IM




EMMEPI 132110003

3186426 OVEN DOOR GASKET 780x470 mm
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD101
CM101N - CPC101 - CPC101E
for Convection oven gas (RATIONAL) CM101G
CPC101G



EMMEPI 809562

3186345 OVEN GLASS GASKET 1700 mm
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven electric (FOINOX) FC05EU
FC06SE - FM06EB - FM06EDG - MM06EA - MM06EB
for Convection oven gas (FOINOX) FM06GDG
MIDI005GEP - MM06GA



EMMEPI 808666

+7(812)9811111



Suitable for:

3786179 OVEN GLASS GASKET 3500 mm
 made of silicone elastomer
 profile dimensions 13x11 mm
 COLOUR BLACK
 for Convection oven (COVEN) - Series TEC5
 Series TEC6
 for Convection oven electric (COVEN) TEC3MD
 TEC3MX - TEC7



EMMEPI 9629920

EMMEPI



Suitable for:

3196246 OVEN GLASS GASKET 4400 mm
 made of silicone elastomer
 composed of 2 pieces 2200 mm
 profile dimensions 15x12 mm
 COLOUR BLACK
 for Convection oven electric (FOINOX) FC20EA
 FM10EB - FM10EDG - FM20EB - FM20EDG - MM20EA
 MM20EB
 for Convection oven gas (FOINOX) FM10GB - FM10GDG
 FM20GB - FM20GDG - MM10GA - MM10GB - MM20GA
 MM20GB



EMMEPI 808665

Gearmotors

3340149 HUMIDITY CONTROL MOTOR 12V
 for Convection oven electric (RATIONAL) CPC101
 CPC102 - CPC201 - CPC202 - CPC61 - SCC101E
 SCC102E - SCC201E - SCC202E - SCC61E - SCC62E
 for Convection oven gas (RATIONAL) CPC101G
 CPC102G - CPC201G - CPC202G - CPC61G - SCC101G
 SCC102G - SCC201G - SCC202G - SCC61G - SCC62G



EMMEPI 809507

Handles

3242044 BUSHING FOR DOOR HANDLE
 for Convection oven electric (FOINOX) MM06EB



EMMEPI 809054

3242255 CENTRAL LOCK MECHANISM RIGHT
 for OVEN
 for Convection oven electric (COVEN) TEC10
 TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
 TEC15MX - TEC20 - TEC20MD
 for Convection oven electric (SOLYMAC) SOLYMIX 10
 SOLYP10
 for Convection oven gas (COVEN) TEC10G - TEC10GMD
 TEC10GP - TEC15G - TEC15GMD - TEC20G
 TEC20GMD
 for Electric oven (CAPIC) R220



EMMEPI 809052



Suitable for:

3242041 CLASP \varnothing 3x25 mm
for Convection oven electric (FOINOX) MM06EB




EMMEPI 809053

3242447 FASTENING PLATE FOR DOOR HANDLE
for OVEN



EMMEPI 809598

3242254 HANDLE LOCK FOR OVEN DOOR
for Convection oven (FOINOX)
since 1/01/95
Series FM6



EMMEPI 809031

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm
for Convection oven (COVEN) - Series TEC5 - TEC8
TEC9P
for Convection oven electric (COVEN) TEC10MX
TEC4MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC6G - TEC7G



EMMEPI 131110006

EMMEPI 131110007

EMMEPI 808747

EMMEPI

Suitable for:

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



EMMEPI 8C0315

EMMEPI 809875

3242080 HANDLE GUIDE LOCK
for OVEN



EMMEPI 809599

3242064 HANDLE SPACER BUSHING
for Convection oven electric (FOINOX) MM06EB



EMMEPI 809055

3242422 OVEN DOOR HANDLE
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC10PMEC - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20MD - 10EMD
10EMX
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC10GPMEC - TEC15G - TEC15GMD
TEC20G - TEC20GMD - 10GMD



EMMEPI 8C0559



+7(812)987-08-81



Suitable for:

3242449 OVEN DOOR HANDLE

for Convection oven (SOGECO) - Series C
Series CNV - Series MBS - Series MDS - Series P
Series PST
for Convection oven electric (SOGECO) - Series MX
Series MXB - Series PMX



EMMEPI 8C0921

3242057 OVEN HANDLE BOTTOM TIE ROD 122 mm

for FOINOX OVEN series FC06
for Convection oven (FOINOX) - Series FC06



EMMEPI 8C0037

EMMEPI 8C0852

3242253 PIN FOR DOOR HANDLE

for Convection oven (BERTO'S) WAVE6TURBO
for Convection oven (FOINOX) MM2/3EA - MM2/3EB
MM2/3EM
for Convection oven gas (BERTO'S) FMG6EP - FMG6M



EMMEPI 809029

3242251 SPRING FOR DOOR HANDLE \varnothing 16x37 mm

for OVEN



EMMEPI 809028

EMMEPI

Suitable for:

3242144 OVEN DOOR HANDLE 260x30 mm

with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G



EMMEPI 9629921

3242043 OVEN HANDLE TOP TIE ROD 155 mm

for Convection oven electric (FOINOX) FC06



EMMEPI 8C0036

EMMEPI 8C0851

3242419 PIN FOR OVEN DOOR HANDLE M10x1

overall length 52 mm
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



EMMEPI 809708

3242059 STRIKE FOR DOOR HANDLE

distance between mounting holes 21 mm
for OVEN



EMMEPI 809056



7(812)9800000



Suitable for:

3242252 WASHER FOR DOOR HANDLE
for Convection oven electric (FOINOX) MM06EB



EMMEPI 809027

EMMEPI

Suitable for:

vsezip.ru

+7(812)987-08-81



Heating elements

3355366 HEATING ELEMENT 1500W 230V
length 105 mm - width 340 mm
flange 70x22 mm
for Convection oven electric (KELVIN) KE106
KPE405 - NKE106
for Convection oven electric (SOGECO) 5E - 56E
6E



EMMEPI 8C0256

3355717 HEATING ELEMENT 15000W 230V
external \varnothing 575 mm - height 210 mm
2 flanges 220x24 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD102 - CD202
CCC102 - CCC202 - CCD102 - CCD202 - CCM102
CCM202 - CM102N - CPC102 - CPC202



EMMEPI 809571

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



EMMEPI 827915

5037521 HEATING ELEMENT 2500W 230V
external \varnothing 195 mm - overall height 75 mm
flange 70x22 mm
for EMMEPI OVEN FE440
for TECNOEKA COOKING RANGE KCV96-M
for TECNOEKA OVEN KF412-KF412U-KF412GRILL-KF723M-
KF723-KF723GRILL-KF723U-KF9133DIX-KF921-KF964AL-
KF964ALM-KF964I-KF964IM



EMMEPI 132110013

3755092 HEATING ELEMENT 3000/3266W 230/240V
external \varnothing 190 mm - overall height 70 mm
flange 100x22 mm
for Convection oven electric (FOINOX) FC06
FC06EA - FC12E - FC12EA-EDG
for Electric oven electric (FOINOX) SPEEDY MW
SPEEDY UMU



EMMEPI 808778

3755265 HEATING ELEMENT 3000W 240V
external \varnothing 190 mm - total height 75 mm
flange 100x22 mm
for Convection oven electric (COVEN) TEC10
TEC10MX - TEC3 - TEC3H - TEC3MX - TEC4MX
TEC4P - TEC6 - TEC6MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



EMMEPI 9629911



Suitable for:

EMMEPI



3355567 HEATING ELEMENT 3150W 220V

external \varnothing 220 mm - overall height 95 mm
flange 95x22 mm
for Convection oven electric (LAINOX) CE041M
FE004 - VE004D - VE004H - VE004M - VE004S
VE004X - VE04P - VE042P



EMMEPI 142110001

3355268 HEATING ELEMENT 3500W 230V

length 560 mm - width 280 mm
flange 70x22 mm
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) KE210
NKE210
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21 - 20E - 40E



EMMEPI 8C0392

3355433 HEATING ELEMENT 3500W 240V

length 115 mm - width 625 mm
flange 70x22 mm
for Convection oven electric (BERTO'S) FME10
FME10EP - FPE12TURBO - WAV-E12TURBO
for Convection oven electric (FOINOX) FC12SE
FC12SEA - FC20E - FC20EA - FM10E - FM10EB
FM10EDG - FM20EB - FP10E - FP10EA - MM10EA
MM10EB - MM20EA - MM20EB



EMMEPI 808780

3355431 HEATING ELEMENT 4360/3660W 220/240V

immersed length 310 mm
flange external \varnothing 63 mm
with bulb sheath \varnothing 6 mm
complete with O-RING
nut and washer upon request
for boiler
for Convection oven electric (BERTO'S) FME10M
for Convection oven electric (FOINOX) FM06EB
FM06EDG - FM10E - FM10EB - FM10EDG - FM20EB
FM20EDG



EMMEPI 808674

3755206 HEATING ELEMENT 6000W 240V

external \varnothing 230 mm - height 130 mm
flange 140x25 mm
for Convection oven electric (FOINOX) FC05EU
FC05EUM - FC06E - FC50EM - MIDI005EEP
MIDI005EM
for Convection oven electric (LAINOX) A10PES



EMMEPI 808781

3355749 HEATING ELEMENT 7350W 230V

external \varnothing 230 mm - overall height 165 mm
flange 143x25 mm - complete with cables
for Convection oven electric (GIORIK) EF4PM
EF5GM



EMMEPI 806187

+7(812)987-08-81



Suitable for:



3355530 HEATING ELEMENT 7500W 230V

immersed length 300 mm
 flange external \varnothing 72 mm
 with bulb sheath \varnothing 6 mm
 complete with O-RING
 for Convection oven electric (GIORIK) VE06EC
 VE06MX - VE10EC - VE10M - VE102EC - VE102M
 for Convection oven electric (MBM) FEM060 - FEM061
 FEM100 - FEM101 - FEM102 - FEM200 - FEM201
 FEM202 - FEM207SC - FEM209 - FEM610L - FEM62
 for Convection oven gas (MBM) FMM060 - FMM061
 FMM100 - FMM101



EMMEPI 807858

3355715 HEATING ELEMENT 9000W 230V

external \varnothing 455 mm - height total 210 mm
 flange 220x24 mm
 for OVEN CCC61-CCC101-CCC201-CCD61-CCD101-CCD201
 CCM101-CCM201-CCM61-CM61-CPC61-CPC101-CPC201
 CM201N-CM101N
 for OVEN CD61/CD101/CD201 SINCE JUNE 97
 for Convection oven electric (RATIONAL)
 since 1/06/97
 CD101 - CD201 - CD61
 CCC101 - CCC201 - CCC61 - CCD101 - CCD201 - CCD61
 CCM101 - CCM201 - CCM61 - CM101N - CM201N
 CM61 - CPC101 - CPC201 - CPC61



EMMEPI 809555

3755208 HEATING ELEMENT 920W 230V

length 260 mm - width 210 mm
 total height 120 mm - couplings \varnothing 13 mm
 for Convection oven electric (FOINOX) FC06
 FC06EA - FC12E - FC12EA-EDG - FP05EA



EMMEPI 808779

Suitable for:

3355707 HEATING ELEMENT 9000W 230V

immersed length 200 mm
 flange 82x82 mm
 with bulb sheath - recommended probe 3397083
 for Convection oven electric (RATIONAL)
 since 1/06/97
 CD101 - CD102 - CD201 - CD202 - CD61
 CCC101 - CCC201 - CCC202 - CCC61 - CCD102 - CCD202
 CCD61 - CCM101 - CCM201 - CCM202 - CCM61
 CM101M - CM202N - CM61 - CPC102 - CPC201
 CPC202 - CPC61



EMMEPI 809556

3355716 HEATING ELEMENT 9000W 230V

external \varnothing 500 mm - height 130 mm
 flange 220x24 mm
 for Convection oven electric (RATIONAL)
 since 1/06/97
 CD101 - CD201
 CCC101 - CCC201 - CCD101 - CCD201 - CCM101
 CCM201 - CM101N - CM2014N - CPC101 - CPC201



EMMEPI 809554

3755745 INTERNAL HEATING ELEMENT 15000W 230V

\varnothing external 650 mm
 D shaped flange 210x25 mm - faston fittings
 for Convection oven electric (RATIONAL)
 since 1/06/97
 CD202
 since 1/05/97
 CD102
 CCC102 - CCC202 - CCD102 - CCD202 - CCM102
 CCM202 - CM102N - CM202N - CPC102 - CPC202



EMMEPI 809570



Suitable for:

3755672 QUARTZ HEATING ELEMENT BOTTOM 200W 115V
length 337 mm - ø 11 mm

ЭМПЕИ

Suitable for:

vsezip.ru

+7(812)987-08-81



EMMEPI 8C0618

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



EMMEPI C00131

EMMEPI C10079

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

3053232 OVEN DOOR TOP HINGE
for Convection oven electric (FOINOX) FC06E
FC06EA - FC06SE - FC12E - FC12EA - FC12SE
FC12SEA - FM06EB - FM06EDG - FM10E - FM10EB
FM10EDG - FP05E - FP05EA - FP10E - FP10EA
MM06EA - MM06EB - MM06EBM - MM10EA - MM10EB
for Convection oven gas (FOINOX) FC06G - FC06GA
FC12G - FC12GA - FM06GDG - FM10GB - FM10GDG
FP05G - FP05GA - FP10G - FP10GAP - MM06GA
MM06GB - MM10GA - MM10GB - MM20GB



EMMEPI 8C1386



Suitable for:

5031555 RIGHT-LEFT HINGE FOR OVEN

mounting distance 130 mm - overall length 155 mm
height 157 mm
for Convection oven electric (TECNOEKA) KF911
KF911IX - KF964AL - KF964IM - KF965
for Convection oven gas (TECNOEKA) KF1001G
KF1001GLPG



EMMEPI 132110006

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



EMMEPI C00130

EMMEPI C10080

5037262 ROLLER HOLDER KIT RIGHT-LEFT

mounting distance 95 mm - overall length 110 mm
height 140 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF723
KF911 - KF921 - KF931 - KF964IM



EMMEPI

Suitable for:

5037262 ROLLER HOLDER KIT RIGHT-LEFT

mounting distance 95 mm - overall length 110 mm
height 140 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF723
KF911 - KF921 - KF931 - KF964IM



EMMEPI

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

Hose reels

3359557 HYDRO-GUN NITO 1

special connection only for MIDIREEL GROUP
with spray regulator



EMMEPI 8C2178



Suitable for:

ЭМПЕИ Общепит



Suitable for:

Hydraulic plumbing

3450209 RUBBER PIPE \varnothing 13x20 mm - 40 m
operating temperature -40+100°C



EMMEPI 907295

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



EMMEPI 907295

Ironmongery (screws,nuts,washers)

3528010 STAINL.STEEL SCREW WASHER M6 UNI 6592
dimensions \varnothing 12x6.4x1.6 mm



EMMEPI E25110025

EMMEPI 8C1731

Knobs

3241340 BLACK KNOB \varnothing 38 mm
D-shaped hole 6x4.6 mm
for Convection oven (FOINOX) - Series FM



EMMEPI 808669

3241055 FIXING CLIP
for knob with \varnothing 8 mm hole



EMMEPI C00196

3241615 GREY KNOB \varnothing 49 mm
D shaft hole 6x4.6 mm
for Convection oven electric (GIORIK) EF10GM
EF5GM - EF7GM
for Convection oven gas (GIORIK) GF10GM - GF5GM
GF7GM



EMMEPI 8C1602



Suitable for:

EMMEPI

Suitable for:



Lamps

3221172 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 96x80 mm
for Convection oven



EMMEPI 131110027

3221255 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 140x72 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



EMMEPI 808975

3221349 GLASS F.OVEN RECEPTACLE LAMP ø 72 mm

for Proving oven electric (MORETTI) L105.105
L60.60 - L65.105
for Proving oven electric (ZANUSSI) FLP55 - FLP80
ZMBD4L - ZMBD6L - ZMMD4L - ZMMD6L



EMMEPI 808851

3221256 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 112x65 mm
max temperature 500°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)



EMMEPI 808976

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm

for OVEN-PIZZA OVEN



EMMEPI 808808

3221132 GREEN INDICATOR LAMP 230V

head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 807773

EMMEPI 808971

EMMEPI 809382

3221164 GREEN INDICATOR LAMP 230V

head ø 7 mm - hole ø 6 mm - 120°C
dashboard mounting



EMMEPI 8C0298

3221199 GREEN INDICATOR LAMP 250V

head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 808943



Suitable for:

EMMEPI

Suitable for:



3221012 GREEN INDICATOR LIGHT 220V
mounting hole 30x22 mm - 125°C
universal application



vsezip.ru

+7(812)987-08-81

EMMEPI 806080

3221262 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 12 mm



3221199 GREEN INDICATOR LAMP 250V
head \varnothing 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 808461

3221202 TRANSPARENT INDICATOR LAMP 250V
head \varnothing 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 808943

3221358 WHITE LAMP RECEPTACLE
head \varnothing 16 mm - hole \varnothing 13 mm
for Convection oven electric (GIORIK) EF4



EMMEPI 809084

3221120 LAMP RECEPTACLE E14 25W 230V
for Convection oven electric (GEMINI FORNI)
Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160

EMMEPI 809085



EMMEPI 808979



Suitable for:

EMMEPI



3221311 LAMP RECEPTACLE E14 25W 230V

mounting hole \varnothing 36 mm
max temperature 300°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)



EMMEPI 809715

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



EMMEPI 809884

3221187 LAMP RECEPTACLE HARDENED GLASS \varnothing 87 mm

for Convection oven (ANGELO PO)
for Convection oven electric (GIORIK) EF8PM



EMMEPI 814524

3221095 ORANGE INDICATOR LAMP 230V

head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



EMMEPI 806128

EMMEPI 808970

EMMEPI 809248

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm for OVEN-PIZZA OVEN

vsezip.ru

+7(812)987-08-81



EMMEPI 808808

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN
for Convection oven electric (SMEG) ALFA31V
ALFA51X - ALFA51XGN - ALFA55X



EMMEPI 809935

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10



EMMEPI 809884



Suitable for:

Suitable for:

3221080 RED INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 for Convection oven (FOINOX) - Series FC
 Series FM

3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE
 external dimensions 140x75 mm
 for Convection oven (BERTO'S)
 for Convection oven (FOINOX)
 for Convection oven (GIORIK)
 for Convection oven (INOXTREND)
 for Convection oven (KELVIN)
 for Convection oven (MBM)
 for Convection oven (WHIRLPOOL)
 for Convection oven (ZANUSSI)



EMMEPI 808969

EMMEPI 808977

EMMEPI 809341

3221202 TRANSPARENT INDICATOR LAMP 250V
 head \varnothing 8 mm - 150°C
 wire connection length 300 mm
 for Convection oven electric (GIORIK) EF4

3221358 WHITE LAMP RECEPTACLE
 head \varnothing 16 mm - hole \varnothing 13 mm
 for Convection oven electric (GIORIK) EF4



EMMEPI 809084

EMMEPI 809085

Level regulators

3341035 LEVEL ADJUSTER RL30/3ES/F-G
 230V 50/60Hz
 for Convection oven electric (GIORIK) VE06EC
 VE06MX - VE10EC - VE10M - VE102EC - VE102M
 VE20EC - VE20MX
 for Convection oven gas (GIORIK) VG06EC - VG06MX
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



EMMEPI 807853

Level sensors

3341051 LEVEL PROBE 3 ELECTRODES \varnothing 15 mm 108 mm

3341052 LEVEL PROBE 3 ELECTRODES \varnothing 15 mm 130 mm



EMMEPI 809561

EMMEPI 809569



Suitable for:

Suitable for:



Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V

for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM
for Convection oven gas (ZANUSSI) FCS061G



EMMEPI 807351

9240027 LID MAGNET

external \varnothing 22 mm - M5x10 mm
for Convection oven electric (ANGELO PO) FC1011E
FC1221E - FC611E - FM1011E1 - FM1011E2
FM1011E3 - FM1221E1 - FM1221E2 - FM1221E3
FM2021E1 - FM2021E2 - FM2021E3 - FM611E1
FM611E2 - FM611E3 - FM721E1 - FM721E2
FM721E3
for Convection oven gas (ANGELO PO) FC1011G
FC1221G - FC611G - FM1011G1 - FM1011G2
FM1011G3 - FM1221G1 - FM1221G2 - FM1221G3
FM2021G1 - FM2021G2 - FM2021G3 - FM611G1
FM611G2 - FM611G3 - FM721G1 - FM721G2
FM721G3



EMMEPI 8C2146

3240436 MAGNETIC MICRO SWITCH MK12

with cable 4000 mm - head 32x15 mm
for Convection oven (FRIMA)
for Convection oven (RATIONAL)



EMMEPI 809557

9014015 MAGNETIC MICROSWITCH \varnothing 10x26 mm

0.5A 250V - NO contact
with cable length 750 mm



EMMEPI TR0309

3240148 MICROSWITCH MAGNET 63x19x11 mm

for Convection oven (ZANUSSI) - Series AOS



EMMEPI TR0220

3240141 MAGNETIC MICROSWITCH E5101V

0.04A 250V - NO contact - head 32x13 mm
with magnet 63x19x11 mm
with cable length 900 mm
for Convection oven (MARENO)



EMMEPI 8C0129

3240407 MECHANICAL MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels



EMMEPI 809481



Suitable for:

3240410 MICRO SWITCH 16A 250V
 for ANGELO PO OLD OVENS FC-FCV
 for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
 FC1211G-FC1211E
 for ANGELO PO FRYER 030FE1-030FE1B-70FE
 70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
 30FES2-30FES2B-091FE28
 for IMESA DRYER ES10-ES55-ES75
 for IMESA WASHING MACHINE
 LM30-LM40-LM55-LM70-LM85
 RC30-RC40-RC55-RC70
 for SIRMAN CUTTER C4-C6-C6VV-C9
 for GRANDIMPIANTI DRYER EMS10-EMS15
 for FAGOR CALENDER PE30/140-PE30/160-PE30/200
 for FOINOX OVEN J00611E-J00611G-J01011E-J01011G
 J01021E-J01021G-J02011E-J02011G-J02021E-J02021G
 for IPSO CALENDER RI1600/30-RI1600/30AV



EMMEPI E61110053

EMMEPI 61110053

EMMEPI 807351

EMMEPI

Suitable for:

3240148 MICROSWITCH MAGNET 63x19x11 mm
 for Convection oven (ZANUSSI) - Series AOS



EMMEPI TR0220

3240419 MICROSWITCH MF9 16A 250V
 for Convection oven (SOGECO)



EMMEPI 809173

EMMEPI 809885

3240406 MICROSWITCH 10A 250V
 for Convection oven electric (JUNO-RÖDER-SENKING)
 5717-3



EMMEPI E61110082

EMMEPI 8C2018

EMMEPI 808879

3240820 MICROSWITCH 16A 250V



EMMEPI E00010041

EMMEPI 808053

5037263 MICROSWITCH 16A 250V
 for EMMEPI OVEN FE900
 for TECNOEKA OVEN KF911-KF911IX-KF921-KF964I-
 KF964IM-KF1000G



EMMEPI 132110023

Motors

3240704 MOTOR FB80 4/8 0.75/0.22Kw 380/415V
 50Hz - 1.4/0.4A - 1400/700rpm
 for Convection oven electric (GIORIK) DE10EC
 DE102EC - EF6PM - EF8PM - VE10EC - VE20EC
 for Convection oven gas (GIORIK) DG102EC - VG20EC



EMMEPI 813154

3240319 MOTOR LM50/2 0.04Kw 220/240V 50Hz
 0.6A capacitor 4 µF
 for Convection oven electric (FOINOX) BLUPASTRYVIP



EMMEPI 809001



+7(812)987-08-81



Suitable for:

5004420 MOTOR ST100L/4 0.55Kw 50/60Hz

220/240/346-415V 50Hz 0.55Kw 2.6/1.5A 1400rpm
200/240/346-460V 60Hz 0.55Kw 2.3/1.3A 1700rpm
for Convection oven (FOINOX) FC100 - FC200 - FC201
FC401 - FM100 - FM200 - FM201 - FM401 - FP100 - FP101
FP80 - MM100 - MM200 - MM201 - MM401



EMMEPI 809406

EMMEPI



Suitable for:

3240277 MOTOR ST80/4 50/60Hz

220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
1350-1650rpm
for Convection oven electric (GIORIK) CE10MX
CE102MX - CE20MX - DE10MX - DE102MX - EF10GM
EF7GM - VE10M - VE102EC - VE102M - VE20MX
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES
for Convection oven gas (GIORIK) CG10MX - CG102MX
CG20MX - DG10MX - DG102MX - VG10MX - VG102MX
VG20MX



EMMEPI 807314

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan ø 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6



EMMEPI 800758

EMMEPI 8C2135

EMMEPI 807206

3240029 MOTOR 1057 0.5/0.10HP 220/240V 50Hz

2/4 poles 2/0.7A 1400rpm - capacitor 20 µF
for Convection oven (LAINOX)



EMMEPI 808973

3240699 MOTOR 1058.1400 0.5/0.1HP 220/240V 50Hz

2/0.7A - 2700/1400rpm - capacitor 20 µF
for Convection oven electric (GIORIK) EF4PM
EF5GM
for Convection oven gas (GIORIK) GF4PM - GF5GM



EMMEPI 807848

Non-return and expansion valves

1526503 NON-RETURN VALVE ø 40 mm

ballcock - outlets ø 12 mm
stainless steel cap



EMMEPI 907460



Suitable for:

EMMEPI

Suitable for:



Penetration probes

3397006 PENETRATION PROBE

connector fitting
 probe length 180 mm
 compartment internal cable length 680 mm
 compartment external cable length 1400 mm
 for Convection oven electric (FOINOX) FC12EA
 FC12SEA - FC20E - FC20EA - MM10EA - MM10EB
 MM20EA - MM20EB
 for Convection oven gas (FOINOX) FC12G - FC12GA
 FC20G - FC20GA - MM10GA - MM10GB - MM20GA
 MM20GB



EMMEPI 809682

3322056 PENETRATION PROBE ALC90

2 wires
 probe length 100 mm
 chamber internal cable length 960 mm
 for Convection oven electric (SOGECO) MX10E-D
 MX10E-S - MX20E-D - MX20E-S - MX6E-D - MX6E-S
 PMX56E-D - PMX56E-S - VMX10E-D - VMX10E-S
 VMX20E-D - VMX20E-S - VMX6E-D - VMX6E-S
 for Convection oven gas (SOGECO) MX10G-D - MX10G-S
 MX20G-D - MX20G-S - MX6G-D - MX6G-S - PMX56G-D
 PMX56G-S - VMX10G-D - VMX10G-S - VMX20G-D
 VMX20G-S - VMX6G-D - VMX6G-S



EMMEPI 8C0282

3397040 PENETRATION PROBE PT100

connector fitting
 probe length 185 mm
 compartment internal cable length 445 mm
 compartment external cable length 1440 mm
 for Convection oven electric (FOINOX) FM06EB
 MM2ED - MM2EEP - MM2EM - MM3ED - MM3EEP
 MM3EM



EMMEPI 8C1187

3397056 PENETRATION PROBE THERMOCOUPLE K

2 wires - probe length 175 mm
 cable length 3000 mm
 with fastening coupling M10
 for Convection oven (RATIONAL) - Series CC



EMMEPI 809658

Pilot burners and accessories

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

3020084 NUT & OLIVE \varnothing 6 mm



EMMEPI 8C0070

3020082 OLIVE FOR 12 mm \varnothing PIPE



EMMEPI 8C0412

EMMEPI 807907

3020111 OLIVE FOR 4 mm \varnothing PIPE



EMMEPI 830885



Suitable for:

3020201 PILOT GAS JET \varnothing 0.14 mm



EMMEPI 8C0955

3020202 PILOT GAS JET \varnothing 0.27 mm



EMMEPI 8C1497

3020449 PILOT GAS JET \varnothing 0.54 mm



EMMEPI 808033

3020040 PILOT JET \varnothing 0.30 mm



EMMEPI 808365

3020187 PILOT NOZZLE \varnothing 0.51 mm



EMMEPI 808364

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



EMMEPI 808353

EMMEPI

Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



EMMEPI 809996

3020043 PILOT GAS JET \varnothing 0.36 mm



EMMEPI 809994

3020054 PILOT JET \varnothing 0.20 mm



EMMEPI 8C0030

3020055 PILOT JET \varnothing 0.35 mm



EMMEPI 8C0031

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019



vsezip.ru

+7(812)987-08-81



Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



EMMEPI 809996

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)



EMMEPI 8C1496

EMMEPI 809474

3020042 PILOT GAS JET \varnothing 0.19 mm



EMMEPI 809996

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

EMMEPI

ЭМП ОБЩЕПИТ

Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm

vsezip.ru

+7(812)987-08-81



EMMEPI 809994

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

3020043 PILOT GAS JET \varnothing 0.36 mm



EMMEPI 809994





Suitable for:



Suitable for:

3020011 THREE-FLAME PILOT BURNER
 without sparking plug, gas jet
 with pipe fitting and pilot pipe olive
 with thermocouple connection
 with sparking plug fitting
 for Convection oven gas (ZANUSSI)



EMMEPI 808039

EMMEPI 808197

EMMEPI 809197

3020269 THREE-FLAME PILOT BURNER
 without sparking plug, gas jet
 with pipe fitting and pilot pipe olive
 with thermocouple fitting
 with sparking plug fitting



EMMEPI 806154

EMMEPI 807835

3020006 THREE-FLAME PILOT BURNER SIT
 multigas with jet \varnothing 0.20 mm
 with 3 positions bracket



EMMEPI C00070

EMMEPI C00392

EMMEPI C00711

EMMEPI 051E10007

EMMEPI 808180

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

3020054 PILOT JET \varnothing 0.20 mm



EMMEPI 8C0030

3020055 PILOT JET \varnothing 0.35 mm



EMMEPI 8C0031

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm
 for Convection oven electric (SOLYMAC) SOLYP10
 for Convection oven gas (SOLYMAC) SOLYMIX
 SOLYP6G



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M 4x1 mm
 model CB505/021 Junkers
 for model P502F
 total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020036 THREE-FLAME PILOT BURNER SIT
 with NG nozzle \varnothing 0.35 mm
 with 3 positions bracket



EMMEPI C00166

EMMEPI 8C0638

3020077 FITTING FOR PIPE \varnothing 4 mm



EMMEPI 806019

+7(812)987-08-81



Suitable for:

3020054 PILOT JET \varnothing 0.20 mm



EMMEPI

Suitable for:

3020055 PILOT JET \varnothing 0.35 mm

vsezip.ru

+7(812)987-08-81



EMMEPI 8C0030

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



EMMEPI 8C0031

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6



EMMEPI C00173

EMMEPI 8C1498

3020040 PILOT JET \varnothing 0.30 mm



EMMEPI 806153

EMMEPI 808365

Pressure switches

3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V
fitting \varnothing 1/8" M
for Convection oven (OLIS) - Series CVM
Series ECV
for Convection oven electric (KELVIN) KE106A
KE110A - KE210A - KPE405 - KPE408 - NKE106A
NKE110A - NKE210A
for Convection oven electric (LAINOX) VE100H
for Convection oven gas (KELVIN) KG106A - KG110A
KG210A - KPG405 - KPG408A - NKG106A - NKG110A
NKG210A



EMMEPI 8C0444

3320157 PRESSURE SWITCH CLEANJET 6A 250V
for Convection oven (RATIONAL)
since 1/01/01
Series CPC



EMMEPI 809754



Suitable for:

ЭММЕПИ

Suitable for:



Probes

+7(812)98158-81

3397129 CHAMBER TEMPERATURE PROBE PT100
 2 wires - bulb \varnothing 3x150 mm
 probe length 150 mm
 cable length 2000 mm
 for Convection oven (SOGECO) - Series VMX



EMMEPI 809887

3445021 PROBE PT100 1500 mm
 2-wire probe
 bulb \varnothing 4x15 mm
 for chamber temperature
 for all models
 for Convection oven (COVEN)
 for Convection oven (SOLYMAC)



EMMEPI 9629931

3445109 PROBE TCJ EC-SND-2312 3000 mm
 2 wires - temperature range $-50+350^{\circ}\text{C}$
 error limits $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm
 vetrotex cable



EMMEPI 8C0221

3397023 TEMPERATURE PROBE
 2 wires - probe for thermocouple type chamber
 probe length 110 mm
 cable length 290 mm
 with fastening fitting M8
 for Convection oven electric (RATIONAL) CM101
 CM102 - CM201 - CM202 - CM61 - CPC101 - CPC102
 CPC201 - CPC202 - CPC61
 for Convection oven gas (RATIONAL) CM101G - CM102G
 CM201G - CM202G - CM61G - CPC101G - CPC102G
 CPC201G - CPC202G - CPC61G



EMMEPI 809525

3397025 TEMPERATURE PROBE
 2 wires - probe for thermocouple type chamber
 probe length 120 mm
 cable length 1800 mm
 with fastening coupling M8
 for Convection oven (RATIONAL)
 since 1/06/97



EMMEPI 809564

3397101 TEMPERATURE PROBE TCJ
 2 wires
 bulb \varnothing 6x100 mm
 vetrotex cable length 900 mm
 for Convection oven (GIORIK)



EMMEPI 807176



Suitable for:

EMMEPI

Suitable for:



Relays

3351007 MINI RELAY 55.32 10A 240V 50/60Hz
2 switching contacts
manual push-button




EMMEPI 809015

3351016 RELAY CRYDOM SOB667330
for Convection oven (PATONAL)
since 1/05/97
Series CPC - Series SCC



EMMEPI 809558

3351008 RELAY 62.83 16A 230V 50/60Hz
3 switching contacts



EMMEPI 905475

Rotary switches

3057050 CONNECTING BRACKET
connecting thermostat and switch



EMMEPI C00218

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC) - Series SOLYMIX
for Convection oven electric (GIERRE) BRIOMAXI
BRIOMIDI - FEV106M - FEV120M - FEV166E
FEV166M - FEV166P - FEV168E - FEV168M
FEV168P - FEV56M - FEV60M
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM
EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIERRE) FEV107M - FEV121M
FEV167E - FEV167M - FEV167P - FEV169E
FEV169M - FEV169P - FEV57M - FEV61M
for Convection oven gas (GIORIK) CG06MX - CG10MX



EMMEPI 808145

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E



EMMEPI 806286

3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) EF4



EMMEPI C00685

EMMEPI 808687



Suitable for:



3057224 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 380V
D-shaped pin \varnothing 5x4 mm
for Convection oven electric (GIORIK) EF4PM
EF6PM - EF8PM
for Convection oven gas (GIORIK) GF4PM - GF6PM
GF8PM



EMMEPI 807551

3057214 SELECTOR SWITCH 0-3 POSITIONS


contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven electric (COVEN) TEC10MD
TEC20MD - TEC3MX - TEC5MD
for Convection oven electric (SOGECO) - Series MX
Series PMX56 - Series PMX810 - Series PVMX5
Series PVMX8 - Series VMX - VMX20N - VMX2011N
VMX40N



EMMEPI 8C1483

3057010 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (FOINOX) - Series FC
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - MCE051M
MCE071M - MCE101M - MCE102M - MCE201M
MCE202M
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG105M - FG105X - FG110M
FG110X - MCG051M - MCG071M - MCG101M - MCG102M
MCG201M - MCG202M - PG040M - PG040X - PG080M
PG080X



EMMEPI 807290

EMMEPI 808806

3057047 SELECTOR SWITCH 5 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm
for Convection oven (FOINOX) - Series FM
Series MIDI - Series MM



EMMEPI 808962

Solenoid valves

3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



EMMEPI 902410

3120167 SOLENOID VALVE 264A 220/240V \varnothing 14 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - three outlets \varnothing 14 mm



EMMEPI E00010011

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



EMMEPI 8C0206

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



EMMEPI 809327

EMMEPI 809335

EMMEPI 902390



Suitable for:

EMMEPI



3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



EMMEPI 8C0145

EMMEPI 808922

3120009 SOLENOID VALVE 351 220/240V \varnothing 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 14 mm



EMMEPI 809566

+7(812)987-08-81

3120011 SOLENOID VALVE 353 220/240V \varnothing 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 14 mm



EMMEPI 809565

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6



EMMEPI C00507

EMMEPI C10167

EMMEPI 813434

EMMEPI 8C1700

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



EMMEPI C10168

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



EMMEPI



Suitable for:



Suitable for:

Sparking and detection plugs

3020327 ROUND DETECTION PLUG \varnothing 8x45 mm
overall length 95 mm
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



EMMEPI 809603

3020190 ROUND DETECTION PLUG \varnothing 9x63 mm
overall length 204 mm
for Convection oven gas (KELVIN)
for Convection oven gas (SOGECO)



EMMEPI 809880

3020124 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
female connection
overall length 58 mm



EMMEPI 807741

3020375 ROUND SPARKING PLUG \varnothing 7.5x60 mm
overall length 78 mm
for Convection oven gas (RATIONAL)
since 1/06/97
Series CM - Series CPC



EMMEPI 809511

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



EMMEPI C00173

EMMEPI 8C1498

3020175 ROUND SPARKING PLUG \varnothing 7x68 mm
overall length 200 mm
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G
for Convection oven gas (SOGECO)



EMMEPI 8C1697

3020328 ROUND SPARKING PLUG \varnothing 8x45 mm
overall length 83 mm
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM



EMMEPI 809604



Suitable for:

EMMEPI



Suitable for:

3020065 ROUND SPARKING PLUG \varnothing 9.5x77 mm
 overall length 125 mm
 for Convection oven gas (FOINOX) FC100GEP
 FC200GEP - FC200GM - FC201GEP - FC401GEP
 FC401GM - FC60GEP - FC60GM - FDG55EP - FDG55TD
 FM06GDG - FM10GB - FM10GDG - FM100GEP
 FM100GM - FM100GTD - FM200GEP - FM200GTD
 FM201GEP - FM201GM - FM401GEP - FM401GM
 FM401GTD - FM60GEP - FM60GM - FM60GTD
 FP100GEP - FP100GM - FP100GTD - FP50GEP
 JO0611G - JO1011G - JO1021G - JO2011G
 JO2021G - MIDI005GEP - MM06GA - MM10GA
 MM10GB - MM100GEP - MM100GM - MM100GTD
 MM20GA - MM200GEP - MM200GM - MM200GTD
 MM201GM - MM201GTD - MM401GEP - MM401GM
 MM401GTD - MM60GEP - MM60GM - MM60GTD

3020199 ROUND SPARKING PLUG \varnothing 9x63 mm
 overall length 204 mm
 for Convection oven gas (SOGECO)

+7(812)987-08-81



EMMEPI 809281

EMMEPI 809879

Switches

3319168 BIPOLAR SWITCH 16A 250V
 for Convection oven (FOINOX) - Series FC
 Series FD - Series FM - Series MM



EMMEPI 808807

3319617 DOUBLE CONTACT SWITCH 16A 250V
 for Convection oven (FOINOX)



EMMEPI 809021

3319029 GREEN BIPOLAR SWITCH 16A 250V
 with indicator lamp
 max temperature 120°C
 mounting hole 22x30 mm



EMMEPI 818181

3319944 GREEN BIPOLAR SWITCH 16A 250V
 with indicator light
 0-I silk-screen printing
 temperature max 120°C
 mounting hole 22x30 mm



EMMEPI 712110000



Suitable for:

3319425 ORANGE BIPOLAR SWITCH 15A 250V
 with indicator lamp
 mounting hole 13x20 mm
 for Convection oven (SOGECO) - Series C
 Series VMX



EMMEPI 809883

3319949 YELLOW BIPOLAR SWITCH 16A 250V
 with indicator lamp
 mounting hole \varnothing 25 mm
 for Convection oven electric (SOGECO) CM10-S
 CM20-S - CM56-S - CM6-S - CM810-S - MX10
 Series MX20 - Series MX56 - Series MX6
 Series MX810



EMMEPI 8C0427

EMMEPI



Suitable for:

3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V
 with protection cap
 mounting hole \varnothing 16 mm
 for Convection oven electric (ZANUSSI)
 for Convection oven gas (WHIRLPOOL) ACV/G10C2
 ACV/G10C4 - ACV/G10C6 - ACV/G102/1C4
 ACV/G102/1C6 - ACV/G20C4 - ACV/G61C3
 ACVG202/1C4
 for Convection oven gas (ZANUSSI)



EMMEPI 809886

3319315 2-POLE RED PUSH-BUTTON 3A 250V
 with indicator lamp
 max temperature 125°C
 mounting hole \varnothing 17 mm
 for Convection oven gas (GIORIK) CG20MX - DG06EC
 DG06ES - DG06MX - DG10EC - DG10ES - DG10MX
 DG102EC - DG102MX - GF10GM - GF4PM - GF5GM
 GF6PM - GF7GM - GF8PM - VG06EC - VG06MX
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
 VG20MX



EMMEPI 809600

Telethermometers

3441037 WHITE TELETHERMOMETER \varnothing 52 mm 50-350°C
 plastic sheath
 capillary length 970 mm
 bulb \varnothing 6x40mm
 for Convection oven electric (BERTO'S) FME10N
 for Convection oven electric (FOINOX) FP05E



EMMEPI 808667

3441071 WHITE TELETHERMOMETER \varnothing 60 mm 50-350°C
 metal sheath
 covered capillary length 1600 mm
 plastic covered bulb \varnothing 6x20 mm
 for Convection oven (KELVIN) K106M - K110M - K210M



EMMEPI 809747



Suitable for:

ЭМПЭП

Suitable for:



Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V


+7(812)987-08-81



EMMEPI C00395

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



EMMEPI 513120001

3440014 INTERRUPTION CONNECTOR M8x1



EMMEPI 8C1701

3440015 INTERRUPTION CONNECTOR M9x1



EMMEPI C00169

EMMEPI 807350

EMMEPI 807842

3440133 THERMOCOUPLE SIT M10x1 100 cm



EMMEPI 808521

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 806185

3440037 THERMOCOUPLE SIT M9x1 100 cm.



EMMEPI 806185

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 806185



Suitable for:

3440038 THERMOCOUPLE SIT M9x1 120 cm



EMMEPI 8C0639

EMMEPI 806186

EMMEPI

Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

vsezip.ru

+7(812)987-08-81



EMMEPI 8C0639

EMMEPI 806186



3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EMMEPI 8C0639

EMMEPI 806186

3440039 THERMOCOUPLE SIT M9x1 150 cm



EMMEPI C10201

EMMEPI 814980

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI 806183

EMMEPI 808178

3440035 THERMOCOUPLE SIT M9x1 60 cm.



EMMEPI 806183

EMMEPI 808178

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI 806183

EMMEPI 808178

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EMMEPI 806184

EMMEPI 808138



Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.



EMMEPI 806184

EMMEPI 808138

EMMEPI

Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

vsezip.ru

+7(812)987-08-81



EMMEPI 806184

EMMEPI 808138

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



EMMEPI 808151

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



EMMEPI 806271

Thermostats

3444352 SINGLE-PHASE THERMOSTAT 130°C

with manual reset
covered capillary length 870 mm - 16A 250V
bulb \varnothing 6x129 mm
for Convection oven electric (FOINOX) J01011E
J01021E - J02011E - J02021E - J0611E
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G



EMMEPI 808671

3444339 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin 6x4.6 mm
capillary length 880 mm - 16A 250V
bulb \varnothing 6x130 mm
for Convection oven (FOINOX) - Series MM



EMMEPI 809017

3444552 SINGLE-PHASE THERMOSTAT 30-120°C

D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb \varnothing 6x115 mm
for Convection oven electric (BERTO'S) FC200EA
FC200EB
for Convection oven gas (BERTO'S) FC200GA
FC200GB



EMMEPI 808809

3444676 SINGLE-PHASE THERMOSTAT 335°C

with manual reset
covered capillary length 920 mm - 16A 250V
bulb \varnothing 3x150 mm
for Convection oven (BERTO'S)
for Convection oven electric (BAKE OFF)
BISTROT1064 - BISTROT434 - BISTROT434/05
BISTROT464 - BISTROT464/05 - BISTROT664
6TTR05
for Convection oven electric (FOINOX) J01011E
J01021E - J02021E - J0611E
for Convection oven gas (FOINOX) J01011G - J01021G
J02011G - J02021G - J0611G



EMMEPI 808664





Suitable for:



Suitable for:

3444285 SINGLE-PHASE THERMOSTAT 350°C

with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x77 mm
 for Convection oven electric (GIORIK) EF4 - EGEC5
 EGE10 - EPE04 - EPE05 - EPE10
 for Convection oven gas (GIORIK) CG10MX - CG102MX
 DG06EC - DG06ES - DG06MX - DG10EC - DG10ES
 DG10MX - DG102EC - DG102MX - GF10GM - GF4PM
 GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
 VG06MX - VG10EC - VG10MX - VG102EC - VG102MX



EMMEPI 807658

3444781 SINGLE-PHASE THERMOSTAT 360°C

with automatic reset
 covered capillary length 1170 mm - 16A 230V
 bulb \varnothing 4x95 mm - with stuffing gland nut M14x1
 for Convection oven electric (RATIONAL)
 since 1/06/97
 CD101 - CD102 - CD201 - CD202 - CD61
 CM101N - CM102N - CM201N - CM202N - CM61 - CPC101
 CPC102 - CPC201 - CPC202 - CPC61
 for Convection oven gas (RATIONAL) CM101G - CM61G
 CPC101G - CPC61G



EMMEPI 809504

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven (LAINOX)
 for Convection oven (ZANUSSI)



EMMEPI 808672

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Convection oven (BONNET)
 for Convection oven (BOURGEOIS)
 for Convection oven (ZANUSSI)



EMMEPI 908326

3444305 SINGLE-PHASE THERMOSTAT 50-500°C

D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 4x230 mm
 for Electric oven (FIMAR) MICRO1C - MICRO2C



EMMEPI 808542

5031404 SINGLE-PHASE THERMOSTAT 60-318°C

D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm - 16A 250V
 bulb \varnothing 3x139 mm
 for EMMEPI OVEN FE900
 for Convection oven electric (TECNOEKA) KF412
 KF412U - KF620 - KF620IX - KF620U - KF620UIX
 KF622 - KF630UD - KF723 - KF723U - KF937
 KF937UD



EMMEPI 132110015



Suitable for:

5025542 SINGLE-PHASE THERMOSTAT 66-310°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm
double bulb \varnothing 3x120 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF412GRILL
KF622GRILL - KF723M - KF911 - KF911IX - KF933
KF933U - KF964ALM - KF964IM - KF965
KF965AL/UD - KF965M - KF966UD - KF980DOUBLE
KF980DOUBLEV/A - KF980I - KF980V/A - KF981
KF981DOUBLE - KF981DOUBLE EV/UD
KF981DOUBLE UD



EMMEPI 132110016

3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10MX
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX



EMMEPI 808057

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb \varnothing 3x190 mm
for Convection oven electric (SMEG) ALFA135X
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X



EMMEPI 807790

EMMEPI

Suitable for:

3444596 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x228 mm



EMMEPI 8C0363

3444175 THREE-PHASE THERMOSTAT 335°C

with manual reset
covered capillary length 1200 mm
bulb \varnothing 3x200 mm - with stuffing gland M10x1
with tank seal fitting M16
for Convection oven (SOGECO)



EMMEPI 809891

3444458 3-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 900 mm - 20A 400V
bulb \varnothing 4x120 mm - with stuff.gland coupling M10x1
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
DE102MX - EF10GM - EF4PM - EF5GM - EF6PM
EF7GM - EF8PM - VE06EC - VE06MX - VE10EC
VE10M - VE102EC - VE102M - VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG20MX
VG20EC - VG20MX



EMMEPI 808718



+7(812)987-08-81



Suitable for:

EMMEPI

Suitable for:



Times

3446057 FOOT FOR 90.26 TIMER
 8 feet - 10A 250V
 for Convection oven (FOINOX) - Series MM



EMMEPI 809018

3446002 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (GIORIK)
 for Convection oven (MARENO)



EMMEPI 813170

3446004 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (ANGELO PO)
 for Convection oven (ZANUSSI)



EMMEPI 828794

3446039 TIMER 120 MINUTES MS65
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V 50Hz
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (GIORIK) CE06MX
 CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
 DE10ES - DE10MX - DE102MX - EF10GM - EF4
 EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - VE06MX
 VE10MX - VE102MX - VE20MX
 for Convection oven electric (INOXTREND)
 BUA-606E-00 - BUA-610E-00 - FBA-106E-00
 FBA-106E-01 - FBA-110E-00 - FBA-110E-01
 FBA-120E-00 - FBA-210E-00 - FDA-106E-00
 FDA-106E-01 - FDA-120E-00 - FDA-210E-00
 for Convection oven gas (GIORIK) CG06MX - CG10MX



EMMEPI 809442

5047410 TIMER 120 MINUTES MS65
 mechanical timer with sound alarm
 120-minutes mechanically set cycle
 contact capacity 16(4)A 230V 50Hz
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (TECNOEKA) KF723
 KF911 - KF911IX - KF921 - KF931 - KF964AL
 KF964ALM - KF964I - KF964IM - KF980DOUBLE
 KF980DOUBLEV - KF980DOUBLEV/A - KF980I
 KF980V/A



EMMEPI 8C1391

3446038 TIMER 120 MINUTES M2
 mechanical movement with balance wheel
 manually set cycle 120 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C - D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (SOGECO) LN - P - VMX
 for Convection oven electric (KELVIN) KE106M
 KE110M - KE210M - KE234 - KE234S - NKE106M
 NKE110M - NKE210M - NKE234
 for Convection oven gas (KELVIN) KG106M - KG110M
 KG210M - NKG106M - NKG110M - NKG210M



EMMEPI 8C2008



Suitable for:

Suitable for:

3446056 TIMER 120 MINUTES M2
 mechanical timer with acoustic alarm
 manual left position possible
 manually set cycle 120 minutes
 contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (FOINOX) - Series BLUPASTRY
 Series FC - Series FM - Series FP - Series SPEEDY
 for Convection oven electric (FOINOX) MM06EB
 for Convection oven electric (GAYC) G2
 for Convection oven electric (ROLLER GRILL) FC110
 FC60

3446224 TIMER 120 MINUTES 16A 250V
 contact capacity 16(4)A 250V
 max temperature 85°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven (SOGECO) - Series C
 Series CNV



EMMEPI 809674

EMMEPI 8C0791

3446053 TIMER 6 SECONDS 5A 250V
 for Convection oven (FOINOX) - Series MM

3446057 FOOT FOR 90.26 TIMER
 8 feet - 10A 250V
 for Convection oven (FOINOX) - Series MM



EMMEPI 809016

EMMEPI 809018

3446054 TIMER 60 SECONDS 5A 230V
 for Convection oven (FOINOX) - Series MM

3446057 FOOT FOR 90.26 TIMER
 8 feet - 10A 250V
 for Convection oven (FOINOX) - Series MM



EMMEPI 809019

EMMEPI 809018

5031403 120 MINUTES TIMER MS65
 mechanical timer with sound alarm
 120 minutes mechanically set cycle
 contact capacity 16(4)A 230V 50Hz
 max temperature 100°C
 D-shaped pin \varnothing 6x4.6 mm
 for Convection oven electric (TECNOEKA) KF412
 KF412U - KF620 - KF620U - KF723GRILL - KF723M



EMMEPI 132110014



Suitable for:

ЭММЕПИ



Suitable for:

Timers and cycle reversing switches

3322276 CONTROLLER P195 4 CAMS 230V 50Hz

cycle 270 seconds

for Convection oven (SOGECO) - Series C

Series MX - Series MXB - Series PMX - Series PVMX

Series VMX

for Convection oven electric (SOGECO) MBS06.11E

MBS10.11E - MBS10.21E - MBS20.11E - MBS20.21E

MDS06.11E - MDS10.11E - MDS10.21E - MDS20.11E

MDS20.21E - PST05.64E - PST08.64E - PST08.68E

for Convection oven gas (SOGECO) MBS06.11G

MBS10.11G - MBS10.21G - MBS20.11G - MBS20.21G

MDS06.11G - MDS10.11G - MDS10.21G - MDS20.11G

MDS20.21G - PST05.64G - PST08.64G - PST08.68G

+7(812)987-08-81



EMMEPI 8C0289