



Зип Общепит

[vsezip.ru](http://vsezip.ru)

+7(812)987-08-81



**GAS COMPONENTS**



**ELECTRIC COMPONENTS**



**WATER TECHNOLOGY**



**MECHANICAL COMPONENTS**



**TOOLS**

Spare parts suitable for

**LINCAT**

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит

vsezip.ru

+7(812)987-08-81

# Manufacturer catalogue

The most important spare parts and accessories arranged clearly for every manufacturer



**Complete product range and all appliance data always up to date in the GEV Webshop**



**Alphabetical Index at the end of the catalogue**

## GEV Webshop

[www.gev-online.co.uk](http://www.gev-online.co.uk)

[www.gev-online.com](http://www.gev-online.com)



**Add to Favourites**



**Sign in with email address and usual password**




**Easy-order – place several items in your basket at the same time**





**Quick item search – no login needed**

## h1heating elements


## h2heating elements for ovens

|                                                                                   |                                                                                                                      |          |      |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|----------|------|
|  |                                                                                                                      |          |      |
| GEV No.                                                                           | 420569                                                                                                               | Ref. No. | EL31 |
| description                                                                       | heating element 1000W 240V heating circuits 1 L 360mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm W 355mm |          |      |

|                                                                                   |                                                                                                                                                                                                                                              |          |       |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                                                                                              |          |       |
| GEV No.                                                                           | 419278                                                                                                                                                                                                                                       | Ref. No. | EL190 |
| description                                                                       | heating element 1400W 240V heating circuits 1 L 618mm W 235mm L1 602mm L2 16mm W1 102mm W2 30mm flange length 70mm flange width 22.5mm hole distance 55mm bridge length 250mm hole ø 5mm tube ø 6.3mm connection 6.3x0.8 mounting pos. lower |          |       |
| For models:                                                                       | ECO9                                                                                                                                                                                                                                         |          |       |

|                                                                                     |                                                                                                                                                                            |          |      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
|  |                                                                                                                                                                            |          |      |
| GEV No.                                                                             | 417758                                                                                                                                                                     | Ref. No. | EL30 |
| description                                                                         | heating element 2000W 240V heating circuits 1 L 355mm thread 1/4" W 430mm tube ø 8.5mm mounting distance 420mm bridge length-mm connection male faston 6.3mm 2 hole fixing |          |      |

## h2heating elements for bain maries

|                                                                                     |                                                                                                                                                 |          |       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                 |          |       |
| GEV No.                                                                             | 418975                                                                                                                                          | Ref. No. | EL152 |
| description                                                                         | heating element 2000W 230V heating circuits 1 L 400mm L1 50mm W 505mm connection plug connection ø6.5mm tube ø 8.5mm dry heating element H 50mm |          |       |
| For models:                                                                         | BM6W, BM7W, BS7W                                                                                                                                |          |       |

Зип Общепит

vsezip.ru

+7(812)987-08-81

|             |                                                                                                                                               |          |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| GEV No.     | 418992                                                                                                                                        | Ref. No. | EL19-CS6 |
| description | heating element 750W 240V heating circuits 1 L 353mm W 245mm connection male faston 6.3mm tube ø 8.5mm thread M12x1 mounting distance 236.5mm |          |          |

|                                                                                    |                                                                                                                                                          |          |         |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
|  |                                                                                                                                                          |          |         |
| GEV No.                                                                            | 420470                                                                                                                                                   | Ref. No. | EL19/UL |
| description                                                                        | heating element 750W 240V heating circuits 1 L 910mm connection male faston 6.3mm to be bend tube ø 8.5mm 2 hole fixing thread M12x1 dry heating element |          |         |
| For models:                                                                        | GBM2                                                                                                                                                     |          |         |

## h2heating elements for fryers

|                                                                                    |                                                                                                                                                                                                                                   |          |       |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                                                                                   |          |       |
| GEV No.                                                                            | 420000                                                                                                                                                                                                                            | Ref. No. | EL209 |
| description                                                                        | heating element 6000W 230V heating circuits 2 L 315mm W 350mm H 174mm rectangular flange connection male faston 6.3mm immersion heater W2 164mm hole distance 181mm hole ø 4mm flange length 185mm flange width 34mm tube ø 8.6mm |          |       |
| For models:                                                                        | DF46                                                                                                                                                                                                                              |          |       |

|                                                                                      |                                                                                                                                                                                     |          |       |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                                     |          |       |
| GEV No.                                                                              | 420587                                                                                                                                                                              | Ref. No. | EL211 |
| description                                                                          | heating element 6000W 230V heating circuits 2 L 317mm W 410mm H 165mm rectangular flange connection male faston 6.3mm hole ø 4mm flange length 185mm flange width 35mm tube ø 8.5mm |          |       |
| For models:                                                                          | DF66ST                                                                                                                                                                              |          |       |



|                                                                                      |                                                                                                                                                                          |          |       |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                          |          |       |
| GEV No.                                                                              | 419266                                                                                                                                                                   | Ref. No. | EL266 |
| description                                                                          | heating element 6000W 230V heating circuits 2 L 325mm W 350mm H 190mm rectangular flange connection male faston 6.3mm flange length 145mm flange width 48mm tube ø 8.5mm |          |       |





Зип Общепит


vsezip.ru


+7(812)987-08-81


|                                                                                                                                                                     |                                                                                                                                                                                                                                |                 |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
|   |                                                                                                                                                                                                                                |                 |      |
| <b>GEV No.</b>                                                                                                                                                      | 418989                                                                                                                                                                                                                         | <b>Ref. No.</b> | EL13 |
| <b>description</b>                                                                                                                                                  | heating element 3000W 230V heating circuits 1 L 390mm W 195mm H 190mm 2 hole fixing connection male faston 6.3mm immersion heater L1 30mm L2 360mm W1 70mm W2 55mm tube ø 8.6mm thread M12x1 mounting distance 46mm windings 3 |                 |      |


|                                                                                                                                                                        |                                                                                                                                                                                                                    |                 |       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|   |                                                                                                                                                                                                                    |                 |       |
| <b>GEV No.</b>                                                                                                                                                         | 419282                                                                                                                                                                                                             | <b>Ref. No.</b> | EL200 |
| <b>description</b>                                                                                                                                                     | heating element 9000W 230V heating circuits 3 L 325mm W 170mm H 163mm rectangular flange connection F6.3x0.8 fryer heaters W2 162mm H1 135mm H2 35mm hole ø 4mm flange length 185mm flange width 34mm tube ø 8.5mm |                 |       |
| <b>For models:</b>                                                                                                                                                     | DF39, DF618, J18, J9                                                                                                                                                                                               |                 |       |

|                                                                                                                                                                     |                                                                                                                                                                                          |                 |       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|   |                                                                                                                                                                                          |                 |       |
| <b>GEV No.</b>                                                                                                                                                      | 418990                                                                                                                                                                                   | <b>Ref. No.</b> | EL198 |
| <b>description</b>                                                                                                                                                  | heating element 6000W 230V heating circuits 2 L 325mm W 163mm H 170mm immersion heater H1 148mm H2 22mm hole distance 77mm hole ø 4mm flange length 185mm flange width 34mm tube ø 8.6mm |                 |       |
| <b>For models:</b>                                                                                                                                                  | DF36, DF612, J12, J6                                                                                                                                                                     |                 |       |

|                                                                                                                                                                        |                                                                                                                                                                                           |                 |       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|   |                                                                                                                                                                                           |                 |       |
| <b>GEV No.</b>                                                                                                                                                         | 419265                                                                                                                                                                                    | <b>Ref. No.</b> | EL267 |
| <b>description</b>                                                                                                                                                     | heating element 9000W 230V heating circuits 3 L 325mm W 350mm H 195mm rectangular flange connection male faston 6.3mm H1 175mm H2 20mm flange length 145mm flange width 48mm tube ø 8.5mm |                 |       |

|                                                                                                                                                                        |                                                                                                                                                                                           |                 |       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|   |                                                                                                                                                                                           |                 |       |
| <b>GEV No.</b>                                                                                                                                                         | 419263                                                                                                                                                                                    | <b>Ref. No.</b> | EL265 |
| <b>description</b>                                                                                                                                                     | heating element 6000W 230V heating circuits 2 L 325mm W 165mm H 190mm rectangular flange connection male faston 6.3mm H1 170mm H2 20mm flange length 145mm flange width 48mm tube ø 8.5mm |                 |       |

|                                                                                                                                                                           |                                                                                                                                                                                                                       |                 |       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|   |                                                                                                                                                                                                                       |                 |       |
| <b>GEV No.</b>                                                                                                                                                            | 419267                                                                                                                                                                                                                | <b>Ref. No.</b> | EL210 |
| <b>description</b>                                                                                                                                                        | heating element 9000W 230V heating circuits 3 L 325mm W 350mm H 220mm rectangular flange connection male faston 6.3mm W1 95mm W2 163mm H1 146mm H2 23mm hole ø 4mm flange length 185mm flange width 34mm tube ø 8.5mm |                 |       |
| <b>For models:</b>                                                                                                                                                        | DF49                                                                                                                                                                                                                  |                 |       |

|                                                                                                                                                                         |                                                                                                                                                                                           |                 |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|   |                                                                                                                                                                                           |                 |       |
| <b>GEV No.</b>                                                                                                                                                          | 419264                                                                                                                                                                                    | <b>Ref. No.</b> | EL268 |
| <b>description</b>                                                                                                                                                      | heating element 6000W 230V heating circuits 2 L 325mm W 165mm H 190mm rectangular flange connection male faston 6.3mm H1 170mm H2 20mm flange length 145mm flange width 48mm tube ø 8.5mm |                 |       |

|                                                                                      |                                                                                                                                                   |                 |       |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                                   |                 |       |
| <b>GEV No.</b>                                                                       | 418974                                                                                                                                            | <b>Ref. No.</b> | EL197 |
| <b>description</b>                                                                   | heating element 3000W 230V heating circuits 1 L 320mm W 170mm H 165mm rectangular flange fryer flange length 185mm flange width 35mm tube ø 8.5mm |                 |       |
| <b>For models:</b>                                                                   | DF33, DF66                                                                                                                                        |                 |       |

Зип Общепит

vsezip.ru

+7(812)987-08181


|                                                                                   |                                                                                                                                                                                |          |       |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                                |          |       |
| GEV No.                                                                           | 419260                                                                                                                                                                         | Ref. No. | EL264 |
| description                                                                       | heating element 3000W 230V heating circuits 1 L 320mm W 170mm H 190mm rectangular flange connection male faston 6.3mm fryer flange length 145mm flange width 48mm tube ø 8.5mm |          |       |

|                                                                                   |                                                                                                                                                                                |          |       |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                                |          |       |
| GEV No.                                                                           | 419262                                                                                                                                                                         | Ref. No. | EL269 |
| description                                                                       | heating element 3000W 230V heating circuits 1 L 325mm W 160mm H 185mm rectangular flange connection male faston 6.3mm fryer flange length 145mm flange width 48mm tube ø 8.5mm |          |       |

|                                                                                    |                                                                                                                                                                                                                                                          |          |      |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
|  |                                                                                                                                                                                                                                                          |          |      |
| GEV No.                                                                            | 418965                                                                                                                                                                                                                                                   | Ref. No. | EL88 |
| description                                                                        | heating element 6000W 240V heating circuits 2 L 360mm W 160mm H 213mm L1 30mm L2 320mm W1 55mm W2 50mm H1 195mm H2 20mm windings 3 flange length 100mm flange width 25mm hole distance 90mm hole ø 6mm connection male faston 6.3mm tube ø 8mm for fryer |          |      |

## 2 hole fixing

|                                                                                     |                                                                                                                                                                                                               |          |       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                                                               |          |       |
| GEV No.                                                                             | 417760                                                                                                                                                                                                        | Ref. No. | EL229 |
| description                                                                         | heating element 2500W 230V heating circuits 1 L 280mm W 125mm H 152mm 2 hole fixing connection male faston 6.3mm L1 55mm L2 250mm W1 40mm W2 33mm tube ø 8.5mm thread M12x1 mounting distance 25mm windings 3 |          |       |

|                                                                                    |                                                                                                                                                                            |          |       |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                                            |          |       |
| GEV No.                                                                            | 420588                                                                                                                                                                     | Ref. No. | EL228 |
| description                                                                        | heating element 3000W 230V L 245mm W 180mm H 155mm screw mounting connection male faston 6.3mm L1 20mm L2 225mm W1 65mm W2 33mm tube ø 8.5mm thread M12 suitable for fryer |          |       |
| For models:                                                                        | LDF, LDF2, LFF                                                                                                                                                             |          |       |

|                                                                                    |                                                                                                                                                                                                                                                   |          |                 |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
|  |                                                                                                                                                                                                                                                   |          |                 |
| GEV No.                                                                            | 418973                                                                                                                                                                                                                                            | Ref. No. | EL10<br>EL10/UL |
| description                                                                        | heating element 3000W 240V heating circuits 1 L 220mm W 210mm H 175mm 2 hole fixing connection male faston 6.3mm fryer heaters L1 20mm L2 200mm W1 85mm W2 40mm tube ø 8.5mm thread M12x1 mounting distance 32mm connection length 2mm windings 5 |          |                 |

## 6 hole fixing

|                                                                                      |                                                                                                                                                      |          |       |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                      |          |       |
| GEV No.                                                                              | 417759                                                                                                                                               | Ref. No. | EL185 |
| description                                                                          | heating element 11000W 230V heating circuits 3 L 370mm W 213mm H 222mm H1 180mm H2 32mm thread M12x1 tube ø 8.5mm screw mounting connection M4 fryer |          |       |

|                                                                                      |                                                                                                                                                      |          |       |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
|  |                                                                                                                                                      |          |       |
| GEV No.                                                                              | 417749                                                                                                                                               | Ref. No. | EL220 |
| description                                                                          | heating element 12000W 230V heating circuits 3 L 370mm W 213mm H 222mm H1 180mm H2 32mm thread M12x1 tube ø 8.5mm connection M4 screw mounting fryer |          |       |
| For models:                                                                          | OE7112, OE7113                                                                                                                                       |          |       |



Зип Общепит

vsezip.ru

+7(812)987-08-81



|                    |                                                                                                                                             |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 417754                                                                                                                                      | <b>Ref. No.</b> | EL189 |
| <b>description</b> | heating element 12000W 230V heating circuits 3 L 370mm W 257mm H 225mm H2 32mm thread M12x1 tube ø 8.5mm screw mounting connection M4 fryer |                 |       |
| <b>For models:</b> | OE7104                                                                                                                                      |                 |       |



|                    |                                                                                                                                            |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 417755                                                                                                                                     | <b>Ref. No.</b> | EL180 |
| <b>description</b> | heating element 7000W 230V heating circuits 3 L 345mm W 112mm H 220mm H2 32mm thread M12x1 tube ø 8.5mm screw mounting connection M4 fryer |                 |       |
| <b>For models:</b> | OE7105                                                                                                                                     |                 |       |



|                    |                                                                                            |                 |       |
|--------------------|--------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 420570                                                                                     | <b>Ref. No.</b> | EL310 |
| <b>description</b> | heating element 2000W 230V heating circuits 1 L 405mm W 85mm H 80mm thread M4 tube ø 8.5mm |                 |       |

## heating elements for griddles



|                    |                                                                                                                   |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 420589                                                                                                            | <b>Ref. No.</b> | EL273 |
| <b>description</b> | heating element 11200W 230V heating circuits 3 L 515mm W 535mm H 150mm tube ø 8.5mm connection M5 flange 145x48mm |                 |       |



|                    |                                                                                   |                 |       |
|--------------------|-----------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 420566                                                                            | <b>Ref. No.</b> | EL104 |
| <b>description</b> | heating element 2000W 240V heating circuits 1 L 330mm W 185mm H 50mm tube ø 8.5mm |                 |       |
| <b>For models:</b> | GS3, GS6T                                                                         |                 |       |



|                    |                                                                                   |                 |       |
|--------------------|-----------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 420567                                                                            | <b>Ref. No.</b> | EL105 |
| <b>description</b> | heating element 2700W 240V heating circuits 1 L 325mm W 350mm H 50mm tube ø 8.5mm |                 |       |
| <b>For models:</b> | GS4                                                                               |                 |       |



|                    |                                                                                   |                 |       |
|--------------------|-----------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 417746                                                                            | <b>Ref. No.</b> | EL155 |
| <b>description</b> | heating element 2800W 230V heating circuits 1 L 330mm W 180mm H 55mm tube ø 8.5mm |                 |       |
| <b>For models:</b> | GS6TE, GS9                                                                        |                 |       |



|                    |                                                                                                                |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 420563                                                                                                         | <b>Ref. No.</b> | EL108 |
| <b>description</b> | heating element 3000W 240V L 330mm W 310mm H 55mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1 |                 |       |
| <b>For models:</b> | GS7, GS7E, GS9                                                                                                 |                 |       |



|                    |                                                                                                                        |                 |       |
|--------------------|------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 420564                                                                                                                 | <b>Ref. No.</b> | EL106 |
| <b>description</b> | heating element 3000W 240V L 340mm W 500mm H 70mm W2 45mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1 |                 |       |
| <b>For models:</b> | GS6                                                                                                                    |                 |       |

Зип Общепит

vsezip.ru

+7(812)987-08-81

|                                                                                   |                                                                                                                           |                 |       |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                           |                 |       |
| 1                                                                                 |                                                                                                                           |                 |       |
| <b>GEV No.</b>                                                                    | 417751                                                                                                                    | <b>Ref. No.</b> | EL202 |
| <b>description</b>                                                                | heating element 3500W 230V heating circuits 1 L 405mm W 188mm H 60mm tube ø 8.5mm griddle connection type grip connection |                 |       |
| <b>For models:</b>                                                                | OE7206, OE7209                                                                                                            |                 |       |

|                                                                                   |                                                                                                                           |                 |       |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                           |                 |       |
| 1                                                                                 |                                                                                                                           |                 |       |
| <b>GEV No.</b>                                                                    | 417753                                                                                                                    | <b>Ref. No.</b> | EL201 |
| <b>description</b>                                                                | heating element 4000W 230V heating circuits 1 L 400mm W 190mm H 60mm tube ø 8.5mm griddle connection type grip connection |                 |       |
| <b>For models:</b>                                                                | OE7206, OE7209                                                                                                            |                 |       |

|                                                                                    |                                                                                   |                 |       |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                   |                 |       |
| 1                                                                                  |                                                                                   |                 |       |
| <b>GEV No.</b>                                                                     | 420565                                                                            | <b>Ref. No.</b> | EL107 |
| <b>description</b>                                                                 | heating element 4500W 230V heating circuits 1 L 325mm W 500mm H 60mm tube ø 8.5mm |                 |       |

|                                                                                     |                                                                                                                                 |                 |       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                 |                 |       |
| 1                                                                                   |                                                                                                                                 |                 |       |
| <b>GEV No.</b>                                                                      | 420591                                                                                                                          | <b>Ref. No.</b> | EL276 |
| <b>description</b>                                                                  | heating element 5333W 230V heating circuits 2 L 420mm W 290mm H 150mm tube ø 8.5mm connection male faston 6.3mm flange 145x48mm |                 |       |

|                                                                                     |                                                                                                  |                 |       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                  |                 |       |
| 1                                                                                   |                                                                                                  |                 |       |
| <b>GEV No.</b>                                                                      | 420572                                                                                           | <b>Ref. No.</b> | EL314 |
| <b>description</b>                                                                  | heating element 6200W 230V heating circuits 3 L 515mm W 395mm H 125mm tube ø 8.5mm connection M5 |                 |       |

|                                                                                    |                                                                                                  |                 |       |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                  |                 |       |
| 1                                                                                  |                                                                                                  |                 |       |
| <b>GEV No.</b>                                                                     | 420573                                                                                           | <b>Ref. No.</b> | EL313 |
| <b>description</b>                                                                 | heating element 6400W 230V heating circuits 3 L 515mm W 535mm H 140mm tube ø 8.5mm connection M5 |                 |       |


|                                                                                    |                                                                                    |                 |       |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                    |                 |       |
| 1                                                                                  |                                                                                    |                 |       |
| <b>GEV No.</b>                                                                     | 420574                                                                             | <b>Ref. No.</b> | EL270 |
| <b>description</b>                                                                 | heating element 8000W 230V heating circuits 3 L 415mm W 465mm H 150mm tube ø 8.5mm |                 |       |

|                                                                                    |                                                                                                                  |                 |       |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                  |                 |       |
| 1                                                                                  |                                                                                                                  |                 |       |
| <b>GEV No.</b>                                                                     | 420590                                                                                                           | <b>Ref. No.</b> | EL272 |
| <b>description</b>                                                                 | heating element 8250W 230V heating circuits 3 L 515mm W 395mm H 150mm tube ø 8.5mm connection M5 flange 145x48mm |                 |       |

## h heating elements for large hobs


|                                                                                      |                                                                                                                                             |                 |       |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                             |                 |       |
| 1                                                                                    |                                                                                                                                             |                 |       |
| <b>GEV No.</b>                                                                       | 420571                                                                                                                                      | <b>Ref. No.</b> | EL306 |
| <b>description</b>                                                                   | heating element 2150W 400V heating circuits 1 L 430mm W 260mm H 100mm connection cable tube ø 13x6mm cable length 700mm dry heating element |                 |       |

## h heating elements for contact grills


|                                                                                      |                                                                                               |                 |       |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                               |                 |       |
| 1                                                                                    |                                                                                               |                 |       |
| <b>GEV No.</b>                                                                       | 419279                                                                                        | <b>Ref. No.</b> | EL280 |
| <b>description</b>                                                                   | heating element 4300W heating circuits 1 L 450mm W 280mm cable length 700mm connection 2-wire |                 |       |
| <b>For models:</b>                                                                   | OE7210                                                                                        |                 |       |



## heating elements for pizza ovens




| GEV No.     | 419276                                                                                                                                                                                     | Ref. No. | EL258 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1000W 230V heating circuits 1 L 502mm W 185mm lug length 40mm lug width 18mm hole distance 210mm connection 6.3x0.8 tube ø 8.5mm mounting pos. upper hole ø 5mm pizza oven |          |       |



| GEV No.     | 417757                                                                                                                                                                                            | Ref. No. | EL177 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1100W 230V heating circuits 1 L 510mm W 400mm lug length 40mm lug width 18mm connection male faston 6.3mm tube ø 8.5mm bracket mounting mounting pos. lower hole ø 5mm pizza oven |          |       |

accessories for 417757

| GEV No.     | 417756                                                                                                                                                                                            | Ref. No. | EL176 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1750W 230V heating circuits 1 L 510mm W 410mm lug length 40mm lug width 18mm connection male faston 6.3mm tube ø 8.5mm bracket mounting mounting pos. upper hole ø 5mm pizza oven |          |       |



| GEV No.     | 417756                                                                                                                                                                                            | Ref. No. | EL176 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1750W 230V heating circuits 1 L 510mm W 410mm lug length 40mm lug width 18mm connection male faston 6.3mm tube ø 8.5mm bracket mounting mounting pos. upper hole ø 5mm pizza oven |          |       |

accessories for 417756

| GEV No.     | 417757                                                                                                                                                                                            | Ref. No. | EL177 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1100W 230V heating circuits 1 L 510mm W 400mm lug length 40mm lug width 18mm connection male faston 6.3mm tube ø 8.5mm bracket mounting mounting pos. lower hole ø 5mm pizza oven |          |       |

Зип Общепит

vsezip.ru

+7(812)987-08-81



| GEV No.     | 419277                                                                                                                                                                                    | Ref. No. | EL259 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 950W 230V heating circuits 1 L 506mm W 440mm lug length 40mm lug width 18mm hole distance 460mm connection 6.3x0.8 tube ø 8.5mm mounting pos. lower hole ø 5mm pizza oven |          |       |


## heating elements for salamanders/toast-




| GEV No.     | 418963                                                                                         | Ref. No. | EL128 |
|-------------|------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1100W 240V L 250mm W 95mm tube ø 6.3mm with strap connection male faston 6.3mm |          |       |



| GEV No.     | 418964                                                                                         | Ref. No. | EL145 |
|-------------|------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1300W 240V L 250mm W 95mm tube ø 6.3mm with strap connection male faston 6.3mm |          |       |



| GEV No.     | 417752                                                                                                                                                                                                                   | Ref. No. | EL223 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 2750W 230V L 530mm W 220mm tube ø 8.5mm bracket mounting connection grip connection hole ø 4.3mm mounting distance 189mm heating circuits 1 lug length 25mm lug width 15mm suitable for salamander grill |          |       |
| For models: | OE7304                                                                                                                                                                                                                   |          |       |




| GEV No.     | 418967                                                                                                                                                             | Ref. No. | EL50 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | heating element 2800W 240V heating circuits 1 L 275mm W 447mm flange length 72mm flange width 19mm tube ø 6.3mm for salamander grill cable length 800mm hole ø 8mm |          |      |
| For models: | AS3, LGT                                                                                                                                                           |          |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81




1

| GEV No.     | 419283                                                                                                                                               | Ref. No. | EL237 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 4500W 240V heating circuits 1 L 265mm W 460mm flange length 60mm flange width 20mm tube ø 8.5mm salamander grill cable length 1000mm |          |       |
| For models: | AS4                                                                                                                                                  |          |       |




1

| GEV No.     | 418993                                                                                                                                                                        | Ref. No. | EL19-CS4 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description | heating element 750W 240V L 330mm W 285mm thread M12x1 mounting distance 276.5mm connection male faston 6.3mm tube ø 8.5mm heating circuits 1 dry heating element for toaster |          |          |



1

| GEV No.     | 417750                                                                                                                              | Ref. No. | EL203 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 3400W 230V heating circuits 1 L 335mm W 305mm H 45mm tube ø 8.5mm connection male faston 6.3mm for salamander grill |          |       |
| For models: | OE7303                                                                                                                              |          |       |



1

| GEV No.     | 418979                                                                                      | Ref. No. | EL151 |
|-------------|---------------------------------------------------------------------------------------------|----------|-------|
| description | hot plate 370W 240V heating circuits 1 L 145mm W 145mm toaster connection male faston 6.3mm |          |       |



1

| GEV No.     | 418980                                                                                      | Ref. No. | EL150 |
|-------------|---------------------------------------------------------------------------------------------|----------|-------|
| description | hot plate 475W 240V heating circuits 1 L 145mm W 145mm toaster connection male faston 6.3mm |          |       |



1

| GEV No.     | 418991                                                                              | Ref. No. | EL183 |
|-------------|-------------------------------------------------------------------------------------|----------|-------|
| description | hot plate 500W 230V heating circuits 1 L 145mm W 145mm connection male faston 6.3mm |          |       |



1

|                                                                                     |                                                                                                                                                                           |                 |                 |   |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|---|
| <b>GEV No.</b>                                                                      | 416001                                                                                                                                                                    | <b>Ref. No.</b> | EL309           |   |
| <b>description</b>                                                                  | radiation heater rectangular 1500W 230/240V L 265mm W 165mm H 32mm heating circuits 1 connections 2 connection type cable cable length 700mm EGO salamander grill         |                 |                 |   |
| <b>accessories for</b>                                                              | 416001                                                                                                                                                                    |                 |                 |   |
|  | <b>GEV No.</b>                                                                                                                                                            | 390880          | <b>Ref. No.</b> | — |
|                                                                                     | safety rod thermostat switch-off temp. 780°C temperature range°C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm |                 |                 |   |
|  | <b>GEV No.</b>                                                                                                                                                            | 403523          | <b>Ref. No.</b> | — |
|                                                                                     | solid state relay ANLY 1 phase 40A 24-280V 4-32VDC L 47.5mm W 43mm screw type ASR-40DA                                                                                    |                 |                 |   |

## hating elements for heated cabinets



1

| GEV No.     | 418978                                                                                                                                                                             | Ref. No. | EL01<br>EL01+LN04 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| description | heating element 3000W 240V heating circuits 1 L 150mm W 225mm H 35mm connection length 15mm connection male faston 6.3mm vertical tube ø 8.6mm water boiler with safety thermostat |          |                   |
| For models: | OE7503                                                                                                                                                                             |          |                   |

## bottom heaters



1

| GEV No.     | 418994                                                                                                 | Ref. No. | EL208 |
|-------------|--------------------------------------------------------------------------------------------------------|----------|-------|
| description | bottom heater 3000W 230V heating circuits 2 ø 196mm safety thermostat 250°C M5 mounting distance 180mm |          |       |

## quartz heating elements



1

| GEV No.     | 418968                                                              | Ref. No. | EL26 |
|-------------|---------------------------------------------------------------------|----------|------|
| description | quartz heating element 500W 240V L 460mm ø 9mm for salamander grill |          |      |
| For models: | LPC, LSC                                                            |          |      |

## immersion heating elements

with compression flange 50 x 26mm



1

| GEV No.     | 419280                                                                                                                                                         | Ref. No. | EB3F EL238<br>EL235 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| description | heating element 3000W 230V heating circuits 1 flange 50x26mm L 145mm W 225mm mounting distance 25mm connection male faston 6.3mm tube ø 8.5mm for Water boiler |          |                     |



1

| GEV No.     | 419273                                                                                                                                                           | Ref. No. | EL297 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 3000W 230V heating circuits 1 flange 50x26mm L 190mm W 165mm mounting distance 24.5mm connection male faston 6.3mm tube ø 8.5mm for Water boiler |          |       |




1

| GEV No.     | 418966                                                                                                                                                                                         | Ref. No. | EL178 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 3000W 240V heating circuits 1 flange 50x26mm L 200mm W 170mm L1 30mm L2 170mm W1 137mm W2 33mm mounting distance 24.5mm connection male faston 6.3mm tube ø 8.5mm water boiler |          |       |
| For models: | EB3, EB4, EB6, EB6T                                                                                                                                                                            |          |       |



1

| GEV No.     | 419272                                                                                                                                                           | Ref. No. | EL298 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 4500W 230V heating circuits 1 flange 50x26mm L 190mm W 160mm mounting distance 24.5mm connection male faston 6.3mm tube ø 8.5mm for Water boiler |          |       |



1

| GEV No.     | 418977                                                                                                                              | Ref. No. | EL179 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 4500W 240V heating circuits 1 flange 50x26mm L 200mm W 170mm connection male faston 6.3mm tube ø 8.5mm water boiler |          |       |
| For models: | EB4                                                                                                                                 |          |       |



1

| GEV No.     | 419274                                                                                                                                                               | Ref. No. | EL299 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 1450W 230V heating circuits 1 flange 50x26mm L 150mm W 33mm H 72mm mounting distance 23mm connection male faston 6.3mm tube ø 8.5mm for Water boiler |          |       |



1

| GEV No.     | 419275                                                                                                                                                                | Ref. No. | EL277 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 3000W 230V heating circuits 1 flange 50x26mm L 150mm W 33mm L1 70mm mounting distance 25mm connection male faston 6.3mm tube ø 8.5mm for Water boiler |          |       |

## special flanges



1

| GEV No.     | 420519                                                                                                                                                       | Ref. No. | OEL32 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 18000W 230/400V heating circuits 1 L 188mm W 66mm flange length 123mm flange width 102mm connection cable included cable length 850mm boiler |          |       |

## miscellaneous



1

| GEV No.         | 418370                                                                                                                                                                                                                                                                         | Ref. No. | OEL18          |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| description     | heating element 18000W 230V heating circuits 6 L 194mm W 87mm H 68mm hole distance 50mm hole ø 8mm number of thermostat sleeves 2 thermostat sleeves ø 6/2mm length thermostat sleeves 142/105mm thermostat sleeve clinging cable length 730mm immersion heater 10 hole flange |          |                |
| accessories for | 418370                                                                                                                                                                                                                                                                         |          |                |
|                 | GEV No.                                                                                                                                                                                                                                                                        | 379078   | Ref. No. —     |
|                 | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x100mm cable length 1.8m                                                                                                            |          |                |
|                 | GEV No.                                                                                                                                                                                                                                                                        | 550894   | Ref. No. OGA14 |
|                 | gasket L 122mm W 101mm thickness 4mm for heating element suitable for RATIONAL equiv. no. 4400279                                                                                                                                                                              |          |                |



1

| GEV No.         | 418369                                                                                                                                                                                                                                                                                                                                    | Ref. No. | OEL17          |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| description     | heating element 9000W 230V heating circuits 3 L 192mm W 39mm H 68mm hole distance 90mm hole ø 8mm thermostat sleeves ø 2.5/6.5mm length thermostat sleeves 155mm number of thermostat sleeves 2 thermostat sleeve eccentric, clinging flange length 82mm flange width 82mm tube ø 6.5mm cable length 200mm immersion heater 5 hole flange |          |                |
| accessories for | 418369                                                                                                                                                                                                                                                                                                                                    |          |                |
|                 | GEV No.                                                                                                                                                                                                                                                                                                                                   | 379078   | Ref. No. —     |
|                 | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x100mm cable length 1.8m                                                                                                                                                                       |          |                |
|                 | GEV No.                                                                                                                                                                                                                                                                                                                                   | 550893   | Ref. No. OGA15 |
|                 | gasket L 81mm W 81mm hole distance 65mm thickness 4mm for heating element suitable for RATIONAL equiv. no. 4400280                                                                                                                                                                                                                        |          |                |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.         | 415550                                                                                                                                                                                                                                                                                                                                          | Ref. No. | OEL02      |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description     | heating element 9000W 230V heating circuits 3 L 205mm W 38mm H 70mm number of thermostat sleeves 1 thermostat sleeves ø 2.5mm length thermostat sleeves 120mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 64mm hole ø 8mm connection male faston 6.3mm 4 hole flange immersion heater flange width 82mm flange length 82mm |          |            |
| accessories for | 415550                                                                                                                                                                                                                                                                                                                                          |          |            |
|                 | GEV No.                                                                                                                                                                                                                                                                                                                                         | 379078   | Ref. No. — |
|                 | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x100mm cable length 1.8m                                                                                                                                                                             |          |            |
|                 | GEV No.                                                                                                                                                                                                                                                                                                                                         | 510565   | Ref. No. — |
|                 | gasket rubber L 82mm W 82mm thickness 4mm hole ø 9mm hole distance 64mm for heating element suitable for RATIONAL 4 holes                                                                                                                                                                                                                       |          |            |



1

| GEV No.     | 417646                                                                                                                                                                                                                                                                               | Ref. No. | OEL10<br>OEL34 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| description | heating element 9000W 400V L 195mm W 40mm H 80mm number of thermostat sleeves 1 thermostat sleeves ø 6mm length thermostat sleeves 132mm tube ø 6mm hole distance 61mm hole ø 7.5mm cable length 60mm combi-steamer flange width 82mm flange length 82mm with gasket with thermowell |          |                |

## heating elements for convection



1

| GEV No.         | 418376                                                                                                                                                                                                                                                 | Ref. No. | OEL23          |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| description     | heating element 18000W 230V heating circuits 3 ID ø 410mm ED ø 477mm L 477mm H 110mm W1 110mm H1 20mm H2 90mm flange length 140mm flange width 62mm hole distance 64mm connection cable connection length 70mm tube ø 6.3mm convection heating element |          |                |
| accessories for | 418376                                                                                                                                                                                                                                                 |          |                |
|                 | GEV No.                                                                                                                                                                                                                                                | 550696   | Ref. No. OGA36 |
|                 | gasket L 140mm W 62mm hole ø 5mm hole distance 56mm 6 holes thickness 2mm for heating element suitable for RATIONAL equiv. no. 4000332                                                                                                                 |          |                |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 418382                                                                                                                                                                                                                                                                                                            | Ref. No. | OEL24 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 18000W 230V heating circuits 6 ID ø 407mm ED ø 485mm L 485mm H 106mm W1 111mm H1 11mm H2 85mm flange length 140mm flange width 72mm hole distance 128mm connection cable connection length 98mm tube ø 6.6mm cable length 600mm convection heating element hole ø 5mm rectangular flange L1 485mm |          |       |



1

| GEV No.     | 417761                                                                                                                                                                                                                                                                          | Ref. No. | EL248 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 3000W 230V heating circuits 3 ID ø 206mm ED ø 245mm L 290mm H 44mm L1 40mm W1 97mm H1 8mm H2 37mm flange length 110mm flange width 20mm hole distance 35mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 6.5mm rectangular flange |          |       |



1

| GEV No.     | 420592                                                                                                                                                                                                                                             | Ref. No. | EL232 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 2500W 230V heating circuits 1 ID ø 175mm ED ø 195mm L 245mm H 35mm L1 45mm W1 30mm H2 27mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element hole ø 5mm |          |       |
| For models: | ECO8, LCO                                                                                                                                                                                                                                          |          |       |



1

| GEV No.     | 419255                                                                                                                                                                                                       | Ref. No. | EL103 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 3000W 240V heating circuits 1 ID ø 330mm ED ø 365mm L 390mm H 90mm L1 22mm H1 60mm H2 40mm flange length 75mm flange width 30mm hole distance 56mm connection male faston 6.3mm tube ø 8.5mm |          |       |
| For models: | ECO7, V6, V6D, V6F, V7                                                                                                                                                                                       |          |       |



1

| GEV No.         | 418385                                                                                                                                                                                                                                                                                                          | Ref. No. | OEL25    |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description     | heating element 30000W 230V heating circuits 6 ID ø 573mm ED ø 630mm L 655mm H 120mm W1 135mm H1 15mm H2 110mm flange length 160mm flange width 75mm hole distance 74mm connection cable connection length 95mm tube ø 8.5mm cable length 600mm convection heating element hole ø 6mm rectangular flange L1 8mm |          |          |
| accessories for | 418385                                                                                                                                                                                                                                                                                                          |          |          |
|                 | GEV No.                                                                                                                                                                                                                                                                                                         | 560611   | Ref. No. |
|                 |                                                                                                                                                                                                                                                                                                                 |          | —        |



1

| GEV No.     | 419259                                                                                                                                                                                                                           | Ref. No. | EL295 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 4000W 230V heating circuits 3 ID ø 210mm ED ø 245mm L 290mm H 90mm L1 45mm W1 95mm H1 40mm H2 50mm flange length 110mm flange width 20mm hole distance 35mm connection male faston 6.3mm tube ø 6.5mm hole ø 6mm |          |       |



1

| GEV No.     | 418995                                                                                                                                                                                                                         | Ref. No. | EL141 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 3000W 230V heating circuits 1 ID ø 193mm ED ø 205mm L 225mm H 35mm L1 15mm W1 30mm H1 8mm H2 28mm flange length 70mm flange width 22.5mm hole distance 56mm connection male faston 6.3mm vertical tube ø 6.3mm |          |       |
| For models: | ECO9, OE7008                                                                                                                                                                                                                   |          |       |



1

| GEV No.     | 419253                                                                                                                                                                                                                | Ref. No. | EL110 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 4000W 240V heating circuits 1 ID ø 340mm ED ø 360mm L 395mm H 40mm L1 48mm H1 25mm H2 28mm flange length 75mm flange width 32mm hole distance 56mm connection male faston 6.3mm vertical tube ø 8.5mm |          |       |

Зип Общепит

round

with radiused edge

for domestic and commercial kitchens

E-G-O

1

| GEV No.     | 490183                                                                     | Ref. No. | HO11 |
|-------------|----------------------------------------------------------------------------|----------|------|
| description | hot plate ø 180mm 1500W 240V connection 4 screw clamps with 8mm spill ring |          |      |
| For models: | ESLR9, HT3, HT6, HT7, LBR2                                                 |          |      |

1

| GEV No.     | 490184                                                                     | Ref. No. | HO10 |
|-------------|----------------------------------------------------------------------------|----------|------|
| description | hot plate ø 180mm 2000W 240V connection 4 screw clamps with 8mm spill ring |          |      |
| For models: | ESLR9, HT6, HT7, LBR                                                       |          |      |

1

| GEV No.     | 490223                                                                     | Ref. No. | EL290 |
|-------------|----------------------------------------------------------------------------|----------|-------|
| description | hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring |          |       |



1

| GEV No.     | 418377                                                                                                                                                                                                                                                                                   | Ref. No. | OEL35 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | heating element 6000W 230V heating circuits 3 ID ø 404mm ED ø 420mm L 440mm H 107mm W1 112mm H1 20mm H2 84mm flange length 140mm flange width 61mm hole distance 65mm connection cable tube ø 6.5mm cable length 300mm convection heating element hole ø 5.5mm rectangular flange L1 7mm |          |       |

## radiation heaters



1

| GEV No.         | 416001                                                                                                                                                                    | Ref. No. | EL309      |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description     | radiation heater rectangular 1500W 230/240V L 265mm W 165mm H 32mm heating circuits 1 connections 2 connection type cable cable length 700mm EGO salamander grill         |          |            |
| accessories for | 416001                                                                                                                                                                    |          |            |
|                 | GEV No.                                                                                                                                                                   | 390880   | Ref. No. — |
|                 | safety rod thermostat switch-off temp. 780°C temperature range°C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm |          |            |
|                 | GEV No.                                                                                                                                                                   | 403523   | Ref. No. — |
|                 | solid state relay ANLY 1 phase 40A 24-280V 4-32VDC L 47.5mm W 43mm screw type ASR-40DA                                                                                    |          |            |

## hot plates

### square & rectangular

#### with radiused edge



1

| GEV No.     | 490066 <sup>1</sup>                                                                                      | Ref. No. | EL188 |
|-------------|----------------------------------------------------------------------------------------------------------|----------|-------|
| description | hot plate dimensions 220x220mm 2600W 230V with spill ring connection 4 screw clamps protector yes square |          |       |
| For models: | OE7008, OE7010, OE7012                                                                                   |          |       |

<sup>1</sup>incl. protector

## energy regulators

### EGO

#### 1-circuit



1

| GEV No.     | 380019                                                                                                                                                      | Ref. No. | EN10 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010         |          |      |
| For models: | BM3, BM4, BM6, BM7, BS3, BS4, BS7, CS4, CS4G, CS6, CT1, ECG6, LBM, LBM2, LBM2W, LBM3, LBMW, LCS, LGT, LPB, LPC, LRB, LRB2W, LRB3, LRBW, LSC, OE7303, OE7304 |          |      |



## thermostats

## bi-metal thermostats

## safety bi-metal thermostats



1

|                    |                                                                                                                     |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375753                                                                                                              | <b>Ref. No.</b> | TH88 |
| <b>description</b> | bi-metal safety thermostat hole distance 23.5mm switch-off temp. 120°C 1NC 1-pole 16A connection F6.3 2 hole fixing |                 |      |
| <b>For models:</b> | EB3F, EB4F, EB6, EB6T                                                                                               |                 |      |



1

|                                                                                   |                                                                                                                    |                 |                   |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                    | 390461                                                                                                             | <b>Ref. No.</b> | TH87              |
| <b>description</b>                                                                | bi-metal safety thermostat hole distance 23.8mm switch-off temp. 95°C 1NC 1-pole 16A connection F6.3 2 hole fixing |                 |                   |
| <b>For models:</b>                                                                | EB3F, EB4F, EB6, EB6T                                                                                              |                 |                   |
| <b>accessories for</b>                                                            | 390461                                                                                                             |                 |                   |
|  | <b>GEV No.</b>                                                                                                     | 550388          | <b>Ref. No.</b> — |
|                                                                                   | bracket for contact thermostat mounting distance 24.5mm mounting ø 3.8                                             |                 |                   |



1

|                    |                                                                                                                      |                 |        |
|--------------------|----------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 391026                                                                                                               | <b>Ref. No.</b> | TH87/S |
| <b>description</b> | bi-metal safety thermostat hole distance 30mm switch-off temp. 120°C 1NC 1-pole 16A 250V Qty 1 pcs incl. accessories |                 |        |



1

|                    |                                                                                                                                   |                 |        |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 391027                                                                                                                            | <b>Ref. No.</b> | TH88/S |
| <b>description</b> | bi-metal safety thermostat hole distance 30mm switch-off temp. 120°C 1NC 1-pole 16A 250V connection F6.3 content with accessories |                 |        |

## bi-metal thermostats



1

|                    |                                                                                                             |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375750                                                                                                      | <b>Ref. No.</b> | TH40 |
| <b>description</b> | bi-metal thermostat hole distance 23.8mm switch-off temp. 85°C 1NC 1-pole 16A connection F6.3 2 hole fixing |                 |      |



1

|                    |                                                                                                                                     |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 390950                                                                                                                              | <b>Ref. No.</b> | TH76 |
| <b>description</b> | temperature limiter hole distance 23.5mm switch-off temp. 100°C 1NC 10A 240V connection F6.3 2 hole fixing cavity Qty 1 pcs KSD1XT2 |                 |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                                                                                                                                        |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 390948                                                                                                                                 | <b>Ref. No.</b> | TH80 |
| <b>description</b> | temperature limiter hole distance 23.5mm switch-off temp. 110°C 1NC 10A 240V connection F6.3 2 hole fixing cavity Qty 1 pcs GKSD201110 |                 |      |
| <b>For models:</b> | UMO50, UMSO50, UMSO50D                                                                                                                 |                 |      |

## control and safety thermostats

## EGO

## control thermostats

## 55.10/19\_ series



1

|                    |                                                                                                                                                                                                                                                  |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375477                                                                                                                                                                                                                                           | <b>Ref. No.</b> | TH95 |
| <b>description</b> | thermostat t.max. 190°C temperature range 48-190°C 1-pole 1NO 16A probe ø 6mm probe L 107mm capillary pipe 1470mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper* shaft position lower rotation 270° |                 |      |
| <b>For models:</b> | OG7106                                                                                                                                                                                                                                           |                 |      |



1

|                    |                                                                                                                                                                                    |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 391025                                                                                                                                                                             | <b>Ref. No.</b> | TH99 |
| <b>description</b> | thermostat t.max. 200°C temperature range 30-200°C 1-pole 1NO 16A probe ø 6mm probe L 110mm capillary pipe 1460mm gland nut M9x1 shaft ø 6x4.6mm shaft L 26mm shaft position upper |                 |      |

55.13\_series



| GEV No.     | 375086                                                                                                                                                                                                                                      | Ref. No. | OTH09 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | thermostat t.max. 180°C temperature range 60-180°C 1-pole 1CO 16A probe ø 6mm probe L 90mm capillary pipe 2400mm capillary pipe isolated 2300mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position upper rotation 270° probe material SS |          |       |



| GEV No.     | 375497                                                                                                                                                     | Ref. No. | TH62 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 182°C 1-pole 1NO probe ø 6mm probe L 115mm capillary pipe 900mm capillary pipe isolatedmm gland nut rotation 270° probe thread M9x1 230V |          |      |
| For models: | OE7104, OE7105                                                                                                                                             |          |      |



| GEV No.     | 390910                                                                                                                                                                                                                                    | Ref. No. | TH29 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 190°C temperature range 130-190°C 1-pole 1NOA probe ø 6mm probe L 117mm capillary pipe 890mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 25mm shaft position upper rotation 270° probe material SS |          |      |



| GEV No.     | 391028                                                                                                                                                                                                  | Ref. No. | TH58 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 400°C temperature range 100-400°C 1-pole 1NO 16A probe ø 4mm probe L 160mm capillary pipe 840mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 26mm shaft position lower |          |      |



| GEV No.     | 375440                                                                                                                                                                                                                   | Ref. No. | TH27 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 93°C temperature range 30-93°C 1-pole 1CO 16A probe ø 6mm probe L 98mm capillary pipe 830mm capillary pipe isolatedmm gland nut M9x1 shaft L 23mm shaft position upper rotation 270° probe material SS |          |      |
| For models: | FWD, FWDG, GBM2, GBM3, KFCWD                                                                                                                                                                                             |          |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81

E-G-O



| GEV No.     | 375566                                                                                                                                                                                                  | Ref. No. | TH09 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 96°C temperature range 82-96°C 1-pole 1CO 16A probe ø 6mm probe L 147mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft L 23mm shaft position upper rotation 120° |          |      |
| For models: | EB3, EB4, EB6, EB6T                                                                                                                                                                                     |          |      |

E-G-O



| GEV No.     | 375486                                                                                                                                                                                                                           | Ref. No. | TH69 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 190°C temperature range 130-190°C 1-pole 1NO 16A probe ø 6mm probe L 115mm capillary pipe 1300mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position° shaft position rotation 270° |          |      |
| For models: | DF33, DF36, DF39, DF46, DF49, DF612, DF618, DF66, DF66ST, HB2, HB3, HB4, J12, J18, J6, J9, LD2, LD3                                                                                                                              |          |      |

#### 55.14\_series

E-G-O



| GEV No.     | 375300                                                                                                                                                                                                     | Ref. No. | TH66 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 128°C temperature range 35-128°C 1-pole 1NO 16A probe ø 3.1mm probe L 174mm capillary pipe 880mm capillary pipe isolated 800mm gland nut shaft L 23mm shaft position lower rotation 270° |          |      |

E-G-O



| GEV No.     | 391024                                                                                                                                                                                                                     | Ref. No. | TH107 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 163mm capillary pipe 880mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position lower probe material SS |          |       |

#### 55.17\_series

E-G-O



| GEV No.     | 391011                                                                                                                                                                                                | Ref. No. | TH106<br>TH106 + GL66 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|
| description | thermostat t.max. 103°C temperature range 30-103°C 1-pole 1NO 16A probe ø 6mm probe L 70mm capillary pipe 1450mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left |          |                       |

E-G-O



| GEV No.     | 391012                                                                                                                                                                                                | Ref. No. | TH105 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | thermostat t.max. 93°C temperature range 30-93°C 1-pole 1CO 16A probe ø 6mm probe L 97mm capillary pipe 845mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position 90 |          |       |

55.18\_series



1

|                    |                                                                                                                                                                                                                                |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 391020                                                                                                                                                                                                                         | <b>Ref. No.</b> | TH70 |
| <b>description</b> | thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 114mm capillary pipe 1280mm capillary pipe isolated 1010mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper probe material SS |                 |      |
| <b>For models:</b> | PB33, PB66                                                                                                                                                                                                                     |                 |      |



1

|                    |                                                                                                                                                                                                                                |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 390703                                                                                                                                                                                                                         | <b>Ref. No.</b> | TH34 |
| <b>description</b> | thermostat t.max. 120°C temperature range 32-110°C 1-pole 1NO 16A probe ø 6mm probe L 110mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 25mm shaft position upper rotation 270° 240V |                 |      |
| <b>For models:</b> | BM3W, BM4W, BM6W, BM7W, BS3W, BS4W, BS7W                                                                                                                                                                                       |                 |      |



1

|                    |                                                                                                                                                                                                                            |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 390831                                                                                                                                                                                                                     | <b>Ref. No.</b> | TH59 |
| <b>description</b> | thermostat t.max. 190°C temperature range 130-190°C 1-pole 1NO 16A probe ø 6mm probe L 113mm capillary pipe 870mm capillary pipe isolatedmm gland nut M9x1 shaft ø 6x4.6mm shaft L 25mm shaft position upper rotation 270° |                 |      |



1

|                    |                                                                                                                                                                                             |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375989                                                                                                                                                                                      | <b>Ref. No.</b> | TH10 |
| <b>description</b> | thermostat t.max. 190°C temperature range 130-190°C 1-pole 1NO 16A probe ø 6mm probe L 118mm capillary pipe 890mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |      |
| <b>For models:</b> | GS3, GS4, GS4E, GS6, GS7, GS7E, GS9, V6D                                                                                                                                                    |                 |      |



1

|                    |                                                                                                                                                                                                                          |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375485                                                                                                                                                                                                                   | <b>Ref. No.</b> | TH82 |
| <b>description</b> | thermostat t.max. 190°C temperature range 130-190°C 1-pole NO 16A probe ø 6mm probe L 119mm capillary pipe 400mm capillary pipe isolated 190mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |      |
| <b>For models:</b> | LDF, LDF2, LFF                                                                                                                                                                                                           |                 |      |



1

|                    |                                                                                                                                                                                                                     |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375483                                                                                                                                                                                                              | <b>Ref. No.</b> | TH12 |
| <b>description</b> | thermostat t.max. 320°C temperature range 50-320°C 1-pole NO 16A probe ø 3mm probe L 158mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |                 |      |
| <b>For models:</b> | ECO76, ECO8, ECO9, ESLR9, GG1, GS6T, GS6TE, LGR, LGR2, LPO, OE7206, OE7209                                                                                                                                          |                 |      |

55.34\_ series



| GEV No.     | 375428                                                                                                                                                                                                                | Ref. No. | TH24 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 190°C temperature range 130-190°C 3-pole 3NO 16A probe ø 6mm probe L 219mm capillary pipe 880mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |      |



| GEV No.         | 375038                                                                                                                                                                                                                   | Ref. No. | TH110    |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description     | thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |          |
| accessories for | 375038                                                                                                                                                                                                                   |          |          |
|                 | GEV No.                                                                                                                                                                                                                  | 110123   | Ref. No. |
|                 | knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°                                                                                                      |          |          |



| GEV No.     | 375024                                                                                                                                              | Ref. No. | TH32 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 840mm capillary pipe isolatedmm gland nut |          |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81



| GEV No.     | 375383                                                                                                                                                                                                               | Ref. No. | TH39 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | thermostat t.max. 350°C temperature range 100-350°C 3-pole 3NO 16A probe ø 6mm probe L 75mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° |          |      |



| GEV No.     | 391019                                                                                                                                                                       | Ref. No. | TH101 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | thermostat t.max. 500°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 26mm shaft position lower |          |       |

safety thermostats

55.11\_ series



| GEV No.     | 390878                                                                                                                                         | Ref. No. | TH35 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | safety thermostat switch-off temp. 80°C 1-pole 1NC 16A probe ø 4mm probe L 89mm capillary pipe 195mm capillary pipe isolatedmm gland nut probe |          |      |
| For models: | ECO76                                                                                                                                          |          |      |

Зип Общежит

vsezip.ru

+7(812)987-08-81

55.13\_series




|                    |                                                                                                                                                                       |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 390911                                                                                                                                                                | <b>Ref. No.</b> | TH11 |
| <b>description</b> | safety thermostat switch-off temp. 230°C 1-pole 16A probe ø 6mm probe L 77mm capillary pipe 670mm capillary pipe isolated 180mm gland nut probe screw connection M8x1 |                 |      |

55.31\_series



|                    |                                                                                                                                                   |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375803                                                                                                                                            | <b>Ref. No.</b> | TH19 |
| <b>description</b> | safety thermostat switch-off temp. 225°C 3-pole 3NC 20A probe ø 6mm probe L 269mm capillary pipe 830mm capillary pipe isolated mm gland nut probe |                 |      |



|                    |                                                                                                                                                           |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375138                                                                                                                                                    | <b>Ref. No.</b> | TH51 |
| <b>description</b> | safety thermostat switch-off temp. 230°C 1-pole 1NO 16A probe ø 6mm probe L 96mm capillary pipe 1050mm capillary pipe isolated mm gland nut M9x1 probe SS |                 |      |

55.32\_series



|                    |                                                                                                                                   |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 391042                                                                                                                            | <b>Ref. No.</b> | TH111 |
| <b>description</b> | safety thermostat switch-off temp. 355°C 3-pole 20A probe ø 3mm probe L 160mm capillary pipe 1790mm capillary pipe isolated 450mm |                 |       |
| <b>For models:</b> | OE7210                                                                                                                            |                 |       |

55.14\_series



|                    |                                                                                                                                                                          |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375137                                                                                                                                                                   | <b>Ref. No.</b> | TH67 |
| <b>description</b> | safety thermostat switch-off temp. 250°C 1-pole 16A probe ø 3.03mm probe L 160mm capillary pipe 880mm capillary pipe isolated 800mm gland nut probe SS with curved probe |                 |      |



|                    |                                                                                                                                                                                    |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375684                                                                                                                                                                             | <b>Ref. No.</b> | TH63 |
| <b>description</b> | safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1 |                 |      |
| <b>For models:</b> | ECO9, ESLR9, OE7008, OE7010                                                                                                                                                        |                 |      |

E·G·O



|                    |                                                                                                                                                                 |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 391013                                                                                                                                                          | <b>Ref. No.</b> | TH102 |
| <b>description</b> | safety thermostat switch-off temp. 580°C 3-pole 3NC 16A probe ø 4mm probe L 233mm capillary pipe 1170mm capillary pipe isolated 310mm gland nut shaft ømm probe |                 |       |
| <b>For models:</b> | V7                                                                                                                                                              |                 |       |

E·G·O



|                    |                                                                                                                                                                                             |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 391017                                                                                                                                                                                      | <b>Ref. No.</b> | TH81 |
| <b>description</b> | safety thermostat switch-off temp. 230°C 3-pole 3NC 16A probe ø 6mm probe L 106mm capillary pipe 390mm capillary pipe isolated 185mm gland nut shaft ømm starting temperature 14°C probe SS |                 |      |
| <b>For models:</b> | LDF, LDF2, LFF, LPB                                                                                                                                                                         |                 |      |

## 55.33\_ series

E·G·O



|                    |                                                                                                                                                                  |                 |                   |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>     | 391016                                                                                                                                                           | <b>Ref. No.</b> | TH73<br>TH73+GL66 |
| <b>description</b> | safety thermostat switch-off temp. 135°C 3-pole 3NC 16A probe ø 6mm probe L 99mm capillary pipe 790mm capillary pipe isolated 780mm gland nut shaft ømm probe SS |                 |                   |
| <b>For models:</b> | ECG6, OE7503, OG7502                                                                                                                                             |                 |                   |

E·G·O



|                    |                                                                                                                                                                              |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375430                                                                                                                                                                       | <b>Ref. No.</b> | TH25 |
| <b>description</b> | safety thermostat switch-off temp. 230°C 3-pole 3NC 20A probe ø 6mm probe L 107mm capillary pipe 870mm capillary pipe isolated-mm gland nut starting temperature 216°C probe |                 |      |
| <b>For models:</b> | DF33, DF36, DF46, DF49, DF612, DF618, DF66ST, J12, J18, J6, J9, LCO, PB33, PB66                                                                                              |                 |      |

E·G·O



|                    |                                                                                                                                                                     |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 391014                                                                                                                                                              | <b>Ref. No.</b> | TH78 |
| <b>description</b> | safety thermostat switch-off temp. 225°C 3-pole 3NC 16A probe ø 6mm probe L 114mm capillary pipe 2250mm capillary pipe isolated 1980mm gland nut shaft ømm probe SS |                 |      |
| <b>For models:</b> | OE7112, OE7113                                                                                                                                                      |                 |      |

E·G·O



|                    |                                                                                                                                                                              |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 375487                                                                                                                                                                       | <b>Ref. No.</b> | TH61 |
| <b>description</b> | safety thermostat switch-off temp. 230°C 3-pole NC 20A probe ø 6mm probe L 103mm capillary pipe 1170mm capillary pipe isolated-mm gland nut starting temperature 116°C probe |                 |      |
| <b>For models:</b> | DF33, DF36, DF39, DF46, DF49, DF618, DF66, DF66ST, J12, J18, J6, J9, OE7105                                                                                                  |                 |      |

56\_ series



| GEV No.     | 375862                                                                                                                                               | Ref. No. | OTH07 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | safety thermostat switch-off temp. 183°C 1-pole 16A probe ø 6mm probe L 61mm capillary pipe 1460mm capillary pipe isolated 1400mm gland nut probe SS |          |       |



| GEV No.     | 391015                                                                                                                                                      | Ref. No. | TH104 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | safety thermostat switch-off temp. 217°C 1-pole 1NC 16A probe ø 6mm probe L 79mm capillary pipe 890mm capillary pipe isolated 198mm gland nut M9x1 probe SS |          |       |



| GEV No.     | 390714                                                                                                                                                 | Ref. No. | TH44 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | safety thermostat switch-off temp. 230°C 1-pole 1NC 16A probe ø 6mm probe L 75mm capillary pipe 740mm capillary pipe isolated 200mm gland nut probe SS |          |      |



| GEV No.     | 375508                                                                                                                                        | Ref. No. | TH71<br>TH96 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------|
| description | safety thermostat switch-off temp. 235°C 1-pole 16A probe ø 3mm probe L 155mm capillary pipe 1100mm capillary pipe isolatedmm gland nut probe |          |              |
| For models: | DF4, DF7, J10                                                                                                                                 |          |              |

Зип Общепит

vsezip.ru

+7(812)987-08-81



| GEV No.     | 390854                                                                                                                                                   | Ref. No. | TH97 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | safety thermostat switch-off temp. 245°C 1-pole 1NC 16A probe ø 3.1mm probe L 155mm capillary pipe 1130mm capillary pipe isolatedmm gland nut M9x1 probe |          |      |



| GEV No.     | 375774                                                                                                                                                                                            | Ref. No. | OTH08 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | safety thermostat switch-off temp. 365°C 1-pole 16A probe ø 4mm probe L 96mm capillary pipe 1160mm capillary pipe isolated 1100mm gland nut probe SS with special screwing screw connection M10x1 |          |       |

control thermostats with operation switch

55.13\_ series



| GEV No.     | 390834                                                                                                                                                                                                                   | Ref. No. | N/A |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----|
| description | thermostat temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position right rotation 270° outer switch 2NO |          |     |

## TECASA

### safety thermostats



|                    |                                                                                                                                                                |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 391021                                                                                                                                                         | <b>Ref. No.</b> | TH86 |
| <b>description</b> | safety thermostat switch-off temp. 115°C 2-pole 2NC 16A probe ø 6mm probe L 69mm capillary pipe 630mm capillary pipe isolated 630mm gland nut shaft ømm spiral |                 |      |

## CAMPINI

### control thermostats



|                    |                                                                                                                                                                                                 |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 391023                                                                                                                                                                                          | <b>Ref. No.</b> | TH75 |
| <b>description</b> | thermostat t.max. 70°C temperature range 0-70°C 1-pole 1NO 16A probe ømm probe Lmm capillary pipemm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 14mm shaft position left bottom |                 |      |
| <b>For models:</b> | HC3, HC4, HC6, HC7, HCL3, HCL4                                                                                                                                                                  |                 |      |

## various

### control thermostats



|                    |                                                                                                               |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 390701                                                                                                        | <b>Ref. No.</b> | TH79 |
| <b>description</b> | thermostat t.max. 177°C 1-pole NC probe ø 6mm probe L 114mm capillary pipe 900mm shaft ø 4.5x6mm shaft L 25mm |                 |      |
| <b>For models:</b> | OE7112                                                                                                        |                 |      |

## gland nut accessories

### ducts

|                    |                                                                  |                 |      |
|--------------------|------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 550148                                                           | <b>Ref. No.</b> | GL66 |
| <b>description</b> | gland duct ET M12x0.75 IT M9x1 probe ø max. 6.5mm WS 17 silicone |                 |      |

## switches and momentary switches

### rocker/momentary rocker switches

#### 26.5x22mm



|                    |                                                                                                                                                              |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 301252                                                                                                                                                       | <b>Ref. No.</b> | SW66 |
| <b>description</b> | rocker switch mounting measurements 26.5x22mm green 2NO 250V 16A illuminated 0-1 connection male faston 6.3mm ambient temperature max. 125°C protection IP40 |                 |      |
| <b>For models:</b> | ECO76, ECO8, HC3, HC4, HC6, HC7, HCL3, HCL4, HCL6, HCL7, HCL9, L3, L4                                                                                        |                 |      |

#### 28x22mm



|                    |                                                                                                                                                     |                 |              |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| <b>GEV No.</b>     | 301305                                                                                                                                              | <b>Ref. No.</b> | SW10<br>SW18 |
| <b>description</b> | rocker switch mounting measurements 28.5x22mm black 2NO 240V 16A 0-1 connection male faston 6.3mm ambient temperature max. 85/125°C protection IP44 |                 |              |
| <b>For models:</b> | FWD, FWDG, KFCWD                                                                                                                                    |                 |              |



|                    |                                                                                                                                                       |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 301253 <sup>1</sup>                                                                                                                                   | <b>Ref. No.</b> | SW59 |
| <b>description</b> | rocker switch mounting measurements 28x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 90°C protection IP40 |                 |      |
| <b>For models:</b> | AS3, AS4                                                                                                                                              |                 |      |

<sup>1</sup>illuminated

#### 30x11mm



|                    |                                                                                                                                                                                        |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 301014                                                                                                                                                                                 | <b>Ref. No.</b> | SW72 |
| <b>description</b> | momentary rocker switch mounting measurements 30x11mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 mounting ømm male faston 6.3mm |                 |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81

|                                                                                   |                                                                                                             |                 |      |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                             |                 |      |
| 1                                                                                 |                                                                                                             |                 |      |
| <b>GEV No.</b>                                                                    | 301038                                                                                                      | <b>Ref. No.</b> | SW53 |
| <b>description</b>                                                                | rocker switch mounting measurements 30x11mm green 1NO indicator light 250V 16A connection male faston 6.3mm |                 |      |
| <b>For models:</b>                                                                | CT1                                                                                                         |                 |      |

|                                                                                   |                                                                                                                                               |                 |              |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
|  |                                                                                                                                               |                 |              |
| 1                                                                                 |                                                                                                                                               |                 |              |
| <b>GEV No.</b>                                                                    | 301004                                                                                                                                        | <b>Ref. No.</b> | SW23<br>SW34 |
| <b>description</b>                                                                | rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 |                 |              |
| <b>For models:</b>                                                                | ECO76, ECO8, ECO9                                                                                                                             |                 |              |
| <b>accessories for</b>                                                            | 301004                                                                                                                                        |                 |              |
|                                                                                   |                                                              | <b>GEV No.</b>  | 301036       |
|                                                                                   |                                                                                                                                               | <b>Ref. No.</b> | —            |

|                                                                                   |                                                                                                                                                               |                 |                     |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------|
| 30x22mm                                                                           |                                                                                                                                                               |                 |                     |
|  |                                                                                                                                                               |                 |                     |
| 1                                                                                 |                                                                                                                                                               |                 |                     |
| <b>GEV No.</b>                                                                    | 301003                                                                                                                                                        | <b>Ref. No.</b> | N/A<br>SW69<br>SW89 |
| <b>description</b>                                                                | rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 |                 |                     |
| <b>For models:</b>                                                                | OE7503, SCH1085, SCH785                                                                                                                                       |                 |                     |
| <b>accessories for</b>                                                            | 301003                                                                                                                                                        |                 |                     |
|                                                                                   |                                                                              | <b>GEV No.</b>  | 301036              |
|                                                                                   |                                                                                                                                                               | <b>Ref. No.</b> | —                   |

|                                                                                   |                                                                                                                                                                |                 |              |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
|  |                                                                                                                                                                |                 |              |
| 1                                                                                 |                                                                                                                                                                |                 |              |
| <b>GEV No.</b>                                                                    | 301251                                                                                                                                                         | <b>Ref. No.</b> | SW11<br>SW70 |
| <b>description</b>                                                                | rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated lighting connection male faston 6.3mm ambient temperature max. 85°C protection IP40 |                 |              |
| <b>For models:</b>                                                                | L3, L4, SCH1085, SCH785                                                                                                                                        |                 |              |

|                                                                                    |                                                                                                                                                             |                 |        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                             |                 |        |
| 1                                                                                  |                                                                                                                                                             |                 |        |
| <b>GEV No.</b>                                                                     | 301001                                                                                                                                                      | <b>Ref. No.</b> | NE14   |
| <b>description</b>                                                                 | rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 |                 |        |
| <b>For models:</b>                                                                 | OE7503                                                                                                                                                      |                 |        |
| <b>accessories for</b>                                                             | 301001                                                                                                                                                      |                 |        |
|                                                                                    |                                                                          | <b>GEV No.</b>  | 301036 |
|                                                                                    |                                                                                                                                                             | <b>Ref. No.</b> | —      |

|                                                                                     |                                                                                                                                                    |                 |      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| push/momentary push switches                                                        |                                                                                                                                                    |                 |      |
| 19x13mm                                                                             |                                                                                                                                                    |                 |      |
|  |                                                                                                                                                    |                 |      |
| 1                                                                                   |                                                                                                                                                    |                 |      |
| <b>GEV No.</b>                                                                      | 345690                                                                                                                                             | <b>Ref. No.</b> | SW88 |
| <b>description</b>                                                                  | momentary push switch mounting measurements 19x13mm black 1NO 250V 16A connection male faston 4.8mm ambient temperature max. 105°C protection IP40 |                 |      |

|                                                                                     |                                                                                                                                                         |                 |        |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
|  |                                                                                                                                                         |                 |        |
| 1                                                                                   |                                                                                                                                                         |                 |        |
| <b>GEV No.</b>                                                                      | 346978                                                                                                                                                  | <b>Ref. No.</b> | SW35   |
| <b>description</b>                                                                  | momentary rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 |                 |        |
| <b>For models:</b>                                                                  | ECO76, ECO8, ECO9                                                                                                                                       |                 |        |
| <b>accessories for</b>                                                              | 346978                                                                                                                                                  |                 |        |
|                                                                                     |                                                                      | <b>GEV No.</b>  | 301036 |
|                                                                                     |                                                                                                                                                         | <b>Ref. No.</b> | —      |

|                                                                                     |                                                                                                                                                                      |                 |        |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| microswitches                                                                       |                                                                                                                                                                      |                 |        |
| lever actuated                                                                      |                                                                                                                                                                      |                 |        |
|  |                                                                                                                                                                      |                 |        |
| 1                                                                                   |                                                                                                                                                                      |                 |        |
| <b>GEV No.</b>                                                                      | 345773                                                                                                                                                               | <b>Ref. No.</b> | X52800 |
| <b>description</b>                                                                  | microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 60mm ambient temperature max. 125°C mounting distance 22mm actuating force: 65g lever length 51mm |                 |        |

## roller-lever actuated

## microswitches



1

|                    |                                                                                                                              |                 |       |
|--------------------|------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 347949                                                                                                                       | <b>Ref. No.</b> | OSW11 |
| <b>description</b> | microswitch with handle with a switch 250V 0.1A 1NC connection male faston 6.3mm L 21mm L1 12mm mounting distance 24mm white |                 |       |



1

|                    |                                                                                                                                                                                                  |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 345250                                                                                                                                                                                           | <b>Ref. No.</b> | SW64 |
| <b>description</b> | microswitch with handle with a switch 250V 16A 1CO connection male faston 6.3mm L 27mm L1 36mm ambient temperature max. 125°C mounting distance 22mm type RL6-1-FGE-P12-5-L actuating force: 90g |                 |      |
| <b>For models:</b> | ECG6, UM50, UM50D, UMO50, UMS50, UMS50D, UMSO50, UMSO50D                                                                                                                                         |                 |      |

## pin-plunger actuated



1

|                    |                                                                                                                                                                         |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 300092                                                                                                                                                                  | <b>Ref. No.</b> | SW38 |
| <b>description</b> | microswitch with plunger 400V 16A 2NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type XTD22A21 actuating force: 150g fryer black |                 |      |
| <b>For models:</b> | LDF, LDF2, LFF, LPB                                                                                                                                                     |                 |      |

## M12



1

|                    |                                                                                                                        |                 |        |
|--------------------|------------------------------------------------------------------------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 346176                                                                                                                 | <b>Ref. No.</b> | X54900 |
| <b>description</b> | microswitch with plunger mounting distance 25mm thread M12x0.75 250V 1CO ambient temperature max. 125°C type MK V11D10 |                 |        |

## accessories



1


|                    |                                    |                 |      |
|--------------------|------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 511566                             | <b>Ref. No.</b> | IN41 |
| <b>description</b> | bracket for switch L 50mm W 27.5mm |                 |      |

Зип-Общепит

float switches



1



|                    |                                                                                                           |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 348189                                                                                                    | <b>Ref. No.</b> | FS01 |
| <b>description</b> | float switch thread M16x2 1NO or 1NC ø 18mm L 100mm mounting ø 16mm 240VACV 0.6A cable cable length 500mm |                 |      |
| <b>For models:</b> | OE7503, OG7502                                                                                            |                 |      |

## cam switches

## on/off



1

|                    |                                                                                                                 |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 301115                                                                                                          | <b>Ref. No.</b> | SW58 |
| <b>description</b> | cam switch 2 operating positions 2NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm |                 |      |
| <b>For models:</b> | ESLR9, OE7008, OE7010                                                                                           |                 |      |



1

|                    |                                                                                                                 |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 300021                                                                                                          | <b>Ref. No.</b> | SW42 |
| <b>description</b> | cam switch 4 operating positions 4NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic |                 |      |

## 7-position



1

| GEV No.     | 300031                                                                                                                                                       | Ref. No. | SW14 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position plastic |          |      |
| For models: | ESLR9, HT3, HT6, HT7, LBR, OE7008, OE7010, OE7012                                                                                                            |          |      |

## operation switches



1

| GEV No.     | 301109                                                                                                                                     | Ref. No. | SW71 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | cam switch 2 operating positions 4NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic 4-pole |          |      |

## magnetic switches

## 32x15mm




1

| GEV No.     | 346510          | Ref. No. | OSW09 |
|-------------|-----------------|----------|-------|
| description | magnetic switch |          |       |



1



| GEV No.     | 346515 <sup>1</sup>                                                                              | Ref. No. | ODO17 |
|-------------|--------------------------------------------------------------------------------------------------|----------|-------|
| description | magnetic switch L 32mm W 15mm 1NO 250V 0.5A P max. 50W connection coded plug cable length 1750mm |          |       |

<sup>1</sup>with coded connector

## accessories

## magnets



| GEV No.     | 346514                                   | Ref. No. | ODO18 |
|-------------|------------------------------------------|----------|-------|
| description | magnet $\varnothing$ 10mm L 40mm Hmm Wmm |          |       |



1

| GEV No.     | 345110                                      | Ref. No. | ODO15 |
|-------------|---------------------------------------------|----------|-------|
| description | magnet $\varnothing$ mm L 25mm H 9mm W 15mm |          |       |

## magnetic holders



1

| GEV No.     | 541986                                       | Ref. No. | ODO21 |
|-------------|----------------------------------------------|----------|-------|
| description | magnet holder with magnet $\varnothing$ 13mm |          |       |

## encoders and potentiometers



1

| GEV No.     | 300198  | Ref. No. | OGE02 |
|-------------|---------|----------|-------|
| description | encoder |          |       |



1

| GEV No.     | 402390                                                                                                             | Ref. No. | MC15 |
|-------------|--------------------------------------------------------------------------------------------------------------------|----------|------|
| description | potentiometer 0.5KOhm rotation 270° RHS500 shaft L 19mm type 1004MX plug type male faston 6.3mm cable length 400mm |          |      |



1

|                    |                                                                                                 |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 402391                                                                                          | <b>Ref. No.</b> | MC16 |
| <b>description</b> | potentiometer 0.5KOhm rotation 270° shaft L 19mm plug type male faston 6.3mm cable length 450mm |                 |      |
| <b>For models:</b> | CT1                                                                                             |                 |      |



1

|                    |                                         |                 |      |
|--------------------|-----------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 348226                                  | <b>Ref. No.</b> | EN02 |
| <b>description</b> | potentiometer 3-pole cable length 300mm |                 |      |



1

|                    |                                                                            |                 |       |
|--------------------|----------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 300197                                                                     | <b>Ref. No.</b> | OPO02 |
| <b>description</b> | potentiometer 4.7KOhm rotation 360° shaft ø 5.9mm with switch shaft L 22mm |                 |       |



1

|                    |                                                |                 |       |
|--------------------|------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 400106                                         | <b>Ref. No.</b> | OGE01 |
| <b>description</b> | pulser KOhm rotation 360° shaft ø 6mm type CPC |                 |       |

## lamps

### indicator lights

#### indicator lights 2-piece (lens and indicator lamp)

##### indicator lamps for socket type RL



1

|                                                                                     |                                                         |                 |                   |
|-------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                      | 359818                                                  | <b>Ref. No.</b> | NE04              |
| <b>description</b>                                                                  | indicator light 230V clear connection male faston 6.3mm |                 |                   |
| <b>accessories for</b>                                                              | 359818                                                  |                 |                   |
|  | <b>GEV No.</b>                                          | 359820          | <b>Ref. No.</b> — |
|                                                                                     | indicator light lens yellow Qty 1 pcs ø 8mm             |                 |                   |
|  | <b>GEV No.</b>                                          | 359833          | <b>Ref. No.</b> — |
|                                                                                     | indicator light lens red Qty 1 pcs ø 8mm                |                 |                   |

accessories for 359818



GEV No.

359948

Ref. No.

—

indicator light lens clear Qty 1 pcs ø 8mm

### indicator lights (complete) ø 10mm

#### with plug-in socket



1

|                    |                                                                          |                 |      |
|--------------------|--------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 359139                                                                   | <b>Ref. No.</b> | NE43 |
| <b>description</b> | indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs |                 |      |



1

|                    |                                                                                                                                                                                                                                                                                                        |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 359140                                                                                                                                                                                                                                                                                                 | <b>Ref. No.</b> | NE42 |
| <b>description</b> | indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs                                                                                                                                                                                                                              |                 |      |
| <b>For models:</b> | DF33, DF36, DF39, DF46, DF49, DF612, DF618, DF66, DF66ST, ECO76, ECO8, ECO9, ESLR9, GG1, GS3, GS4, GS4E, GS6, GS6T, GS6TE, GS7, GS7E, GS9, J12, J18, J6, J9, LCG, LCG2, LCO, LDF, LDF2, LFF, LGR, LGR2, LPG, LPG2, LPO, LRG, LRG2, LSC, PB33, PB66, UM50, UM50D, UMO50, UMS50, UMS50D, UMSO50, UMSO50D |                 |      |

### ø 13mm

#### with plug-in socket



1

|                    |                                                                                              |                 |      |
|--------------------|----------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 359142                                                                                       | <b>Ref. No.</b> | NE38 |
| <b>description</b> | indicator light ø 13mm green 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs |                 |      |
| <b>For models:</b> | FWD, FWDG, G1A, GBM2, GBM3, KFCWD                                                            |                 |      |



1

|                    |                                                                                               |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 359143                                                                                        | <b>Ref. No.</b> | NE37 |
| <b>description</b> | indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs |                 |      |
| <b>For models:</b> | FWD, FWDG, G1A, GBM2, GBM3, KFCWD                                                             |                 |      |

### ø 19mm



1

|                    |                                                                                                |                 |      |
|--------------------|------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 359563                                                                                         | <b>Ref. No.</b> | NE39 |
| <b>description</b> | indicator light ø 19mm 230V green connection male faston 6.3mm                                 |                 |      |
| <b>For models:</b> | OE7008, OE7010, OE7012, OE7104, OE7105, OE7112, OE7113, OE7206, OE7209, OE7210, OE7303, OE7304 |                 |      |

Зип Общепит

vsezip.ru

77(812)987-08-81



1

| GEV No.     | 359564                                                                         | Ref. No. | NE40 |
|-------------|--------------------------------------------------------------------------------|----------|------|
| description | indicator light ø 19mm 230V orange connection male faston 6.3mm                |          |      |
| For models: | OE7008, OE7010, OE7104, OE7105, OE7112, OE7113, OE7206, OE7209, OE7210, OE7503 |          |      |

30x11mm



1

| GEV No.     | 359160                                                                                                                | Ref. No. | NE34 |
|-------------|-----------------------------------------------------------------------------------------------------------------------|----------|------|
| description | indicator light mounting measurements 30x11mm 230V green connection male faston 6.3mm rectangular temp.-resist. 125°C |          |      |
| For models: | V6, V6D, V6F                                                                                                          |          |      |



1

| GEV No.     | 359159                                                                                                     | Ref. No. | NE41 |
|-------------|------------------------------------------------------------------------------------------------------------|----------|------|
| description | indicator light mounting measurements 30x11mm 230V yellow connection male faston 6.3mm temp.-resist. 125°C |          |      |
| For models: | ECO7, V6, V6D, V6F, V7                                                                                     |          |      |

miscellaneous



1

| GEV No.     | 359066                                                   | Ref. No. | ONE02 |
|-------------|----------------------------------------------------------|----------|-------|
| description | indicator light mounting measurements 30x21mm green 230V |          |       |

screw-on/push-on fit

light bulbs

for ovens



1

| GEV No.     | 357153                                                                              | Ref. No. | LA08 |
|-------------|-------------------------------------------------------------------------------------|----------|------|
| description | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type |          |      |



1

| GEV No.     | 359611                                                                                     | Ref. No. | LA9<br>LA94 |
|-------------|--------------------------------------------------------------------------------------------|----------|-------------|
| description | light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT |          |             |
| For models: | ECO76                                                                                      |          |             |

halogen lamp

for socket G4 / G6.35 / G9



500°C

| GEV No.     | 359596                                             | Ref. No. | OBU02 |
|-------------|----------------------------------------------------|----------|-------|
| description | halogen lamp socket G4 12V 10W temp.-resist. 500°C |          |       |

linear lamps

infrared lamps

with base type R7s




1

| GEV No.         | 359536 <sup>1</sup>                                                                                                                                             | Ref. No. | LA210    |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description     | infrared lamp socket R7s L 218mm 240V 500W jacketed                                                                                                             |          |          |
| For models:     | CS4G, LD2, LD3, LD4                                                                                                                                             |          |          |
| accessories for | 359536                                                                                                                                                          |          |          |
|                 | GEV No.                                                                                                                                                         | 359583   | Ref. No. |
|                 |                                                                                                                                                                 |          | —        |
|                 | lamp socket socket R7s 250V ømm for length of lamp 218mm H 62mm connection cable 200mm mounting distance 120mm holder length 246mm mounting thread M4 Qty 1 pcs |          |          |

<sup>1</sup>with double glass

with base type Z ceramic



1

| GEV No.     | 359470 <sup>1</sup>                                                 | Ref. No. | LA12 |
|-------------|---------------------------------------------------------------------|----------|------|
| description | infrared lamp socket Z-ceramic L 225mm 240V 500W cable length 215mm |          |      |
| For models: | CS4G                                                                |          |      |

<sup>1</sup>with double glass

sockets for linear lamps

R7s



1

| GEV No.     | 359726                                                                                                                                            | Ref. No. | LA211 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | lamp socket socket R7s 250V ø 18mm Lmm H 28mm connection cable 230mm mounting distance mm mounting thread M14x1 cable material silicone Qty 1 pcs |          |       |
| For models: | CS4G, LD2, LD3, LD4                                                                                                                               |          |       |



50x75.5mm



1

| GEV No.     | 359309                                                                                       | Ref. No. | LA19 |
|-------------|----------------------------------------------------------------------------------------------|----------|------|
| description | oven lamp L 75mm W 50mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6.3mm |          |      |
| For models: | LCO, UM50, UM50D, UMO50, UMS50, UMS50D, UMSO50, UMSO50D                                      |          |      |

## producer-specific oven lamps

## LINCAT



1

| GEV No.     | 360718                    | Ref. No. | LA118 |
|-------------|---------------------------|----------|-------|
| description | bracket for lamp ø 37.6mm |          |       |



1

| GEV No.         | 359876                                                                                         | Ref. No. | OBU07          |
|-----------------|------------------------------------------------------------------------------------------------|----------|----------------|
| description     | frame SS for lamp lenses W 90mm L 113mm C-Line, CPC, SCC 61-202                                |          |                |
| accessories for | 359876                                                                                         |          |                |
|                 | GEV No.                                                                                        | 359877   | Ref. No. OBU03 |
|                 | lamp glass L 95mm W 72mm thickness 4mm C-Line, CPC, SCC 61-202                                 |          |                |
|                 | GEV No.                                                                                        | 359879   | Ref. No. OBU05 |
|                 | gasket L 99mm W 75mm C-Line, CPC, SCC 61-202                                                   |          |                |
|                 | GEV No.                                                                                        | 359880   | Ref. No. OBU04 |
|                 | gasket L 95mm W 72mm C-Line, CPC, SCC 61-202                                                   |          |                |
|                 | GEV No.                                                                                        | 560448   | Ref. No. —     |
|                 | hexagonal screw thread M5 thread L 8mm SS WS 8 Qty 1 pcs head thickness 4mm DIN 933 / ISO 4017 |          |                |



1

| GEV No.     | 359882               | Ref. No. | OBU09 |
|-------------|----------------------|----------|-------|
| description | gasket L 81mm W 65mm |          |       |



1

| GEV No.     | 359881               | Ref. No. | OBU10 |
|-------------|----------------------|----------|-------|
| description | gasket L 85mm W 70mm |          |       |

Зип Общепит

vsezip.ru

+7(812)987-08-81



| GEV No.     | 359880                                       | Ref. No. | OBU04 |
|-------------|----------------------------------------------|----------|-------|
| description | gasket L 95mm W 72mm C-Line, CPC, SCC 61-202 |          |       |



1

| GEV No.     | 359879                                       | Ref. No. | OBU05 |
|-------------|----------------------------------------------|----------|-------|
| description | gasket L 99mm W 75mm C-Line, CPC, SCC 61-202 |          |       |



1

| GEV No.     | 359878                                 | Ref. No. | OBU11 |
|-------------|----------------------------------------|----------|-------|
| description | lamp glass L 80mm W 65mm thickness 4mm |          |       |



1

| GEV No.         | 359873                                                          | Ref. No. | OBU06          |
|-----------------|-----------------------------------------------------------------|----------|----------------|
| description     | lamp socket socket G4 for halogen lamp                          |          |                |
| accessories for | 359873                                                          |          |                |
|                 | GEV No.                                                         | 359876   | Ref. No. OBU07 |
|                 | frame SS for lamp lenses W 90mm L 113mm C-Line, CPC, SCC 61-202 |          |                |
|                 | GEV No.                                                         | 359877   | Ref. No. OBU03 |
|                 | lamp glass L 95mm W 72mm thickness 4mm C-Line, CPC, SCC 61-202  |          |                |
|                 | GEV No.                                                         | 359879   | Ref. No. OBU05 |
|                 | gasket L 99mm W 75mm C-Line, CPC, SCC 61-202                    |          |                |
|                 | GEV No.                                                         | 359880   | Ref. No. OBU04 |
|                 | gasket L 95mm W 72mm C-Line, CPC, SCC 61-202                    |          |                |
|                 | GEV No.                                                         | 360724   | Ref. No. —     |
|                 | lamp glass L 113mm W 90mm C-Line, CPC, SCC 61-202               |          |                |



1

| GEV No.     | 359874                                 | Ref. No. | OBU13 |
|-------------|----------------------------------------|----------|-------|
| description | lamp socket socket G4 for halogen lamp |          |       |



Зип Общепит

lamp accessories

fasteners


lamp holders

+7(812)987-08-81



1

|                    |                                                                                                             |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 360716                                                                                                      | <b>Ref. No.</b> | LA14 |
| <b>description</b> | oven lamp mounting measurements 55x70mm 250V 25W socket E14 rectangular temp.-resist. 300°C connection F6.3 |                 |      |
| <b>For models:</b> | ECO8, ECO9, L3, L4, LPW, LPW-LR                                                                             |                 |      |



1

|                    |                         |                 |       |
|--------------------|-------------------------|-----------------|-------|
| <b>GEV No.</b>     | 359875                  | <b>Ref. No.</b> | OBU08 |
| <b>description</b> | press frame with gasket |                 |       |

## lamps

## light bulbs



1

|                    |                                                                                     |                 |      |
|--------------------|-------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 357153                                                                              | <b>Ref. No.</b> | LA08 |
| <b>description</b> | light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 55mm lens L 30mm for oven type |                 |      |



1

|                    |                                                                                            |                 |              |
|--------------------|--------------------------------------------------------------------------------------------|-----------------|--------------|
| <b>GEV No.</b>     | 359611                                                                                     | <b>Ref. No.</b> | LA)S<br>LA94 |
| <b>description</b> | light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT |                 |              |
| <b>For models:</b> | ECO76                                                                                      |                 |              |

## halogen lamps

## for socket G4 / G6.35 / G9



1

|                    |                                                    |                 |       |
|--------------------|----------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 359596                                             | <b>Ref. No.</b> | OBU02 |
| <b>description</b> | halogen lamp socket G4 12V 10W temp.-resist. 500°C |                 |       |



1

|                    |                            |                 |      |
|--------------------|----------------------------|-----------------|------|
| <b>GEV No.</b>     | 360715                     | <b>Ref. No.</b> | LA02 |
| <b>description</b> | lamp holder L 774mm W 60mm |                 |      |



1

|                    |                                                               |                 |       |
|--------------------|---------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 360714                                                        | <b>Ref. No.</b> | LA119 |
| <b>description</b> | reflector complete incl. holder L 170mm W 61mm thickness 28mm |                 |       |

## alarm devices

## buzzers



1

|                    |                                                         |                 |       |
|--------------------|---------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 350136                                                  | <b>Ref. No.</b> | OBU01 |
| <b>description</b> | buzzer 12VAC connection cable 200mm screw mounting 63dB |                 |       |

## contactors

## BENEDIKT &amp; JÄGER

## power contactors



1

|                    |                                                                                                                                                    |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 380772                                                                                                                                             | <b>Ref. No.</b> | OCA30 |
| <b>description</b> | power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-10A10230 |                 |       |

Зип Общепит



vsezip.ru

+7(812)987-08-81

1

| GEV No.     | 381173                                                                                                                                       | Ref. No. | OCO29 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | power contactor resistive load 50A 230VAC (AC3/400V) 24A/11kW main contacts 3NO auxiliary contacts 1NO connection torx type K3-24B00 50/60Hz |          |       |

1

| GEV No.     | 380244                                                                                                                                                               | Ref. No. | OCO04 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310 |          |       |

## GENERAL ELECTRIC (AEG)

### power contactors

1

| GEV No.                                                                                                                    | 380267                                                                                                                                                               | Ref. No. | OCO24      |
|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                                                                | power contactor resistive load 110A 230VAC (AC3/400V) 65A/30kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS30K 00A type GE CL07A 300 |          |            |
| accessories for                                                                                                            | 380267                                                                                                                                                               |          |            |
|                                         | GEV No.                                                                                                                                                              | 380268   | Ref. No. — |
| auxiliary contact contacts 1NO for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 10 type GE BCLF 10         |                                                                                                                                                                      |          |            |
|                                         | GEV No.                                                                                                                                                              | 380269   | Ref. No. — |
| auxiliary contact contacts 1NC AC15 6A for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 01 type GE BCLF 01 |                                                                                                                                                                      |          |            |
|                                         | GEV No.                                                                                                                                                              | 380270   | Ref. No. — |
| auxiliary contact contacts 1NO/1NC for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 11 type GE BCLL 11     |                                                                                                                                                                      |          |            |
|                                         | GEV No.                                                                                                                                                              | 380271   | Ref. No. — |
| auxiliary contact contacts 2NO for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 20 type GE BCLL 20         |                                                                                                                                                                      |          |            |

1

| GEV No.     | 380498                                                                                                                                                                             | Ref. No. | CO111<br>OCO19 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| description | power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection male faston 6.3mm type MC1A 400A type AEG LS05 01 FA type GE MC1A 400A |          |                |
| For models: | DF36, DF39, DF46, DF49, DF612, DF618, DF66ST, EB4F, EB6, EB6T, ECG6, ECO76, ESLR9, J12, J18, J6, J9, OE7008, OE7010, OE7104, OE7206, OE7209                                        |          |                |



1

| GEV No.     | 380261                                                                                                                                                                  | Ref. No. | OCO05 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS7K 10A type GE CL02A 310 |          |       |

## MOELLER/EATON

### power contactors

1

| GEV No.     | 380167                                                                                                                                          | Ref. No. | OCO20 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | power contactor resistive load 66A 230VAC (AC3/400V) 50A/22kW main contacts 3NO auxiliary contacts 1NO connection screw connection type DILM 50 |          |       |

## SIEMENS

### power contactors



|                    |                                                                                                                                                      |                 |       |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 380614                                                                                                                                               | <b>Ref. No.</b> | CO215 |
| <b>description</b> | power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection elastic terminals type 3RT2016-2AP01 |                 |       |

## TELEMECANIQUE (Schneider Electric)

### power contactors



|                    |                                                                                                                                                  |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 380967                                                                                                                                           | <b>Ref. No.</b> | CO112 |
| <b>description</b> | power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LC1K0910M7 |                 |       |
| <b>For models:</b> | AS4, EB3, EB4, ECO9, OE7105, OE7112, OE7113, OE7206, OE7209, OE7503                                                                              |                 |       |

## solid state relays

### CELDUC



|                        |                                                                                                       |                 |       |
|------------------------|-------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>         | 400105                                                                                                | <b>Ref. No.</b> | ORO01 |
| <b>description</b>     | solid state relay CELDUC 2 phase 65A 400V 24VDC L 58mm W 45mm plug-in connection screw type 40.00.453 |                 |       |
| <b>accessories for</b> | 400105                                                                                                |                 |       |
|                        | <b>GEV No.</b>                                                                                        | <b>Ref. No.</b> | —     |
|                        | connecting cable L 1440mm 4-pole suitable for RATIONAL                                                |                 |       |

Зип.Общепит

### power relays

#### with bracket mounting



|                    |                                                                                                 |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 380812                                                                                          | <b>Ref. No.</b> | RE28 |
| <b>description</b> | power relays FINDER 230VAC 30A 2CO connection F6.3 bracket mounting manuf. no. 66.82.8.230.0000 |                 |      |



|                    |                                                                                                        |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 380311                                                                                                 | <b>Ref. No.</b> | CO09 |
| <b>description</b> | power relays Italiana Relè 230VAC 20A 1NC/1NO connection F6.3 bracket mounting manuf. no. A1B-230AC-FA |                 |      |
| <b>For models:</b> | OE7303                                                                                                 |                 |      |

## transformers

### encapsulated transformers

#### with plug connection



|                        |                                                                                                                                              |                 |       |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>         | 401472                                                                                                                                       | <b>Ref. No.</b> | OTR06 |
| <b>description</b>     | transformer 1/20/50VA secondaryA H 70mm L 76mm W 104mm connection plug 50/60Hz type 110170 with fuse secondary 2.1/11.5/12VAC primary 230VAC |                 |       |
| <b>spare parts for</b> | 401472                                                                                                                                       |                 |       |
|                        | <b>GEV No.</b>                                                                                                                               | <b>Ref. No.</b> | —     |
|                        | fine fuse size ø5x20mm 1.6A slow-acting rated 250V Qty 10 pcs                                                                                |                 |       |



1

| GEV No.     | 401473                                                                                                                    | Ref. No. | OTR09 |
|-------------|---------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | transformer 21.6VA H 70mm L 94mm W 71mm connection plug 50-60Hz type 40.00.592 moulded secondary 12VDC primary 200-250VAC |          |       |

## electronic controllers

### DIXELL

#### refrigeration controllers

##### built-in version



1

| GEV No.     | 378273                                                                                                                                                                                                                                | Ref. No. | EC15 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | electronic controller DIXELL XR06CX-5N0C1 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 NO-20A(8) NTC/PTC DI protection IP54 -50 up to +110°C display 2½ digit DEF Relay 8A fan relay 8A compressor relay 20A |          |      |



1

| GEV No.         | 402192                                                                                                                                                                            | Ref. No. | EC17       |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description     | electronic controller DIXELL XR10CX mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 NO-20A(8) NTC/PTC DI protection IP54 -50 up to +150°C display 3½ digits |          |            |
| accessories for | 402192                                                                                                                                                                            |          |            |
|                 | GEV No.                                                                                                                                                                           | 378194   | Ref. No. — |
|                 | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire                              |          |            |
|                 | GEV No.                                                                                                                                                                           | 379052   | Ref. No. — |
|                 | temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire                          |          |            |
|                 | GEV No.                                                                                                                                                                           | 379053   | Ref. No. — |
|                 | temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire                                  |          |            |
|                 | GEV No.                                                                                                                                                                           | 379057   | Ref. No. — |
|                 | temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire                                                           |          |            |
|                 | GEV No.                                                                                                                                                                           | 379064   | Ref. No. — |
|                 | temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire                            |          |            |

accessories for 402192

|  |                                                                                                                                                                |        |          |   |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|---|
|  | GEV No.                                                                                                                                                        | 379160 | Ref. No. | — |
|  | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire |        |          |   |
|  | GEV No.                                                                                                                                                        | 379161 | Ref. No. | — |
|  | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire   |        |          |   |
|  | GEV No.                                                                                                                                                        | 379343 | Ref. No. | — |
|  | temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire                                 |        |          |   |
|  | GEV No.                                                                                                                                                        | 379458 | Ref. No. | — |
|  | temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire      |        |          |   |

## probes

### producer-specific probes

#### probes

1

| GEV No.     | 379430                                                                                                                                                                        | Ref. No. | OTC14 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | core temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread probe ø1.5x140mm cable length 1.65m |          |       |

1

| GEV No.     | 379469                                                                                                                                                     | Ref. No. | TH90 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C connection coded plug thread probe eye M3 cable length 0.6m |          |      |

1

| GEV No.     | 378641                                                                                                              | Ref. No. | TH103 |
|-------------|---------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | temperature probe Pt100 cable PVC probe -100 up to 450°C connection plug thread M10x1 probe 5x26 cable length 0.68m |          |       |

1

| GEV No.     | 378642                                                                                                       | Ref. No. | TH98 |
|-------------|--------------------------------------------------------------------------------------------------------------|----------|------|
| description | temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C connection plug probe eye M3 cable length 780mm |          |      |


1

| GEV No.     | 378351                                                                                                                                                                   | Ref. No. | OTC09 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread M8 probe ø2x135mm cable length 1.3m |          |       |


Зип.Общепит

vsezip.ru


+7(812)987-08-81




|                    |                                                                                                                                                                         |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379864                                                                                                                                                                  | <b>Ref. No.</b> | OTC07 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread M8 probe ø2x50mm cable length 1.2m |                 |       |




|                    |                                                                                                                                                                         |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379873                                                                                                                                                                  | <b>Ref. No.</b> | OTC05 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread probe ø1.5x180mm cable length 1.6m |                 |       |




|                    |                                                                                                                                                                       |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379441                                                                                                                                                                | <b>Ref. No.</b> | OTC10 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread probe ø2x125mm cable length 1.5m |                 |       |




|                    |                                                                                                                                                                      |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379869                                                                                                                                                               | <b>Ref. No.</b> | OTC06 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread probe ø2x70mm cable length 2.5m |                 |       |




|                    |                                                                                                                                                                      |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379442                                                                                                                                                               | <b>Ref. No.</b> | OTC13 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread probe ø2x90mm cable length 1.5m |                 |       |



|                    |                                                                                                                                                                     |                 |                |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|
| <b>GEV No.</b>     | 379870                                                                                                                                                              | <b>Ref. No.</b> | OTC12<br>OTC15 |
| <b>description</b> | temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection coded plug thread probe ø4.2mm cable length 1.7m |                 |                |



|                    |                                                                                                                                                                                               |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379367                                                                                                                                                                                        | <b>Ref. No.</b> | OPR10 |
| <b>description</b> | conversion kit thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3x100mm thread M16 cable length 2.2m handle ø 10mm handle length 40mm |                 |       |



|                    |                                                                                                                                                   |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 381443                                                                                                                                            | <b>Ref. No.</b> | OPR18 |
| <b>description</b> | core temperature probe CM_P 61-102 cable PTFE insulated probe -40 up to +250°C probe ø3x100mm cable length 2.45m handle ø 12mm handle length 44mm |                 |       |

|                  |  |
|------------------|--|
| multipoint probe |  |
|------------------|--|




|                    |                                                                                                                                                                                                       |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379868 <sup>1</sup>                                                                                                                                                                                   | <b>Ref. No.</b> | OPR09 |
| <b>description</b> | core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3x100mm thread M16 cable length 2.2m handle ø 10mm handle length 40mm |                 |       |

Зип Общепит


PCBs

vsezip.ru

+7(812)987-08-81



|                    |                                                                                                                                                                                                    |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379865                                                                                                                                                                                             | <b>Ref. No.</b> | OPR15 |
| <b>description</b> | core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3x100mm thread M16 cable length 2.3m handle ømm handle length 50mm |                 |       |



|                    |                                                                                                                                                                                                    |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 379866 <sup>1</sup>                                                                                                                                                                                | <b>Ref. No.</b> | OPR14 |
| <b>description</b> | core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3x100mm thread M16 cable length 2.3m handle ømm handle length 50mm |                 |       |

<sup>1</sup> multipoint probe

## sensors



|                    |                                                               |                 |      |
|--------------------|---------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 403896                                                        | <b>Ref. No.</b> | LE49 |
| <b>description</b> | sensor Lower Level for Water boiler probe L 275mm probe ø 6mm |                 |      |
| <b>For models:</b> | EB3F, EB4F, EB6, EB6T                                         |                 |      |



|                    |                                                                   |                 |      |
|--------------------|-------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 403897                                                            | <b>Ref. No.</b> | LE64 |
| <b>description</b> | sensor Lower Level kit for Water boiler probe L 220mm probe ø 6mm |                 |      |



|                    |                                                              |                 |      |
|--------------------|--------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 403898                                                       | <b>Ref. No.</b> | LE48 |
| <b>description</b> | sensor Upper Level for Water boiler probe L 60mm probe ø 6mm |                 |      |
| <b>For models:</b> | EB3F, EB4F, EB6, EB6T                                        |                 |      |



|                    |                                                               |                 |       |
|--------------------|---------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 402827                                                        | <b>Ref. No.</b> | OPR13 |
| <b>description</b> | control PCB combi-steamer CM101 L 372mm W 120mm type RAL115ET |                 |       |



|                        |                                                                 |                 |       |
|------------------------|-----------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>         | 401475                                                          | <b>Ref. No.</b> | OPR11 |
| <b>description</b>     | control PCB combi-steamer SCC Line                              |                 |       |
| <b>accessories for</b> | 401475                                                          |                 |       |
| <b>GEV No.</b>         | 358791                                                          | <b>Ref. No.</b> | OFU01 |
| <b>description</b>     | fine fuse size ø6.3x32mm 6.3A slow-acting rated 250V Qty 10 pcs |                 |       |



|                    |                                                                                  |                 |       |
|--------------------|----------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 403796                                                                           | <b>Ref. No.</b> | OPR20 |
| <b>description</b> | control PCB for combi-steamer CM_P 61-202 suitable for RATIONAL model Sicotronic |                 |       |



|                    |                                                                    |                 |       |
|--------------------|--------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 403797                                                             | <b>Ref. No.</b> | OPR23 |
| <b>description</b> | control PCB for combi-steamer SCC_WE, CM_P 61-202 model Sicotronic |                 |       |

Зип.Общепит


solenoid valves

solenoid valves (water)


vsezip.ru

HYDRA

+7(812)987-08-81



|                    |                                                                |                 |       |
|--------------------|----------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 403889                                                         | <b>Ref. No.</b> | OSC09 |
| <b>description</b> | display for combi-steamer SCC_WE 61-202 complete incl. control |                 |       |




|                    |                     |                 |      |
|--------------------|---------------------|-----------------|------|
| <b>GEV No.</b>     | 401903              | <b>Ref. No.</b> | PR10 |
| <b>description</b> | PCB                 |                 |      |
| <b>For models:</b> | EB3, EB4, EB6, EB6T |                 |      |



|                    |                                        |                 |       |
|--------------------|----------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 401662                                 | <b>Ref. No.</b> | OPR12 |
| <b>description</b> | PCB combi-steamer CM101 conversion kit |                 |       |



|                    |                               |                 |     |
|--------------------|-------------------------------|-----------------|-----|
| <b>GEV No.</b>     | 403048                        | <b>Ref. No.</b> | N/A |
| <b>description</b> | PCB for fryer L 135mm W 135mm |                 |     |



|                        |                                                               |                 |       |
|------------------------|---------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>         | 401629                                                        | <b>Ref. No.</b> | ORE03 |
| <b>description</b>     | relay shroud I/O-Board SCC Line                               |                 |       |
| <b>accessories for</b> | 401629                                                        |                 |       |
| <b>GEV No.</b>         | 358786                                                        | <b>Ref. No.</b> | —     |
| <b>description</b>     | fine fuse size ø6.3x32mm 2A slow-acting rated 250V Qty 10 pcs |                 |       |



|                    |                                                                                                                                          |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 374095                                                                                                                                   | <b>Ref. No.</b> | SO24 |
| <b>description</b> | solenoid valve single straight 230VAC inlet 3/4" outlet 3/4" flow regulating valve outlet green output 0.8l/min DN10 total length 68.5mm |                 |      |



|                    |                                                                                                                                             |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 374096                                                                                                                                      | <b>Ref. No.</b> | SO23 |
| <b>description</b> | solenoid valve single straight 230VAC inlet 3/4" outlet 3/4" flow regulating valve outlet light blue output 2l/min DN10 total length 68.5mm |                 |      |
| <b>For models:</b> | EB3F, EB4F, EB6, EB6T                                                                                                                       |                 |      |

MÜLLER

medium temperature: 90°C  
duty cycle: 100%



|                    |                                                                          |                 |      |
|--------------------|--------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 374099                                                                   | <b>Ref. No.</b> | SV03 |
| <b>description</b> | solenoid valve single angled 230VAC inlet 12mm outlet 10.4mm t.max. 98°C |                 |      |

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C  
ambient temperature: 60°C 25°C 60°C  
duty cycle: 40% 100% 100%

|                                                                                   |                                                                                                                   |                 |      |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                                   |                 |      |
| 1                                                                                 |                                                                                                                   |                 |      |
| <b>GEV No.</b>                                                                    | 374097                                                                                                            | <b>Ref. No.</b> | SO22 |
| <b>description</b>                                                                | solenoid valve single straight 230VAC inlet 1/2" outlet 1/2" DN10 t.max. 90°C flow regulating valve outlet orange |                 |      |
| <b>For models:</b>                                                                | OE7503, OG7502                                                                                                    |                 |      |

|                                                                                   |                                                                                        |                 |      |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                        |                 |      |
| 1                                                                                 |                                                                                        |                 |      |
| <b>GEV No.</b>                                                                    | 374098                                                                                 | <b>Ref. No.</b> | SO16 |
| <b>description</b>                                                                | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm with backflow preventer |                 |      |
| <b>For models:</b>                                                                | ECO76                                                                                  |                 |      |

solenoid valves with reducers

single

|                                                                                     |                                                                                                                                    |                 |       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                    |                 |       |
| 1                                                                                   |                                                                                                                                    |                 |       |
| <b>GEV No.</b>                                                                      | 370652                                                                                                                             | <b>Ref. No.</b> | OSO09 |
| <b>description</b>                                                                  | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm input 10l/min 10 EATON (INVENSYS) flow regulating valve inlet white |                 |       |

3-fold

|                                                                                     |                                                                                                                                                 |                 |       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                                 |                 |       |
| 1                                                                                   |                                                                                                                                                 |                 |       |
| <b>GEV No.</b>                                                                      | 370672                                                                                                                                          | <b>Ref. No.</b> | OSO07 |
| <b>description</b>                                                                  | solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm 10 EATON (INVENSYS) plastic output C 5l/min flow regulating valve outlet C black |                 |       |

Зип Общепит

with reducer 1/2"

vsezip.ru

+7(812)987-08-81

|                                                                                    |                                                                                      |                 |       |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                      |                 |       |
| 1                                                                                  |                                                                                      |                 |       |
| <b>GEV No.</b>                                                                     | 370266                                                                               | <b>Ref. No.</b> | OSO03 |
| <b>description</b>                                                                 | solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS) |                 |       |

|                                                                                    |                                                                                      |                 |       |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                      |                 |       |
| 1                                                                                  |                                                                                      |                 |       |
| <b>GEV No.</b>                                                                     | 370267                                                                               | <b>Ref. No.</b> | OSO04 |
| <b>description</b>                                                                 | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS) |                 |       |

|                                                                                    |                                                                                      |                 |       |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                      |                 |       |
| 1                                                                                  |                                                                                      |                 |       |
| <b>GEV No.</b>                                                                     | 370268                                                                               | <b>Ref. No.</b> | OSO06 |
| <b>description</b>                                                                 | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS) |                 |       |

|                                                                                      |                                                                            |                 |       |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----------------|-------|
|  |                                                                            |                 |       |
| 1                                                                                    |                                                                            |                 |       |
| <b>GEV No.</b>                                                                       | 370270                                                                     | <b>Ref. No.</b> | OSO05 |
| <b>description</b>                                                                   | solenoid valve single straight 230VAC inlet 3/8" outlet 3/8" DN10 Invensys |                 |       |

various

|                                                                                      |                                                                                                                                                                                 |                 |      |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                                                                                                 |                 |      |
| 1                                                                                    |                                                                                                                                                                                 |                 |      |
| <b>GEV No.</b>                                                                       | 371332                                                                                                                                                                          | <b>Ref. No.</b> | SO27 |
| <b>description</b>                                                                   | solenoid valve single straight 230VAC inlet 3/4" input 10-12l/min DN10 t.max. 90°C duty cycle 100% ROBERTSHAW plastic flow regulating valve inlet white with backflow preventer |                 |      |

various



1

|                    |                                         |                 |     |
|--------------------|-----------------------------------------|-----------------|-----|
| <b>GEV No.</b>     | 370548                                  | <b>Ref. No.</b> | SO1 |
| <b>description</b> | solenoid valve single 240VAC inlet 3/4" |                 |     |
| <b>For models:</b> | ECO8, ECO9                              |                 |     |

## drain valves



1

|                                                                                    |                                                                       |                 |                       |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>                                                                     | 401889                                                                | <b>Ref. No.</b> | ODR10                 |
| <b>description</b>                                                                 | drain valve 12V single inlet 40mm outlet 40mm for combi-steamer       |                 |                       |
| <b>accessories for</b>                                                             | 401889                                                                |                 |                       |
|   | <b>GEV No.</b>                                                        | 532727          | <b>Ref. No.</b> OGA38 |
|                                                                                    | O-ring silicone thickness 3.5mm ID ø 26mm Qty 5 pcs for model SCC, CM |                 |                       |
|  | <b>GEV No.</b>                                                        | 532728          | <b>Ref. No.</b> OGA37 |
|                                                                                    | O-ring silicone thickness 3.5mm ID ø 46mm Qty 5 pcs for model SCC, CM |                 |                       |

## solenoid valves (refrigeration)

SANHUA

valves



1

|                    |                                                                                               |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 374100                                                                                        | <b>Ref. No.</b> | SO21 |
| <b>description</b> | solenoid valve single type FDF6A37 connection 1/4" L 45mm coolant R22/R134a/R404a/R407c/R507a |                 |      |
| <b>For models:</b> | SCR1085, SCR785                                                                               |                 |      |

Зип.Общепит

pressure switches

for combi-steamers

vsezip.ru

+7(812)987-08-81



1

|                    |                                                                                                                             |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 345709                                                                                                                      | <b>Ref. No.</b> | OSW10 |
| <b>description</b> | pressure control ø 84mm pressure range 0-3mbar for humidity measuring connection 6mm p max 0.025bar pressure connection 6mm |                 |       |



1

|                    |                                                                                    |                 |       |
|--------------------|------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 541329                                                                             | <b>Ref. No.</b> | OSW03 |
| <b>description</b> | pressure control pressure range 350/150mbar connection 8mm pressure connection 8mm |                 |       |

## for pasta cookers



1

|                    |                                                                                                              |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 542344                                                                                                       | <b>Ref. No.</b> | PS05 |
| <b>description</b> | pressure control pressure range 60/25mbar connection 6mm size 73x43mm pasta cooker pressure connection ø 6mm |                 |      |

## electrodes



1

|                    |                                                                                                                  |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 401912                                                                                                           | <b>Ref. No.</b> | LE18 |
| <b>description</b> | level electrode 1/8" total length 230mm probe L 225mm insulated probe lengthmm connection bullet connector ø 6mm |                 |      |
| <b>For models:</b> | EB3, EB4, EB6, EB6T                                                                                              |                 |      |



1

|                    |                                        |                 |      |
|--------------------|----------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 401913                                 | <b>Ref. No.</b> | LE21 |
| <b>description</b> | level electrode 1/8" total length 23mm |                 |      |
| <b>For models:</b> | EB3, EB4, EB6, EB6T                    |                 |      |

Зип Общепит  
vsezip.ru  
+7(812)987-08-81

|                                                                                   |                                                                                                                                          |                 |                |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|
|  |                                                                                                                                          |                 |                |
| 1                                                                                 |                                                                                                                                          |                 |                |
| <b>GEV No.</b>                                                                    | 403805                                                                                                                                   | <b>Ref. No.</b> | OEL20<br>OEL28 |
| <b>description</b>                                                                | level electrode M15x1.5 probe L 12mm total length 325mm insulated probe length 114mm straight connection plug-in connection ø 1.5mm EPDM |                 |                |

|                                                                                    |                              |                 |       |
|------------------------------------------------------------------------------------|------------------------------|-----------------|-------|
|  |                              |                 |       |
| 1                                                                                  |                              |                 |       |
| <b>GEV No.</b>                                                                     | 401492                       | <b>Ref. No.</b> | OEL19 |
| <b>description</b>                                                                 | level electrode probe L 85mm |                 |       |

|                                                                                   |                                                                                                                                                      |                 |                |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|
|  |                                                                                                                                                      |                 |                |
| 1                                                                                 |                                                                                                                                                      |                 |                |
| <b>GEV No.</b>                                                                    | 403298                                                                                                                                               | <b>Ref. No.</b> | OEL29<br>OEL33 |
| <b>description</b>                                                                | level electrode M15x1.5 total length 110mm probe L 85mm insulated probe length 75mm with extension connection coded plug ø 2mm suitable for RATIONAL |                 |                |

|                                                                                    |                                                                                                                                                     |                 |                |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|
|  |                                                                                                                                                     |                 |                |
| 1                                                                                  |                                                                                                                                                     |                 |                |
| <b>GEV No.</b>                                                                     | 403804                                                                                                                                              | <b>Ref. No.</b> | OEL20<br>OEL28 |
| <b>description</b>                                                                 | level electrode with cable M15x1.5 probe L 12mm total length 325mm insulated probe length 114mm straight connection plug-in connection ø 1.5mm EPDM |                 |                |

|                                                                                   |                                                                                                                                                        |                 |       |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                                        |                 |       |
| 1                                                                                 |                                                                                                                                                        |                 |       |
| <b>GEV No.</b>                                                                    | 403297                                                                                                                                                 | <b>Ref. No.</b> | OEL21 |
| <b>description</b>                                                                | level electrode M15x1.5 total length 190mm probe L 165mm insulated probe length 153mm with extension connection coded plug ø 2mm suitable for RATIONAL |                 |       |

## flow meters and flow sensors

### flow sensors

|                                                                                     |                                                                                                                                      |                 |       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                      |                 |       |
| 1                                                                                   |                                                                                                                                      |                 |       |
| <b>GEV No.</b>                                                                      | 400163                                                                                                                               | <b>Ref. No.</b> | OEL03 |
| <b>description</b>                                                                  | level electrode PG9 total length 100mm probe L 72/43/22mm insulated probe length 70/62/52mm with 3 probes connection grip connection |                 |       |

|                                                                                     |                                                                                                              |                 |       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                              |                 |       |
| 1                                                                                   |                                                                                                              |                 |       |
| <b>GEV No.</b>                                                                      | 403301                                                                                                       | <b>Ref. No.</b> | OLE05 |
| <b>description</b>                                                                  | flow sensor inlet ø 10mm outlet ø 10mm L 104mm connection coded plug cable length 1300mm flow rate 1-25l/min |                 |       |

|                                                                                     |                                                                                                                                      |                 |       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                                      |                 |       |
| 1                                                                                   |                                                                                                                                      |                 |       |
| <b>GEV No.</b>                                                                      | 400021                                                                                                                               | <b>Ref. No.</b> | OEL05 |
| <b>description</b>                                                                  | level electrode PG9 total length 110mm probe L 70/47/24mm insulated probe length 62/38/16mm with 3 probes connection grip connection |                 |       |

|                                                                                      |                                                                    |                 |       |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------------|-------|
|  |                                                                    |                 |       |
| 1                                                                                    |                                                                    |                 |       |
| <b>GEV No.</b>                                                                       | 402256                                                             | <b>Ref. No.</b> | OLE03 |
| <b>description</b>                                                                   | flow sensor inlet ø 10mm outlet ø 10mm L 110mm flow rate 1-25l/min |                 |       |

|                                                                                     |                                                                                                                                |                 |                       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------|
|  |                                                                                                                                |                 |                       |
| 1                                                                                   |                                                                                                                                |                 |                       |
| <b>GEV No.</b>                                                                      | 400022                                                                                                                         | <b>Ref. No.</b> | OEL04                 |
| <b>description</b>                                                                  | level electrode PG9 total length 135mm probe L 89/59/28mm insulated probe length 80mm with 3 probes connection grip connection |                 |                       |
| <b>accessories for</b>                                                              | 400022                                                                                                                         |                 |                       |
|  | <b>GEV No.</b>                                                                                                                 | 379729          | <b>Ref. No.</b> OCA21 |
|  | <b>GEV No.</b>                                                                                                                 | 550574          | <b>Ref. No.</b> —     |
|                                                                                     | connection cable L 1230mm 4-pole for level electrode plug type coded                                                           |                 |                       |
|                                                                                     | nut thread PG9 H 3mm WS 28 nickel-plated brass Qty 1 pcs mounting ømm cable ømm                                                |                 |                       |

|                                                                                                                                                                                                                                      |                                                                                                                   |                 |       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                                   |                 |       |
| 1                                                                                                                                                                                                                                    |                                                                                                                   |                 |       |
| <b>GEV No.</b>                                                                                                                                                                                                                       | 403302                                                                                                            | <b>Ref. No.</b> | OSE15 |
| <b>description</b>                                                                                                                                                                                                                   | flow sensor inlet ø 3/4" ET outlet ø 3/4" IT L 78mm connection coded plug cable length 1300mm flow rate 1-25l/min |                 |       |

## compressors

EMBRACO / ASPERA

R134A

HBP monophase

High evaporation temperature above -15°C



1

| GEV No.     | 605086                                                                                                                                                                                         | Ref. No. | G/CR10 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | compressor coolant R134a type EMT45HDR 220-240V 50Hz HBP fully hermetic 7.7kg 1/8HP power inputW cylinder capacity 3.97cm <sup>3</sup> CSIRWW 162W 207W 256W 314W 383W 467W test method ASHRAE |          |        |
| For models: | FDB4, FPB5                                                                                                                                                                                     |          |        |

R404a/R507

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

| GEV No.     | 605004                                                                                                                                                                                                | Ref. No. | CR08 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | compressor coolant R404a/R507 type EMT6152GK 220-240V 50Hz HMBP fully hermetic 7.8kg 1/5HP cylinder capacity 4.5cm <sup>3</sup> CSIR H 166mmWWW 267W 332W 351W 437W 535W 646W 769W test method ASHRAE |          |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 605161                                                                                                                                                                               | Ref. No. | CR07 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | compressor coolant R404a/R507 type NEK6210GK 220-240V 50Hz HMBP fully hermetic 8.5kg 3/8HP cylinder capacity 8.78cm <sup>3</sup> CSIR H 200mmW 566W 674W 815W 988W 1195W 1435W 1707W |          |      |
| For models: | SCR1085, SCR785                                                                                                                                                                      |          |      |



1

| GEV No.     | 605125                                                                                                                                                                                       | Ref. No. | CR06 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | compressor coolant R404a/R507 type NEK6213GK 220-240V 50Hz HMBP 11.6kg 1/2HP cylinder capacity 12.12cm <sup>3</sup> CSIR H 206mmW 695W 884W 1093W 1333W 1600W 1894W 2215W test method ASHRAE |          |      |

## fans

axial fans

ebm-papst



1

| GEV No.     | 601309 <sup>1</sup>                                                                                                                                                            | Ref. No. | OFA16 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | axial fan L 127mm W 127mm H 38mm 12VDC 21W bearing ball bearing manuf. no. DV5212N metal connection cable ebm-papst suitable for RATIONAL fan wheel ø 120mm temp.-resist. 65°C |          |       |

<sup>1</sup>with ball bearings

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 601752 <sup>1</sup>                                                                                                                                                                           | Ref. No. | OFA18 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | axial fan L 127mm W 127mm H 38mm 12VDC 21W bearing ball bearing manuf. no. DV5212N plastic/metal connection cable 310mm ebm-papst fan wheel ø 120mm temp.-resist. 65°C SCC Line since 05/2008 |          |       |

<sup>1</sup>with ball bearings

1

| GEV No.     | 602118                                                                                                  | Ref. No. | FA120 |
|-------------|---------------------------------------------------------------------------------------------------------|----------|-------|
| description | axial fan L 60mm W 60mm H 25.3mm 220-240VAC 50/60Hz 4.4W bearing slide bearing cable length 300mm SUNON |          |       |

## import



1

| GEV No.         | 601131 <sup>1</sup>                                                                                                                                      | Ref. No. | S/R0181  |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| description     | axial fan L 119mm W 119mm H 25mm 230VAC 50/60Hz 19/18W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C |          |          |
| accessories for | 601131                                                                                                                                                   |          |          |
|                 | GEV No.                                                                                                                                                  | 550898   | Ref. No. |
|                 | —                                                                                                                                                        |          |          |
|                 | connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan                                                       |          |          |


<sup>1</sup>with ball bearings

1

| GEV No.     | 698721 <sup>1</sup>                                                                                                                                                                                                      | Ref. No. | S/R0079 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| description | axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 17/15W bearing ball bearing manuf. no. connection cable cable length 3000mm COMMONWEALTH fan wheel ø 110mm temp.-resist. 70°C input current 0.1A airflow 130m³/h 2600rpm |          |         |
| For models: | CT1, ECO9                                                                                                                                                                                                                |          |         |

<sup>1</sup>with ball bearings

1



| GEV No.     | 601654 <sup>1</sup>                                                                                                                                                                                                            | Ref. No. | FA62 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | axial fan L 172mm W 150mm H 51mm 230VAC 50/60Hz 28/24W bearing ball bearing manuf. no. A2175-HBL T.G.N connection cable cable length 280mm metal SUNON fan wheel ø 142mm temp.-resist. -10 up to +80°C mounting distance 162mm |          |      |
| For models: | SCR1085, SCR785                                                                                                                                                                                                                |          |      |

<sup>1</sup>with ball bearings

## accessories

## fan guards



1

| GEV No.     | 602141                                                                                                       | Ref. No. | OFI02 |
|-------------|--------------------------------------------------------------------------------------------------------------|----------|-------|
| description | guard with filter for axial flow fan L 126mm W 126mm H 13.5mm mounting distance 115mm suitable for ebm-papst |          |       |

## converters



1

| GEV No.     | 381451                                                                     | Ref. No. | OCO07 |
|-------------|----------------------------------------------------------------------------|----------|-------|
| description | converter ebm-papst type AC 4400HT 100-240V for combi-steamer SCC_WE, CM_P |          |       |

## refrigeration fans

### refrigeration motors universal

ebm-papst

multi fit fan motors



|                                                                                   |                                                                                                                                                       |                 |                   |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                    | 601756                                                                                                                                                | <b>Ref. No.</b> | FA44              |
| <b>description</b>                                                                | fan motor 5W 230V 50/60Hz L1 43.5mm L3 76mm W 61mm cable length 1500mm 1300/1550rpm ebm-papst M4Q045-BD01-75 5 mounting options bearing slide bearing |                 |                   |
| <b>spare parts for</b>                                                            | 601756                                                                                                                                                |                 |                   |
|  | <b>GEV No.</b>                                                                                                                                        | 601413          | <b>Ref. No.</b> — |
|                                                                                   | fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm                                                                         |                 |                   |

### ELCO

N series - standard



|                    |                                                                                                                                             |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 601687                                                                                                                                      | <b>Ref. No.</b> | FA109 |
| <b>description</b> | fan motor ELCO 7W 230V 50/60Hz bearing ball bearing connection cable 1500mm cable length 1500mm 1320/1550rpm 3 mounting options VN7-20/1397 |                 |       |

## cooling fans



|                    |                                                                                 |                 |      |
|--------------------|---------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 602120                                                                          | <b>Ref. No.</b> | FA25 |
| <b>description</b> | fan 230V 50Hz 66W W 210mm H 170mm D 160mm shaft Lmm shaft ømm ebm-papst 1450rpm |                 |      |
| <b>For models:</b> | L3, L4                                                                          |                 |      |

## Зип Общепит

Cross flow fans

EMMEVI - FERGAS

With standard coil



|                    |                                                                                                                                                                           |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 602122                                                                                                                                                                    | <b>Ref. No.</b> | FA51 |
| <b>description</b> | cross flow fan 112904 roller ø 60mm roller length 180mm laminated core thickness 30mm 230VAC 28W refrigeration bearing rubber connection F6.3 t.max. -10 up to +80°C 50Hz |                 |      |
| <b>For models:</b> | FDB4, FPB5                                                                                                                                                                |                 |      |



|                    |                                                                                                                                                                                    |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 602169                                                                                                                                                                             | <b>Ref. No.</b> | FA63 |
| <b>description</b> | cross flow fan Emmevi roller ø 60mm roller length 300mm laminated core thickness 20mm motor position right 230V/50Hz 26W refrigeration bearing rubber connection male faston 6.3mm |                 |      |
| <b>For models:</b> | SCR1085, SCR785                                                                                                                                                                    |                 |      |



|                    |                                                                                                                                                                                    |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 602170                                                                                                                                                                             | <b>Ref. No.</b> | FA61 |
| <b>description</b> | cross flow fan Emmevi roller ø 60mm roller length 300mm laminated core thickness 20mm motor position right 230V/50Hz 26W refrigeration bearing rubber connection male faston 6.3mm |                 |      |

## hot air motors



|                                                                                     |                                                                                                                                 |                 |                       |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------------|
| <b>GEV No.</b>                                                                      | 601301                                                                                                                          | <b>Ref. No.</b> | OFA12                 |
| <b>description</b>                                                                  | fan motor 100-240V 1 phase 50/60Hz 0.45kW 2000rpm speeds 1 L1 160mm L2mm L3mm L4mm M8R IT fan wheel ø 130mm type M3G084-FA22-16 |                 |                       |
| <b>accessories for</b>                                                              | 601301                                                                                                                          |                 |                       |
|  | <b>GEV No.</b>                                                                                                                  | 511685          | <b>Ref. No.</b> OGA29 |
|                                                                                     | shaft seal kit ID ø 15mm ED ø 27mm shaft seal flange mounting gauge with mountign material                                      |                 |                       |

Table continues overleaf

|                                                                                   |         |        |          |
|-----------------------------------------------------------------------------------|---------|--------|----------|
| accessories for                                                                   |         | 601301 |          |
|  | GEV No. | 601327 | Ref. No. |
|                                                                                   | —       |        |          |
| fan wheel D1 ø 340mm H1 135mm blades 9 D2 ø 13mm D3 ø 16mm H2 38mm                |         |        |          |



1

| <b>GEV No.</b>                                                                    | 602128                                                                                                               | <b>Ref. No.</b> | OMO14  |          |   |                                                                   |  |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------|--------|----------|---|-------------------------------------------------------------------|--|
| <b>description</b>                                                                | fan motor 100-240V 50/60Hz 0.55kW 1800rpm L1 162mm L2 52mm L3 14mm with engine shaft gasket type SCC_WE, CM_P 61-202 |                 |        |          |   |                                                                   |  |
| <b>spare parts for</b>                                                            | 602128                                                                                                               |                 |        |          |   |                                                                   |  |
|  | <table> <tr> <th>GEV No.</th><th>551347</th><th>Ref. No.</th><th>—</th></tr> </table>                                | GEV No.         | 551347 | Ref. No. | — | gasket set SCC_WE, CM_P 61-202                                    |  |
| GEV No.                                                                           | 551347                                                                                                               | Ref. No.        | —      |          |   |                                                                   |  |
|  | <table> <tr> <th>GEV No.</th><th>551348</th><th>Ref. No.</th><th>—</th></tr> </table>                                | GEV No.         | 551348 | Ref. No. | — | insulation SCC_WE, CM_P 61-202 L 248mm bore ø 30mm W 193mm H 15mm |  |
| GEV No.                                                                           | 551348                                                                                                               | Ref. No.        | —      |          |   |                                                                   |  |



1

| <b>GEV No.</b>                                                                      | 602126                                                                                        | <b>Ref. No.</b> | OFA21  |          |   |                                                                   |  |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------|--------|----------|---|-------------------------------------------------------------------|--|
| <b>description</b>                                                                  | fan motor 200-240V 50/60Hz 0.75kW 1820rpm L1 160mm L2 49mm L3 16mm 3.75A for fan wheel ø 15mm |                 |        |          |   |                                                                   |  |
| <b>spare parts for</b>                                                              | 602126                                                                                        |                 |        |          |   |                                                                   |  |
|  | <table> <tr> <th>GEV No.</th><th>551347</th><th>Ref. No.</th><th>—</th></tr> </table>         | GEV No.         | 551347 | Ref. No. | — | gasket set SCC_WE, CM_P 61-202                                    |  |
| GEV No.                                                                             | 551347                                                                                        | Ref. No.        | —      |          |   |                                                                   |  |
|  | <table> <tr> <th>GEV No.</th><th>551348</th><th>Ref. No.</th><th>—</th></tr> </table>         | GEV No.         | 551348 | Ref. No. | — | insulation SCC_WE, CM_P 61-202 L 248mm bore ø 30mm W 193mm H 15mm |  |
| GEV No.                                                                             | 551348                                                                                        | Ref. No.        | —      |          |   |                                                                   |  |



1

|                    |                                                   |                 |       |
|--------------------|---------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 602121                                            | <b>Ref. No.</b> | FA102 |
| <b>description</b> | fan wheel blades 12 D1 ø 160mm D2 ø 5x6mm H1 27mm |                 |       |
| <b>For models:</b> | ECO76, ECO9, ESLR9, OE7008, OE7010                |                 |       |

Зип Общепит

vsezip.ru

+7(812)987-08-81

1


|                    |                                                                                            |                 |       |
|--------------------|--------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 511682                                                                                     | <b>Ref. No.</b> | OGA09 |
| <b>description</b> | shaft seal kit ID ø 17mm ED ø 29mm shaft seal flange mounting gauge with mountign material |                 |       |

## hot air fans

### ebm-papst



1




|                    |                                                                                                             |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 601249                                                                                                      | <b>Ref. No.</b> | FA12 |
| <b>description</b> | hot air fan 230V 32W 0.27A L1 60mm L2 20mm L3 20mm L4 157mm fan wheel ø 150mm ebm-papst type R2K150-AC01-15 |                 |      |
| <b>For models:</b> | ECO7, ECO76, ECO9, ESLR9, OE7008, OE7010, V6, V6D, V6F, V7                                                  |                 |      |

miscellaneous



1




|                    |                                                                                             |                 |       |
|--------------------|---------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 601681                                                                                      | <b>Ref. No.</b> | FA106 |
| <b>description</b> | hot air fan 230V 50Hz L1 59mm L2 13mm L3 21mm L4 86mm fan wheel ø 152mm Emmevi type 260130X |                 |       |
| <b>For models:</b> | ECO8, LCO                                                                                   |                 |       |

radial fans




1



|                    |                                                                                                           |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 601296                                                                                                    | <b>Ref. No.</b> | OMO11 |
| <b>description</b> | radial fan 230V voltage AC 50Hz 140W H1 190mm L1 190mm D1 ø 50mm W1 133mm W2 28mm H2 55mm W3 83mm H3 83mm |                 |       |



1



|                    |                                                                                                          |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 601295                                                                                                   | <b>Ref. No.</b> | OMO12 |
| <b>description</b> | radial fan 230V voltage AC 50Hz 50W H1 180mm L1 180mm D1 ø 43mm W1 105mm W2 33mm H2 59mm W3 66mm H3 83mm |                 |       |


Зип Общепит

vsezip.ru

+7(812)987-08-81



1



|                    |                                                                                                           |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 602116                                                                                                    | <b>Ref. No.</b> | FA112 |
| <b>description</b> | radial fan 230V voltage AC 50Hz 60W H1 165mm L1 175mm D1 ø 127mm W1 110mm W2 50mm H2 50mm W3 83mm H3 35mm |                 |       |

motors

gear motors

for conveyor toaster



1

|                    |                                                                      |                 |      |
|--------------------|----------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 601978                                                               | <b>Ref. No.</b> | M013 |
| <b>description</b> | gear motor GLEASON AVERY type RMS125 230V 50Hz 1 phase shaft ø 8x7mm |                 |      |



1

|                    |                                                                                                         |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 601682                                                                                                  | <b>Ref. No.</b> | MO12 |
| <b>description</b> | gear motor MELLOR type UB1062 230V voltage AC 50Hz 5.2rpm shaft ø 8mm L 140mm W 65mm H 95mm for toaster |                 |      |



1

|                    |                                                                                                 |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 601673                                                                                          | <b>Ref. No.</b> | MO25 |
| <b>description</b> | gear motor SPG type ISG-31220ADA 230V voltage AC 50Hz 5.5rpm shaft ø 8x7mm for conveyor toaster |                 |      |



1

| GEV No.     | 601674                                                                                                   | Ref. No. | MCK01 |
|-------------|----------------------------------------------------------------------------------------------------------|----------|-------|
| description | gear motor SPG type ISG-31220ADA 230V voltage AC 50Hz 5.5rpm shaft ø 8x7mm for conveyor toaster complete |          |       |

for ovens

for flues



1


| GEV No.     | 500873                                                                                                               | Ref. No. | OMO10 |
|-------------|----------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | ventilation valve CROUZET type G70C10AFTEG 12V voltage DC shaft ø 6mm L 95mm W 63mm H 136mm for combi-steamer ø 50mm |          |       |

## pumps

wash and rinse pumps

HANNING

pumps



1

| GEV No.                                                                             | 500578                                                                                                                                   | Ref. No. | OPU06    |   |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|---|
| description                                                                         | pump inlet ø 24mm outlet ø 24mm type UP30-274 230V 50/60Hz 1 phase 0.09kW 0.12HP L 145mm rotation direction left capacitor 2.5µF HANNING |          |          |   |
| spare parts for                                                                     | 500578                                                                                                                                   |          |          |   |
|  | GEV No.                                                                                                                                  | 501345   | Ref. No. | — |
|                                                                                     | O-ring EPDM thickness 3mm ID ø 58mm Qty 1 pcs                                                                                            |          |          |   |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.                                                                           | 500579                                                                                                                                   | Ref. No. | OPU03    |   |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|---|
| description                                                                       | pump inlet ø 24mm outlet ø 24mm type UP30-275 230V 50/60Hz 1 phase 0.09kW 0.12HP L 145mm rotation direction left capacitor 2.5µF HANNING |          |          |   |
| spare parts for                                                                   | 500579                                                                                                                                   |          |          |   |
|  | GEV No.                                                                                                                                  | 501345   | Ref. No. | — |
|                                                                                   | O-ring EPDM thickness 3mm ID ø 58mm Qty 1 pcs                                                                                            |          |          |   |



1

| GEV No.     | 499168                                                                                                                 | Ref. No. | OPU02 |
|-------------|------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | pump inlet ø 24mm type UP30-890 200-240V 50/60Hz 1 phase 0.1kW L 145mm rotation direction left capacitor 2.5µF HANNING |          |       |

drain pumps

HANNING



1

| GEV No.     | 500573                                                                                                       | Ref. No. | ODR06 |
|-------------|--------------------------------------------------------------------------------------------------------------|----------|-------|
| description | drain pump 30W 4-piece 230V inlet ø 24/30mm outlet ø 24mm 50Hz HANNING type DPS25-032 1x pump, 3x pump cover |          |       |

Зип.Общепит

fuses

fine fuses

vsezip.ru

+7(812)987-08-81



|                    |                                                                                                                   |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 499215                                                                                                            | <b>Ref. No.</b> | OPU05 |
| <b>description</b> | drain pump kit inlet ø 24mm outlet ø 24mm 200-240V 42W 50-60Hz mode of operation S2 max. 15min HANNING type DPS35 |                 |       |



|                    |                                                                                                           |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 499354                                                                                                    | <b>Ref. No.</b> | OPU07 |
| <b>description</b> | drain pump kit inlet ø 24mm outlet ø 24mm 60/62W 50/60Hz 200-240V mode of operation S2 type DPS35 HANNING |                 |       |

#### service kits



|                    |                                                                                                              |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 500573                                                                                                       | <b>Ref. No.</b> | ODR06 |
| <b>description</b> | drain pump 30W 4-piece 230V inlet ø 24/30mm outlet ø 24mm 50Hz HANNING type DPS25-032 1x pump, 3x pump cover |                 |       |

## condensators & interference suppression filters

### filters

#### interference suppression filters



|                    |                                                                                                          |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 365216                                                                                                   | <b>Ref. No.</b> | OFI10 |
| <b>description</b> | interference suppression filter capacity 3x0.27µFX1+3x0.47µFX1µF 400V for combi-steamer SCC, CM 61-202/E |                 |       |

1

|                    |                                                                |                 |       |
|--------------------|----------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 358792                                                         | <b>Ref. No.</b> | OFU02 |
| <b>description</b> | fine fuse size ø6.3x32mm 10A slow-acting rated 250V Qty 10 pcs |                 |       |

1

|                    |                                                                 |                 |       |
|--------------------|-----------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 358791                                                          | <b>Ref. No.</b> | OFU01 |
| <b>description</b> | fine fuse size ø6.3x32mm 6.3A slow-acting rated 250V Qty 10 pcs |                 |       |

## electric accessories

### cables

#### power supply cables



|                    |                                                                                                                                                                                                                                                                                                                                                        |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 551441                                                                                                                                                                                                                                                                                                                                                 | <b>Ref. No.</b> | PL202 |
| <b>description</b> | power lead BS1363 angled 3-pole contacts P+N+E max. 13A max 250V with fuse thermoplastic countries GB                                                                                                                                                                                                                                                  |                 |       |
| <b>For models:</b> | C6A-100, C6A-75, C6H-100, C6H-75, C6R-105L, C6R-105R, C6R-130L, C6R-130R, CT1, D3H-75, D3R-100, D5H-100, D5H-75, D5R-100, D5R-125, EB3F, ECO8, GG1, HB2, HB3, HB4, HT3, LCG, LCG2, LCO, LD2, LD3, LD4, LDF, LDF2, LGR, LGR2, LGT, LPB, LPG, LPG2, LPO, LRG, LRG2, SCH1085, SCH785, SCR1085, SCR785, UM50, UM50D, UMO50, UMS50, UMS50D, UMSO50, UMSO50D |                 |       |

1

|                    |                                                                                                                                                                                                                                                       |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 551454                                                                                                                                                                                                                                                | <b>Ref. No.</b> | PL201 |
| <b>description</b> | power lead BS1363/A 3-pole contacts P+N+E 1mm <sup>2</sup> max. 10A max 250V 1.4m with fuse countries UK Qty 1 pcs connection with power terminal block black H05RN-F                                                                                 |                 |       |
| <b>For models:</b> | BM3, BM3W, BM4, BM4W, BM6, BM6W, BM7, BM7W, BS3, BS3W, BS4, BS4W, BS7, BS7W, CS4, CS4G, CS6, FDB4, FPB5, G1A, HC3, HC4, HC6, HC7, HCL3, HCL4, HCL6, HCL7, HCL9, L3, L4, LBM, LBM2, LBM2W, LBM3, LBMW, LCS, LPW, LPW-LR, LRB, LRB2W, LRB3, LRB3W, LRBW |                 |       |

1

|                    |                                                                                                                                             |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 551455                                                                                                                                      | <b>Ref. No.</b> | PL143 |
| <b>description</b> | power lead BS1363/A 3-pole contacts P+N+E 1mm <sup>2</sup> max. 13A max 250V 1.9m with fuse countries UK Qty 1 pcs connection black H05RN-F |                 |       |
| <b>For models:</b> | FWD, FWDG, KFCWD                                                                                                                            |                 |       |

## spiral cables



|                    |                                                                                                            |                 |       |
|--------------------|------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 551329                                                                                                     | <b>Ref. No.</b> | PL157 |
| <b>description</b> | spiral cable plug type BS1363 1.5mm <sup>2</sup> 3-pole with plug L 500mm expansion 5:1 countries GB black |                 |       |
| <b>For models:</b> | GBM2, GBM3                                                                                                 |                 |       |

## earthing cables



|                    |                                                                                 |                 |      |
|--------------------|---------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 104684                                                                          | <b>Ref. No.</b> | IG37 |
| <b>description</b> | earthing cable connection F2.8mm / lug M5 cable length 350mm 1.5mm <sup>2</sup> |                 |      |

## silicone cable

up to 180°C



|                    |                                                                                                                                       |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 551312                                                                                                                                | <b>Ref. No.</b> | CA87 |
| <b>description</b> | silicone cable 3-pole 1.5mm <sup>2</sup> insulation silicone red permanent temperature -60 up to +180°C t.max. 230°C conductor copper |                 |      |

## accessories

### protection hoses

### miscellaneous



|                    |                                   |                 |               |
|--------------------|-----------------------------------|-----------------|---------------|
| <b>GEV No.</b>     | 550997                            | <b>Ref. No.</b> | CO239<br>CO76 |
| <b>description</b> | protection pipe ED ø 16mm plastic |                 |               |

## connection cables



|                                                                                                                                |                                                                      |                 |                 |
|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|-----------------|
| <b>GEV No.</b>                                                                                                                 | 379729                                                               | <b>Ref. No.</b> | OCA21           |
| <b>description</b>                                                                                                             | connection cable L 1230mm 4-pole for level electrode plug type coded |                 |                 |
| <b>accessories for</b>                                                                                                         | 379729                                                               |                 |                 |
|                                             | <b>GEV No.</b>                                                       | <b>Ref. No.</b> | <b>Ref. No.</b> |
|                                                                                                                                | 400022                                                               |                 | OEL04           |
| level electrode PG9 total length 135mm probe L 89/59/28mm insulated probe length 80mm with 3 probes connection grip connection |                                                                      |                 |                 |



|                    |                                                                 |                 |       |
|--------------------|-----------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 579001                                                          | <b>Ref. No.</b> | OCA12 |
| <b>description</b> | data cable L 1300mm 8-pole suitable for RATIONAL plug type RJ45 |                 |       |




|                    |                                                                                  |                 |       |
|--------------------|----------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 579002                                                                           | <b>Ref. No.</b> | OCA19 |
| <b>description</b> | data cable L 800mm 8-pole for combi-steamer suitable for SCC Line plug type RJ45 |                 |       |

## terminals

### terminal blocks



|                    |                                                                                                |                 |      |
|--------------------|------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 550232                                                                                         | <b>Ref. No.</b> | TE10 |
| <b>description</b> | lustre terminal 12-pole cross section 2.5mm <sup>2</sup> max. 32A max 450V temp.-resist. 150°C |                 |      |
| <b>For models:</b> | AS3, AS4                                                                                       |                 |      |



|                    |                                                                                              |                 |      |
|--------------------|----------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 550838                                                                                       | <b>Ref. No.</b> | TE14 |
| <b>description</b> | lustre terminal 12-pole cross section 6mm <sup>2</sup> max. 41A max 750V temp.-resist. 150°C |                 |      |
| <b>For models:</b> | OE7112                                                                                       |                 |      |

## connection terminals with screw/faston connections



|                    |                                                                                                    |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 551260                                                                                             | <b>Ref. No.</b> | TE47 |
| <b>description</b> | power terminal block 7-pole max. 40A max 450V connection M5/ male faston 6.3mm temp.-resist. 150°C |                 |      |
| <b>For models:</b> | OE7008                                                                                             |                 |      |



## connection boxes



1

| GEV No.            | 551337                                                                                                          | Ref. No. | TE45 |
|--------------------|-----------------------------------------------------------------------------------------------------------------|----------|------|
| <b>description</b> | power terminal block 5-pole contacts 3P+N+E with lid                                                            |          |      |
| <b>For models:</b> | AS4, DF36, DF39, DF46, DF49, DF612, DF618, DF665T, ECG6, ECO9, HT6, HT7, J6, J9, OE7012, OE7303, OE7304, OE7503 |          |      |

## gas taps

### PEL

#### 20S series



1

| GEV No.            | 107798                                                                                                                                                                                                                                          | Ref. No. | VA41 |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| <b>description</b> | gas tap PEL type 20S gas inlet pipe flange ø21mm bypass nozzle ø 0.8 bar mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M8x1 pilot connection shaft ø 8x6.5mm shaft L 45/17mm shaft flat upper without ignition flame connection |          |      |



1

| GEV No.            | 107799                                                                                                                                                                                                                                   | Ref. No. | VA42 |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| <b>description</b> | gas tap PEL type 20S gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection shaft ø 8x6.5mm shaft L 45/17mm shaft flat lower without ignition flame connection |          |      |

#### 21S series



1

| GEV No.            | 107797                                                                                                                                                                                                   | Ref. No. | VA40 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| <b>description</b> | gas tap PEL type 21S/O gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection shaft ø 8x6.5mm shaft L 45/17mm shaft flat lower |          |      |

**spare parts for** 107797



| GEV No.            | 101060                                                                              | Ref. No. | — |
|--------------------|-------------------------------------------------------------------------------------|----------|---|
| <b>description</b> | magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA |          |   |

spare parts for 107797



| GEV No. | 101231 | Ref. No. | — |
|---------|--------|----------|---|
|---------|--------|----------|---|

thermocouple nut T1: M9x1 T2: M18x1



| GEV No. | 101880 | Ref. No. | — |
|---------|--------|----------|---|
|---------|--------|----------|---|

gasket Viton ED ø 14mm ID ø 9mm thickness 7.7mm Qty 1 pcs

accessories for 107797



| GEV No. | 101278 | Ref. No. | — |
|---------|--------|----------|---|
|---------|--------|----------|---|

olive for pipe ø 10mm Qty 1 pcs



| GEV No. | 101300 | Ref. No. | — |
|---------|--------|----------|---|
|---------|--------|----------|---|

union nut thread M16x1.5 tube ø 10mm

#### 22S/O series



1

| GEV No.            | 107800                                                                                                                                                                                                         | Ref. No. | V43 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----|
| <b>description</b> | gas tap PEL type 22S/O gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 33/17mm shaft flat left |          |     |



1

| GEV No.            | 107803                                                                                                                                                                                                          | Ref. No. | VA45 |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| <b>description</b> | gas tap PEL type 22S/O gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 33/17mm shaft flat lower |          |      |

## COPRECI

### CAL-24200



1

| GEV No.            | 109202                                                                                                                                                                                                            | Ref. No. | VA09 |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| <b>description</b> | gas tap COPRECI type CAL-24200 gas inlet pipe flange ø14mm bypass nozzle ø 0.35mm gas outlet 1/4" thermocouple connection M8x1 pilot connection shaft ø 6x4.6mm shaft flat upper shaft L 28/13mm pipe input ø 8mm |          |      |

**For models:** CG4, CG6

Зип Общепит

miscellaneous

vsezip.ru

+7(812)987-08-81

1

| GEV No.     | 109203                                                                                                                                                                                                                     | Ref. No. | VA11 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | gas tap with pin COPRECI type CAL-24200 gas inlet pipe flange ø14mm bypass nozzle ø 0.35mm gas outlet 1/4" thermocouple connection M8x1 pilot connection shaft ø 6x4.6mm shaft flat upper shaft L 28/13mm pipe input ø 8mm |          |      |
| For models: | GS4, GS7                                                                                                                                                                                                                   |          |      |

## CAL-5200

1

| GEV No.     | 109138                                                                                                                                                                                                                              | Ref. No. | VA64<br>VA64/S |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| description | gas tap COPRECI type CAL-5200 gas inlet pipe flange ø21mm bypass nozzle ø 0.76+0.51mm gas outlet M14x1.5 (tube ø 8mm) thermocouple connection M8x1 pilot connection shaft ø 7x5mm shaft L 45/20mm shaft flat lower pipe input ø 8mm |          |                |

## SABAF

1

| GEV No.                                                                                 | 106692                                                                                                                                                                                                                | Ref. No. | VA10A<br>VA10S |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| description                                                                             | gas tap SABAF type 10 gas inlet pipe flange ø16mm bypass nozzle ø 0.5mm gas outlet M13x1 IT (tube ø 8mm) front fixing thermocouple connection M8x1 shaft ø 8x6.5mm shaft L 31/12mm shaft flat lower pipe outlet ø 8mm |          |                |
| spare parts for                                                                         | 106692                                                                                                                                                                                                                |          |                |
|      | GEV No.                                                                                                                                                                                                               | 101051   | Ref. No. —     |
| magnet unit L 27mm D1 ø 12.5mm D2 ø 8.5mm suitable for JUNKERS/EGA/MADEC/SABAF standard |                                                                                                                                                                                                                       |          |                |
|      | GEV No.                                                                                                                                                                                                               | 101376   | Ref. No. —     |
| gasket ID ø 8mm ED ø 12mm H 3/5mm                                                       |                                                                                                                                                                                                                       |          |                |
|      | GEV No.                                                                                                                                                                                                               | 101751   | Ref. No. —     |
| bracket                                                                                 |                                                                                                                                                                                                                       |          |                |
| accessories for                                                                         | 106692                                                                                                                                                                                                                |          |                |
|      | GEV No.                                                                                                                                                                                                               | 101277   | Ref. No. —     |
| olive ID ø 8mm Qty 1 pcs                                                                |                                                                                                                                                                                                                       |          |                |
|      | GEV No.                                                                                                                                                                                                               | 101477   | Ref. No. —     |
| union screw thread M13x1 tube ø 8mm Qty 1 pcs                                           |                                                                                                                                                                                                                       |          |                |

| GEV No.     | 107810                                                                                                                                                           | Ref. No. | VA70/S |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | gas tap gas inlet 1/4" gas outlet 1/4" pilot connection M8x1 thermocouple connection M8x1 shaft ø 6x4.6mm shaft L 34/12mm shaft flat upper with screw connection |          |        |

1

| GEV No.     | 107808                                                                                                                                                                                         | Ref. No. | VA17 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | gas tap gas inlet pipe flange ø14mm bypass nozzle ø 0.35mm gas outlet M13x1 IT thermocouple connection M8x1 pilot connection shaft ø 6x4.6mm shaft flat upper shaft L 22/13mm pipe input ø 8mm |          |      |

## NEGABAN GAS

1

| GEV No.     | 107820                                                                                                                                            | Ref. No. | VA01 |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | gas tap type NGC 6802 gas inlet 1/4" bypass nozzle ømm gas outlet 1/4" thermocouple connection M9x1 pilot connection M10x1 for ignition electrode |          |      |
| For models: | CS4N, CS4P                                                                                                                                        |          |      |

## gas thermostats

### DUNGS

1

| GEV No.     | 103309                                                                                                                                                                                         | Ref. No. | VA08 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | gas thermostat DUNGS type BM 751 0-80°C gas inlet 1/2" bypass nozzle ø 0.7mm gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 capillary pipe 950mm probe ø 8mm probe L 76mm |          |      |



## SIT

## 710 Minisit series



| GEV No.                                                                           | 103308                                                                                                                                                                                                                                                    | Ref. No. | VA18       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b>                                                                | gas thermostat SIT type 0710763 t.max. 200°C 120-200°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 990mm probe type type D1 pressure regulator 3-18mbar gland nut M14x1.5 |          |            |
| <b>spare parts for</b>                                                            | 103308                                                                                                                                                                                                                                                    |          |            |
|  | GEV No.                                                                                                                                                                                                                                                   | 101053   | Ref. No. — |
|                                                                                   | magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit                                                                                                                                                                                         |          |            |
|  | GEV No.                                                                                                                                                                                                                                                   | 101504   | Ref. No. — |
|                                                                                   | gas connection thread 1/2" angled without O-ring MINISIT 710                                                                                                                                                                                              |          |            |
|  | GEV No.                                                                                                                                                                                                                                                   | 106225   | Ref. No. — |
|                                                                                   | probe 120-200°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 200°C fryer probe type type D1 suitable for MINISIT 710                                                                                                                            |          |            |

## PEL

## 25ST series



| GEV No.                                                                             | 106658                                                                                                                                                                                                                                                            | Ref. No. | TH64       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b>                                                                  | gas thermostat PEL type 25ST up to 280°C gas inlet pipe flange ø21mm bypass nozzle ø 0.8mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 8x6.5mm shaft L 45x22mm |          |            |
| <b>spare parts for</b>                                                              | 106658                                                                                                                                                                                                                                                            |          |            |
|  | GEV No.                                                                                                                                                                                                                                                           | 100409   | Ref. No. — |
|                                                                                     | bypass nozzle type PEL22 bore ø 0.8mm thread M6x0.5                                                                                                                                                                                                               |          |            |
|  | GEV No.                                                                                                                                                                                                                                                           | 101060   | Ref. No. — |
|                                                                                     | magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA                                                                                                                                                                               |          |            |
|  | GEV No.                                                                                                                                                                                                                                                           | 106200   | Ref. No. — |
|                                                                                     | nut thread M9x1 suitable for PEL 24/25S                                                                                                                                                                                                                           |          |            |
| <b>accessories for</b>                                                              | 106658                                                                                                                                                                                                                                                            |          |            |
|  | GEV No.                                                                                                                                                                                                                                                           | 100908   | Ref. No. — |
|                                                                                     | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                                                                                                                                                                                                 |          |            |
|  | GEV No.                                                                                                                                                                                                                                                           | 100909   | Ref. No. — |
|                                                                                     | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                                                                                                                                                                                                 |          |            |
|  | GEV No.                                                                                                                                                                                                                                                           | 101246   | Ref. No. — |
|                                                                                     | olive for pipe ø 4mm Qty 1 pcs                                                                                                                                                                                                                                    |          |            |

accessories for 106658

|                                                                                   |                                                   |        |            |
|-----------------------------------------------------------------------------------|---------------------------------------------------|--------|------------|
|  | GEV No.                                           | 101278 | Ref. No. — |
|                                                                                   | olive for pipe ø 10mm Qty 1 pcs                   |        |            |
|  | GEV No.                                           | 101286 | Ref. No. — |
|                                                                                   | olive ID ø 6mm Qty 1 pcs                          |        |            |
|  | GEV No.                                           | 101300 | Ref. No. — |
|                                                                                   | union nut thread M16x1.5 tube ø 10mm              |        |            |
|  | GEV No.                                           | 101450 | Ref. No. — |
|                                                                                   | olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm |        |            |
|  | GEV No.                                           | 101451 | Ref. No. — |
|                                                                                   | union nut thread M16x1.5 tube ø 8mm               |        |            |
|  | GEV No.                                           | 110079 | Ref. No. — |
|                                                                                   | knob dial plate gas thermostat 1-8 silver         |        |            |
|  | GEV No.                                           | 110081 | Ref. No. — |
|                                                                                   | knob ø 70mm shaft ø 8x6.5mm shaft flat universal  |        |            |



| GEV No.                                                                             | 106648                                                                                                                                                                                                                                                                           | Ref. No. | TH65       |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>description</b>                                                                  | gas thermostat PEL type 25ST up to 280°C gas inlet pipe flange ø21mm bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 120mm shaft ø 8x6.5mm shaft L 45/22mm shaft flat lower |          |            |
| <b>For models:</b>                                                                  | OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P                                                                                                                                                                                                                             |          |            |
| <b>spare parts for</b>                                                              | 106648                                                                                                                                                                                                                                                                           |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 101060   | Ref. No. — |
|                                                                                     | magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA                                                                                                                                                                                              |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 106191   | Ref. No. — |
|                                                                                     | bypass nozzle type PEL22 bore ø 0mm thread M6x0.5                                                                                                                                                                                                                                |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 106200   | Ref. No. — |
|                                                                                     | nut thread M9x1 suitable for PEL 24/25S                                                                                                                                                                                                                                          |          |            |
| <b>accessories for</b>                                                              | 106648                                                                                                                                                                                                                                                                           |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 100908   | Ref. No. — |
|                                                                                     | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                                                                                                                                                                                                                |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 100909   | Ref. No. — |
|                                                                                     | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                                                                                                                                                                                                                |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 101246   | Ref. No. — |
|                                                                                     | olive for pipe ø 4mm Qty 1 pcs                                                                                                                                                                                                                                                   |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 101278   | Ref. No. — |
|                                                                                     | olive for pipe ø 10mm Qty 1 pcs                                                                                                                                                                                                                                                  |          |            |
|  | GEV No.                                                                                                                                                                                                                                                                          | 101286   | Ref. No. — |
|                                                                                     | olive ID ø 6mm Qty 1 pcs                                                                                                                                                                                                                                                         |          |            |

Table continues overleaf



|                                                                                   |         |        |          |   |
|-----------------------------------------------------------------------------------|---------|--------|----------|---|
| <b>accessories for</b> 106648                                                     |         |        |          |   |
|  | GEV No. | 101300 | Ref. No. | — |
| union nut thread M16x1.5 tube ø 10mm                                              |         |        |          |   |
|  | GEV No. | 101450 | Ref. No. | — |
| olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm                                 |         |        |          |   |
|  | GEV No. | 101451 | Ref. No. | — |
| union nut thread M16x1.5 tube ø 8mm                                               |         |        |          |   |
|  | GEV No. | 110079 | Ref. No. | — |
| knob dial plate gas thermostat 1-8 silver                                         |         |        |          |   |
|  | GEV No. | 110081 | Ref. No. | — |
| knob ø 70mm shaft ø 8x6.5mm shaft flat universal                                  |         |        |          |   |

## COPRECI

|                                                                                                |                                                                                                                                                                                                                                                                                                                          |          |          |   |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|---|
|               |                                                                                                                                                                                                                                                                                                                          |          |          |   |
| 1                                                                                              |                                                                                                                                                                                                                                                                                                                          |          |          |   |
| GEV No.                                                                                        | 109201                                                                                                                                                                                                                                                                                                                   | Ref. No. | TH201/S  |   |
| description                                                                                    | gas thermostat COPRECI type MT7200 gas inlet pipe flange ø21mm<br>bypass nozzle ø 0.74+0.51mm gas outlet M16x1.5 (tube ø 10mm)<br>pilot connection closed thermocouple connection M8x1 capillary<br>pipe 835mm probe ø 4.5mm probe L 92mm shaft ø 7x5mm shaft L<br>41.5/20mm shaft flat lower with knob pipe input ø 8mm |          |          |   |
| spare parts for                                                                                | 109201                                                                                                                                                                                                                                                                                                                   |          |          |   |
|             | GEV No.                                                                                                                                                                                                                                                                                                                  | 101040   | Ref. No. | — |
| magnet unit high temperature L 35mm D1 ø 15.4mm D2 ø 11mm<br>suitable for PEL20-21/JUNKERS/EGA |                                                                                                                                                                                                                                                                                                                          |          |          |   |
|             | GEV No.                                                                                                                                                                                                                                                                                                                  | 101060   | Ref. No. | — |
| magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for<br>PEL20-21/JUNKERS/EGA         |                                                                                                                                                                                                                                                                                                                          |          |          |   |
|             | GEV No.                                                                                                                                                                                                                                                                                                                  | 101376   | Ref. No. | — |
| gasket ID ø 8mm ED ø 12mm H 3/5mm                                                              |                                                                                                                                                                                                                                                                                                                          |          |          |   |
|             | GEV No.                                                                                                                                                                                                                                                                                                                  | 101537   | Ref. No. | — |
| gasket ID ø 8mm ED ø 11.5mm H 3mm Qty 1 pcs                                                    |                                                                                                                                                                                                                                                                                                                          |          |          |   |
|             | GEV No.                                                                                                                                                                                                                                                                                                                  | 101538   | Ref. No. | — |
| clamp                                                                                          |                                                                                                                                                                                                                                                                                                                          |          |          |   |
|             | GEV No.                                                                                                                                                                                                                                                                                                                  | 107431   | Ref. No. | — |
| gasket set ID ø 8mm ED ø 11.5mm H 3mm Qty 7 pcs                                                |                                                                                                                                                                                                                                                                                                                          |          |          |   |

Зип Общепит

SABAF

vsezip.ru

GEV

+7(812)907-08-81

1

|                                                                                   |                                                                                                                                                                                                                                       |                 |                              |   |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------|---|
| <b>GEV No.</b>                                                                    | 106729                                                                                                                                                                                                                                | <b>Ref. No.</b> | TH17<br>TH17 (nozzle 0,54mm) |   |
| <b>description</b>                                                                | gas thermostat SABAF t.max. 300°C gas inlet pipe flange bypass<br>nozzle ø 0.54mm gas outlet 3/8" ET (tube ø 10mm) thermocouple<br>connection M8x1 capillary pipe 1200mm probe ø 4mm probe L<br>140mm shaft ø 6x4.6mm shaft L 22/13mm |                 |                              |   |
| <b>accessories for</b>                                                            | 106729                                                                                                                                                                                                                                |                 |                              |   |
|  | <b>GEV No.</b>                                                                                                                                                                                                                        | 101278          | <b>Ref. No.</b>              | — |
| olive for pipe ø 10mm Qty 1 pcs                                                   |                                                                                                                                                                                                                                       |                 |                              |   |
|  | <b>GEV No.</b>                                                                                                                                                                                                                        | 101478          | <b>Ref. No.</b>              | — |
| union nut thread 3/8" for pipe ø 10mm                                             |                                                                                                                                                                                                                                       |                 |                              |   |
|  | <b>GEV No.</b>                                                                                                                                                                                                                        | 101751          | <b>Ref. No.</b>              | — |
| bracket                                                                           |                                                                                                                                                                                                                                       |                 |                              |   |

A detailed view of the SABAF gas thermostat assembly. It features a brass body with a central gas inlet/outlet, a thermocouple probe with a copper wire, and a mounting bracket. The assembly is shown against a white background.

|                                                                                     |                                                                                                                                                                                                                             |          |                                       |   |  |  |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------|---|--|--|
| 1                                                                                   |                                                                                                                                                                                                                             |          |                                       |   |  |  |
| GEV No.                                                                             | 101819                                                                                                                                                                                                                      | Ref. No. | TH17<br>TH17 (nozzle 0,5mm)<br>TH17/S |   |  |  |
| description                                                                         | gas thermostat SABAF t.max. 300°C gas inlet pipe flange bypass nozzle ø 0.5mm gas outlet 3/8" ET (tube ø 10mm) thermocouple connection M8x1 capillary pipe 1200mm probe ø 4mm probe L 140mm shaft ø 6x4.6mm shaft L 22/13mm |          |                                       |   |  |  |
| spare parts for                                                                     | 101819                                                                                                                                                                                                                      |          |                                       |   |  |  |
|  | GEV No.                                                                                                                                                                                                                     | 101376   | Ref. No.                              | — |  |  |
| gasket ID ø 8mm ED ø 12mm H 3/5mm                                                   |                                                                                                                                                                                                                             |          |                                       |   |  |  |
| accessories for                                                                     | 101819                                                                                                                                                                                                                      |          |                                       |   |  |  |
|  | GEV No.                                                                                                                                                                                                                     | 101278   | Ref. No.                              | — |  |  |
| olive for pipe ø 10mm Qty 1 pcs                                                     |                                                                                                                                                                                                                             |          |                                       |   |  |  |
|  | GEV No.                                                                                                                                                                                                                     | 101478   | Ref. No.                              | — |  |  |
| union nut thread 3/8" for pipe ø 10mm                                               |                                                                                                                                                                                                                             |          |                                       |   |  |  |
|  | GEV No.                                                                                                                                                                                                                     | 101751   | Ref. No.                              | — |  |  |
| bracket                                                                             |                                                                                                                                                                                                                             |          |                                       |   |  |  |



1

| GEV No.     | 107809                                                                                                                                                                                                                                                              | Ref. No. | TH16/S |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| description | gas thermostat SABAF t.max. 300°C gas inlet pipe flange ø16mm bypass nozzle ø 0.5mm gas outlet 3/8" ET (tube ø 10mm) thermocouple connection M8x1 pilot connection capillary pipe 2120mm probe ø 4mm probe L 140mm shaft ø 6x4.6mm shaft L 22/13mm shaft flat lower |          |        |

## gas valves and ignition boxes

## gas control valves

## DUNGS



1

| GEV No.     | 106050                                                                          | Ref. No. | OVA04 |
|-------------|---------------------------------------------------------------------------------|----------|-------|
| description | gas valve 230V 50/60Hz gas inlet 1/2" gas outlet 1/2" DUNGS type GB 055 243 443 |          |       |



1

| GEV No.     | 106051                                                                              | Ref. No. | OVA03 |
|-------------|-------------------------------------------------------------------------------------|----------|-------|
| description | gas valve 230V 50/60Hz gas inlet 1/2" gas outlet 1/2" DUNGS type GB-WND 055 243 442 |          |       |

Зип-Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.                                                                               | 106012                                                                                                                                                                                                         | Ref. No. | VA57       |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| description                                                                           | gas valve type VK4115V 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL flange 32x32mm |          |            |
| accessories for                                                                       | 106012                                                                                                                                                                                                         |          |            |
|                                                                                       | GEV No.                                                                                                                                                                                                        | 102845   | Ref. No. — |
| gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem                |                                                                                                                                                                                                                |          |            |
|                                                                                       | GEV No.                                                                                                                                                                                                        | 102846   | Ref. No. — |
| gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem |                                                                                                                                                                                                                |          |            |

## SIT

## NOVASIT



1

| GEV No.                                                                                                                                   | 107239                                                                                                                                                                                                                                                         | Ref. No. | VA20          |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------|
| description                                                                                                                               | gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0820303 supply Operator millivolt |          |               |
| For models:                                                                                                                               | DF4, DF7, J10, J5, OG7106, OG7502                                                                                                                                                                                                                              |          |               |
| spare parts for                                                                                                                           | 107239                                                                                                                                                                                                                                                         |          |               |
|                                                                                                                                           | GEV No.                                                                                                                                                                                                                                                        | 100110   | Ref. No. PI08 |
| pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm                                                                     |                                                                                                                                                                                                                                                                |          |               |
|                                                                                                                                           | GEV No.                                                                                                                                                                                                                                                        | 101065   | Ref. No. —    |
| magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT                                                                    |                                                                                                                                                                                                                                                                |          |               |
|                                                                                                                                           | GEV No.                                                                                                                                                                                                                                                        | 101305   | Ref. No. —    |
| gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm                   |                                                                                                                                                                                                                                                                |          |               |
|                                                                                                                                           | GEV No.                                                                                                                                                                                                                                                        | 101306   | Ref. No. —    |
| gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL   |                                                                                                                                                                                                                                                                |          |               |
|                                                                                                                                           | GEV No.                                                                                                                                                                                                                                                        | 101307   | Ref. No. —    |
| gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL |                                                                                                                                                                                                                                                                |          |               |

Table continues overleaf



|                                                                                                                                        |         |        |          |      |
|----------------------------------------------------------------------------------------------------------------------------------------|---------|--------|----------|------|
| spare parts for                                                                                                                        |         | 107239 |          |      |
|                                                       | GEV No. | 101308 | Ref. No. | —    |
| gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT HONEYWELL |         |        |          |      |
|                                                       | GEV No. | 101312 | Ref. No. | —    |
| microswitch                                                                                                                            |         |        |          |      |
|                                                       | GEV No. | 101799 | Ref. No. | —    |
| knob adapter shaft ø 10x8mm shaft L 18mm catch lower suitable for ZANUSSI shaft flat upper                                             |         |        |          |      |
|                                                       | GEV No. | 102116 | Ref. No. | TC41 |
| thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"                                                |         |        |          |      |

## ignition boxes

### miscellaneous

1

| GEV No.                                                                             | 107679            | Ref. No. | OIG13    |   |
|-------------------------------------------------------------------------------------|-------------------|----------|----------|---|
| description                                                                         | ignition box type |          |          |   |
| spare parts for                                                                     | 107679            |          |          |   |
|  | GEV No.           | 579004   | Ref. No. | — |
| data cable L 1800mm 6-pole for combi-steamer SCC, CM plug type RJ45/YY              |                   |          |          |   |



1

|                                                                                     |                                                                        |                 |                 |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------|-----------------|
| <b>GEV No.</b>                                                                      | 107191 <sup>1</sup>                                                    | <b>Ref. No.</b> | OIG05           |
| <b>description</b>                                                                  | ignition box type with connection cable                                |                 |                 |
| <b>accessories for</b>                                                              | 107191                                                                 |                 |                 |
|  | <b>GEV No.</b>                                                         | 579004          | <b>Ref. No.</b> |
|                                                                                     | data cable L 1800mm 6-pole for combi-steamer SCC, CM plug type RJ45/YY |                 |                 |

<sup>1</sup>with connection cable

Зип.Общепит

pilot burners

SIT

160 series



+7(812)987-08-81



1

|                                                                                           |                                                                        |        |          |       |  |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------|--------|----------|-------|--|
| GEV No.                                                                                   | 100105                                                                 |        | Ref. No. | PI27  |  |
| description                                                                               | pilot burner SIT type 160 series 3 flames nozzle ømm gas connecti-onmm |        |          |       |  |
| For models:                                                                               | CS4N, CS4P                                                             |        |          |       |  |
| spare parts for                                                                           | 100105                                                                 |        |          |       |  |
|          | GEV No.                                                                | 100907 | Ref. No. | —     |  |
| screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple                   |                                                                        |        |          |       |  |
| accessories for                                                                           | 100105                                                                 |        |          |       |  |
|          | GEV No.                                                                | 100202 | Ref. No. | —     |  |
| pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm                         |                                                                        |        |          |       |  |
|          | GEV No.                                                                | 100203 | Ref. No. | —     |  |
| pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm                                 |                                                                        |        |          |       |  |
|         | GEV No.                                                                | 100701 | Ref. No. | IIG08 |  |
| ignition electrode connection M4 Qty 1 pcs                                                |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 100801 | Ref. No. | —     |  |
| gasket for pilot burner Qty 1 pcs                                                         |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 100869 | Ref. No. | —     |  |
| pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 100906 | Ref. No. | —     |  |
| screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10                |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 100908 | Ref. No. | —     |  |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                         |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 100909 | Ref. No. | —     |  |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                         |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 101282 | Ref. No. | —     |  |
| olive for pipe ø 4mm L 7.4mm Qty 1 pcs                                                    |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 101287 | Ref. No. | —     |  |
| olive for pipe ø 6mm Qty 1 pcs                                                            |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 102110 | Ref. No. | —     |  |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                       |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 102111 | Ref. No. | —     |  |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                       |                                                                        |        |          |       |  |
|        | GEV No.                                                                | 107650 | Ref. No. | JE56  |  |
| pilot burner nozzle SIT LPG code 30 Qty 1 pcs                                             |                                                                        |        |          |       |  |



## 190 series



1

| GEV No.                                                                             | 100110                                                                | Ref. No. | PI08           |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------|----------|----------------|
| <b>description</b>                                                                  | pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm |          |                |
| <b>For models:</b>                                                                  | DF4, DF7, OG7502                                                      |          |                |
| <b>accessories for</b>                                                              | 100110                                                                |          |                |
|    | GEV No.                                                               | 100202   | Ref. No. —     |
| pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm                   |                                                                       |          |                |
|    | GEV No.                                                               | 100203   | Ref. No. —     |
| pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm                           |                                                                       |          |                |
|    | GEV No.                                                               | 100701   | Ref. No. IIG08 |
| ignition electrode connection M4 Qty 1 pcs                                          |                                                                       |          |                |
|    | GEV No.                                                               | 100906   | Ref. No. —     |
| screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10          |                                                                       |          |                |
|    | GEV No.                                                               | 100907   | Ref. No. —     |
| screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple             |                                                                       |          |                |
|   | GEV No.                                                               | 100908   | Ref. No. —     |
| union screw thread M10x1 for pipe ø 4mm Qty 1 pcs                                   |                                                                       |          |                |
|  | GEV No.                                                               | 100909   | Ref. No. —     |
| union screw thread M10x1 for pipe ø 6mm Qty 1 pcs                                   |                                                                       |          |                |
|  | GEV No.                                                               | 101282   | Ref. No. —     |
| olive for pipe ø 4mm L 7.4mm Qty 1 pcs                                              |                                                                       |          |                |
|  | GEV No.                                                               | 101287   | Ref. No. —     |
| olive for pipe ø 6mm Qty 1 pcs                                                      |                                                                       |          |                |
|  | GEV No.                                                               | 102110   | Ref. No. —     |
| pilot tube copper pipe ø 4mm thickness 1mm L 3000mm                                 |                                                                       |          |                |
|  | GEV No.                                                               | 102111   | Ref. No. —     |
| pilot tube copper pipe ø 6mm thickness 1mm L 3000mm                                 |                                                                       |          |                |
|  | GEV No.                                                               | 107650   | Ref. No. JE56  |
| pilot burner nozzle SIT LPG code 30 Qty 1 pcs                                       |                                                                       |          |                |

Зип-Общепит

POLIDOM

pilot burners

vsezip.ru

+7(812)987-08-81

1

| GEV No.            | 107817                                                                                           | Ref. No. | PI30 |
|--------------------|--------------------------------------------------------------------------------------------------|----------|------|
| <b>description</b> | pilot burner 3 natural/liquid gas nozzle nozzle ømm gas pressure-bar code gas connection M10x1mm |          |      |

## ROBERTSHAW

pilot burners

universal series - type 5



1

| GEV No.            | 106088                                                       | Ref. No. | PI14 |
|--------------------|--------------------------------------------------------------|----------|------|
| <b>description</b> | pilot burner ROBERTSHAW type SCHL-1 2 flames code for pipe ø |          |      |

universal series - type 6

Width of caps:

6CH10 = 1" (25,4mm)

6CH14 = 1½" (38,1mm)

6CH24 = 2½" (63,5mm)

6CH30 = 3" (76,2mm)



1

| GEV No.            | 106117                                                                                                                     | Ref. No. | PI125<br>PI25 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------|----------|---------------|
| <b>description</b> | pilot burner ROBERTSHAW type 6CH24-1 3 flames natural gas code 26 for pipe ø 1/4" CCT gas connection 1/4" CCTmm nozzle ømm |          |               |
| <b>For models:</b> | J10, J5, OG7106, OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P                                                      |          |               |



## producer-specific pilot burners

### LINCAT



|                    |                                                                  |                 |      |
|--------------------|------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107815                                                           | <b>Ref. No.</b> | PI18 |
| <b>description</b> | pilot burner 1 LPG nozzle nozzle ømm code gas connection M10x1mm |                 |      |



|                    |                                                                          |                 |      |
|--------------------|--------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107816                                                                   | <b>Ref. No.</b> | PI17 |
| <b>description</b> | pilot burner 1 natural gas nozzle nozzle ømm code gas connection M10x1mm |                 |      |



|                    |                                                                                                  |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107817                                                                                           | <b>Ref. No.</b> | PI30 |
| <b>description</b> | pilot burner 3 natural/liquid gas nozzle nozzle ømm gas pressure-bar code gas connection M10x1mm |                 |      |

## electrodes



|                    |                                                                    |                 |       |
|--------------------|--------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 106829                                                             | <b>Ref. No.</b> | OGA26 |
| <b>description</b> | gasket for ignition electrode ID ø 10mm hole ø 4.5mm L 27mm W 17mm |                 |       |



|                    |                                                                       |                 |       |
|--------------------|-----------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 550897                                                                | <b>Ref. No.</b> | OGA23 |
| <b>description</b> | gasket ignition electrode graphite thickness 2.5mm hole distance 27mm |                 |       |


Зип Общепит

vsezip.ru

+7(812)987-08-81



|                        |                                                                            |                 |       |
|------------------------|----------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>         | 100701                                                                     | <b>Ref. No.</b> | IIG08 |
| <b>description</b>     | ignition electrode connection M4 Qty 1 pcs                                 |                 |       |
| <b>accessories for</b> | 100701                                                                     |                 |       |
| <b>GEV No.</b>         | 100906                                                                     | <b>Ref. No.</b> | —     |
| <b>description</b>     | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 |                 |       |



|                    |                                                                                                               |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107281                                                                                                        | <b>Ref. No.</b> | IG15 |
| <b>description</b> | ignition electrode D1 ø 6.4mm D2 ø 8.5mm L1 10mm BL1 15mm BL2 3mm BL3 20mm connection male faston 2.8mm M10x1 |                 |      |
| <b>For models:</b> | DF4, DF7                                                                                                      |                 |      |



|                    |                                                                                                                  |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107818                                                                                                           | <b>Ref. No.</b> | IG17 |
| <b>description</b> | ignition electrode D1 ø 6.5mm cable length 1500mm connection F2.8 D2 ø 8.5mm L1 20mm BL1 14mm BL2 3.3mm BL3 20mm |                 |      |



|                    |                                                                                           |                 |      |
|--------------------|-------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107819                                                                                    | <b>Ref. No.</b> | IG05 |
| <b>description</b> | ignition electrode D1 ø 6x7mm connection F2.8 L1 10mm L2 3mm BL1 14.5mm BL2 15mm BL3 14mm |                 |      |



Зип Обществ

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 107891                                                                                        | Ref. No. | IG03 |
|-------------|-----------------------------------------------------------------------------------------------|----------|------|
| description | ignition electrode D1 ø 7mm D2 ø 8.5mm connection male faston 2.8mm BL1 28mm BL2 3mm BL3 22mm |          |      |



1

| GEV No.     | 102645                                                                                                                                       | Ref. No. | IG14 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | ignition electrode flange length 19mm flange width 12mm D1 ø 6.3mm D2 ø 6.3mm L1 11mm L2 15mm BL1 16mm BL2 12mm connection male faston 2.8mm |          |      |
| For models: | J10, J5, OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P                                                                                |          |      |



1

| GEV No.     | 107811                                                                                                                                   | Ref. No. | IG30 |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | ignition electrode flange length 20mm flange width 12mm D1 ø 6.5mm D2 ø 6.5mm L1 14mm L2 14mm L4 10mm BL1 16mm BL2 12mm connection F 2.8 |          |      |



1

| GEV No.     | 107812                                                                                                         | Ref. No. | IG16 |
|-------------|----------------------------------------------------------------------------------------------------------------|----------|------|
| description | ignition electrode flange length 20mm flange width 12mm D1 ø 6.5mm D2 ø 6.5mm L1 4mm L2 16mm BL1 12mm BL2 16mm |          |      |
| For models: | SLR6, SLR9                                                                                                     |          |      |



1

| GEV No.     | 102879                                                                                                                                                                         | Ref. No. | OIG08 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | ignition electrode flange length 26mm flange width 16mm D1 ø 9mm L1 9mm L2 73mm BL1 82mm BL2 14mm connection F 4.8x0.8mm cable length 400mm mounting distance 19mm with flange |          |       |



1

| GEV No.     | 103326                                                                                                                                                      | Ref. No. | OEL31 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | ignition electrode flange length 30mm flange width 17.5mm D1 ø 9mm L1 60mm L2 18mm BL1 27mm BL2 29mm fixing dimensions M4mm flange SCC_WE, CM_P 61-101/201G |          |       |







1

| GEV No.     | 103333                                                                                                                                                      | Ref. No. | OIG09 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| description | ignition electrode flange length 30mm flange width 17mm D1 ø 9mm L1 37mm L2 10mm BL1 15mm BL2 25mm fixing dimensions M4mm with flange with earthing contact |          |       |

Зип Общепит

vsezip.ru

+7(812)987-08-81





Зип Общепит

vsezip.ru

+7(812)987-08-81

piezoelectric igniters

mounting diameter 22mm



|                    |                                                                                                                         |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 103304                                                                                                                  | <b>Ref. No.</b> | OIG12 |
| <b>description</b> | ignition electrode with accessories flange length 38mm flange width 16mm D1 ø 9mm BL1 54mm BL2 144mm cable length 575mm |                 |       |

## ignition cables

### pre-assembled cables



|                    |                                                               |                 |      |
|--------------------|---------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 100190                                                        | <b>Ref. No.</b> | IG18 |
| <b>description</b> | ignition cable cable length 1200mm connection F2.8mm / F2.8mm |                 |      |
| <b>For models:</b> | SLR6, SLR9                                                    |                 |      |



|                    |                                                               |                 |      |
|--------------------|---------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102184                                                        | <b>Ref. No.</b> | IG11 |
| <b>description</b> | ignition cable cable length 1500mm connection ø2.4mm / lug M4 |                 |      |



|                    |                                                                          |                 |      |
|--------------------|--------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103306                                                                   | <b>Ref. No.</b> | IG44 |
| <b>description</b> | ignition cable cable length 445mm connection F4.8/ø4mm silicone ED ø 5mm |                 |      |



|                    |                                                              |                 |      |
|--------------------|--------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 100036                                                       | <b>Ref. No.</b> | IG39 |
| <b>description</b> | ignition cable cable length 500mm connection F2.8mm / F2.8mm |                 |      |



|                    |                                                                       |                 |      |
|--------------------|-----------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103305                                                                | <b>Ref. No.</b> | IG45 |
| <b>description</b> | ignition cable cable length 645mm connection F6.3mm / ø6.5mm ED ø 5mm |                 |      |



|                    |                                                              |                 |      |
|--------------------|--------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 100037                                                       | <b>Ref. No.</b> | IG06 |
| <b>description</b> | ignition cable cable length 900mm connection F2.8mm / F2.8mm |                 |      |
| <b>For models:</b> | J10                                                          |                 |      |



|                    |                                                                                               |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102647                                                                                        | <b>Ref. No.</b> | IG12 |
| <b>description</b> | piezoelectric igniter body plastic blowing mounting ø 22mm connection F2.8x0.8 cable lengthmm |                 |      |
| <b>For models:</b> | SLR9                                                                                          |                 |      |



|                    |                                                                                                        |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102639                                                                                                 | <b>Ref. No.</b> | IG38 |
| <b>description</b> | piezoelectric igniter body plastic blowing mounting ø 22mm connection male faston 2.8mm cable lengthmm |                 |      |
| <b>For models:</b> | OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P, OG7502                                           |                 |      |



|                    |                                                                                             |                 |      |
|--------------------|---------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 100013                                                                                      | <b>Ref. No.</b> | IG35 |
| <b>description</b> | piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm |                 |      |



female bullet size 2.3mm 0.5-1.5mm² CuZn t.max. 125°C Qty 20 pcs

### miscellaneous



|                    |                       |                 |      |
|--------------------|-----------------------|-----------------|------|
| <b>GEV No.</b>     | 102635                | <b>Ref. No.</b> | SI13 |
| <b>description</b> | piezoelectric igniter |                 |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81



|                    |                                                                                                                                   |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| 1                  |                                                                                                                                   |                 |      |
| <b>GEV No.</b>     | 100006                                                                                                                            | <b>Ref. No.</b> | IG19 |
| <b>description</b> | piezoelectric igniter suitable for ELETROSIT body plastic blowing connection $\varnothing 2.4\text{mm}$ $\varnothing 14\text{mm}$ |                 |      |

## ignition switches



|                    |                                                                                                                                                                                                             |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| 1                  |                                                                                                                                                                                                             |                 |      |
| <b>GEV No.</b>     | 301014                                                                                                                                                                                                      | <b>Ref. No.</b> | SW72 |
| <b>description</b> | momentary rocker switch mounting measurements 30x11mm black 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 mounting $\varnothing 8\text{mm}$ male faston 6.3mm |                 |      |

## thermocouples

### plug-in thermocouples

#### plug-in thermocouples standard


with barrel socket  $\varnothing 5\text{mm}$  - type Junkers with aluminised tip



|                                                                                     |                                                                      |                 |                 |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|-----------------|
| 1                                                                                   |                                                                      |                 |                 |
| <b>GEV No.</b>                                                                      | 102205                                                               | <b>Ref. No.</b> | PI48            |
| <b>description</b>                                                                  | thermocouple M8x1 L 750mm plug connection $\varnothing 5.0\text{mm}$ |                 |                 |
| <b>accessories for</b>                                                              | 102205                                                               |                 |                 |
|  | <b>GEV No.</b>                                                       | 101260          | <b>Ref. No.</b> |
|                                                                                     |                                                                      |                 | —               |
|                                                                                     | thermocouple fitting thread M8x1 Qty 1 pcs                           |                 |                 |

with barrel socket  $\varnothing 6\text{mm}$


SIT




|                    |                                  |                 |      |
|--------------------|----------------------------------|-----------------|------|
| 1                  |                                  |                 |      |
| <b>GEV No.</b>     | 102944                           | <b>Ref. No.</b> | TC51 |
| <b>description</b> | thermocouple M9x1 L 1500mm M10x1 |                 |      |

with barrel socket  $\varnothing 6.0(6.5)\text{mm}$

thermocouples SIT



|                    |                                                                                |                 |      |
|--------------------|--------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107614                                                                         | <b>Ref. No.</b> | TC23 |
| <b>description</b> | thermocouple SIT M9x1 L 1500mm plug connection $\varnothing 6.0(6.5)\text{mm}$ |                 |      |



|                    |                                                                               |                 |      |
|--------------------|-------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107609                                                                        | <b>Ref. No.</b> | TC13 |
| <b>description</b> | thermocouple SIT M9x1 L 600mm plug connection $\varnothing 6.0(6.5)\text{mm}$ |                 |      |
| <b>For models:</b> | CS4N, CS4P                                                                    |                 |      |

### threaded thermocouples (miscellaneous)



|                                                                                     |                                                                  |                 |                 |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------|-----------------|
| 1                                                                                   |                                                                  |                 |                 |
| <b>GEV No.</b>                                                                      | 102577                                                           | <b>Ref. No.</b> | TC04            |
| <b>description</b>                                                                  | thermocouple L 1200mm plug connection $\varnothing 6.0\text{mm}$ |                 |                 |
| <b>For models:</b>                                                                  | OG7302                                                           |                 |                 |
| <b>accessories for</b>                                                              | 102577                                                           |                 |                 |
|  | <b>GEV No.</b>                                                   | 101261          | <b>Ref. No.</b> |
|                                                                                     |                                                                  |                 | TC24            |
|                                                                                     | thermocouple fitting thread M9x1 Qty 1 pcs                       |                 |                 |



|                                                                                     |                                                                 |                 |                 |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------------|-----------------|
| 1                                                                                   |                                                                 |                 |                 |
| <b>GEV No.</b>                                                                      | 102576                                                          | <b>Ref. No.</b> | TC03            |
| <b>description</b>                                                                  | thermocouple L 900mm plug connection $\varnothing 6.0\text{mm}$ |                 |                 |
| <b>For models:</b>                                                                  | OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P            |                 |                 |
| <b>accessories for</b>                                                              | 102576                                                          |                 |                 |
|  | <b>GEV No.</b>                                                  | 101262          | <b>Ref. No.</b> |
|                                                                                     |                                                                 |                 | TC09            |
|                                                                                     | thermocouple fitting thread M10x1 Qty 1 pcs                     |                 |                 |




|                    |                                                                      |                 |      |
|--------------------|----------------------------------------------------------------------|-----------------|------|
| 1                  |                                                                      |                 |      |
| <b>GEV No.</b>     | 102579                                                               | <b>Ref. No.</b> | TC14 |
| <b>description</b> | thermocouple M8x1 L 360mm plug connection $\varnothing 6.0\text{mm}$ |                 |      |
| <b>For models:</b> | CG4, CG6, HT3, HT6N, HT6P, HT9, SLR6, SLR9                           |                 |      |




Зип-Общепит

vsezip.ru


+7(812)987-08-81



|                    |                                                  |                 |      |
|--------------------|--------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102593                                           | <b>Ref. No.</b> | TC15 |
| <b>description</b> | thermocouple M8x1 L 600mm plug connection ø6.0mm |                 |      |
| <b>For models:</b> | GR3, GR7, HT3, HT6N, HT6P, HT9, SLR6, SLR9       |                 |      |



|                    |                                                  |                 |        |
|--------------------|--------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 102575                                           | <b>Ref. No.</b> | GRTC03 |
| <b>description</b> | thermocouple M8x1 L 900mm plug connection ø6.0mm |                 |        |




|                    |                                                   |                 |      |
|--------------------|---------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102578                                            | <b>Ref. No.</b> | TC26 |
| <b>description</b> | thermocouple M9x1 L 1000mm plug connection ø6.0mm |                 |      |



|                    |                                                  |                 |      |
|--------------------|--------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102634                                           | <b>Ref. No.</b> | TC40 |
| <b>description</b> | thermocouple M9x1 L 400mm plug connection ø6.0mm |                 |      |
| <b>For models:</b> | OG7106, OG7502                                   |                 |      |

#### plug-in thermocouples with interruption



|                    |                                                                               |                 |      |
|--------------------|-------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107177                                                                        | <b>Ref. No.</b> | TC18 |
| <b>description</b> | thermocouple SIT with interrupter M9x1 L 600mm plug connection ø6.0mm F 6.3mm |                 |      |



|                    |                                                                         |                 |      |
|--------------------|-------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102650                                                                  | <b>Ref. No.</b> | TC38 |
| <b>description</b> | thermocouple with interrupter M9x1 L 1000mm plug connection ø6.0(6.5)mm |                 |      |
| <b>For models:</b> | DF4                                                                     |                 |      |




|                    |                                                                                                  |                 |      |
|--------------------|--------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102648                                                                                           | <b>Ref. No.</b> | TC39 |
| <b>description</b> | thermocouple with interrupter M9x1 L 400mm plug connection ø6.0(6.5)mm plug/soldering connection |                 |      |
| <b>For models:</b> | DF7                                                                                              |                 |      |

#### threaded thermocouples

##### threaded thermocouples standard

with socket with thread M8x1

SIT



|                    |                                    |                 |      |
|--------------------|------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107636                             | <b>Ref. No.</b> | TC28 |
| <b>description</b> | thermocouple SIT M9x1 L 600mm M8x1 |                 |      |

**accessories for** 107636



|                                                  |        |                 |   |
|--------------------------------------------------|--------|-----------------|---|
| <b>GEV No.</b>                                   | 102067 | <b>Ref. No.</b> | — |
| nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1 |        |                 |   |

#### threaded thermocouples (miscellaneous)



|                    |                                   |                 |                   |
|--------------------|-----------------------------------|-----------------|-------------------|
| <b>GEV No.</b>     | 102638                            | <b>Ref. No.</b> | TC33<br>TC49+TC07 |
| <b>description</b> | thermocouple M8x1 L 1400mm M6x0.5 |                 |                   |
| <b>For models:</b> | SLR6, SLR9                        |                 |                   |



|                                                                                     |                                |                 |                      |
|-------------------------------------------------------------------------------------|--------------------------------|-----------------|----------------------|
| <b>GEV No.</b>                                                                      | 102572                         | <b>Ref. No.</b> | TC35                 |
| <b>description</b>                                                                  | thermocouple M8x1 L 450mm M8x1 |                 |                      |
| <b>accessories for</b>                                                              | 102572                         |                 |                      |
|  | <b>GEV No.</b>                 | 102630          | <b>Ref. No.</b> TC37 |
| spacer bush with plain washer for thermocouple ø 8mm suitable for TC35/36 Qty 1 pcs |                                |                 |                      |



|                                                                                     |                                |                 |                      |
|-------------------------------------------------------------------------------------|--------------------------------|-----------------|----------------------|
| <b>GEV No.</b>                                                                      | 102594                         | <b>Ref. No.</b> | TC36                 |
| <b>description</b>                                                                  | thermocouple M8x1 L 700mm M8x1 |                 |                      |
| <b>accessories for</b>                                                              | 102594                         |                 |                      |
|  | <b>GEV No.</b>                 | 102630          | <b>Ref. No.</b> TC37 |
| spacer bush with plain washer for thermocouple ø 8mm suitable for TC35/36 Qty 1 pcs |                                |                 |                      |



|                    |                                |                 |      |
|--------------------|--------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102652                         | <b>Ref. No.</b> | TC34 |
| <b>description</b> | thermocouple M8x1 L 750mm M8x1 |                 |      |

Зип Общепит

accessories

screws


vsezip.ru

+7(812)987-08-81

1

|                    |                                |                 |      |
|--------------------|--------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103351                         | <b>Ref. No.</b> | TC50 |
| <b>description</b> | thermocouple M8x1 L 750mm M8x1 |                 |      |

threaded thermocouples with interruption




|                    |                                                                            |                 |      |
|--------------------|----------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102651                                                                     | <b>Ref. No.</b> | TC19 |
| <b>description</b> | thermocouple with interrupter M9x1 L 1000mm M8x1 plug/soldering connection |                 |      |
| <b>For models:</b> | J10, J5                                                                    |                 |      |

producer-specific thermocouples




|                    |                                 |                 |      |
|--------------------|---------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107821                          | <b>Ref. No.</b> | TC01 |
| <b>description</b> | thermocouple L 600mm M12x1 M9x1 |                 |      |

thermopiles



|                    |                                                                                                     |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102116                                                                                              | <b>Ref. No.</b> | TC41 |
| <b>description</b> | thermopile ROBERTSHAW L 900mm probe $\varnothing$ 9mm probe L 57mm 250-750mV screw connection 7/16" |                 |      |
| <b>For models:</b> | OG7502                                                                                              |                 |      |



|                    |                                                                                                                                                          |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103243                                                                                                                                                   | <b>Ref. No.</b> | TC20 |
| <b>description</b> | thermopile with PG9 adapter WHITE RODGERS L 36" - 915mm probe $\varnothing$ 9mm probe L 40mm 250-750mV screw connection 7/16" connection spate terminals |                 |      |
| <b>For models:</b> | DF4, DF7, J10, J5                                                                                                                                        |                 |      |

|                    |                                                                           |                 |      |
|--------------------|---------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102636                                                                    | <b>Ref. No.</b> | TC05 |
| <b>description</b> | thermocouple fitting brass Qty 1 pcs for thermocouple suitable for LINCAT |                 |      |
| <b>For models:</b> | OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P                      |                 |      |

1

|                    |                                             |                 |      |
|--------------------|---------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 101262                                      | <b>Ref. No.</b> | TC09 |
| <b>description</b> | thermocouple fitting thread M10x1 Qty 1 pcs |                 |      |

1

|                    |                                             |                 |      |
|--------------------|---------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102566                                      | <b>Ref. No.</b> | TC07 |
| <b>description</b> | thermocouple fitting thread M8x1 Qty 10 pcs |                 |      |

1

|                    |                                                              |                 |      |
|--------------------|--------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 101261                                                       | <b>Ref. No.</b> | TC24 |
| <b>description</b> | thermocouple fitting thread M9x1 Qty 1 pcs                   |                 |      |
| <b>For models:</b> | OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P, OG7302 |                 |      |

interrupters



1

|                    |                   |                 |      |
|--------------------|-------------------|-----------------|------|
| <b>GEV No.</b>     | 101753            | <b>Ref. No.</b> | IN23 |
| <b>description</b> | interrupter brass |                 |      |



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

|                    |                         |                 |      |
|--------------------|-------------------------|-----------------|------|
| <b>GEV No.</b>     | 101265                  | <b>Ref. No.</b> | IN08 |
| <b>description</b> | interrupter thread M9x1 |                 |      |
| <b>For models:</b> | OG7106                  |                 |      |

## miscellaneous



1

|                    |                                                      |                 |      |
|--------------------|------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102637                                               | <b>Ref. No.</b> | TC06 |
| <b>description</b> | sleeve for thermocouple L 25mm ø 6.5mm Qty 1 pcs     |                 |      |
| <b>For models:</b> | OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P |                 |      |



1

|                    |                                                                                     |                 |      |
|--------------------|-------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 102630                                                                              | <b>Ref. No.</b> | TC37 |
| <b>description</b> | spacer bush with plain washer for thermocouple ø 8mm suitable for TC35/36 Qty 1 pcs |                 |      |

## gas burners

## hob burners

## producer-specific hob burners

## LINCAT



1

|                    |                            |                 |      |
|--------------------|----------------------------|-----------------|------|
| <b>GEV No.</b>     | 103057                     | <b>Ref. No.</b> | BU80 |
| <b>description</b> | burner ø 94mm 5kW complete |                 |      |



1

|                    |                                  |                 |      |
|--------------------|----------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103037                           | <b>Ref. No.</b> | BU36 |
| <b>description</b> | burner cap ø 95mm                |                 |      |
| <b>For models:</b> | HT3, HT6N, HT6P, HT9, SLR6, SLR9 |                 |      |



GEV No.

103054

Ref. No.

BU100

description burner cap ø 95mm H 15mm



1

|                    |                                                                   |                 |      |
|--------------------|-------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103044                                                            | <b>Ref. No.</b> | BU35 |
| <b>description</b> | burner head ø 100mm for burner cap ø 95mm nozzle mounting M6x0.75 |                 |      |
| <b>For models:</b> | HT3, HT6N, HT6P, HT9, SLR6, SLR9                                  |                 |      |

accessories for

103044



GEV No.

109092

Ref. No.

GA25

gasket for burner head suitable for BU35



1

|                    |                                          |                 |      |
|--------------------|------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 109092                                   | <b>Ref. No.</b> | GA25 |
| <b>description</b> | gasket for burner head suitable for BU35 |                 |      |



1

|                    |                                                                   |                 |       |
|--------------------|-------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 104511                                                            | <b>Ref. No.</b> | BU111 |
| <b>description</b> | gasket ø 72mm ID ø 45mm for burner head H 1.2mm perforation ø 5mm |                 |       |

## bar burners

## bar burners



1

|                    |                                            |                 |      |
|--------------------|--------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 109091                                     | <b>Ref. No.</b> | BU27 |
| <b>description</b> | bar burner 1-row L 330mm W 72mm ømm H 25mm |                 |      |



1

|                    |                                         |                 |      |
|--------------------|-----------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103050                                  | <b>Ref. No.</b> | BU66 |
| <b>description</b> | bar burner 1-row L 380mm Wmm ø 40mm Hmm |                 |      |



1

|                    |                                                            |                 |       |
|--------------------|------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 109184                                                     | <b>Ref. No.</b> | OGA20 |
| <b>description</b> | insulation for burner ø 97.5mm ID ø 62.5mm thickness 9.5mm |                 |       |

## ceramic burners



1

|                    |                                                                     |                 |      |
|--------------------|---------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 103036                                                              | <b>Ref. No.</b> | BU13 |
| <b>description</b> | burner L 415mm W 123mm firing range 395x90mm salamander grill 3.1kW |                 |      |
| <b>For models:</b> | OG7302                                                              |                 |      |



1

|                    |                                                       |                 |      |
|--------------------|-------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 101673                                                | <b>Ref. No.</b> | BU03 |
| <b>description</b> | ceramic burner L 500mm W 163mm firing range 460x119mm |                 |      |



1

|                                                                                     |                                                            |                 |      |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>                                                                      | 101645                                                     | <b>Ref. No.</b> | BU69 |
| <b>description</b>                                                                  | ceramic burner L 585mm W 163mm firing range 540x119mm      |                 |      |
| <b>accessories for</b>                                                              | 101645                                                     |                 |      |
|  | <b>GEV No.</b>                                             | <b>Ref. No.</b> |      |
|                                                                                     | 106671                                                     | JE15            |      |
|                                                                                     | gas injector thread 12-28 UNF code 240 bore ø 1.3mm L 12mm |                 |      |

Зип-Общепит

forced air burners

vsezip.ru

+7(812)987-08-81



1

|                    |                                                                                                          |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 108152                                                                                                   | <b>Ref. No.</b> | OBL01 |
| <b>description</b> | blower for burner combi-steamer SCC_WE, CM_P 61-202 230V 110W hole distance 50mm NRG118/0800-3612-030203 |                 |       |

## accessories

## gaskets



1

|                    |                                    |                 |       |
|--------------------|------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 104283                             | <b>Ref. No.</b> | OGA32 |
| <b>description</b> | gasket L 100mm W 100mm hole ø 64mm |                 |       |

## gas nozzles

## main nozzles

## gas nozzles 1/8"



1

|                    |                                                |                 |      |
|--------------------|------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106689                                         | <b>Ref. No.</b> | JE51 |
| <b>description</b> | gas injector thread 1/8" bore ø 1.5mm code 150 |                 |      |

## gas nozzles M6x0.75



1

|                    |                                               |                 |      |
|--------------------|-----------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106662                                        | <b>Ref. No.</b> | JE22 |
| <b>description</b> | gas injector thread M6x0.75 WS 7 bore ø 0.9mm |                 |      |



1

|                    |                                               |                 |      |
|--------------------|-----------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106485                                        | <b>Ref. No.</b> | JE39 |
| <b>description</b> | gas injector thread M6x0.75 WS 7 bore ø 1.6mm |                 |      |



## gas nozzles M12x1



1

|                    |                                               |                 |       |
|--------------------|-----------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 100293                                        | <b>Ref. No.</b> | JE103 |
| <b>description</b> | gas injector thread M12x1 WS 14 bore ø 2.20mm |                 |       |

## gas nozzles (other)



1

|                    |                                                |                 |      |
|--------------------|------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106691                                         | <b>Ref. No.</b> | JE47 |
| <b>description</b> | gas injector code 340 bore ø 1.58mm L 12mm LPG |                 |      |



1

|                    |                                                            |                 |      |
|--------------------|------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106671                                                     | <b>Ref. No.</b> | JE15 |
| <b>description</b> | gas injector thread 12-28 UNF code 240 bore ø 1.3mm L 12mm |                 |      |
| <b>For models:</b> | J10, J5, OG7302                                            |                 |      |



1

|                    |                                                                 |                 |      |
|--------------------|-----------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106690                                                          | <b>Ref. No.</b> | JE45 |
| <b>description</b> | gas injector thread 12-28 UNF code 310 bore ø 1.55mm L 12mm LPG |                 |      |
| <b>For models:</b> | OG7202N, OG7204N, OG7208N                                       |                 |      |



1

|                    |                                                                      |                 |      |
|--------------------|----------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106687                                                               | <b>Ref. No.</b> | JE14 |
| <b>description</b> | gas injector thread 12-28 UNF code 520 bore ø 2mm L 12mm natural gas |                 |      |
| <b>For models:</b> | J10, J5                                                              |                 |      |

## pilot burner nozzles

## pilot burner nozzles ROBERTSHAW



1

|                    |                                                         |                 |      |
|--------------------|---------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 106105                                                  | <b>Ref. No.</b> | JE32 |
| <b>description</b> | pilot burner nozzle LPG code 16 suitable for ROBERTSHAW |                 |      |
| <b>For models:</b> | J10, OG7106                                             |                 |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81

**GEV No.**

106108

**Ref. No.**

JE110

**description**

pilot burner nozzle natural gas code 22 suitable for ROBERTSHAW



1

|                    |                                                                 |                 |      |
|--------------------|-----------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 100277                                                          | <b>Ref. No.</b> | JE31 |
| <b>description</b> | pilot burner nozzle natural gas code 26 suitable for ROBERTSHAW |                 |      |
| <b>For models:</b> | J10, OG7106                                                     |                 |      |

## pilot burner nozzles SIT

## 160 series



1

|                    |                                               |                 |      |
|--------------------|-----------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 107650                                        | <b>Ref. No.</b> | JE56 |
| <b>description</b> | pilot burner nozzle SIT LPG code 30 Qty 1 pcs |                 |      |
| <b>For models:</b> | OG7502                                        |                 |      |

## pilot burner nozzles (other)

## LINCAT



1

|                    |                            |                 |      |
|--------------------|----------------------------|-----------------|------|
| <b>GEV No.</b>     | 106672                     | <b>Ref. No.</b> | JE87 |
| <b>description</b> | gas injector code 35 L 8mm |                 |      |
| <b>For models:</b> | OG7106                     |                 |      |



1

|                    |                                                                           |                 |       |
|--------------------|---------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 106688                                                                    | <b>Ref. No.</b> | JE105 |
| <b>description</b> | gas injector natural gas code 41 bore ø 0.41mm thread 10-32 UNF Qty 1 pcs |                 |       |



## bypass nozzles

## bypass nozzles SABAF



1

| GEV No.     | 106661                                                      | Ref. No. | JE117 |
|-------------|-------------------------------------------------------------|----------|-------|
| description | bypass nozzle bore $\varnothing$ 0.54mm thread M4x0.5 SABAF |          |       |



1

| GEV No.     | 106660                                                      | Ref. No. | JE116 |
|-------------|-------------------------------------------------------------|----------|-------|
| description | bypass nozzle bore $\varnothing$ 0.85mm thread M4x0.5 SABAF |          |       |

## auxiliary gas parts

## gas pressure regulators

Standard pressure according to country:

Germany 50mbar

France 37mbar

Italy 30mbar

Spain 37/50mbar

UK 20mbar



1

| GEV No.     | 250098                                                                                        | Ref. No. | PG10 |
|-------------|-----------------------------------------------------------------------------------------------|----------|------|
| description | gas pressure regulator RV48LM connection 3/4" - 3/4" countries UK output pressure 10-20mbar   |          |      |
| description | low pressure gas regulator type RV48LM - 1-2kPa, 4.8m <sup>3</sup> /h inlet 3/4", outlet 3/4" |          |      |



1

| GEV No.     | 106693                                                                                                                           | Ref. No. | PG10 |
|-------------|----------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | gas pressure regulator RV48LM countries UK input pressure max. 0.1bar output pressure 12.5-30mbar gas inlet 1/2" gas outlet 1/2" |          |      |
| description | low pressure gas regulator type RV48LM - 1.25-3kPa, 4.8m <sup>3</sup> /h inlet 1/2", outlet 1/2"                                 |          |      |

## gas ball valves

## with DIN-DVGW approval



1

| GEV No.     | 520288                                                                                                               | Ref. No. | TA97 |
|-------------|----------------------------------------------------------------------------------------------------------------------|----------|------|
| description | ball valve straight lever handle inlet 1" IT outlet 1" IT DN25 L 86mm approval DVGW gas technology operating p. 1bar |          |      |



1

| GEV No.     | 520286                                                                                                                   | Ref. No. | TA29 |
|-------------|--------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | ball valve straight lever handle inlet 1/2" IT outlet 1/2" IT DN15 L 61mm approval DVGW gas technology operating p. 1bar |          |      |
| For models: | J10, OG7502                                                                                                              |          |      |

## equipment-specific units

## for display coolers

## housing and bezels

## miscellaneous



1

| GEV No.     | 692852                                                                               | Ref. No. | DI29 |
|-------------|--------------------------------------------------------------------------------------|----------|------|
| description | cover transparent for lamp L 630mm W 140mm H 25mm plastic for type 750               |          |      |
| For models: | C6A-75, C6H-75, C6R-105L, C6R-105R, D3H-75, D3R-100, D5H-75, D5R-100, SCH785, SCR785 |          |      |



1

| GEV No.     | 692853                                                                   | Ref. No. | DI30 |
|-------------|--------------------------------------------------------------------------|----------|------|
| description | cover transparent for lamp L 880mm W 140mm H 25mm plastic for type 1000  |          |      |
| For models: | C6A-100, C6H-100, C6R-130L, C6R-130R, D5H-100, D5R-125, SCH1085, SCR1085 |          |      |



## for pour machines

### drain taps

#### drain taps



1

| GEV No.     | 527557                                                                                  | Ref. No. | SL15<br>SL27<br>SL34 |
|-------------|-----------------------------------------------------------------------------------------|----------|----------------------|
| description | outlet tap complete pipe lengthmm thread 3/4" ET black/chrome suitable for COFFEE QUEEN |          |                      |

## for pressure steamers

### valves and tank inlets



1

| GEV No.     | 699188                                         | Ref. No. | TA98 |
|-------------|------------------------------------------------|----------|------|
| description | ball valve L 70mm W 22.5mm H 76.5mm 3-way 3/8" |          |      |



1

| GEV No.     | 699187                 | Ref. No. | FL29 |
|-------------|------------------------|----------|------|
| description | inlet tap L 370mm 1/2" |          |      |

## for deep fryers

### spouts



1

| GEV No.     | 696730                                   | Ref. No. | TU68 |
|-------------|------------------------------------------|----------|------|
| description | drain pipe for fryer ø 33.6mm 1" L 135mm |          |      |
| For models: | OE7112                                   |          |      |

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 696731                         | Ref. No. | TU64 |
|-------------|--------------------------------|----------|------|
| description | drain pipe ø 33.6mm 1" L 180mm |          |      |
| For models: | OE7105                         |          |      |

## for convection ovens/combi-steamers

### spare parts and accessories



1

| GEV No.     | 108152                                                                                                   | Ref. No. | OBL01 |
|-------------|----------------------------------------------------------------------------------------------------------|----------|-------|
| description | blower for burner combi-steamer SCC_WE, CM_P 61-202 230V 110W hole distance 50mm NRG118/0800-3612-030203 |          |       |



1

| GEV No.     | 694998                                                                       | Ref. No. | ODR18 |
|-------------|------------------------------------------------------------------------------|----------|-------|
| description | container L 160mm W 135mm H 66mm suitable for combi-steamer SCC Linie 61-202 |          |       |



1

| GEV No.     | 694996                                                                       | Ref. No. | OCO28<br>OPI14 |
|-------------|------------------------------------------------------------------------------|----------|----------------|
| description | sleeve with clip ø 61/73mm suitable for combi-steamer SCC_WE, CM_P 61/62/101 |          |                |

## housing and bezels



1

|                    |                                                 |                 |       |
|--------------------|-------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 699801                                          | <b>Ref. No.</b> | CPU08 |
| <b>description</b> | cover for drain assembly L 325mm W 162mm H 92mm |                 |       |

## glass panels



1

|                    |                                                                                           |                 |       |
|--------------------|-------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 692856                                                                                    | <b>Ref. No.</b> | OGL03 |
| <b>description</b> | door glass for combi-steamer SCC/CM202 L 1340mm mounting pos. inner W 680mm thickness 6mm |                 |       |



1

|                    |                                                                                      |                 |       |
|--------------------|--------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 694937                                                                               | <b>Ref. No.</b> | ODO28 |
| <b>description</b> | glass panel for door inside combi-steamer CPC-Linie 61 L 573mm W 495mm thickness 7mm |                 |       |



1

|                    |                                                                                 |                 |       |
|--------------------|---------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 694492                                                                          | <b>Ref. No.</b> | OGL02 |
| <b>description</b> | glass panel L 485mm W 508mm thickness 6mm mounting pos. inner for combi-steamer |                 |       |

## air filters



1


|                    |                                            |                 |       |
|--------------------|--------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 691620                                     | <b>Ref. No.</b> | OFI05 |
| <b>description</b> | filter L 220mm W 50mm ømm H 150mm SCC Line |                 |       |



|                    |                                         |                 |       |
|--------------------|-----------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 693329                                  | <b>Ref. No.</b> | OFI03 |
| <b>description</b> | filter insert L 213mm W 50mm ømm H 90mm |                 |       |

## cleaning system

## pumps




1

|                    |                                                                                                                                          |                 |       |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 500578                                                                                                                                   | <b>Ref. No.</b> | OPU06 |
| <b>description</b> | pump inlet ø 24mm outlet ø 24mm type UP30-274 230V 50/60Hz 1 phase 0.09kW 0.12HP L 145mm rotation direction left capacitor 2.5µF HANNING |                 |       |

## spare parts for

|                    |                                               |                 |   |
|--------------------|-----------------------------------------------|-----------------|---|
| <b>GEV No.</b>     | 501345                                        | <b>Ref. No.</b> | — |
| <b>description</b> | O-ring EPDM thickness 3mm ID ø 58mm Qty 1 pcs |                 |   |



1

|                    |                                                                                                                                          |                 |       |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 500579                                                                                                                                   | <b>Ref. No.</b> | OPU03 |
| <b>description</b> | pump inlet ø 24mm outlet ø 24mm type UP30-275 230V 50/60Hz 1 phase 0.09kW 0.12HP L 145mm rotation direction left capacitor 2.5µF HANNING |                 |       |

## spare parts for

|                    |                                               |                 |   |
|--------------------|-----------------------------------------------|-----------------|---|
| <b>GEV No.</b>     | 501345                                        | <b>Ref. No.</b> | — |
| <b>description</b> | O-ring EPDM thickness 3mm ID ø 58mm Qty 1 pcs |                 |   |



## cleaning arms



1

**GEV No.** 541433 **Ref. No.** OCL02

**description** cleaning arm CleanJet suitable for RATIONAL \_101-\_202



1

**GEV No.** 541432 **Ref. No.** OCL03

**description** cleaning arm CleanJet suitable for RATIONAL \_61

## hoses



1

**GEV No.** 694491 **Ref. No.** OHA21

**description** supply tube for hose reel

## hoses



1

**GEV No.** 530793 **Ref. No.** OHO13

**description** formed hose ID ø 22mm ED ø 28mm L 640mm for combi-steamer SCC, CM201/202 since 04/2004



1

**GEV No.** 692102 **Ref. No.** OHO07

**description** hose ID ø 50mm ED ø 60mm L 50mm

## service kits



1

**GEV No.** 699811 **Ref. No.** OBU14

**description** service kit for bulb socket RATIONAL

## drip water trays



1

**GEV No.** 699800 **Ref. No.** ODR08

**description** drip tray plastic L 745mm W 47mm H 20mm

## door mechanics

## miscellaneous



1

**GEV No.** 694934 **Ref. No.** ODO26

**description** cover for door latch suitable for combi-steamer CPC-Linie 201/202 aluminium L 96.5mm W 65.5mm

## miscellaneous



1

**GEV No.** 694433 **Ref. No.** OVA05

**description** air valve for combi-steamer bore ø 2mm L 18mm plastic ø 20mm

**accessories for** 694433



**GEV No.** 694402 **Ref. No.** —  
**description** valve body for air valve hose ø 10mm

1

**GEV No.** 699809 **Ref. No.** OHA20

**description** clamp for spray gun L 24mm

Зип Общелит

vsezip.ru

+7(812)987-08-81


|                                                                                   |                                                  |                 |                         |
|-----------------------------------------------------------------------------------|--------------------------------------------------|-----------------|-------------------------|
|  |                                                  |                 |                         |
| 1                                                                                 |                                                  |                 |                         |
| <b>GEV No.</b>                                                                    | 694786                                           | <b>Ref. No.</b> | OHO21<br>OHO22<br>OPI12 |
| <b>description</b>                                                                | conversion kit for ventilation for combi-steamer |                 |                         |


|                                                                                   |                                              |                 |       |
|-----------------------------------------------------------------------------------|----------------------------------------------|-----------------|-------|
|  |                                              |                 |       |
| 1                                                                                 |                                              |                 |       |
| <b>GEV No.</b>                                                                    | 694650                                       | <b>Ref. No.</b> | ODR17 |
| <b>description</b>                                                                | drain pipe for combi-steamer L 555mm plastic |                 |       |

|                                                                                    |                                                |                 |       |
|------------------------------------------------------------------------------------|------------------------------------------------|-----------------|-------|
|  |                                                |                 |       |
| 1                                                                                  |                                                |                 |       |
| <b>GEV No.</b>                                                                     | 694391                                         | <b>Ref. No.</b> | ODR14 |
| <b>description</b>                                                                 | drain pipe with sleeve for drip pan L 560mm PE |                 |       |

|                                                                                     |                                                                                     |                       |                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------|-----------------------|
|  |                                                                                     |                       |                       |
| 1                                                                                   |                                                                                     |                       |                       |
| <b>GEV No.</b>                                                                      | 524459                                                                              | <b>Ref. No.</b>       | ODR07                 |
| <b>description</b>                                                                  | drip rail L 540mm plastic W 63mm                                                    |                       |                       |
| <b>accessories for</b>                                                              | 524459                                                                              |                       |                       |
|                                                                                     |  | <b>GEV No.</b> 697931 | <b>Ref. No.</b> ODR11 |
|                                                                                     | mounting clip plastic W 20mm Qty 5 pcs                                              |                       |                       |

|                                                                                     |                                                                             |                 |       |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------|-------|
|  |                                                                             |                 |       |
| 1                                                                                   |                                                                             |                 |       |
| <b>GEV No.</b>                                                                      | 694651                                                                      | <b>Ref. No.</b> | OSI03 |
| <b>description</b>                                                                  | filter for combi-steamer $\varnothing$ 97mm hole $\varnothing$ 6mm H 17.5mm |                 |       |

|                                                                                    |                                                                         |                 |       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------|-------|
|  |                                                                         |                 |       |
| 1                                                                                  |                                                                         |                 |       |
| <b>GEV No.</b>                                                                     | 520917                                                                  | <b>Ref. No.</b> | OGA34 |
| <b>description</b>                                                                 | gasket for heat exchanger D1 $\varnothing$ 104mm D2 $\varnothing$ 132mm |                 |       |

|                                                                                    |                                    |                 |       |
|------------------------------------------------------------------------------------|------------------------------------|-----------------|-------|
|  |                                    |                 |       |
| 1                                                                                  |                                    |                 |       |
| <b>GEV No.</b>                                                                     | 694320                             | <b>Ref. No.</b> | OGA03 |
| <b>description</b>                                                                 | gasket for lid $\varnothing$ 145mm |                 |       |

|                                                                                     |                                                                               |                 |       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                               |                 |       |
| 1                                                                                   |                                                                               |                 |       |
| <b>GEV No.</b>                                                                      | 512184                                                                        | <b>Ref. No.</b> | OCO10 |
| <b>description</b>                                                                  | hose connector plastic thread 3/4" Qty 1 pcs connection distance 60mm T-shape |                 |       |

|                                                                                      |                                        |                 |       |
|--------------------------------------------------------------------------------------|----------------------------------------|-----------------|-------|
|  |                                        |                 |       |
| 1                                                                                    |                                        |                 |       |
| <b>GEV No.</b>                                                                       | 697931                                 | <b>Ref. No.</b> | ODR11 |
| <b>description</b>                                                                   | mounting clip plastic W 20mm Qty 5 pcs |                 |       |

|                                                                                      |                                                                        |                 |       |
|--------------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------|-------|
|  |                                                                        |                 |       |
| 1                                                                                    |                                                                        |                 |       |
| <b>GEV No.</b>                                                                       | 694322                                                                 | <b>Ref. No.</b> | ODR12 |
| <b>description</b>                                                                   | sleeve for drip pan D1 $\varnothing$ 15mm D2 $\varnothing$ 20mm L 62mm |                 |       |

|                                                                                      |                                                            |                 |       |
|--------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------|-------|
|  |                                                            |                 |       |
| 1                                                                                    |                                                            |                 |       |
| <b>GEV No.</b>                                                                       | 694657                                                     | <b>Ref. No.</b> | OSI04 |
| <b>description</b>                                                                   | thread bolt straight L 44mm SS thread M6 $\varnothing$ 6mm |                 |       |



## for heated display cases

## housing and bezels

## covers



|                    |                                                                                      |                 |      |
|--------------------|--------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 692852                                                                               | <b>Ref. No.</b> | DI29 |
| <b>description</b> | cover transparent for lamp L 630mm W 140mm H 25mm plastic for type 750               |                 |      |
| <b>For models:</b> | C6A-75, C6H-75, C6R-105L, C6R-105R, D3H-75, D3R-100, D5H-75, D5R-100, SCH785, SCR785 |                 |      |



|                    |                                                                          |                 |      |
|--------------------|--------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 692853                                                                   | <b>Ref. No.</b> | DI30 |
| <b>description</b> | cover transparent for lamp L 880mm W 140mm H 25mm plastic for type 1000  |                 |      |
| <b>For models:</b> | C6A-100, C6H-100, C6R-130L, C6R-130R, D5H-100, D5R-125, SCH1085, SCR1085 |                 |      |

## knobs

## producer-specific knobs

## LINCAT



|                    |                                                                                                              |                 |       |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 113027                                                                                                       | <b>Ref. No.</b> | KN182 |
| <b>description</b> | knob 1-6 ø 55mm black                                                                                        |                 |       |
| <b>For models:</b> | BM3W, BM4W, BM6W, BM7W, BS3W, BS4W, BS7W, ECG6, GS3, GS4, GS4E, GS6, GS6T, GS6TE, GS7, GS7E, GS9, PB33, PB66 |                 |       |



|                    |                                                                 |                 |                |
|--------------------|-----------------------------------------------------------------|-----------------|----------------|
| <b>GEV No.</b>     | 113028                                                          | <b>Ref. No.</b> | KN178<br>KN263 |
| <b>description</b> | knob 1-6 t.max.°C ø 55mm shaft ø 6x4.6mm shaft flat upper black |                 |                |
| <b>For models:</b> | BM3, BM4, BM6, BM7, BS3, BS4, BS7, CS4, CS4G, CS6               |                 |                |

|                    |                                                                        |                 |       |
|--------------------|------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 113007                                                                 | <b>Ref. No.</b> | KN230 |
| <b>description</b> | knob gas thermostat t.max. 250°C 170-250°C ø 70-80mm shaft ø 8mm black |                 |       |

|                    |                                |                 |       |
|--------------------|--------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 111649                         | <b>Ref. No.</b> | OKN06 |
| <b>description</b> | knob ø 69mm shaft ø 5mm silver |                 |       |

## handles and hand wheels

## mushroom cap handles

|                    |                                                                                                                                                                  |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 111782                                                                                                                                                           | <b>Ref. No.</b> | KN10 |
| <b>description</b> | mushroom cap handle thread M6 handle ø 25mm L 17mm plastic black                                                                                                 |                 |      |
| <b>For models:</b> | CS4, CS4N, CS4P, CS6, DF33, DF36, DF39, DF4, DF46, DF49, DF612, DF618, DF66, DF66ST, DF7, GBM2, GBM3, J10, J12, J18, J5, J6, J9, LCS, LDF, LDF2, LPB, PB33, PB66 |                 |      |

## bracket handles

|                    |                                                              |                 |      |
|--------------------|--------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 701558                                                       | <b>Ref. No.</b> | HA92 |
| <b>description</b> | pull handle L 175mm H 62mm mounting distance 145mm thread M8 |                 |      |
| <b>For models:</b> | ECO7, SLR6, SLR9, V6, V6D, V6F, V7                           |                 |      |

|                    |                                                                |                 |      |
|--------------------|----------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 701557                                                         | <b>Ref. No.</b> | HA68 |
| <b>description</b> | pull handle L 200mm H 45mm mounting distance 132.5mm thread M8 |                 |      |
| <b>For models:</b> | ECO76                                                          |                 |      |



|                                                                                   |                                                                                        |                 |      |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                        |                 |      |
| 1                                                                                 |                                                                                        |                 |      |
| <b>GEV No.</b>                                                                    | 701632                                                                                 | <b>Ref. No.</b> | HA77 |
| <b>description</b>                                                                | pull handle L 227mm H 50mm mounting distance 170mm thread M8 black suitable for LINCAT |                 |      |
| <b>For models:</b>                                                                | OE7010, OE7104, OE7105, OE7112, OE7113, OG7106                                         |                 |      |

## locks

### handle latches

#### producer-specific

##### LINCAT

|                                                                                   |                                                                      |                 |                 |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------|-----------------|
|  |                                                                      |                 |                 |
| 1                                                                                 |                                                                      |                 |                 |
| <b>GEV No.</b>                                                                    | 693578                                                               | <b>Ref. No.</b> | ODO22           |
| <b>description</b>                                                                | bracket for door catch L 66mm W 23.5mm H 19mm mounting distance 46mm |                 |                 |
| <b>accessories for</b>                                                            | 693578                                                               |                 |                 |
|  | <b>GEV No.</b>                                                       | 693579          | <b>Ref. No.</b> |
|                                                                                   |                                                                      |                 | OCA11           |
|                                                                                   | door catch H 10.5mm L 42mm W 13mm M5                                 |                 |                 |

|                                                                                     |                                                              |                 |                 |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|-----------------|
|  |                                                              |                 |                 |
| 1                                                                                   |                                                              |                 |                 |
| <b>GEV No.</b>                                                                      | 693576                                                       | <b>Ref. No.</b> | ODO14           |
| <b>description</b>                                                                  | catch L 83mm ø 41mm clamp length 43mm BL 45mm                |                 |                 |
| <b>spare parts for</b>                                                              | 693576                                                       |                 |                 |
|  | <b>GEV No.</b>                                               | 693577          | <b>Ref. No.</b> |
|                                                                                     |                                                              |                 | ODO11           |
|                                                                                     | D-lock W 29mm H 17mm spring length 50mm spring thickness 3mm |                 |                 |

|                                                                                     |                 |                 |       |
|-------------------------------------------------------------------------------------|-----------------|-----------------|-------|
|  |                 |                 |       |
| 1                                                                                   |                 |                 |       |
| <b>GEV No.</b>                                                                      | 693580          | <b>Ref. No.</b> | OLO02 |
| <b>description</b>                                                                  | cover for catch |                 |       |

|                                                                                     |                                                                    |                 |       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------------|-------|
|  |                                                                    |                 |       |
| 1                                                                                   |                                                                    |                 |       |
| <b>GEV No.</b>                                                                      | 693582                                                             | <b>Ref. No.</b> | ODO24 |
| <b>description</b>                                                                  | cover for door latch L 97mm W 10.5mm mounting distance 71mm H 65mm |                 |       |

|                                                                                   |                                                              |          |       |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------|----------|-------|
|  |                                                              |          |       |
| 1                                                                                 |                                                              |          |       |
| sezip.ru                                                                          |                                                              |          |       |
| GEV No.                                                                           | 693577                                                       | Ref. No. | ODO11 |
| description                                                                       | D-lock W 29mm H 17mm spring length 50mm spring thickness 3mm |          |       |
| 2)987-08-81                                                                       |                                                              |          |       |
|  |                                                              |          |       |
| 1                                                                                 |                                                              |          |       |
| GEV No.                                                                           | 693579                                                       | Ref. No. | OCA11 |
| description                                                                       | door catch H 10.5mm L 42mm W 13mm M5                         |          |       |

## hinges

### door bearing

|                                                                                    |                                  |                 |       |
|------------------------------------------------------------------------------------|----------------------------------|-----------------|-------|
|  |                                  |                 |       |
| 1                                                                                  |                                  |                 |       |
| <b>GEV No.</b>                                                                     | 693587                           | <b>Ref. No.</b> | ODO32 |
| <b>description</b>                                                                 | hinge mounting pos. bottom right |                 |       |

## fittings for catering equipment

### outlet taps

#### universal

|                                                                                      |                                                         |                 |      |
|--------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------|------|
|  |                                                         |                 |      |
| 1                                                                                    |                                                         |                 |      |
| <b>GEV No.</b>                                                                       | 514506                                                  | <b>Ref. No.</b> | VA05 |
| <b>description</b>                                                                   | outlet tap stainless steel W 38mm H 40mm thread 3/4" IT |                 |      |

#### producer-specific

##### LINCAT

|                                                                                      |                                                                                                                                                  |                 |      |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                                                                  |                 |      |
| 1                                                                                    |                                                                                                                                                  |                 |      |
| <b>GEV No.</b>                                                                       | 514434 <sup>1</sup>                                                                                                                              | <b>Ref. No.</b> | DS24 |
| <b>description</b>                                                                   | ball valve thread 1/2" ET                                                                                                                        |                 |      |
| <b>For models:</b>                                                                   | BM3W, BM4W, BM6W, BM7W, BS3W, BS4W, BS7W, DF33, DF36, DF39, DF4, DF46, DF49, DF612, DF618, DF66, DF66ST, DF7, ECG6, J12, J18, J6, J9, PB33, PB66 |                 |      |

<sup>1</sup>pipe connection ø16mm



## dispenser tap

### complete



1

|                                                                                   |                                     |                 |                      |
|-----------------------------------------------------------------------------------|-------------------------------------|-----------------|----------------------|
| <b>GEV No.</b>                                                                    | 527590                              | <b>Ref. No.</b> | SL27                 |
| <b>description</b>                                                                | outlet tap complete inlet 3/4" blue |                 |                      |
| <b>For models:</b>                                                                | EB3, EB4, EB6, EB6T                 |                 |                      |
| <b>spare parts for</b>                                                            | 527590                              |                 |                      |
|  | <b>GEV No.</b>                      | 527591          | <b>Ref. No.</b> SL28 |
|                                                                                   | tap head blue                       |                 |                      |



1

|                    |                                                                                         |                 |                      |
|--------------------|-----------------------------------------------------------------------------------------|-----------------|----------------------|
| <b>GEV No.</b>     | 527557                                                                                  | <b>Ref. No.</b> | SL15<br>SL27<br>SL34 |
| <b>description</b> | outlet tap complete pipe lengthmm thread 3/4" ET black/chrome suitable for COFFEE QUEEN |                 |                      |

### tap heads



1

|                    |                |                 |           |
|--------------------|----------------|-----------------|-----------|
| <b>GEV No.</b>     | 527592         | <b>Ref. No.</b> | —<br>SL22 |
| <b>description</b> | tap head black |                 |           |

3ип Общепит

vsezip.ru

+7(812)987-08-81

1

|                    |               |                 |      |
|--------------------|---------------|-----------------|------|
| <b>GEV No.</b>     | 527591        | <b>Ref. No.</b> | SL28 |
| <b>description</b> | tap head blue |                 |      |

## filters

### device filters



1

|                    |                                                                     |                 |       |
|--------------------|---------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 698609                                                              | <b>Ref. No.</b> | OFI09 |
| <b>description</b> | filter insert L 180mm W 140mm H 22mm plastic suitable for RATIO-NAL |                 |       |

## equipment feet and end caps

### equipment feet

#### with screw mounting

#### universal



1

|                    |                                                                                           |                 |      |
|--------------------|-------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 700866                                                                                    | <b>Ref. No.</b> | LE37 |
| <b>description</b> | equipment foot tube ø 64mm thread M10 thread L 18mm H 135-190mm stainless steel Qty 1 pcs |                 |      |
| <b>For models:</b> | OA7920, OA7934, OE7105, OE7112                                                            |                 |      |

Зип Общепит

screw-in feet

vsezip.ru

+7(812)987-08-81



1

|                    |                                                                                          |                 |      |
|--------------------|------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 700867                                                                                   | <b>Ref. No.</b> | LE42 |
| <b>description</b> | equipment foot tube ø 64mm thread M12 thread L 23mm H 135-215mm SS size 2 1/2" Qty 1 pcs |                 |      |
| <b>For models:</b> | OE7010, OE7503, OG7502                                                                   |                 |      |



1

|                    |                                                                              |                 |      |
|--------------------|------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 699192                                                                       | <b>Ref. No.</b> | LE38 |
| <b>description</b> | equipment foot tube ø 31mm thread 3/8" UNC thread L 25mm H 55-84mm Qty 1 pcs |                 |      |
| <b>For models:</b> | OA7919, OA7936, OE7012, OE7206, OE7209, OE7210                               |                 |      |



1

|                    |                                                                   |                 |      |
|--------------------|-------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 701560                                                            | <b>Ref. No.</b> | FE29 |
| <b>description</b> | equipment foot tube ø 50.5mm thread M12 thread L 16mm H 158-200mm |                 |      |
| <b>For models:</b> | ESLR9, HCL3, HCL4, HCL6, HCL7, HCL9, J10, J5, SLR6, SLR9          |                 |      |



1

|                    |                                                                              |                 |      |
|--------------------|------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 701637                                                                       | <b>Ref. No.</b> | FE40 |
| <b>description</b> | equipment foot tube ø 52mm thread M10 thread L 36mm H 150-190mm SS Qty 1 pcs |                 |      |



|                    |                                                                                                                                                                                   |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 699190                                                                                                                                                                            | <b>Ref. No.</b> | FE10 |
| <b>description</b> | equipment foot thread M8 thread L 24mm ø 28.5mm H 16mm                                                                                                                            |                 |      |
| <b>For models:</b> | CC3, CC4, CC6, CC7, CN3, CN4, CN6, CN7, CT1, ECO76, ECO8, ECO9, G1A, GG1, HB2, HB3, HB4, HC3, HC4, HC6, HC7, J12, J18, J6, J9, LD2, LD3, LPO, LPW, LPW-LR, UMO50, UMSO50, UMSO50D |                 |      |



1

|                    |                                                                 |                 |      |
|--------------------|-----------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 699189                                                          | <b>Ref. No.</b> | FE28 |
| <b>description</b> | equipment foot thread M8 thread L 32mm ø 26mm H 9.5mm Qty 1 pcs |                 |      |

## bolting feet



1

|                    |                                                                                                                                                                                                                                                                                                                                 |                 |              |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------|
| <b>GEV No.</b>     | 692157                                                                                                                                                                                                                                                                                                                          | <b>Ref. No.</b> | FE35<br>FE37 |
| <b>description</b> | equipment foot ø 19mm H 12mm bore ø 5mm Qty 1 pcs                                                                                                                                                                                                                                                                               |                 |              |
| <b>For models:</b> | AS3, AS4, BM3, BM3W, BM4, BM4W, BM6, BM6W, BM7, BM7W, BS3, BS3W, BS4, BS4W, BS7, BS7W, CG4, CS4, CS4G, CS4N, CS4P, CS6, DF33, DF36, DF39, DF4, DF46, DF49, DF612, DF618, DF66, DF66ST, DF7, ECG6, GS3, GS4, GS4E, GS6, GS6T, GS6TE, GS7, GS7E, GS9, HT3, HT6, HT7, J12, J18, J6, J9...(Other models you can see in the webshop) |                 |              |



1

|                    |                                                         |                 |      |
|--------------------|---------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 699191                                                  | <b>Ref. No.</b> | FE01 |
| <b>description</b> | equipment foot ø 29.2mm H 39.5mm bore ø 6.2mm Qty 1 pcs |                 |      |
| <b>For models:</b> | EB3, EB4, EB6, EB6T, FDB4, FPB5                         |                 |      |

## miscellaneous

## with fixing plate

ø100mm



1

|                    |                                                                                                    |                 |       |
|--------------------|----------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 701634                                                                                             | <b>Ref. No.</b> | CA150 |
| <b>description</b> | swivel castor ø 100mm plate size 105x80mm hole distance 80x60mm H 125mm wheel width 32mm Qty 1 pcs |                 |       |

ø125mm



1

|                    |                                                                                                                         |                 |       |
|--------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 701633                                                                                                                  | <b>Ref. No.</b> | CA145 |
| <b>description</b> | swivel castor ø 125mm bearing ball bearing plate size 105x80mm hole distance 80x60mm H 155mm wheel width 32mm Qty 1 pcs |                 |       |



1

|                    |                                                                                                                                                                                             |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 701635                                                                                                                                                                                      | <b>Ref. No.</b> | CA184 |
| <b>description</b> | swivel castor without brake ø 125mm plate fixing housing stainless steel bearing ball bearing plate size 100x86mm hole distance 78x60mm wheel body polypropylene H 160mm wheel width 31.5mm |                 |       |

## with bolt hole

ø125mm



1

|                    |                                                                                     |                 |       |
|--------------------|-------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 710028                                                                              | <b>Ref. No.</b> | CA113 |
| <b>description</b> | swivel castor ø 125mm bolt hole ø12.0mm bolt hole ø 12mm H 155mm wheel width 36.5mm |                 |       |
| <b>For models:</b> | OA7905, OE7113                                                                      |                 |       |



|                    |                                                                                                |                 |       |
|--------------------|------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 710029                                                                                         | <b>Ref. No.</b> | CA112 |
| <b>description</b> | swivel castor with brake ø 125mm bolt hole ø12.0mm bolt hole ø 12mm H 155mm wheel width 36.5mm |                 |       |
| <b>For models:</b> | OA7905, OE7113                                                                                 |                 |       |

## baskets

## fryer baskets

## LINCAT



1

|                    |                                                                                                           |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 970985                                                                                                    | <b>Ref. No.</b> | BA96 |
| <b>description</b> | fryer basket W1 100mm L1 310mm H1 100mm L2 470mm H2 160mm H3 213mm chrome-plated steel rubber with holder |                 |      |



1

|                    |                                                                                                                                 |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 970973                                                                                                                          | <b>Ref. No.</b> | BA122 |
| <b>description</b> | fryer basket W1 110mm L1 340mm H1 150mm L2 620mm H2 192mm H3 330mm chrome-plated steel plastic-coated steel with holder W2 85mm |                 |       |



1

|                    |                                                                                                   |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 970977                                                                                            | <b>Ref. No.</b> | BA156 |
| <b>description</b> | fryer basket W1 120mm L1 240mm H1 88mm L2 395mm H2 162mm H3 238mm chrome-plated steel with holder |                 |       |



1

|                    |                                                                                                           |                 |       |
|--------------------|-----------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 970979                                                                                                    | <b>Ref. No.</b> | BA159 |
| <b>description</b> | fryer basket W1 133mm L1 337mm H1 144mm L2 610mm H2 197mm H3 335mm chrome-plated steel rubber with holder |                 |       |



1

|                    |                                                                                                           |                 |      |
|--------------------|-----------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 970987                                                                                                    | <b>Ref. No.</b> | BA83 |
| <b>description</b> | fryer basket W1 140mm L1 337mm H1 145mm L2 598mm H2 185mm H3 305mm chrome-plated steel rubber with holder |                 |      |
| <b>For models:</b> | OE7105, OG7106                                                                                            |                 |      |

Зип Общепит  
vsezip.ru  
+7(812)987 08 81

|                                                                                   |                                                                                                           |                 |      |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                           |                 |      |
| 1                                                                                 |                                                                                                           |                 |      |
| <b>GEV No.</b>                                                                    | 970984                                                                                                    | <b>Ref. No.</b> | BA93 |
| <b>description</b>                                                                | fryer basket W1 160mm L1 295mm H1 100mm L2 460mm H2 160mm H3 220mm chrome-plated steel rubber with holder |                 |      |

|                                                                                   |                                                                                                    |                 |       |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                    |                 |       |
| 1                                                                                 |                                                                                                    |                 |       |
| <b>GEV No.</b>                                                                    | 970972                                                                                             | <b>Ref. No.</b> | BA113 |
| <b>description</b>                                                                | fryer basket W1 160mm L1 310mm H1 102mm L2 490mm H2 162mm H3 213mm chrome-plated steel with holder |                 |       |

|                                                                                   |                                                                                                   |                 |       |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                   |                 |       |
| 1                                                                                 |                                                                                                   |                 |       |
| <b>GEV No.</b>                                                                    | 970976                                                                                            | <b>Ref. No.</b> | BA155 |
| <b>description</b>                                                                | fryer basket W1 197mm L1 218mm H1 85mm L2 395mm H2 165mm H3 220mm chrome-plated steel with holder |                 |       |

|                                                                                    |                                                                                                           |                 |      |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                           |                 |      |
| 1                                                                                  |                                                                                                           |                 |      |
| <b>GEV No.</b>                                                                     | 970986                                                                                                    | <b>Ref. No.</b> | BA94 |
| <b>description</b>                                                                 | fryer basket W1 200mm L1 260mm H1 100mm L2 415mm H2 167mm H3 218mm chrome-plated steel rubber with holder |                 |      |

|                                                                                     |                                         |                 |      |
|-------------------------------------------------------------------------------------|-----------------------------------------|-----------------|------|
|  |                                         |                 |      |
| 1                                                                                   |                                         |                 |      |
| <b>GEV No.</b>                                                                      | 970691                                  | <b>Ref. No.</b> | BA92 |
| <b>description</b>                                                                  | fryer basket W1 200mm L1 280mm H1 100mm |                 |      |

|                                                                                     |                                                                                                           |                 |      |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                           |                 |      |
| 1                                                                                   |                                                                                                           |                 |      |
| <b>GEV No.</b>                                                                      | 970989                                                                                                    | <b>Ref. No.</b> | BA98 |
| <b>description</b>                                                                  | fryer basket W1 200mm L1 297mm H1 150mm L2 560mm H2 220mm H3 280mm chrome-plated steel rubber with holder |                 |      |
| <b>For models:</b>                                                                  | J10, J5                                                                                                   |                 |      |

|                                                                                     |                                                                    |                 |      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------------|------|
|  |                                                                    |                 |      |
| 1                                                                                   |                                                                    |                 |      |
| <b>GEV No.</b>                                                                      | 970690                                                             | <b>Ref. No.</b> | BA91 |
| <b>description</b>                                                                  | fryer basket W1 200mm L1 310mm H1 100mm                            |                 |      |
| <b>For models:</b>                                                                  | DF33, DF36, DF39, DF46, DF49, DF612, DF618, DF66, J12, J18, J6, J9 |                 |      |

|                                                                                    |                                                                                                           |                 |      |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------|------|
|  |                                                                                                           |                 |      |
| 1                                                                                  |                                                                                                           |                 |      |
| <b>GEV No.</b>                                                                     | 970988                                                                                                    | <b>Ref. No.</b> | BA82 |
| <b>description</b>                                                                 | fryer basket W1 220mm L1 340mm H1 145mm L2 615mm H2 200mm H3 297mm chrome-plated steel rubber with holder |                 |      |
| <b>For models:</b>                                                                 | OE7104, OE7112, OE7113                                                                                    |                 |      |

## pasta baskets

### LINCAT

|                                                                                    |                                                                                    |                 |       |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                    |                 |       |
| 1                                                                                  |                                                                                    |                 |       |
| <b>GEV No.</b>                                                                     | 970967                                                                             | <b>Ref. No.</b> | BA116 |
| <b>description</b>                                                                 | pasta basket H1 101mm W1 102mm L1 155mm size 1/4 L2 210mm H3 220mm stainless steel |                 |       |

|                                                                                     |                                                                                    |                 |       |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                    |                 |       |
| 1                                                                                   |                                                                                    |                 |       |
| <b>GEV No.</b>                                                                      | 970969                                                                             | <b>Ref. No.</b> | BA115 |
| <b>description</b>                                                                  | pasta basket H1 101mm W1 102mm L1 155mm size 1/4 L2 210mm H3 220mm stainless steel |                 |       |

|                                                                                      |                                                                                                  |                 |       |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-----------------|-------|
|  |                                                                                                  |                 |       |
| 1                                                                                    |                                                                                                  |                 |       |
| <b>GEV No.</b>                                                                       | 970968                                                                                           | <b>Ref. No.</b> | BA114 |
| <b>description</b>                                                                   | pasta basket H1 103mm W1 101mm L1 310mm size 1/2 size L2 540mm H2 153mm H3 210mm stainless steel |                 |       |



1

| GEV No.     | 970966                                                                             | Ref. No. | BA112 |
|-------------|------------------------------------------------------------------------------------|----------|-------|
| description | pasta basket H1 103mm W1 202mm L1 310mm L2 540mm H2 153mm H3 210mm stainless steel |          |       |
| For models: | PB33, PB66                                                                         |          |       |



1

| GEV No.     | 970975                                                           | Ref. No. | OA7925<br>OA8925 |
|-------------|------------------------------------------------------------------|----------|------------------|
| description | pasta basket H1 215mm W1 145mm L1 164mm H3 375mm stainless steel |          |                  |



1

| GEV No.     | 970974                                                                    | Ref. No. | OA7922<br>OA8922 |
|-------------|---------------------------------------------------------------------------|----------|------------------|
| description | pasta basket H1 217mm W1 298mm L1 327mm H2 250mm H3 357mm stainless steel |          |                  |




1

| GEV No.     | 970971                                                                             | Ref. No. | OA7924<br>OA8924 |
|-------------|------------------------------------------------------------------------------------|----------|------------------|
| description | pasta basket H1 218mm W1 142mm L1 288mm L2 510mm H2 300mm H3 350mm stainless steel |          |                  |

Зип Общепит  
vsezip.ru

+7(812)987-08-81



1


| GEV No.     | 970970                                                                             | Ref. No. | OA7923 |
|-------------|------------------------------------------------------------------------------------|----------|--------|
| description | pasta basket H1 225mm W1 216mm L1 300mm L2 525mm H2 278mm H3 330mm stainless steel |          |        |



1

| GEV No.     | 970978                                                                        | Ref. No. | BA157 |
|-------------|-------------------------------------------------------------------------------|----------|-------|
| description | pasta basket H1 79mm W1 205mm L1 217mm L2 365mm H2 122mm H3 190mm with holder |          |       |

## miscellaneous




1

| GEV No.     | 692896                                    | Ref. No. | BA41 |
|-------------|-------------------------------------------|----------|------|
| description | grate L 320mm W 320mm H 187mm with handle |          |      |


## gaskets

## gaskets for heated units


## door seals




|                    |                                                            |                 |       |
|--------------------|------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 900290                                                     | <b>Ref. No.</b> | OSE06 |
| <b>description</b> | door seal profile 2730 W 465mm L 520mm external size Qty 1 |                 |       |



|                    |                                                               |                 |       |
|--------------------|---------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 900262                                                        | <b>Ref. No.</b> | OSE10 |
| <b>description</b> | door seal profile 2730 W 470mm L 1475mm outer plug size Qty 1 |                 |       |




|                    |                                                              |                 |       |
|--------------------|--------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 900291                                                       | <b>Ref. No.</b> | OSE02 |
| <b>description</b> | door seal profile 2730 W 470mm L 785mm outer plug size Qty 1 |                 |       |




|                    |                                                         |                 |       |
|--------------------|---------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 900574                                                  | <b>Ref. No.</b> | OSE13 |
| <b>description</b> | door seal profile 2730 W 675mm L 1475mm outer plug size |                 |       |




|                    |                                                        |                 |       |
|--------------------|--------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 900573                                                 | <b>Ref. No.</b> | OSE12 |
| <b>description</b> | door seal profile 2730 W 675mm L 760mm outer plug size |                 |       |



|                    |                                                        |                 |       |
|--------------------|--------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 900292                                                 | <b>Ref. No.</b> | OSE03 |
| <b>description</b> | door seal profile 2730 W 685mm L 780mm outer plug size |                 |       |



|                    |                                                              |                 |       |
|--------------------|--------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 901403                                                       | <b>Ref. No.</b> | OSE08 |
| <b>description</b> | door seal profile 2731 W 470mm L 500mm outer plug size Qty 1 |                 |       |




|                    |                                                        |                 |       |
|--------------------|--------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 901405                                                 | <b>Ref. No.</b> | OSE09 |
| <b>description</b> | door seal profile 2731 W 470mm L 760mm outer plug size |                 |       |


Зип Общепит

vsezip.ru

+7(812)987 08 01



|             |                                                             |          |       |
|-------------|-------------------------------------------------------------|----------|-------|
| GEV No.     | 901438                                                      | Ref. No. | OSE04 |
| description | door seal profile 2732 W 485mm L 1495mm external size Qty 1 |          |       |



|             |                                                         |          |       |
|-------------|---------------------------------------------------------|----------|-------|
| GEV No.     | 901439                                                  | Ref. No. | OSE05 |
| description | door seal profile 2732 W 680mm L 1495mm outer plug size |          |       |



|             |                                                            |          |      |
|-------------|------------------------------------------------------------|----------|------|
| GEV No.     | 902322                                                     | Ref. No. | SE42 |
| description | door seal profile 2991 W 535mm L 705mm external size Qty 1 |          |      |



|             |                                                            |          |      |
|-------------|------------------------------------------------------------|----------|------|
| GEV No.     | 902323                                                     | Ref. No. | SE38 |
| description | door seal profile 2991 W 590mm L 710mm external size Qty 1 |          |      |


### door seals with fixing hook



|             |                                                             |          |      |
|-------------|-------------------------------------------------------------|----------|------|
| GEV No.     | 901163                                                      | Ref. No. | SE25 |
| description | door seal L 1000mm with mounting clip Qty supplied by meter |          |      |



|             |                          |          |      |
|-------------|--------------------------|----------|------|
| GEV No.     | 902321                   | Ref. No. | SE22 |
| description | door seal L 420mm W 10mm |          |      |



|             |                                                      |          |      |
|-------------|------------------------------------------------------|----------|------|
| GEV No.     | 902317                                               | Ref. No. | SE05 |
| description | door seal L 470mm W 430mm 4-sided with mounting clip |          |      |
| For models: | ECO9                                                 |          |      |



|             |                                            |          |      |
|-------------|--------------------------------------------|----------|------|
| GEV No.     | 902320                                     | Ref. No. | SE23 |
| description | door seal L 475mm W 9mm with mounting clip |          |      |



|             |                                             |          |      |
|-------------|---------------------------------------------|----------|------|
| GEV No.     | 902318                                      | Ref. No. | SE27 |
| description | door seal L 510mm W 10mm with mounting clip |          |      |



|             |                          |          |      |
|-------------|--------------------------|----------|------|
| GEV No.     | 902319                   | Ref. No. | SE17 |
| description | door seal L 530mm W 12mm |          |      |



|             |                                                      |          |      |
|-------------|------------------------------------------------------|----------|------|
| GEV No.     | 902316                                               | Ref. No. | SE76 |
| description | door seal L 560mm W 400mm 4-sided with mounting clip |          |      |
| For models: | ECO8                                                 |          |      |

### door gaskets (wire reinforced)




|             |                                            |          |      |
|-------------|--------------------------------------------|----------|------|
| GEV No.     | 902324                                     | Ref. No. | SE75 |
| description | door seal wire reinforced L 1380mm ø 7.5mm |          |      |

## gaskets for tray rack trolleys



**GEV No.** 900566 **Ref. No.** OGA25

**description** tray rack trolley gasket profile 4095 L 575mm Qty 1



**GEV No.** 900255 **Ref. No.** OGA30

**description** tray rack trolley gasket profile 4095 L 780mm Qty 1


## O-rings

## silicone



**GEV No.** 532727 **Ref. No.** OGA38

**description** O-ring silicone thickness 3.5mm ID ø 26mm Qty 5 pcs for model SCC, CM



**GEV No.** 532728 **Ref. No.** OGA37

**description** O-ring silicone thickness 3.5mm ID ø 46mm Qty 5 pcs for model SCC, CM

## sealing cords

## round



**GEV No.** 694917 **Ref. No.** SE30

**description** sealing cord L 106.5m for pizza oven ø 9mm

## shaft gaskets

## miscellaneous



**GEV No.** 511685 **Ref. No.** OGA29

**description** shaft seal kit ID ø 15mm ED ø 27mm shaft seal flange mounting gauge with mountign material



**GEV No.** 511682 **Ref. No.** OGA09

**description** shaft seal kit ID ø 17mm ED ø 29mm shaft seal flange mounting gauge with mountign material

## special gaskets

## for combi-steamers



**GEV No.** 560599 **Ref. No.** OGA16

**description** gasket ED ø 132mm ID ø 105mm thickness 2mm CPC-Linie CM 61-202/G



**GEV No.** 560597 **Ref. No.** OGA40

**description** gasket ED ø 140mm ID ø 128mm SCC Line



**GEV No.** 560596 **Ref. No.** OGA39

**description** gasket ED ø 60mm ID ø 50mm SCC, SCC\_WE, CM, CM\_P since 04/2004

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

|                    |                                               |                 |       |
|--------------------|-----------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 699803                                        | <b>Ref. No.</b> | OGA24 |
| <b>description</b> | gasket L 139mm W 130mm silicone thickness 4mm |                 |       |

1

|                    |                                                                                  |                 |       |
|--------------------|----------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 560613                                                                           | <b>Ref. No.</b> | OGA33 |
| <b>description</b> | gasket L 43mm W 67mm thickness 4mm SCC, CM61-202 since 06/2007 for combi-steamer |                 |       |

## miscellaneous

1

|                    |                                                                                    |                 |      |
|--------------------|------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 512473                                                                             | <b>Ref. No.</b> | GA38 |
| <b>description</b> | gasket suitable for LINCAT equiv. no. GA38 for tank L 398mm W 221mm without screws |                 |      |

1

|                    |                                                                                                         |                 |      |
|--------------------|---------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 510658                                                                                                  | <b>Ref. No.</b> | GA39 |
| <b>description</b> | gasket suitable for LINCAT equiv. no. GA39 for tank L 303mm external weith 233mm Qty 1m with screws EB4 |                 |      |

1

|                    |                                                                                                 |                 |      |
|--------------------|-------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 512393                                                                                          | <b>Ref. No.</b> | GA40 |
| <b>description</b> | gasket suitable for LINCAT equiv. no. GA40 for tank L 233mm external weith 233mm without screws |                 |      |
| <b>For models:</b> | EB3, EB4, EB6, EB6T                                                                             |                 |      |

1

|                    |                                                                                    |                 |      |
|--------------------|------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 510660                                                                             | <b>Ref. No.</b> | GA44 |
| <b>description</b> | gasket suitable for LINCAT equiv. no. GA44 L 68mm W 50mm Qty 1m hole distance 57mm |                 |      |
| <b>For models:</b> | DF33, DF36, DF39, ECG6, J6, J9, PB33                                               |                 |      |

1

|                    |                                                                                                    |                 |      |
|--------------------|----------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 510661                                                                                             | <b>Ref. No.</b> | GA45 |
| <b>description</b> | gasket suitable for LINCAT equiv. no. GA45 L 59mm W 30mm Qty 1m thickness 1.5mm hole distance 50mm |                 |      |
| <b>For models:</b> | DF33, DF36, DF39, ECG6, J12, J18, J6, J9, PB33                                                     |                 |      |

1

|                    |                                                                                         |                 |       |
|--------------------|-----------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 550895                                                                                  | <b>Ref. No.</b> | OGA07 |
| <b>description</b> | gasket suitable for RATIONAL equiv. no. 51101308 L 179mm W 90mm electrode thickness 3mm |                 |       |

## refrigeration cycle components

## valves

## Schrader valves

## Schrader valves (complete)



1

|                    |                                                     |                 |      |
|--------------------|-----------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 750101                                              | <b>Ref. No.</b> | VA16 |
| <b>description</b> | Schrader valve complete connection 1/4" SAE L 130mm |                 |      |
| <b>For models:</b> | FDB4, FPB5, SCR1085, SCR785                         |                 |      |

## filter driers

## miscellaneous



1

|                    |                                                    |                 |        |
|--------------------|----------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 750734                                             | <b>Ref. No.</b> | G/DR02 |
| <b>description</b> | dryer size 10g ø 16mm L 115mm connection 2,5/6,2mm |                 |        |
| <b>For models:</b> | FDB4, FPB5                                         |                 |        |



1

|                    |                                                                         |                 |      |
|--------------------|-------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 750616                                                                  | <b>Ref. No.</b> | DR26 |
| <b>description</b> | dryer size 15g ø 19mm L 121mm connection 2,7/6,5mm type XH20P Qty 1 pcs |                 |      |
| <b>For models:</b> | SCR1085, SCR785                                                         |                 |      |

## for saladettes



1

|                    |                                                      |                 |        |
|--------------------|------------------------------------------------------|-----------------|--------|
| <b>GEV No.</b>     | 750733                                               | <b>Ref. No.</b> | G/CD01 |
| <b>description</b> | evaporator L 240mm W 125mm D 45mm total length 260mm |                 |        |
| <b>For models:</b> | FDB4, FPB5                                           |                 |        |

## transmission technology and ball bearings

## drive belts

## toothed belts




1

|                    |                                                                                                            |                 |      |
|--------------------|------------------------------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 697828                                                                                                     | <b>Ref. No.</b> | BE14 |
| <b>description</b> | toothed belt profile XL L 400mm H 2mm teeth 80 rubber with textile insertion CODE B191009 W 6mm type 160XL |                 |      |

## springs

## compression springs



1

|                    |                                                     |                 |       |
|--------------------|-----------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 693591                                              | <b>Ref. No.</b> | OSP04 |
| <b>description</b> | compression spring ø 14mm L 27mm wire gauge ø 1.5mm |                 |       |



## hose reels and spray guns

## spray guns



1

| GEV No.                                                                           | 540302                                                 | Ref. No. | OHA01 |
|-----------------------------------------------------------------------------------|--------------------------------------------------------|----------|-------|
| description                                                                       | spray gun for appliances 1/2" ET L 135mm type RATIONAL |          |       |
| spare parts for                                                                   | 540302                                                 |          |       |
|  | GEV No. 517056                                         | Ref. No. | —     |
| O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs                                    |                                                        |          |       |
|  | GEV No. 532535                                         | Ref. No. | —     |
| O-ring EPDM thickness 5mm ID ø 10mm Qty 1 pcs                                     |                                                        |          |       |
|  | GEV No. 548016                                         | Ref. No. | —     |
| compression spring ø 10mm L 17mm wire gauge ø 0.9mm for hand spray                |                                                        |          |       |
|  | GEV No. 548017                                         | Ref. No. | —     |
| pressure bolt for hand spray                                                      |                                                        |          |       |



1

| GEV No.                                                                             | 540664                                          | Ref. No. | OHA10 |
|-------------------------------------------------------------------------------------|-------------------------------------------------|----------|-------|
| description                                                                         | spray gun for appliances 1/2" (12.83mm) L 165mm |          |       |
| spare parts for                                                                     | 540664                                          |          |       |
|  | GEV No. 699809                                  | Ref. No. | OHA20 |
| clamp for spray gun L 24mm                                                          |                                                 |          |       |

3zip.Общепит

hose reels

## appliance hose reels



1

| GEV No.     | 541444                                       | Ref. No. | OHA13 |
|-------------|----------------------------------------------|----------|-------|
| description | hose reel without spray gun hose length 1.5m |          |       |



1

| GEV No.                                                                             | 540661                                     | Ref. No. | OHA12 |
|-------------------------------------------------------------------------------------|--------------------------------------------|----------|-------|
| description                                                                         | hose reel without spray gun hose length 1m |          |       |
| accessories for                                                                     | 540661                                     |          |       |
|    | GEV No. 540664                             | Ref. No. | OHA10 |
| spray gun for appliances 1/2" (12.83mm) L 165mm                                     |                                            |          |       |
|  | GEV No. 560630                             | Ref. No. | —     |
| clamping washer nominal-ø 4mm ED ø 11.5mm SS thickness 0.2mm                        |                                            |          |       |
|  | GEV No. 694491                             | Ref. No. | OHA21 |
| supply tube for hose reel                                                           |                                            |          |       |
|  | GEV No. 699802                             | Ref. No. | —     |
| cover for spray gun D1 ø 90/145mm L 145mm H 68mm                                    |                                            |          |       |




1

| GEV No.     | 540483                                       | Ref. No. | OHA02 |
|-------------|----------------------------------------------|----------|-------|
| description | hose reel without spray gun hose length 2.1m |          |       |

## spare parts and accessories

## hoses



|                    |                                                                      |                 |       |
|--------------------|----------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 520915                                                               | <b>Ref. No.</b> | OHO24 |
| <b>description</b> | connection hose for hose reel connections ø14.6mm / 3/4" length 0.7m |                 |       |

## hoses

## supply hoses

## PVC supply hoses



|                                                                                     |                                                                                                                                          |                 |                   |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------------|
| <b>GEV No.</b>                                                                      | 520010                                                                                                                                   | <b>Ref. No.</b> | PI12              |
| <b>description</b>                                                                  | supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal |                 |                   |
| <b>For models:</b>                                                                  | ECO76                                                                                                                                    |                 |                   |
| <b>accessories for</b>                                                              | 520010                                                                                                                                   |                 |                   |
|  | <b>GEV No.</b>                                                                                                                           | 520053          | <b>Ref. No.</b> — |
|                                                                                     | screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm                                                               |                 |                   |
|  | <b>GEV No.</b>                                                                                                                           | 520054          | <b>Ref. No.</b> — |
|                                                                                     | flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs                                                                      |                 |                   |

## industrial hoses

## silicone hoses


## without fabric



|                    |                                                                      |                 |       |
|--------------------|----------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 530067                                                               | <b>Ref. No.</b> | OHO14 |
| <b>description</b> | silicone hose ID ø 50mm ED ø 56mm L 0.13m thickness 3mm t.max. 200°C |                 |       |

## formed hoses

## straight



|                    |                                                                      |                 |       |
|--------------------|----------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 530067                                                               | <b>Ref. No.</b> | OHO14 |
| <b>description</b> | silicone hose ID ø 50mm ED ø 56mm L 0.13m thickness 3mm t.max. 200°C |                 |       |

## form L



|                    |                                                                                                         |                 |       |
|--------------------|---------------------------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 530716                                                                                                  | <b>Ref. No.</b> | OHO18 |
| <b>description</b> | formed hose ID ø 18/23mm ED ø 25/28mm L 170mm Qty 1 L-shape for combi-steamer ø ø22(19)mm thickness 3mm |                 |       |



|                    |                                                                                         |                 |       |
|--------------------|-----------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 530717                                                                                  | <b>Ref. No.</b> | OHO12 |
| <b>description</b> | formed hose ID ø 19/22mm ED ø 25/28mm L 225mm L-shape for combi-steamer thickness 3.5mm |                 |       |



|                    |                                                                                        |                 |       |
|--------------------|----------------------------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 530793                                                                                 | <b>Ref. No.</b> | OHO13 |
| <b>description</b> | formed hose ID ø 22mm ED ø 28mm L 640mm for combi-steamer SCC, CM201/202 since 04/2004 |                 |       |




|                    |                                                                 |                 |       |
|--------------------|-----------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 694323                                                          | <b>Ref. No.</b> | ODR16 |
| <b>description</b> | formed hose ID ø 23mm ED ø 28mm L 480mm combi-steamer for drain |                 |       |



Зип.Общепит  
vsezip.ru

+7(812)987-08-81



1

|                    |                                                           |                 |       |
|--------------------|-----------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 694324                                                    | <b>Ref. No.</b> | OHC08 |
| <b>description</b> | formed hose ID ø 23mm ED ø 28mm L 480mm for combi-steamer |                 |       |

## form U



1

|                    |                                                                   |                 |       |
|--------------------|-------------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 530715                                                            | <b>Ref. No.</b> | OHO11 |
| <b>description</b> | formed hose L 450mm ID ø 22mm ED ø 29mm for combi-steamer U-shape |                 |       |

## miscellaneous



1

|                    |                                                               |                 |       |
|--------------------|---------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 524453                                                        | <b>Ref. No.</b> | OHO16 |
| <b>description</b> | formed hose ext. ø 29 D1 ø 23mm D2 ø 23mm L 340mm white Qty 1 |                 |       |



1

|                    |                                         |                 |       |
|--------------------|-----------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 530066                                  | <b>Ref. No.</b> | OHO06 |
| <b>description</b> | formed hose ID ø 24mm ED ø 30mm L 380mm |                 |       |

## fittings, hose and pipe connectors

### hose connectors

#### producer-specific



1

|                    |                                                             |                 |       |
|--------------------|-------------------------------------------------------------|-----------------|-------|
| <b>GEV No.</b>     | 512183                                                      | <b>Ref. No.</b> | OHA22 |
| <b>description</b> | hose connector for hose reel T-shape plastic ø 20/12mm 3/4" |                 |       |

## valves and tank inlets

### ball valves

#### universal

#### mini ball valves



1

|                    |                                                      |                 |      |
|--------------------|------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 520956                                               | <b>Ref. No.</b> | DV02 |
| <b>description</b> | ball valve DN8 total length 54mm chrome-plated brass |                 |      |
| <b>For models:</b> | EB3F, EB4F, EB6, EB6T                                |                 |      |



1

|                    |                                                                                      |                 |      |
|--------------------|--------------------------------------------------------------------------------------|-----------------|------|
| <b>GEV No.</b>     | 520957                                                                               | <b>Ref. No.</b> | VA19 |
| <b>description</b> | ball valve connection 1/2" IT - tube ø15mm DN8 total length 52mm chrome-plated brass |                 |      |
| <b>For models:</b> | GBM2, GBM3, OG7302                                                                   |                 |      |

### producer-specific

#### LINCAT



1

|                    |                                                                           |                 |                 |
|--------------------|---------------------------------------------------------------------------|-----------------|-----------------|
| <b>GEV No.</b>     | 514188                                                                    | <b>Ref. No.</b> | TA101/A<br>TA74 |
| <b>description</b> | ball valve connection 1" IT - 1" IT total length 81mm handle length 116mm |                 |                 |
| <b>For models:</b> | OE7104                                                                    |                 |                 |

## shut-off valves

### producer-specific

#### LINCAT



1

| GEV No.     | 514187                                                          | Ref. No. | CO167 |
|-------------|-----------------------------------------------------------------|----------|-------|
| description | shut-off valve connection 1/2" 1/2" cold/warm total length 50mm |          |       |

## water filters

### CUNO

#### filters

##### for hot drinks



1

| GEV No.     | 530078                                                                                                                                                                            | Ref. No. | FC02 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | water filter CUNO type FC02 capacity 4000l flow rate 120l/h operation p max 8.6bar operation pressure max 25-120psi water temperature 40-100°C ø 57mm H 250mm for filter head AP2 |          |      |

3ип Общепит

for cold drinks

vsezip.ru

+7(812)987-08-81



1

| GEV No.     | 530478                                                                                                                                                                                                    | Ref. No. | FC02 |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| description | filter type AP2-C405-SG capacity 4000l flow rate 114l/h operation p max 8.6bar water temperature max. 38°C for filter head AP2 ø 13/22mm H 240mm activated carbon filtration for beverage vending machine |          |      |

## miscellaneous

### connection heads



1

| GEV No.     | 530079      | Ref. No. | CF1 |
|-------------|-------------|----------|-----|
| description | filter head |          |     |



## filters



1

| GEV No.     | 530077                                                                                   | Ref. No. | CFC01 |
|-------------|------------------------------------------------------------------------------------------|----------|-------|
| description | water filter flow rate 2l/min operation p max 7bar water temperature 38°C ø 67mm H 230mm |          |       |

## measuring equipment

## thermometers

## built-in thermometers

ø60mm



1

| GEV No.     | 542345                                                                                                  | Ref. No. | DT5 |
|-------------|---------------------------------------------------------------------------------------------------------|----------|-----|
| description | thermometer mounting ø 60mm t.max. 500°C 0 up to +500°C probe ø 8mm probe L 101mm capillary pipe 1070mm |          |     |

## fastening material

## washers

washers

## miscellaneous



1

| GEV No.     | 560401                                                                    | Ref. No. | CO113 |
|-------------|---------------------------------------------------------------------------|----------|-------|
| description | plain washer ID ø 5mm ED ø 8mm thickness 1mm copper Qty 1 pcs             |          |       |
| For models: | CG4, CG6, ECO9, J10, OG7202N, OG7202P, OG7204N, OG7204P, OG7208N, OG7208P |          |       |

## consumables

## fuses

## fine fuses

ø6.3x32mm 250V



1

| GEV No.     | 358792                                                         | Ref. No. | OFU02 |
|-------------|----------------------------------------------------------------|----------|-------|
| description | fine fuse size ø6.3x32mm 10A slow-acting rated 250V Qty 10 pcs |          |       |



1

| GEV No.     | 358791                                                          | Ref. No. | OFU01 |
|-------------|-----------------------------------------------------------------|----------|-------|
| description | fine fuse size ø6.3x32mm 6.3A slow-acting rated 250V Qty 10 pcs |          |       |

Зип Общепит

vsezip.ru

+7(812)987-08-81

**A**

|                      |    |
|----------------------|----|
| alarm devices        | 30 |
| appliance hose reels | 82 |
| axial fans           | 40 |

**B**

|                      |        |
|----------------------|--------|
| ball valves          | 84     |
| bar burners          | 62     |
| bi-metal thermostats | 14, 14 |
| bottom heaters       | 10     |

**C**

|                                                 |    |
|-------------------------------------------------|----|
| cables                                          | 46 |
| cam switches                                    | 24 |
| castors and bumper angles                       | 74 |
| ceramic burners                                 | 63 |
| compressors                                     | 40 |
| condensators & interference suppression filters | 46 |
| connection cables                               | 47 |
| consumables                                     | 86 |
| contactors                                      | 30 |
| control thermostats                             | 14 |
| cooling fans                                    | 42 |
| cross flow fans                                 | 42 |

**D**

|                                |    |
|--------------------------------|----|
| door gaskets (wire reinforced) | 78 |
| door seals                     | 77 |
| door seals with fixing hook    | 78 |
| drain pumps                    | 45 |

**E**

|                        |    |
|------------------------|----|
| earthing cables        | 47 |
| electric accessories   | 46 |
| electrodes             | 38 |
| electronic controllers | 33 |
| energy regulators      | 13 |
| evaporators            | 81 |

**F**

|                    |        |
|--------------------|--------|
| fans               | 40     |
| fastening material | 86     |
| filter driers      | 81     |
| filters            | 46     |
| fine fuses         | 86     |
| float switches     | 24     |
| flow sensors       | 39     |
| fluorescent lamps  | 28, 28 |
| forced air burners | 63     |
| formed hoses       | 83     |
| fuses              | 46, 86 |

**G**

|                                |    |
|--------------------------------|----|
| gas ball valves                | 65 |
| gas burners                    | 62 |
| gas control valves             | 52 |
| gas nozzles                    | 63 |
| gas pressure regulators        | 65 |
| gas taps                       | 48 |
| gas thermostats                | 49 |
| gaskets for heated units       | 77 |
| gaskets for tray rack trolleys | 79 |

**H**

|                                           |    |
|-------------------------------------------|----|
| halogen lamp                              | 27 |
| heating elements                          | 3  |
| heating elements for bain maries          | 3  |
| heating elements for contact grills       | 7  |
| heating elements for convection           | 11 |
| heating elements for fryers               | 3  |
| heating elements for griddles             | 6  |
| heating elements for heated cabinets      | 9  |
| heating elements for large hobs           | 7  |
| heating elements for ovens                | 3  |
| heating elements for pizza ovens          | 8  |
| heating elements for salamanders/toasters | 8  |
| hob burners                               | 62 |
| hose connectors                           | 84 |
| hose reels                                | 82 |
| hoses                                     | 83 |
| hot air fans                              | 43 |
| hot air motors                            | 42 |
| hot plates                                | 13 |

**I**

|                             |    |
|-----------------------------|----|
| ignition boxes              | 53 |
| ignition cables             | 58 |
| ignition switches           | 59 |
| immersion heating elements  | 10 |
| indicator lights            | 26 |
| indicator lights (complete) | 26 |
| industrial hoses            | 83 |
| infrared lamps              | 27 |

**L**

|                  |    |
|------------------|----|
| lamp accessories | 30 |
| lamps            | 26 |
| light bulbs      | 27 |
| linear lamps     | 27 |

**M**

|                     |    |
|---------------------|----|
| magnetic switches   | 25 |
| measuring equipment | 86 |
| microswitches       | 23 |

Зип Общепит

vsezip.ru

+7(812)987-08-81

|                                  |    |                        |    |
|----------------------------------|----|------------------------|----|
| microwave lamps                  | 28 | transformers           | 32 |
| miscellaneous                    | 47 |                        |    |
| motors                           | 44 |                        |    |
| <b>O</b>                         |    | valves and tank inlets | 84 |
| O-rings                          | 79 |                        |    |
| oven lamps                       | 28 | wash and rinse pumps   | 45 |
| <b>P</b>                         |    | washers                | 86 |
| piezoelectric igniters           | 58 | water filters          | 85 |
| pilot burners                    | 53 |                        |    |
| power supply cables              | 46 |                        |    |
| pressure switches                | 38 |                        |    |
| probes                           | 33 |                        |    |
| protection hoses                 | 47 |                        |    |
| pumps                            | 45 |                        |    |
| push/momentary push switches     | 23 |                        |    |
| PVC supply hoses                 | 83 |                        |    |
| <b>Q</b>                         |    |                        |    |
| quartz heating elements          | 10 |                        |    |
| <b>R</b>                         |    |                        |    |
| radial fans                      | 44 |                        |    |
| radiation heaters                | 13 |                        |    |
| refrigeration cycle components   | 81 |                        |    |
| refrigeration fans               | 42 |                        |    |
| refrigeration motors universal   | 42 |                        |    |
| relays                           | 32 |                        |    |
| rocker/momentary rocker switches | 22 |                        |    |
| <b>S</b>                         |    |                        |    |
| safety bi-metal thermostats      | 14 |                        |    |
| safety thermostats               | 18 |                        |    |
| Schrader valves                  | 81 |                        |    |
| sealing cords                    | 79 |                        |    |
| shaft gaskets                    | 79 |                        |    |
| shut-off valves                  | 85 |                        |    |
| silicone cable                   | 47 |                        |    |
| silicone hoses                   | 83 |                        |    |
| solenoid valves                  | 36 |                        |    |
| solid state relays               | 32 |                        |    |
| spiral cables                    | 47 |                        |    |
| spray guns                       | 82 |                        |    |
| spray guns with external thread  | 82 |                        |    |
| starter                          | 28 |                        |    |
| supply hoses                     | 83 |                        |    |
| switches and momentary switches  | 22 |                        |    |
| <b>T</b>                         |    |                        |    |
| terminals                        | 47 |                        |    |
| thermocouples                    | 59 |                        |    |
| thermostats                      | 14 |                        |    |