Зип Общепит
vsezip.ru
+7(812)987-08-81

GEV

Spare Parts for

Combi Ovens

Spare parts suitable for

BOURGEOIS

2017

Find the complete and up-to-date range of products in our GEV Webshop

heating elements

immersion heating elements

with compression flange 50 x 26mm



1

GEV No.	418932	**Ref. No.**	RC553
description	heating element 2000W 240V heating circuits 1 flange 50x26mm L 350mm W 30mm Hmm compression flange connection male faston 6.3mm tube ø 6.3mm immersion heater		

miscellaneous

1

GEV No.	420200	**Ref. No.**	RC2035
description	heating element 12000W 240V heating circuits 6 L 155mm W 78mm H 83mm tube ø 8.4mm hole distance 61mm hole ø 7mm connection male faston 6.3mm immersion heater flange connection		

1

GEV No.	420203	**Ref. No.**	RC2029
description	heating element 12000W 240V heating circuits 6 L 165mm W 74mm H 83.5mm tube ø 8.4mm hole distance 61mm hole ø 7mm number of thermostat sleeves 1 thermostat sleeves ø 7.4mm length thermostat sleeves 73mm thermostat sleeve eccentric, clinging connection male faston 6.3mm immersion heater flange connection		

1

GEV No.	420202	**Ref. No.**	RC2034
description	heating element 18000W 240V heating circuits 6 L 229mm W 78mm H 83mm tube ø 8.4mm hole distance 61mm hole ø 7mm connection male faston 6.3mm immersion heater flange connection		

1

GEV No.	420199	**Ref. No.**	RC2032
description	heating element 18000W 240V heating circuits 6 L 235mm W 78mm H 83mm tube ø 8.4mm hole distance 61mm hole ø 7mm connection male faston 6.3mm immersion heater flange connection		

1

GEV No.	416502	**Ref. No.**	RC231 RC802
description	heating element 8000W 240V heating circuits 3 L 305mm W 40mm Hmm number of thermostat sleeves thermostat sleeves ømm length thermostat sleevesmm tube ø 6.3mm hole distance 44.9mm hole ø 10mm connection length 23mm connection male faston 6.3mm 4 hole flange immersion heater flange width 63.5mm flange length 63.5mm ø 40mm		
accessories for	416502		

GEV No.	505180	Ref. No.	JOIN261

O-ring EPDM thickness 3.53mm ID ø 47.22mm Qty 1 pcs

1

GEV No.	420201	**Ref. No.**	RC2033
description	heating element 9000W 240V heating circuits 6 L 135mm W 78mm H 83.5mm tube ø 8.4mm hole distance 61mm hole ø 7mm connection male faston 6.3mm immersion heater flange connection		

heating elements for convection

1

GEV No.	418916	**Ref. No.**	RC018 RC048 RC17
description	heating element 12000W 240V heating circuits 3 ID ø 390mm ED ø 410mm L 410mm H 100mm H1 25mm H2 75mm thread M12x1 6 hole fixing connection male faston 6.3mm tube ø 8.5mm convection heating element		
accessories for	418916		

GEV No.	101566	Ref. No.	—

nut thread M12x1 H 10mm WS 19 SS Qty 1 pcs

Table continues overleaf

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories for	418916			
	GEV No.	506046	Ref. No.	—
	flat gasket FIBER ED ø 19.5mm ID ø 13mm thickness 2mm Qty 1 pcs			
	GEV No.	528622	Ref. No.	—
	spring ø 15.3mm L 25mm wire gauge ø 1.25mm for water filling			

1

GEV No.	418927	**Ref. No.**	RC081
description	heating element 12000W 240V heating circuits 3 ID ø 440mm ED ø 458mm L 472mm H 80mm L1 15mm H1 8mm H2 72mm thread M12x1 6 hole fixing connection male faston 6.3mm tube ø 6.3mm convection oven convection heating element		

1

GEV No.	418926	**Ref. No.**	RC019
description	heating element 8000W 240V heating circuits 3 ID ø 301mm ED ø 317mm L 328mm H 95mm L1 11mm H1 12mm H2 83mm thread M12x1 6 hole fixing connection male faston 6.3mm tube ø 8.5mm convection oven convection heating element		



1

GEV No.	418928	**Ref. No.**	RC017 RC18
description	heating element 9000W 240V heating circuits 3 ID ø 458mm ED ø 475mm L 475mm H 114mm H1 31mm H2 73mm thread M12x1 6 hole fixing connection male faston 6.3mm tube ø 8.5mm convection oven convection heating element		
accessories for	418928		
	GEV No.	101566	Ref. No. —
	nut thread M12x1 H 10mm WS 19 SS Qty 1 pcs		
	GEV No.	506046	Ref. No. —
	flat gasket FIBER ED ø 19.5mm ID ø 13mm thickness 2mm Qty 1 pcs		
	GEV No.	528662	Ref. No. —
	flat gasket copper ED ø 16mm ID ø 12mm thickness 1.5mm		

1

GEV No.	418925	**Ref. No.**	RC611
description	heating element 1500W 230V heating circuits 1 L 293mm W 106mm L1 32mm L2 261mm W2 83mm flange length 50mm flange width 26mm connection length 63mm connection male faston 6.3mm tube ø 8.5mm hole ø 6.2mm W1 23mm convection heating element convection oven INCOLOY windings 2		
accessories for	418925		
	GEV No.	520588	Ref. No. JOIN071
	gasket L 46mm W 22mm hole distance 24.5mm silicone for heating element		



1

GEV No.	416500	**Ref. No.**	IR00612Y RC601
description	heating element 2000W 230V heating circuits 1 L 295mm W 110mm L1 35mm L2 260mm W2 88mm flange length 50mm flange width 26mm connection length 60mm connection male faston 6.3mm tube ø 8.5mm hole ø 6.2mm W1 15mm compression flange dry heating element		

1

GEV No.	418933	**Ref. No.**	RC114 RC154
description	heating element 2000W 240V heating circuits 1 L 390mm W 134mm W2 100mm flange length 50mm flange width 20mm connection length 50mm connection M4 tube ø 10mm thread M4 W1 34mm rectangular flange convection heating element convection oven		

1

GEV No.	418917	**Ref. No.**	RC111 RC151
description	heating element 3000W 240V heating circuits 3 L 570mm W 140mm W2 110mm flange length 110mm flange width 20mm hole distance 40mm connection length 55mm connection M4 tube ø 10mm thread M4 W1 30mm rectangular flange convection heating element convection oven		

1

GEV No.	418918	**Ref. No.**	RC110 RC511
description	heating element 4000W 240V heating circuits 3 L 570mm W 140mm W2 110mm flange length 110mm flange width 20mm hole distance 40mm connection length 55mm connection M4 tube ø 10mm thread M4 W1 30mm rectangular flange convection heating element convection oven		

Зип Общепит
vsezip.ru
+7(812)987-08-81

accessories

sealing washers

O-rings



1

GEV No.	505092	**Ref. No.**	JOIN057
description	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		

flange gaskets

1

GEV No.	511688	**Ref. No.**	JOIN2033
description	gasket silicone L 115mm W 114mm thickness 4mm		

1

GEV No.	511687	**Ref. No.**	JOIN2029
description	gasket silicone L 138mm W 107mm thickness 4mm		

1

GEV No.	520588	**Ref. No.**	JOIN071
description	gasket L 46mm W 22mm hole distance 24.5mm silicone for heating element		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series

1

GEV No.	375002	**Ref. No.**	THER001
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		

55.13_ series

1

GEV No.	375154	**Ref. No.**	THER019
description	thermostat t.max. 250°C temperature range 50-250°C 1-pole 1NO 16A probe ø 3.1mm probe L 201mm capillary pipe 2970mm capillary pipe isolatedmm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS		

55.34_ series

1

GEV No.	376051	**Ref. No.**	THER102
description	thermostat t.max. 200°C temperature range 70-145-200°C 3-pole 3NC probe ø 3.1mm probe L 263mm capillary pipe 880mm capillary pipe isolated 400mm		

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

IMIT / TEMPOMATIC / ARTHERMO

control thermostats

1

GEV No.	390186	**Ref. No.**	REGU010
description	thermostat t.max. 52°C temperature range fixed 52°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1000mm capillary pipe isolated 1000mm gland nut shaft Lmm contacts 1CO		

CAEM

safety thermostats

1

GEV No.	375996	**Ref. No.**	THER3004
description	safety thermostat switch-off temp. 225°C 1-pole 1NC 16A probe ø 5mm probe L 80mm capillary pipe 900mm capillary pipe isolated 410mm gland nut M10 probe SS 250V		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

1

GEV No.	301004	**Ref. No.**	INT006
description	rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		
accessories for	301004		

GEV No.	301036	Ref. No.	—

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

blank

1

GEV No.	301165	**Ref. No.**	INT006
description	rocker switch mounting measurements 30x22mm black 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
accessories for	301165		

GEV No.	301036	Ref. No.	—

protective cover internal size 30x22mm for rocker switch mounting measurementsmm

push/momentary push switches

ø12mm

1

GEV No.	347567	**Ref. No.**	INT003
description	momentary push switch mounting ø 12mm white 1NO 250V 4A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

microswitches

pin-plunger actuated

M12

1

GEV No.	345350	**Ref. No.**	INT008
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g		
accessories for	345350		

GEV No.	345351	Ref. No.	—

nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs

cam switches

4 operating positions

1

GEV No.	300077	**Ref. No.**	COMU004
description	cam switch 4 operating positions 5NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

Зип Общепит
vsezip.ru
+7(812)987 08 81

magnetic switches

M12x1



1

GEV No.	345900	Ref. No.	INT005
description	magnetic switch thread M12x1 1NO 24-240V AC/DCV 0.2A P max. 5-50W connection cable cable length 2000mm		

control equipment

SCHNEIDER ELECTRIC

rotary switches

1

GEV No.	347951	Ref. No.	INT037
description	rotary selector mounting measurements ø22mm green sequence 0-1 latching illuminated		

TELEMECANIQUE (EFA)

XB2 series

signal element

1

GEV No.	345397	Ref. No.	VOY103
description	signal element mounting measurements ø22mm red		

rotary switches

1

GEV No.	345222	Ref. No.	INT202
description	rotary selector mounting measurements ø22mm black latching sequence 0-1		

1

GEV No.	345223	Ref. No.	INT205
description	rotary selector mounting measurements ø22mm black latching sequence 1-0-2		

ZB2 series

switch blocks

1

GEV No.	347566	Ref. No.	INT036
description	contact block 2NO illuminated		

ZB4 series

rotary switches

1

GEV No.	347951	Ref. No.	INT037
description	rotary selector mounting measurements ø22mm green sequence 0-1 latching illuminated		

miscellaneous

1

GEV No.	345903	Ref. No.	INT204
description	push button black		

Зип Общепит
vsezip.ru
+7(812)987-08-81

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø12mm (type SDY-3)

1

GEV No.	359261	**Ref. No.**	VOT060 VOY060
description	indicator light housings mounting measurements ø12mm red round Qty 1 pcs		

indicator lights (complete)

ø13mm

with plug-in socket

1

GEV No.	359045	**Ref. No.**	VOY062
description	indicator light ø 13mm clear 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

1

GEV No.	359141	**Ref. No.**	VOY060
description	indicator light ø 13mm red 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs		

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9

1

GEV No.	357193	**Ref. No.**	LAMP050
description	halogen lamp socket G4 12V 20W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

oven lamps

producer-specific oven lamps

BOURGEOIS

1

GEV No.	511690	**Ref. No.**	JOIN075 JOIN109
description	gasket L 78mm W 42mm silicone hole distance 66.5mm thickness 3mm for lamp		

1

GEV No.	360530	**Ref. No.**	HUBL009
description	lamp glass L 47.4mm W 32.8mm glas thickness 3.2mm		

1

GEV No.	359580	**Ref. No.**	LAMP011 Lamp012
description	lamp socket for halogen lamp		

lamps

halogen lamps

for socket G4 / G6.35 / G9

1

GEV No.	357193	**Ref. No.**	LAMP050
description	halogen lamp socket G4 12V 20W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

timers

programme timers

1

GEV No.	360251	**Ref. No.**	05224C MOT010
description	gear motor CROUZET chambers 1 operation time 230V 50Hz shaft ømm shaft Lmm H 78mm L 116mm W 55mm type 88256462 shaft ø 5/6mm		

Зип Общепит
vsezip.ru
+7(812)987-08-81

mechanical timers

1

GEV No.	350214	Ref. No.	MIN014
description	timer M2 2-pole operation time 120min impulse mechanical 1NO/1NC at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm connection lateral		

alarm devices

buzzers

1

GEV No.	350050	Ref. No.	BRUI001
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		

contactors

ISKRA (FANAL)

power contactors

1

GEV No.	380204	Ref. No.	REL610
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10		

TELEMECANIQUE (Schneider Electric)

power contactors

1

GEV No.	380479	Ref. No.	REL1607
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09P7		

1

GEV No.	380976	Ref. No.	REL1600
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection		

1

GEV No.	380603	Ref. No.	REL611
description	power contactor resistive load 40A 230VAC (AC3/400V) 25A/11kW main contacts 4NO auxiliary contacts connection screw connection type LC1D25004		

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

GEV No.	380982	**Ref. No.**	REL1603
description	power contactor resistive load 80A 230VAC (AC3/400V) 50A/22kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D50P7		

auxiliary contactors

1

GEV No.	381139	**Ref. No.**	REL622
description	auxiliary contactor 230VAC AC1 10A type CA2KN407M7 connection male faston 2.8mm/6.3mm contacts 4NO		

auxiliary contacts

1

GEV No.	381140	**Ref. No.**	REL464
description	auxiliary contact contacts 1NO/1NC AC15 6A connection screw type GVAN11		

miscellaneous

installation contactors

1

GEV No.	380601	**Ref. No.**	REL153
description	contactor		

solid state relays

CROUZET

1

GEV No.	403090	**Ref. No.**	REL232
description	solid state relay CROUZET 1 phase 125A 48-660V 4-32VDC L 57mm W 44mm screw type 84134180		

1

GEV No.	403089	**Ref. No.**	REL231
description	solid state relay CROUZET 1 phase 50A 48-660V 4-32VDC L 57mm W 44mm screw type 84134120		

electronics

PCBs

1

GEV No.	402984	**Ref. No.**	280901 ELEC2003 ELEC2017
description	control PCB combi-steamer UC0611/1011/2011 L 140mm W 100mm		

1

GEV No.	400802	**Ref. No.**	NIV010
description	level relay 240V type ATO 600722/A		

Зип Общепит
vsezip.ru
+7(81

1

GEV No.	403685	Ref. No.	ELEC2001 ELEC2015
description	PCB L 200mm W 95mm		

1

GEV No.	361851	Ref. No.	ELEC014
description	PCB L 70mm W 20mm		

1

GEV No.	402982	Ref. No.	ELEC2004
description	relay PCB combi-steamer UC0611/1011/2011 cable length 220mm push-in		

keypads

keypad units

1

GEV No.	403122	Ref. No.	20467
description	keypad unit combi-steamer UC0611/1011/2011 buttons 9 L 350mm W 153mm		

solenoid valves

solenoid valves (water)

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
ambient temperature: 60°C 25°C 60°C
duty cycle: 40% 100% 100%

solenoid valves with reducers

2-fold

1

GEV No.	370696	Ref. No.	ROB2000
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C Invensys plastic output A 1.2l/min flow regulating valve outlet A blue with non-return valve		
spare parts for	370696		

GEV No.	371131	Ref. No.	—
solenoid coil 230VAC			

GEV No.	371174	Ref. No.	—
solenoid coil 230VAC connection coded plug 6W			

with coded terminal

1

GEV No.	370269	Ref. No.	06245
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		

electrodes

1

GEV No.	400807	Ref. No.	NIV007
description	level electrode 1/2" total length 112mm probe L 88mm insulated probe length uninsulatedmm connection bullet connector		

1

GEV No.	400804	Ref. No.	NIV602
description	level electrode 3/8" total length 75mm probe L 48mm insulated probe length 47mm conical connection M4		

Зип Общепит
vsezip.ru
+7(812)987-08-81

fans

axial fans

import

1

GEV No.	601080[1]	**Ref. No.**	MOT030
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		
	GEV No. 550898	Ref. No.	—
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	GEV No. 692519	Ref. No.	—
	guard L 120mm W 120mm plastic		

[1]with ball bearings

hot air fans

ebm-papst

1



GEV No.	601808	**Ref. No.**	MOT2023
description	hot air fan 230/240V 50W L1 69mm L2mm L3mm L4 87mm fan wheel ø 150mm type RRL152/0020A92-3030LH-197 ebm-papst		

motors

gear motors

for ovens

1

GEV No.	500811	**Ref. No.**	MOT018
description	gear motor AUTOM type ASR/30/FR 230V 50Hz shaft ø 8mm L 150mm W 65mm H 90mm		

pumps

drain pumps

HANNING

1

GEV No.	500573	**Ref. No.**	ROB013
description	drain pump 30W 4-piece 230V inlet ø 24/30mm outlet ø 24mm 50Hz HANNING type DPS25-032 1x pump, 3x pump cover		

service kits

1

GEV No.	500573	**Ref. No.**	ROB013
description	drain pump 30W 4-piece 230V inlet ø 24/30mm outlet ø 24mm 50Hz HANNING type DPS25-032 1x pump, 3x pump cover		

Зип Общепит
vsezip.ru
+7(812)987-08-81

booster pumps II

accessories

1

GEV No.	365017	Ref. No.	MOT2013
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

vibration pumps

1

GEV No.	500219	Ref. No.	POMP001
description	vibration pump type CP.3A.958.1/ST 230V 65W 50Hz inlet ø 6 outlet ø 1/8" IT EATON (INVENSYS) L 123mm		

condensators & interference suppression filters

operating capacitors

plastic

1

GEV No.	365150	Ref. No.	MOT2008
description	operating capacitor capacity 20µF 425V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 40mm L 70mm M8 plastic connection male faston 6.3mm 416.10.25 protection		

1

GEV No.	365017	Ref. No.	MOT2013
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

fuses

fine fuses

1

GEV No.	358532	Ref. No.	FUSI003
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		



1

GEV No.	358607	Ref. No.	Fusi004
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		

electric accessories

terminals

terminal blocks

1

GEV No.	550232	Ref. No.	BAR001
description	lustre terminal 12-pole cross section 2.5mm² max. 32A max 450V temp.-resist. 150°C		

rail-mounted terminals

WIELAND

rail-mounted terminals type 9700A

1

GEV No.	550374	Ref. No.	BORN101
description	rail-mounted terminal WIELAND type 9700A/10 S35 1.5-16mm² top-hat rail 35mm blue W 10mm L 49mm		

Зип Общелит
vsezip.ru
+7(812)987-08-81

1

GEV No.	550375	Ref. No.	BORN102A
description	rail-mounted terminal WIELAND type 9700A/10 SL2 S35 1.5-16mm² top-hat rail 35mm yellow/green W 10mm L 53mm		

1

GEV No.	550377	Ref. No.	BORN105
description	rail-mounted terminal WIELAND type 9700A/16 S35 2.5-35mm² top-hat rail 35mm blue W 16mm L 59mm		

1

GEV No.	550378	Ref. No.	BORN108
description	rail-mounted terminal WIELAND type 9700A/16 SL2 S35 2.5-35mm² top-hat rail 35mm yellow/green W 16mm L 53mm		

accessories

1

GEV No.	550370	Ref. No.	BORN211
description	terminal block end bracket clampsmm²		

ignition parts

electrodes

1

GEV No.	106928	Ref. No.	ALLU009
description	ignition electrode flange length 22mm flange width 1 16mm D1 ø 7mm L1 4mm BL1 49mm BL2 20mm connection ø 6mm		

ignition units

1

GEV No.	106925	Ref. No.	ALLU030
description	ignition unit outputs 1 230VAC dimensions 85x63x38mm mounting distance 60mm inlet F2.8x0.8 outlet ø4mm type EBI4 1P S service kit 90VA 50-60Hz		

doors

1

GEV No.	694536	Ref. No.	DECO214
description	door bolt for combi-steamer thread M5 ø 8mm L 46mm		

1

GEV No.	696417	Ref. No.	DECO364
description	locking screw for door thread M5		

1

GEV No.	696418	Ref. No.	DECO043
description	locking screw for door thread M5		

1

GEV No.	696419	Ref. No.	JOIN655
description	rubber sleeve for door		

1

GEV No.	696421	Ref. No.	DECO414
description	threaded bush for door thread M5 IT ø 9.5mm L 24mm		

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

GEV No.	696422	**Ref. No.**	DECO384
description	threaded bush for door thread M5 L 48mm		

door mechanics

accessories

1

GEV No.	694537	**Ref. No.**	CHAR203
description	base plate L 51mm W 22mm for catch plastic mounting distance 30mm thickness 2mm		

knobs

universal knobs

1

GEV No.	110865	**Ref. No.**	MAN130
description	knob switch zero mark t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat left black		

1

GEV No.	110253	**Ref. No.**	MAN003
description	knob switch zero mark t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
accessories for	110253		

	GEV No.	550965	Ref. No.	—
	knob spring ø 6x4.6mm Qty 1 pcs			

producer-specific knobs

BOURGEOIS

1

GEV No.	110865	**Ref. No.**	MAN130
description	knob switch zero mark t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat left black		

locks

handle latches

universal

inside fixing locks

1

GEV No.	694054	**Ref. No.**	CHAR2006
description	door handle for headed units L 145mm W 40mm H 62mm spring length 33mm inner black		
spare parts for	694054		

	GEV No.	514390	Ref. No.	—
	spring for door handle ø 6mm L 54mm W 27.5mm			
	GEV No.	694675	Ref. No.	—
	door catch L 88mm W 40mm H 37mm spring length 33mm mounting distance 60mm			
	GEV No.	694734	Ref. No.	—
	door handle L 165mm W 40mm H 25mm black			
	GEV No.	694735	Ref. No.	—
	cap ø 32mm black			
accessories for	694054			
	GEV No.	691123	Ref. No.	—
	duct for door opener			
	GEV No.	694055	Ref. No.	—
	door catch L 25mm W 14mm total length 54mm thread M8 thread L 29mm			
	GEV No.	694066	Ref. No.	—
	door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel			
	GEV No.	694067	Ref. No.	CHAR2007
	door catch with spigot 1-stage L 26mm total length 51mm thread M8			

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81

producer-specific

BOURGEOIS

1

GEV No.	694054	**Ref. No.**	CHAR2006
description	door handle for headed units L 145mm W 40mm H 62mm spring length 33mm inner black		
spare parts for	694054		

GEV No.	514390	Ref. No.	—
spring for door handle ø 6mm L 54mm W 27.5mm			

GEV No.	694675	Ref. No.	—
door catch L 88mm W 40mm H 37mm spring length 33mm mounting distance 60mm			

GEV No.	694734	Ref. No.	—
door handle L 165mm W 40mm H 25mm black			

GEV No.	694735	Ref. No.	—
cap ø 32mm black			
accessories for	694054		

GEV No.	691123	Ref. No.	—
duct for door opener			

GEV No.	694055	Ref. No.	—
door catch L 25mm W 14mm total length 54mm thread M8 thread L 29mm			

GEV No.	694066	Ref. No.	—
door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel			

GEV No.	694067	Ref. No.	CHAR2007
door catch with spigot 1-stage L 26mm total length 51mm thread M8			

edgemount latches

push button latches

KAPITBAUTH

6186 PRESTO series



1

GEV No.	701042	**Ref. No.**	90000012 MB90000012
description	push button latch L 180mm mounting distance 121mm chrome-plated H 34mm W 28mm type PRESTO no. 6186		

snap locks

universal

1

GEV No.	700800	**Ref. No.**	CHAR150
description	snap lock L 59mm W 11.5mm H 15mm mounting distance 50mm complete with door catch nickel-plated brass thickness 2.7mm		

miscellaneous

1

GEV No.	511618	**Ref. No.**	00461A
description	door catch H 24.5mm L 31mm W 21mm mounting distance 21mm rollerø 14mm		

1

GEV No.	511619	**Ref. No.**	02668B
description	door catch with roller H 23mm adjustable L 90mm W 21mm mounting distance 52/76mm rollerø 14mm		

Зип Общепит
vsezip.ru
+7(812)987-08-81

hinges

door bearing

1

GEV No.	511603	Ref. No.	COUS002
description	bush H 7.5mm ID ø 8.2mm with layer		

1

GEV No.	690835	Ref. No.	CHAR202
description	hinge bearing without bolt		

miscellaneous

1

GEV No.	511602	Ref. No.	CHAR201
description	hinge		

accessories

bushes

1

GEV No.	694336	Ref. No.	DECO 071
description	bush ID ø 8mm ED ø 12mm L 15mm		

gaskets

gaskets for heated units

window seals



1

GEV No.	901512	Ref. No.	JOIN063
description	window gasket profile 1615 L 1350mm suitable for BOURGEOIS Qty 1		



1

GEV No.	511610	Ref. No.	JOIN066
description	window gasket profile 1615 L 1950mm Qty 1		

door seals



1

GEV No.	901411	Ref. No.	10683A MB10683A
description	door seal profile 2035 Qty supplied by meter		



1

GEV No.	901516	Ref. No.	JOIN082 KITJOIN082
description	door seal profile 2225 perimeter 2030mm suitable for BOURGEOIS		



1

GEV No.	901409	Ref. No.	JOIN018
description	door seal profile 2225 perimeter 2530mm suitable for BOURGEOIS		

Find the complete and up-to-date range of products in our GEV Webshop

Зип Общепит
vsezip.ru
+7(812)987-08-81



GEV No.	901427	**Ref. No.**	KITJOIN018
description	door seal profile 2225 perimeter 2530mm suitable for BOURGEOIS		



GEV No.	901410	**Ref. No.**	JOIN019 KITJOIN019
description	door seal profile 2225 perimeter 3900mm suitable for BOURGEOIS Qty 1		



GEV No.	901425	**Ref. No.**	JOIN1003
description	door seal profile 2226 L 3500mm Qty 1 W 700mm		



GEV No.	901426	**Ref. No.**	JOIN155 JOIN180
description	door seal profile 2226 perimeter 2250mm Qty 1		



GEV No.	901514	**Ref. No.**	JOIN1015
description	door seal profile 2227 perimeter 2650mm suitable for BOURGEOIS kit		

GEV No.	901424	**Ref. No.**	JOIN021 JOIN022 PROF777
description	door seal profile 2711 L 2600mm Qty 1		



GEV No.	901655	**Ref. No.**	JOIN015
description	door seal profile 2980 L 2230mm		



GEV No.	518126	**Ref. No.**	JOIN016 PROF1612
description	door seal profile 2980 L 2820mm		



GEV No.	511620	**Ref. No.**	JOIN029
description	door seal profile 2985 L 4350mm Qty 1		

gaskets for control panels



GEV No.	901510	**Ref. No.**	JOIN086
description	gasket for control panel W 13mm L 1500mm suitable for BOURGEOIS		



GEV No.	901508	**Ref. No.**	JOIN087
description	gasket for control panel W 13mm L 2050mm suitable for BOURGEOIS		

Зип Общепит
vsezip.ru
+7(812)987-08-81

1

GEV No.	901509	**Ref. No.**	JOIN088
description	gasket for control panel W 13mm L 3500mm suitable for BOURGEOIS		

O-rings

EPDM

ø1.78mm

1

GEV No.	524421	**Ref. No.**	JOIN211
description	O-ring EPDM thickness 1.78mm ID ø 2.78mm Qty 1 pcs		

ø3.53mm

1

GEV No.	505180	**Ref. No.**	JOIN261
description	O-ring EPDM thickness 3.53mm ID ø 47.22mm Qty 1 pcs		



1

GEV No.	511331	**Ref. No.**	JOIN 261
description	O-ring EPDM thickness 3.53mm ID ø 53.57mm Qty 1 pcs		

ø5.34mm

1

GEV No.	505092	**Ref. No.**	JOIN057
description	O-ring EPDM thickness 5.34mm ID ø 43.82mm Qty 1 pcs		



1

GEV No.	691033	**Ref. No.**	JOIN057
description	O-ring EPDM thickness 5.34mm ID ø 62.87mm Qty 1 pcs		

sealing washers

silicone gaskets



1

GEV No.	511691	**Ref. No.**	JOIN047
description	gasket silicone ED ø 51mm ID ø 4mm thickness 2mm Qty 1 pcs for combi-steamer		

special gaskets

miscellaneous

1

GEV No.	511615	**Ref. No.**	JOIN660
description	boiler gasket		

1

GEV No.	511600	**Ref. No.**	00288A JOIN084
description	gasket ED ø 80mm		

1

GEV No.	511689	**Ref. No.**	JOIN2026
description	gasket for lamp L 100mm W 24mm silicone thickness 2.8mm hole distance 22mm		

Зип Общепит
vsezip.ru
+7(812)987-08-81

springs

compression springs

1

GEV No.	692202	Ref. No.	RES028
description	compression spring ø 4mm L 3mm wire gauge ø 0.5mm windings 2		

water cycle components

pressure reduction valves

pressure reduction valves

producer-specific

1

GEV No.	520589	Ref. No.	ROB028
description	pressure reduction valve Norgren series R91 connection 1/4" default settingbar setting range 0.1-3bar p max 10bar t.max. 50°C brass		

1

GEV No.	520553	Ref. No.	ROB2004
description	pressure reduction valve Norgren series R91 connection 3/4" default settingbar setting range 0.1-3bar p max 10bar t.max. 50°C with manometer and non-return valve brass		

fastening material

screws

grub screws

DIN 913/ISO 4026

1

GEV No.	504733	Ref. No.	VIS317
description	grub screw thread M4 L 5mm stainless steel DIN 913 intake internal hexagon WS 2 Qty 1 pcs		

miscellaneous

1

GEV No.	692200	Ref. No.	DECO366
description	grub screw thread M6 L 2.5mm SS intake slotted WS Qty 1 pcs		

washers

washers

miscellaneous

1

GEV No.	692198	Ref. No.	VIS276
description	plain washer ID ø 8.5mm ED ø 18mm thickness 1.4mm SS Qty 1 pcs		

Зип Общепит
vsezip.ru
+7(812)987-08-81

consumables

sealants and adhesives

high temperature silicone

1

GEV No.	890059	**Ref. No.**	JOIN555
description	high temperature silicone FERMITOPP 300 neutral curing -40 up to +265°C black cartridge 310ml		
description	Fermitopp HN 300 - cartridge 310ml - black Is used for sealing expansion joints on heating flues, ovens, reactors, chimneys, stacks, etc. The sealant is neutrally cross-linking, reacts with the moisture in the air and is characterised by extremely good hot air-resistance. The adhesive surfaces must be dry, clean and free of loose parts and in the case of porous substrates they should, if necessary, be given a first coat of primer. Post-smoothing e.g. with soap solution must take place before skinning. Highly refractory, odourless, UV/water/colour/hot-air resistant Temperature range -50°C to +250°C		

fuses

fine fuses

1

GEV No.	358532	**Ref. No.**	FUSI003
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		

1

GEV No.	358607	**Ref. No.**	Fusi004
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		

Зип Общепит
vsezip.ru
+7(812)987-08-81

A

alarm devices 8
axial fans 11

B

booster pumps II 12

C

cam switches 5
condensators & interference suppression filters 12
consumables 20
contactors 8
control equipment 6
control thermostats 4, 5

D

door seals 16
drain pumps 11

E

edgemount latches 15
electric accessories 12
electrodes 10

F

fans 11
fastening material 19
fine fuses 20
fuses 12, 20

G

gaskets for control panels 17
gaskets for heated units 16
grub screws 19

H

halogen lamp 7
heating elements 2
heating elements for convection 2
high temperature silicone 20
hot air fans 11

I

ignition units 13
immersion heating elements 2
indicator lights 7
indicator lights (complete) 7

L

lamps 7

M

magnetic switches 6
mechanical timers 8
microswitches 5
motors 11

O

operating capacitors 12
O-rings 18
oven lamps 7

P

pressure reduction valves 19, 19
programme timers 7
pumps 11
push button latches 15
push/momentary push switches 5

R

rocker/momentary rocker switches 5

S

screws 19
sealants and adhesives 20
sealing washers 18
silicone 20
snap locks 15
solenoid valves 10
solid state relays 9
switches and momentary switches 5

T

terminals 12
thermostats 4
timers 7

V

vibration pumps 12

W

washers 19
water cycle components 19
window seals 16