

3ип Общежит  
RICAMBI - SPARE PARTS - PIECES DETACHEES  
vsezip.ru

+7(812)987-08-81

LAVASTOVIGLIE

DISHWASHERS

LAVE VAISSELLES

4Q82 - 4Q82ECO

J50 - J500

N50 - N500

4 K50



LAVASTOVIGLIE - DISHWASHERS - LAVE VAISSELLE - GESCHIRRSPUELER - LAVAPLATOS

Зип Общепит

Note - Remarks - Remarques



vsezip.ru

+7(812)987-08-81

Зип Общепит

vsezip.ru


+7(812)987-08-81




| Pos. | Codice      | Descrizione                   | Description                      | De                   |
|------|-------------|-------------------------------|----------------------------------|----------------------|
| 1    | CETRP2230GR | Tasto grigio                  | Grey button                      | Button gris          |
| 2    | CETP2230GR  | Telaio porta tasto grigio     | Mounting for grey button         | Support button fix   |
| 3    | CEDPPFD     | Deviatore bipolare            | Inner switch, latched            | Selecteur bipolaire  |
| 4    | CEPBPF      | Pulsante bipolare             | Inner push button momentary      | Bouton bipolaire     |
| 5    | CESPA6      | Lampada arancio 6mm           | Lamp assy, 6mm, orange           | Ampoule orange, 6    |
| 6    | CEGA6       | Gemma arancio 6mm             | Lens, orange, 6mm                | Voyant orange, 6m    |
| 7    | CESPV6      | Lampada verde 6mm             | Lamp assy, 6mm, green            | Ampoule verte, 6m    |
| 8    | CEGV6       | Gemma verde 6mm               | Lens, green, 6mm                 | Voyant vert, 6mm     |
| 9    | GMPI5CF     | Portainterruttori inox        | Steel inner control panel        | Porte-interrupteur i |
| 9A   | GMPI5CF08   | Portainterruttori inox (2008) | Steel inner control panel (2008) | Porte-interrupteur i |




| Pos. | Codice       | Descrizione                            | Description                               | Des                  |
|------|--------------|----------------------------------------|-------------------------------------------|----------------------|
| 1    | CETP25G01    | Tasto tondo grigio "0-1"               | On/off button, round, grey                | Bouton rond gris "0  |
| 2    | CEGV6        | Gemma verde 6mm                        | Lens, green, 6mm                          | Voyant vert, 6mm     |
| 3    | CETP25GPC    | Tasto tondo grigio "partenza ciclo"    | Cycle start button, round, grey           | Bouton rond gris "d  |
| 4    | CEGA6        | Gemma arancio 6mm                      | Lens, orange, 6mm                         | Voyant orange, 6m    |
| 5    | CETP25GLV    | Tasto tondo grigio "lento veloce"      | Cycle selector button, round, grey        | Bouton rond gris "l  |
| 6    | CETP6GR      | Tappo spia grigio 6mm                  | Cap, warning light, grey                  | Bouchon gris, 6mm    |
| 7    | CETP25GRF    | Tasto tondo grigio "risciacquo freddo" | Cold rinse button, round, grey            | Bouton rond gris "r  |
| 8    | CETP25GRR    | Tasto tondo grigio "rigenerazione"     | Re-set button, round, grey                | Bouton rond gris "r  |
| 9    | CETP25GPS    | Tasto tondo grigio "pompa scarico"     | Drain pump button, round, grey            | Bouton rond gris "p  |
| 10   | CETP25GRRS   | Tasto tondo grigio "resistenze"        | Heater indicator button, round, grey      | Bouton rond gris "r  |
| 11   | CETP25SF     | Supporto tasto fisso                   | Support for indicator button              | Support bouton fix   |
| 12   | CETP25GR     | Tasto tondo grigio "tappo"             | Button, round, grey (cap)                 | Bouton rond gris "E  |
| 13   | CEPC5D25RGR  | Pannello comandi vasca raggiata        | Control panel, plastic, grey              | Panneau de contro    |
| 13A  | CEPC5D25QGR  | Pannello comandi vasca quadra          | Control panel, plastic, grey              | Panneau de contro    |
| 13B  | CEPC5D25DPGR | Pannello comandi vasca doppia parete   | Control panel, plastic, grey, double skin | Panneau de controle, |




| Pos. | Codice    | Descrizione                       | Description                  | Des                   |
|------|-----------|-----------------------------------|------------------------------|-----------------------|
| 1    | CEDPPFD   | Deviatore bipolare                | Inner switch bipolar         | Deviateur bipolaire   |
| 2    | CESPV6    | Lampada verde 6mm                 | Lamp assy, green, 6mm        | Ampoule vert, 6mm     |
| 3    | CEBPFD    | Pulsante bipolare                 | Inner push botton bipolar    | Bouton bipolaire      |
| 4    | CESPA6    | Lampada arancio 6mm               | Lamp assy, orange, 6mm       | Ampoule orange, 6     |
| 5    | CETP25SF  | Supporto tasto fisso              | Support for indicator button | Support bouton fix    |
| 6    | CEPPPC    | Piastra prolunga pannello comandi | Extension for component tray | Rallonge plaque co    |
| 7    | CECBCTTC  | Catenaria circuito terra "TC"     | Catenary, loom, ground       | Cable de circuit à la |
| 8    | CEP25GRRS | Porta interruttori inox           | Steel inner control panel    | Porte interrupteurs   |




| Pos. | Codice    | Descrizione                           | Description                          | De                   |
|------|-----------|---------------------------------------|--------------------------------------|----------------------|
| 1    | CEPC5D25  | Pannello comandi blu                  | Control panel, plastic, blue         | Panneau de contro    |
| 2    | CETP25V01 | Tasto tondo verde "0-1"               | On/off button, round, green          | Bouton rond vert "0  |
| 3    | CETP25APC | Tasto tondo arancio "partenza ciclo"  | Cycle start button, round, orange    | Bouton rond orange   |
| 4    | CETP25ALV | Tasto tondo arancio "lento-veloce"    | Cycle selector button, round, orange | Bouton rond orange   |
| 5    | CETP25VRF | Tasto tondo verde "risciacquo freddo" | Cold rinse button, round, green      | Bouton rond vert rin |
| 6    | CETP25AR  | Tasto tondo arancio "rigenerazione"   | Re-set button, round, orange         | Bouton rond orange   |
| 7    | CETP25APS | Tasto tondo arancio "pompa scarico"   | Drain button, round, orange          | Bouton orange pom    |
| 8    | CETP25BR  | Tasto tondo blu "resistenze"          | Heater indicator button, round, blue | Bouton rond bleu re  |
| 9    | CEGV6     | Gemma verde dm. 6mm                   | Lens, green, dm. 6mm                 | Voyant vert, dm. 6   |
| 10   | CEGA6     | Gemma arancio dm. 6mm                 | Lens, orange, dm. 6mm                | Voyant jaune, dm.    |
| 11   | CETP6B    | Tappo foro spia blu dm. 6mm           | Cap, warning light, blue, dm. 6mm    | Bouchon bleu, dm.    |
| 12   | CETP25B   | Tasto tondo blu "tappo"               | Button, round, blue (cap)            | Bouton rond bleu "l  |




| Pos. | Codice   | Descrizione                       | Description                 | De                    |
|------|----------|-----------------------------------|-----------------------------|-----------------------|
| 1    | CEDPPFD  | Deviatore bipolare                | Latched push switch         | Deviateur bipolaire   |
| 2    | CESPV6   | Lampada verde dm. 6mm             | Lamp, green, dm. 6mm        | Ampoule vert, dm.     |
| 3    | CEBPFD   | Pulsante bipolare                 | Momentary push switch       | Bouton bipolaire      |
| 4    | CESPA6   | Lampada arancio dm. 6mm           | Lamp, orange, dm. 6mm       | Ampoule orange, d     |
| 5    | CETP25SF | Supporto tasto fisso              | Support for blanking button | Support bouton fix    |
| 6    | CEPPPC   | Piastra prolunga pannello comandi | Extension plate             | Rallonge plaque co    |
| 7    | CECBCTTC | Catenaria circuito terra          | Earth cable                 | Cable de circuit à la |
| 8    | GMPI5NOS | Portainterruttori inox            | Steel control panel         | Porte-interrupteur i  |




| Pos. | Codice       | Descrizione                        | Description                        | De                     |
|------|--------------|------------------------------------|------------------------------------|------------------------|
| 1    | CETRP2230V   | Tasto verde                        | Push botton green                  | Bouton poussoir ve     |
| 2    | CEGV6        | Gemma verde 6mm                    | Lens green, 6mm                    | Voyant vert, 6mm       |
| 3    | CEGA6        | Gemma arancio 6mm                  | Lens orange, 6mm                   | Voyant jaune, 6mm      |
| 4    | CETRP2230A   | Tasto arancio                      | Push botton orange                 | Bouton poussoir , c    |
| 5    | CETRP2230ALV | Tasto arancio ciclo "lento veloce" | Speed selector orange button       | Bouton poussoir , c    |
| 6    | CESDAV       | Spia doppia arancio verde          | Double warning light, orange/green | Double voyant, ora     |
| 7    | CETRP2230AR  | Tasto arancio "rigenerazione"      | Push button orange "water softner" | Bouton poussoir , c    |
| 8    | CETRP2230APS | Tasto arancio "pompa scarico"      | Push button orange "drain pump"    | Bouton poussoir , oran |



| Pos. | Codice      | Descrizione                       | Description                      | De                    |
|------|-------------|-----------------------------------|----------------------------------|-----------------------|
| 1    | CEDPPFDCOMP | Deviatore + telaio completo       | Inner switch body complete       | Selecteur bipolaire   |
| 2    | CESPV6      | Lampada verde 6mm                 | Lamp assy, green, 6mm            | Ampoule verte, dia    |
| 3    | CESPA6      | Lampada arancio 6mm               | Lamp assy, orange, 6mm           | Ampoule orange, d     |
| 4    | CEBPFDCOMP  | Pulsante + telaio completo        | Inner push button body complete  | Bouton bipolaire co   |
| 5    | CESDAV      | Spia doppia arancio verde         | Double warning light             | Double voyant, ora    |
| 6    | CEPPPC      | Piastra prolunga pannello comandi | Extension for component tray     | Rallonge plaque co    |
| 7    | CECBCTTC    | Catenaria circuito terra "TC"     | Catenary loom ground             | Cable de circuit à la |
| 8    | GMPI5CF     | Portainterruttori inox            | Steel inner control panel        | Porte-interrupteur i  |
| 8A   | GMPI5CF08   | Portainterruttori inox (2008)     | Steel inner control panel (2008) | Porte-interrupteur i  |



| Pos. | Codice       | Descrizione                        | Description                        | De                 |
|------|--------------|------------------------------------|------------------------------------|--------------------|
| 1    | CETRP2230V   | Tasto verde                        | Push botton, green                 | Bouton vert        |
| 2    | CEGV6        | Gemma verde 6mm                    | Lens green, 6mm                    | Voyant vert, 6mm   |
| 3    | CEGA6        | Gemma arancio 6mm                  | Lens orange, 6mm                   | Voyant jaune, 6mm  |
| 4    | CETRP2230A   | Tasto arancio                      | Push botton, orange                | Bouton orange      |
| 5    | CETRP2230ALV | Tasto arancio ciclo "lento veloce" | Speed selector button              | Bouton orange "len |
| 6    | CESDAV       | Spia doppia arancio verde          | Double warning light, orange/green | Double voyant, ora |
| 7    | CETRP2230APS | Tasto arancio "pompa scarico"      | Push button "drain pump", orange   | Bouton orange, "po |




| Pos. | Codice      | Descrizione                 | Description                        | De                   |
|------|-------------|-----------------------------|------------------------------------|----------------------|
| 1    | CEDPPFDCOMP | Deviatore + telaio completo | Inner switch body, latched         | Selecteur bipolaire  |
| 2    | CESPV6      | Lampada verde 6mm           | Lamp assy 6mm, green               | Ampoule verte, 6m    |
| 3    | CESPA6      | Lampada arancio 6mm         | Lamp assy 6mm, orange              | Ampoule orange, 6    |
| 4    | CEBPFDCOMP  | Pulsante + telaio completo  | Inner switch body, momentary       | Bouton bipolaire co  |
| 5    | CESDAV      | Spia doppia arancio verde   | Double warning light, orange/green | Double voyant, ora   |
| 6    | GMPI4QC     | Portainterruttori inox      | Steel inner control panel          | Porte-interrupteur i |

Зип Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice      | Descrizione                       | Description                       | De                    |
|------|-------------|-----------------------------------|-----------------------------------|-----------------------|
| 1    | CEPRE       | Pressostato 1 livello             | Pressure switch                   | Pressostat, 1 niveau  |
| 2    | CEPCE       | Piastra cablaggio                 | Component tray                    | Plaque composants     |
| 3    | CETF12B     | Timer                             | Timer                             | Timer                 |
| 4    | CECTF       | Teleruttore                       | 4-p contactor                     | Contacteur            |
| 5    | CEFA        | Filtro antisturbo                 | Suppressor                        | Filtre antiparasites  |
| 6    | CEM0S3F     | Morsettiera trifase               | Main terminal block, 6-way        | Bornier 3 phase       |
| 7    | CEPFM       | Piastrina fissaggio morsettiera   | Mounting plate for terminal block | Plaquette fixation bo |
| 8    | CECBSR482AS | Cablaggio superiore               | Upper loom                        | Cablage superieur     |
| 9    | CECBPC1V4   | Cablaggio pannello comandi        | Control panel wiring loom         | Cablage panneau c     |
| 10   | CECN12      | Condensatore 12,5 mf              | Capacitor 12,5 mf                 | Condensateur 12,5     |
| 11   | AM05SQT2    | Piastrina fissaggio 2 teleruttori | Double contactor bracket          | Plaquette contacteur  |
| 12   | AM05SQFC    | Piastrina fissaggio condensatore  | Capacitor bracket                 | Plaquette condens     |
| 13   | AM05SQT1    | Piastrina fissaggio 1 teleruttore | Contactor bracket                 | Plaquette contacteur  |
| 14   | AM0SQPR     | Piastra pressostato               | Bracket for pressure switch       | Plaque support pre    |
| 15   | CECBI482    | Cablaggio inferiore               | Lower loom                        | Cablage inférieur     |


Зип Общепит

vsezip.ru


+7(812)987-08-81




| Pos. | Codice      | Descrizione                       | Description                       | De                     |
|------|-------------|-----------------------------------|-----------------------------------|------------------------|
| 1    | CEPRE       | Pressostato 1 livello             | Pressure switch                   | Pressostat, 1 niveau   |
| 1A   | CEPRE2LUL   | Pressostato 2 livelli             | Double air pressure switch        | Pressostat, 2 niveaux  |
| 2    | CEPCE       | Piastra cablaggio                 | Component tray                    | Plaque composants      |
| 3    | CETD1224BGB | Timer ciclo doppio                | Timer, two cycles                 | Timer, double cycle    |
| 4    | CECBPC2V4   | Cablaggio pannello comandi        | Control panel wiring loom         | Cablage panneau c      |
| 5    | CEPFM       | Piastrina fissaggio morsettieria  | Mounting plate for terminal block | Plaquette fixation bo  |
| 6    | CEMOS3F     | Morsettieria trifase              | Main terminal block, 6-way        | Bornier 3 phase        |
| 7    | CECBS2T482  | Cablaggio superiore               | Upper loom                        | Cablage superieur      |
| 8    | CEFA        | Filtro antisturbo                 | Suppressor                        | Filtre antiparasites   |
| 9    | CECTF       | Teleruttore                       | 4-p contactor                     | Contacteur             |
| 10   | AM05SQT1    | Piastrina fissaggio 1 teleruttore | Contactor bracket                 | Plaquette contacteur   |
| 11   | AM05SQFC    | Piastrina fissaggio condensatore  | Capacitor bracket                 | Plaquette condens      |
| 12   | CECN12      | Condensatore 12,5 mf              | Capacitor 12,5 mf                 | Condensateur 12,5      |
| 13   | AM05SQT2    | Piastrina fissaggio 2 teleruttori | Double contactor bracket          | Plaquette contacteur   |
| 14   | CETR20B     | Timer rigenerazione               | Salt re-generation timer          | Timer régénératio      |
| 15   | CEPETSIM    | Piastrina fissaggio timer         | Timer mounting bracket            | Plaquette fixation tim |




| Pos. | Codice           | Descrizione                         | Description                            | Des                  |
|------|------------------|-------------------------------------|----------------------------------------|----------------------|
| 1    | CEPRE2LUL        | Pressostato 2 livelli "ETL"         | Double pressure switch                 | Pressostat 2 niveau  |
| 2    | CEPR62P          | Pressostato 1 livello               | Pressure switch, 30/90                 | Pressostat 1 niveau  |
| 3    | CETD1224BGB      | Timer ciclo doppio                  | Timer, 2-min & 4-min, ABS version      | Timer double cycle   |
| 4    | CECBPC2V4GBABPS  | Cablaggio pannello comandi          | Control panel wiring loom, ABS version | Cablage panneau c    |
| 5    | CECBS2T482GBABPS | Cablaggio piastra                   | Upper loom, ABS version                | Cable 2 timer-2V     |
| 6    | CECE3536         | Cavo alimentazione monofase         | Main supply cable 3x6mm                | Cable alimentation   |
| 7    | CEM0S3F          | Morsettiera trifase                 | Main terminal block, 6-way             | Bornier              |
| 8    | CEPFM            | Piastra fissaggio morsettiera       | Extension plate for terminal block     | Plaquette fixation b |
| 9    | CECTF            | Contattore 220v                     | 4-pole contactor                       | Contacteur           |
| 10   | CETF60A          | Zoccolo octal a vite ritardatore    | Base for Delay timer                   | Socle temporisateur  |
| 11   | CETF024          | Ritardatore air break               | Delay timer                            | Temporisateur ABS    |
| 12   | AM05SQT1         | Piastrina per 1 teleruttore         | Bracket for delay timer                | Plaquette contacteur |
| 13   | CECN12           | Condensatore 12,5 mf                | Capacitor 12.5 mi-F                    | Condensateur 12,5    |
| 14   | CEPSTFB          | Timer pompa scarico timer 180" 220V | Drain timer, 180" 220V                 | Timer cycle de vi    |
| 15   | CEPCE            | Piastra cablaggio elettrico         | Component tray, no components          | Plaque composants    |
| 16   | CEFA             | Filtro antidisturbo                 | Suppressor                             | Filtre électrique    |
| 17   | AM0SQPR          | Piastra pressostato                 | Bracket for pressure switch            | Plaque support pre   |
| 18   | AM05SOFC         | Piastrina condensatore              | Bracket for capacitor                  | Plaquette condens    |



| Pos. | Codice           | Descrizione                       | Description                        | Des                  |
|------|------------------|-----------------------------------|------------------------------------|----------------------|
| 1    | CEPRE            | Pressostato 1 livello             | Pressure switch, standard          | Pressostat 1 niveau  |
| 2    | CEPR62P          | Pressostato 1 livello 30/90       | Pressure switch, 30/90             | Pressostat 1 niveau  |
| 3    | CETD1224BGB      | Timer ciclo doppio                | Timer, 2-min & 4-min               | Timer double cycle   |
| 4    | CECBPC2V4GBABPS  | Cablaggio pannello comandi        | Control panel wiring loom          | Cablage panneau c    |
| 5    | CECBS2T482GBABPS | Cablaggio superiore               | Upper loom                         | Cablage supérieur    |
| 6    | CECE3536         | Cavo alimentazione 3x6 mm         | Main supply cable 3x6mm            | Cablage d'alimenta   |
| 7    | CEM0S3F          | Morsettiera trifase               | Main terminal block, 6-way         | Bornier              |
| 8    | CEPFM            | Piastrina fissaggio morsettiera   | Extension plate for terminal block | Plaquette fixage b   |
| 9    | CECTF            | Teleruttore                       | 4-pole contactor                   | Contacteur           |
| 10   | CETF60A          | Zoccolo ritardatore               | Base for delay timer               | Socle temporisateu   |
| 11   | CETF024          | Ritardatore air break             | Delay timer Air Break system       | Temporisateur ABS    |
| 12   | AM05SQTLL1       | Piastrina fissaggio 1 teleruttore | Bracket for delay timer            | Plaquette contacteur |
| 13   | CECN12           | Condensatore 12,5mf               | Capacitor 12,5 mf                  | Condensateur         |
| 14   | CEPCE            | Piastra cablaggio                 | Component tray, no components      | Plaque composants    |
| 15   | CEFA             | Filtro antidisturbo               | Suppressor                         | Filtre électrique    |
| 16   | CEPR62P          | Pressostato 1 livello 30/90       | Pressure switch, 30/90             | Pressostat 1 niveau  |
| 17   | CETD1224BGB      | Timer ciclo doppio                | Timer, 2-min & 4-min               | Timer double cycle   |
| 18   | CECBPC2V4GBABPS  | Cablaggio pannello comandi        | Control panel wiring loom          | Cablage panneau c    |
| 19   | CECBS2T482GBABPS | Cablaggio superiore               | Upper loom                         | Cablage supérieur    |



| Pos. | Codice           | Descrizione                         | Description                   | De                 |
|------|------------------|-------------------------------------|-------------------------------|--------------------|
| 1    | CEPRE2LUL        | Pressostato 2 livelli               | Pressure switch               | Pressostat 2 nivea |
| 2    | CEPR62P          | Pressostato 1 livello 30/90         | Pressure switch, 30/90        | Pressostat 1 nivea |
| 3    | CETF12BGB        | Timer ciclo fisso 120"              | Cycle timer - 2 min.          | Timer cycle        |
| 3A   | CETD1224BGB      | Timer ciclo doppio                  | Timer, 2-min & 4-min          | Timer double cycle |
| 4    | CEPCE            | Piastra cablaggio                   | Component tray, no components | Plaque composant   |
| 5    | CECBPC2V4GBABPS  | Cablaggio pannello comandi          | Control panel wiring loom     | Cablage panneau c  |
| 6    | CEM0S3F          | Morsettiere trifase                 | Main terminal block, 6-way    | Bornier            |
| 7    | CEFA             | Filtro antidisturbo                 | Suppressor                    | Filtre électrique  |
| 8    | CECTF            | Teleruttore                         | 4-pole contactor              | Contacteur         |
| 9    | CECBS2T482GBABPS | Cablaggio superiore                 | Upper loom                    | Cablage supérieur  |
| 10   | CETF2CPABS       | Timer 2 camme per pompa ABS         | Timer for ABS pump            | Timer double pour  |
| 11   | CECN12           | Condensatore 12,5mf                 | Capacitor 12,5 mf             | Condensateur       |
| 12   | CEPSTFB          | Timer pompa scarico timer 180" 220V | Drain timer, 180" 220V        | Timer cycle de vid |




| Pos. | Codice           | Descrizione                 | Description                   | De                  |
|------|------------------|-----------------------------|-------------------------------|---------------------|
| 1    | CEPRE            | Pressostato 1 livello       | Pressure switch, standard     | Pressostat 1 niveau |
| 2    | CEPR62P          | Pressostato 1 livello 30/90 | Pressure switch, 30/90        | Pressostat 1 niveau |
| 3    | CETF12BGB        | Timer ciclo fisso 120"      | Cycle Timer - 2 min.          | Timer cycle         |
| 3A   | CETD1224BGB      | Timer ciclo doppio          | Timer, 2-min & 4-min          | Timer double cycle  |
| 4    | CEPCE            | Piastra cablaggio           | Component tray, no components | Plaque composant    |
| 5    | CECBPC2V4GBABPS  | Cablaggio pannello comandi  | Control panel wiring loom     | Cablage panneau c   |
| 6    | CEM0S3F          | Morsettiera trifase         | Main terminal block, 6-way    | Bornier             |
| 7    | CEFA             | Filtro antidisturbo         | Suppressor                    | Filtre électrique   |
| 8    | CECTF            | Teleruttore                 | 4-pole contactor              | Contacteur          |
| 9    | CECBS2T482GBABPS | Cablaggio superiore         | Upper loom                    | Cablage supérieur   |
| 10   | CETF2CPABS       | Timer 2 camme per pompa ABS | Timer for ABS pump            | Timer double pour   |
| 11   | CECN12           | Condensatore 12,5mf         | Capacitor 12,5 mf             | Condensateur        |


Зип Общепит

vsezip.ru

+7(812)987-08-81



| Pos. | Codice     | Descrizione                           | Description                     | De                   |
|------|------------|---------------------------------------|---------------------------------|----------------------|
| 1    | CECBJ09    | Cablaggio                             | Lower loom                      | Cable de connexion   |
| 2    | CEFI6      | Fissacavo interno con viti            | Cable clamp                     | Arrêt de câble intér |
| 3    | CECE25     | Cavo alimentazione monofase           | Electric supply cable           | Cable d'alimentatio  |
| 4    | CEM0S      | Morsettiere monofase                  | Main terminal block, 3-way      | Bornier              |
| 5    | CEPCEBCSL  | Base scatola cablaggio                | Electric component box body     | Boîte cablage        |
| 6    | CEFA       | Filtro antidisturbo                   | Suppressor                      | Filtre électrique    |
| 7    | CECTF      | Teleruttore                           | 4-p contactor                   | Contacteur           |
| 8    | CETF12     | Timer ciclo                           | Cycle timer, 2.1/2 mins, type B | Timer cycle          |
| 9    | CEPCECSL   | Coperchio scatola cablaggio           | Electric component box lid      | Couvercle boîte cab  |
| 10   | CECBICMJ09 | Scatola cablaggio completa assemblata | Electrical component assembly   | Boîte cablage        |




| Pos. | Codice     | Descrizione                           | Description                     | De                   |
|------|------------|---------------------------------------|---------------------------------|----------------------|
| 1    | CECBI5T09  | Cablaggio                             | Lower loom                      | Cable de connexion   |
| 2    | CEFI6      | Fissacavo interno con viti            | Cable clamp                     | Arrêt de câble intér |
| 3    | CECE353F   | Cavo alimentazione trifase            | Electric supply cable - 3ph     | Cable d'alimentatio  |
| 4    | CEM0S3F    | Morsettiera trifase                   | Main terminal block, 6-way      | Bornier              |
| 5    | CEPCEBCSL  | Base scatola cablaggio                | Electric component box body     | Boîte cablage        |
| 6    | CEFA       | Filtro antidisturbo                   | Suppressor                      | Filtre électrique    |
| 7    | CECTF      | Teleruttore                           | 4-p contactor                   | Contacteur           |
| 8    | CETF12     | Timer ciclo                           | Cycle timer, 2.1/2 mins, type B | Timer cycle          |
| 9    | CEPCECCSL  | Coperchio scatola cablaggio           | Electric component box lid      | Couvercle boîte cab  |
| 10   | CECBICTJ09 | Scatola cablaggio completa assemblata | Electrical component assembly   | Boîte cablage        |

Зип Общепит

vsezi.ru

+7(812)987-08-81



| Pos. | Codice    | Descrizione                             | Description             | De                  |
|------|-----------|-----------------------------------------|-------------------------|---------------------|
| 1    | CEMP23B   | Corpo anteriore sicurezza porta         | Door plunger body       | Corps antérieur     |
| 2    | CEMP21    | Astina sicurezza porta                  | Push rod                | Tige sécurité porte |
| 3    | CEMPPIB   | Puntale isolante astina sicurezza porta | Push rod end cap        | Poussoir plastique  |
| 4    | CEMP22    | Seeger astina sicurezza porta           | Circlip                 | Circlips            |
| 5    | CEMP20    | Molla sicurezza porta                   | Door plunger spring     | Ressort sécurité p  |
| 6    | OR4036    | Or sicurezza porta                      | O ring 4036             | Joint OR 4036       |
| 7    | CEMP18B   | Corpo posteriore sicurezza porta        | Door plunger elbow      | Corps postérieur    |
| 8    | OR122     | Or 122                                  | O-ring 122              | O-ring 122          |
| 9    | VD3I      | Dado M3                                 | Nut                     | Ecrou               |
| 10   | VR3I      | Rondella dentellata Ø 3                 | Tab washer D. 3         | Rondelle à denture  |
| 11   | VRGB3I    | Rondella grembialina Ø 3                | Steel rod               | Rondelle, d. 3      |
| 12   | CEMP13CS  | Squadretta micro porta standard         | Bracket for door switch | Support interrupteu |
| 13   | CEISOMPNT | Isolante micro porta                    | Insulating plate        | Isolant             |
| 14   | D038A     | Dado ottone 3/8"                        | Brass lock nut 3/8"     | Ecrou 3/8"          |

Зип Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice    | Descrizione                            | Description                          | De                   |
|------|-----------|----------------------------------------|--------------------------------------|----------------------|
| 1    | GB4821F   | Boiler monofase                        | Boiler monophasé                     | Surchauffeur monop   |
| 2    | CESB454   | Termostato sicurezza boiler            | Rinse safety thermal switch          | Thermostat sécurité  |
| 3    | GB08V0    | Protezione resistenza boiler monofase  | Rinse element guard, large           | Protection résistan  |
| 4    | GB09V0    | Nottolino protezione boiler monofase   | Securing nut, rinse element guard    | Ecrou fixation prote |
| 5    | CERB30    | Resistenza boiler 3000W                | Rinse element 3kw                    | Résistance surchauf  |
| 5A   | CERB22    | Resistenza boiler 2200W                | Rinse element 2,2kw                  | Résistance surchauf  |
| 6    | G42303S   | Guarnizione resistenza boiler monofase | Rinse element seal, small            | Joint pour résistan  |
| 7    | CETB85    | Termostato boiler regolabile           | Adjustable control thermostat        | Thermostat surcha    |
| 7A   | CETB85CAM | Termostato boiler regolabile (2008)    | Adjustable control thermostat (2008) | Thermostat surcha    |
| 8    | CETV55    | Termostato vasca fisso                 | Fixed wash control thermostat        | Thermostat cuve fi   |
| 8A   | CETV55CAM | Termostato vasca fisso (2008)          | Fixed wash control thermostat (2008) | Thermostat cuve fi   |
| 9    | CEMTB     | Manopola termostato                    | Knob, thermostat                     | Manette thermosta    |
| 9A   | CEMTBCAM  | Manopola termostato (2008)             | Knob, thermostat (2008)              | Manette thermosta    |
| 10   | CEPRTV0   | Protezione termostati                  | Thermostat protection                | Protection résistan  |
| 11   | CERV22    | Resistenza vasca 2200W                 | Wash element 2,2kw                   | Résistance de cuve   |
| 12   | ORRV      | Or resistenza vasca                    | O-ring, wash element                 | Joint pour résistan  |
| 13   | VRP12I    | Rondella piana diam.12                 | Flat washer diam. 12                 | Rondelle diam. 12    |
| 14   | VDRV      | Dado resistenza vasca                  | Lock nut                             | Ecrou tenue résis    |

Зип Общепит

vsezip.ru

+7(812)987-08-81

11



| Pos. | Codice    | Descrizione                            | Description                          | Des                    |
|------|-----------|----------------------------------------|--------------------------------------|------------------------|
| 1    | GB4823F   | Boiler trifase                         | Boiler, 3ph                          | Surchauffeur, 3phase   |
| 2    | CESB454   | Termostato sicurezza boiler            | Rinse safety thermal switch          | Thermostat sécurité    |
| 3    | GB083FV0  | Protezione resistenza boiler           | Rinse element guard, large           | Protection résistance  |
| 4    | GB093FV0  | Nottolino protezione resistenza boiler | Retaining nut, rinse element, large  | Ecrou fixation protect |
| 5    | CERB603F  | Resistenza boiler trifase 6000W        | Rinse element, 6.0 kw, 3ph           | Résistance surchauff   |
| 6    | ORRB3F    | Or resistenza boiler trifase           | Or boiler element                    | Joint pour résistance  |
| 7    | CETB85    | Termostato boiler regolabile           | Adjustable control thermostat        | Thermostat surchauff   |
| 7A   | CETB85CAM | Termostato boiler regolabile (2008)    | Adjustable control thermostat (2008) | Thermostat surchauff   |
| 8    | CETV55    | Termostato vasca fisso                 | Fixed wash control thermostat        | Thermostat cuve fix    |
| 8A   | CETV55CAM | Termostato vasca fisso (2008)          | Fixed wash control thermostat (2008) | Thermostat cuve fix    |
| 9    | CEMTB     | Manopola termostato                    | Knob, thermostat                     | Manette thermostat     |
| 9A   | CEMTBCAM  | Manopola termostato (2008)             | Knob, thermostat (2008)              | Manette thermostat     |
| 10   | CEPRTV0   | Protezione termostati                  | Guard thermostat                     | Protection thermostat  |
| 11   | CERV22    | Resistenza vasca 2200W                 | Wash element, 2.2 kw                 | Résistance de cuve     |
| 12   | ORRV      | Or resistenza vasca                    | O-ring, wash element                 | Joint pour résistance  |
| 13   | VRP12I    | Rondella piana diam. 12                | Flat washer, diam. 12                | Rondelle diam. 12      |
| 14   | VDRV      | Dado resistenza vasca                  | Lock nut                             | Ecrou tenue résista    |
| 15   | CEPRV0    | Protezione resistenza vasca            | Guard, wash element                  | Protection résistance  |


Зип Общепит

vsezip.ru

+7(812)987-08-81



| Pos. | Codice    | Descrizione                         | Description             | De                     |
|------|-----------|-------------------------------------|-------------------------|------------------------|
| 1    | LS09PB    | Nottolino fissaggio girante         | Spindle retaining screw | Ecrou pour pivot       |
| 2    | LSI46CSB  | Asta risciacquo sinistra assemblata | Rinse arm, LH, complete | Rampe rinçage gau      |
| 3    | LSI46CDB  | Asta risciacquo destra assemblata   | Rinse arm, RH, complete | Rampe rinçage dro      |
| 4    | LSI46BSB  | Asta lavaggio sinistra assemblata   | Wash arm, LH, complete  | Rampe lavage gau       |
| 5    | LSI46BDB  | Asta lavaggio destra assemblata     | Wash arm, RH, complete  | Rampe lavage droi      |
| 6    | LSI0607AB | Mozzo girante                       | Centre boss c/w bushes  | Moyeu central          |
| 7    | LSI46CB   | Asta risciacquo                     | Rinse arm only          | Rampe rinçage          |
| 8    | LSI46BB   | Asta lavaggio                       | Wash arm only           | Rampe lavage           |
| 9    | LSI021B   | Ghiera fissaggio getto risciacquo   | Rnse jet retaining ring | Ecrou fix. gicleur rin |
| 10   | LSI022B   | Tappo getto risciacquo              | Rinse arm blank         | Bouchon                |
| 11   | LSI020B   | Getto risciacquo                    | Rinse jet               | Gicleur rinçage        |
| 12   | LSI017B   | Ghiera fissaggio getto lavaggio     | Wash jet ring nut       | Ecrou fix. gicleur la  |
| 13   | LSI015B   | Getto lavaggio destro stretto       | Wash jet, RH marked "d" | Gicleur lavage droi    |




| Pos. | Codice     | Descrizione                              | Description                       | De                  |
|------|------------|------------------------------------------|-----------------------------------|---------------------|
| 1    | LS09PB     | Nottolino fissaggio girante              | Spindle retaining screw           | Ecrou pour pivot    |
| 2    | LSI46CSB   | Asta risciacquo sx con getti             | Rinse arm, LH, complete           | Rampe rinçage gau   |
| 3    | LSI46CDB   | Asta risciacquo dx con getti             | Rinse arm, RH, complete           | Rampe rinçage dro   |
| 4    | LSI46BSBDS | Asta lavaggio sx con getti doppia parete | Wash arm LH, complete             | Rampe lavage gau    |
| 5    | LSI46BDBDS | Asta lavaggio dx con getti doppia parete | Wash arm RH, complete             | Rampe lavage droi   |
| 6    | LSI0607AB  | Mozzo girante                            | Centre boss, complete with bushes | Moyeu tournant ave  |
| 7    | LSI46CB    | Asta risciacquo bianca                   | Rinse arm only                    | Rampe rinçage bla   |
| 8    | LSI46BB    | Asta lavaggio                            | Wash arm only                     | Rampe lavage blan   |
| 9    | LSI021B    | Ghiera fissaggio getto risciacquo        | Rinse jet retaining ring          | Ecrou gicleur rinça |
| 10   | LSI022B    | Tappo getto risciacquo                   | Rinse arm blanking cover          | Bouchon gicleur rin |
| 11   | LSI020B    | Getto risciacquo                         | Rinse jet                         | Gicleur rinçage     |
| 12   | LSI017B    | Ghiera fissaggio getto lavaggio          | Wash jet ring nut                 | Ecrou gicleur lavag |
| 13   | LSI015B    | Getto lavaggio dx stretto                | Wash jet, RH, marked D            | Ecrou gicleur lavag |

Зип Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice       | Descrizione                      | Description                                 | De                       |
|------|--------------|----------------------------------|---------------------------------------------|--------------------------|
| 1    | LSI46I08C    | Girante inox completa assemblata | Rotating stainless steel wash assy complete | Couronne complete        |
| 2    | OR20515      | Or 20,5 x 1,5                    | Or 20,5 x 1,5                               | Joint torique 20,5 x 1,5 |
| 3    | LSI018GIGLFB | Tappo asta lavaggio inox         | Stainless steel wash arm plug               | Bouchon inox ramp        |
| 4    | GR019GB      | Tappo asta risciacquo            | Rinse arm plug                              | Bouchon rampe rin        |
| 5    | OR106        | Or 106                           | Or 106                                      | Joint torique 106        |
| 6    | LSI020GIB    | Getto risciacquo                 | Rinse jet                                   | Gicleur rinçage          |
| 7    | OR5501       | Or 5,5 x 1                       | Or 5,5 x 1                                  | Joint torique 5,5 x 1    |


Зип Общепит

vsezip.ru

+7(812)987-1000



| Pos. | Codice      | Descrizione                                 | Description                       | De                   |
|------|-------------|---------------------------------------------|-----------------------------------|----------------------|
| 1    | LIF4V2PSX04 | Filtro superficie sinistro con foro         | Top filter section, LH, with hole | Filtre de surface ga |
| 2    | LIF4V2PDX04 | Filtro superficie destro                    | Top filter section, RH, no hole   | Filtre de surface dr |
| 3    | AM0APF4B    | Appoggio posteriore filtri superficie       | Rear filter support               | Support postérieur   |
| 4    | LI034P2F04  | Ghiera inferiore appoggio filtri superficie | Filter support disk, with slots   | Disque inférieur de  |
| 5    | LI034PV0    | Ghiera inferiore                            | Deflector disk                    | Déflecteur           |
| 6    | AM0AAF4B    | Appoggio anteriore filtri superficie        | Front filter support              | Support antérieur fi |



| Pos. | Codice      | Descrizione                | Description                     | De                |
|------|-------------|----------------------------|---------------------------------|-------------------|
| 1    | LIF4V2PCS04 | Filtro superficie sinistro | Top filter section, LH, no hole | Filtre de surface |

Зип Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice    | Descrizione                         | Description             | De                    |
|------|-----------|-------------------------------------|-------------------------|-----------------------|
| 1    | GA013B    | Ghiera fissaggio filtro aspirazione | Filter retaining nut    | Ecrou filtre          |
| 2    | GA315RV0  | Filtro aspirazione                  | Wash filter upper body  | Filtre d'aspiration   |
| 3    | GA315RAV0 | Piastra filtro aspirazione          | Wash filter base        | Plaque filtre aspirat |
| 4    | GA61220T  | Astina filtro aspirazione           | Filter spindle          | Tige de filtre aspira |
| 5    | GA311B    | Piletta aspirazione                 | Filter boss             | Bonde d'aspiration    |
| 6    | OR3187    | Or piletta aspirazione              | O-ring 3187             | O-ring 3187           |
| 7    | DP112     | Dado 1" 1/2                         | Plastic nut 1.1/2"      | Ecrou pour bonde      |
| 8    | GA538     | Manicotto aspirazione               | Wash inlet hose         | Durite d'aspiration   |
| 9    | EP100     | Elettropompa 1 hp                   | Washpump, 1.0 hp        | Pompe de lavage,      |
| 10   | GLMSIC404 | Manicotto mandata                   | Wash outlet hose        | Durite de refouleme   |
| 11   | LS5B      | Supporto superiore                  | Top boss                | Support supérieur     |
| 12   | LS02      | Guarnizione supporto superiore      | Cork seal               | Joint                 |
| 13   | LS03PC    | Ghiera superiore assemblata         | Baffle plate            | Deflecteur            |
| 14   | LS08      | Perno inox lungo                    | Wash spindle            | Pivot inox            |
| 15   | LI430FCB  | Piletta entrata lavaggio inferiore  | Wash inlet elbow        | Bonde entrée comp     |
| 16   | LI428     | Tubo inox interno                   | Spacer tube             | Tuyau inox            |
| 17   | LI029CAB  | Supporto inferiore                  | Bottom boss assy        | Support inferieur     |
| 18   | LI330     | Prolunga perno inox                 | Spindle extension       | Extension pivot       |
| 19   | LI533FOT  | Supporto inferiore risc.            | Support for bottom boss | Support inferieur rin |
| 20   | OR122     | Or supporto risciacquo              | O-ring 122              | O-ring                |

vsezip.ru

+7(812)987-08-81



| Pos. | Codice    | Descrizione                   | Description                 | Des                 |
|------|-----------|-------------------------------|-----------------------------|---------------------|
| 1    | GS416CCAB | Troppo pieno                  | Drain plug or standpipe     | Tuneau de trop-ple  |
| 2    | GS317B    | Piletta scarico               | Drain outlet boss           | Bonde de vidange    |
| 3    | OR3168    | Or piletta scarico            | O-ring                      | Joint torique bonde |
| 4    | DP114     | Dado 1" 1/4 ppl               | Plastic nut                 | Ecrou plastique por |
| 5    | FAM4050   | Fascetta a molla              | Spring clip                 | Collier élastique   |
| 6    | GS520     | Manicotto scarico             | Drain hose                  | Durite de vidange   |
| 7    | GS321B    | Raccordo scarico 90°          | Drain outlet elbow          | Raccord à 90° de v  |
| 8    | GS330     | Tubo scarico                  | Waste outlet hose (gravity) | Tuyau de vidange    |
| 9    | GP025B    | Trappola aria                 | Air trap                    | Chambre de compr    |
| 10   | G382615G  | Guarnizione trappola aria     | Airtrap seal                | Joint chambre de c  |
| 11   | D034      | Dado ottone 3/4               | Brass nut, 3/4              | Ecrou 3/4           |
| 12   | G251525G  | Guarnizione raccordo girevole | Sealing washer              | Joint               |
| 13   | GP026BB   | Dado raccordo girevole        | Airtrap elbow nut, white    | Ecrou pour raccord  |
| 14   | GP026AB   | Raccordo girevole             | Airtrap elbow, white        | Raccord tournant    |
| 15   | TSII 48   | Tubo silicone 4x8 mm          | Silicon tube 4/8mm          | Tuyau silicone 4X   |




| Pos. | Codice     | Descrizione                              | Description                | De                        |
|------|------------|------------------------------------------|----------------------------|---------------------------|
| 1    | GA013B     | Nottolino filtro                         | Filter retaining nut       | Ecrou tenue filtre        |
| 2    | GAGS599    | Tirante filtro                           | Filter spindle             | Tige de filtre            |
| 3    | GA115RV0   | Filtro aspirazione                       | Upper body, drain filter   | Filtre d'aspiration       |
| 4    | GA115RABV0 | Piastra filtro aspirazione pompa scarico | Base, Drain filter         | Plaque fitre d'aspiration |
| 5    | GA111TB    | Piletta aspirazione pompa scarico        | Drain filter boss          | Bonde d'aspiration        |
| 6    | OR3168     | Or 3168                                  | O-ring 3168                | Joint OR 3168             |
| 7    | DP114      | Dado 1"1/4                               | Plastic nut 1.1/4"         | Ecrou 1"1/4               |
| 8    | GA18PS5USA | Manicotto aspirazione pompa scarico      | Drain pump inlet hose      | Durite d'aspiration       |
| 9    | CEPS5      | Pompa scarico                            | Drain pump                 | Pompe de vidange          |
| 10   | GSTS820PS  | Tubo scarico l.820mm                     | Internal drain hose        | Tube de vidange 1.        |
| 11   | CEPSVSF    | Valvola non ritorno scarico              | Drain non return valve     | Clapet anti non ret       |
| 12   | GSTS2500PS | Tubo scarico l.2500mm                    | External drain outlet hose | Tube de vidange 1.        |
| 13   | TSIL48     | Tubo silicone                            | Silicone tube              | Tube silicone             |
| 14   | GSDETP10   | Comp inox                                | Connection elbow, steel    | Support inox              |
| 15   | G24112     | Guarnizione 24x11x2                      | Seal, 24x11x2              | Joint 24x11x2             |
| 16   | VRP10I     | Rondella piana diam. 10mm                | Plain washer, dm. 10mm     | Rondelle, dm. 10m         |
| 17   | VD10I      | Dado m10                                 | Nut, m10                   | Ecrou m 10                |
| 18   | GP025B     | Trappola aria                            | Pressure vessel only       | Chambre de compr          |
| 19   | G382615G   | Guarnizione 38x26x1,5                    | Seal 38x26x1.5             | Joint 38x15x2,5           |
| 20   | D034       | Dado 3/4"                                | Brass nut, 3/4             | Ecrou 3/4"                |
| 21   | G251525G   | Guarnizione 25x15x2,5                    | Sealing washer             | Joint 25x15x2,5           |

Зип Общепит


vsezip.ru

+7(812)987-08-81



**Dal 2009**  
**Starting from 2009**  
**A partir du 2009**

| Pos. | Codice     | Descrizione                              | Description                        | De                         |
|------|------------|------------------------------------------|------------------------------------|----------------------------|
| 1    | GA013B     | Nottolino filtro                         | Filter retaining nut               | Ecrou de filtre            |
| 2    | GA115RV0   | Filtro aspirazione                       | Upper body, drain filter           | Filtre d'aspiration        |
| 3    | GA115RABV0 | Piastra filtro aspirazione pompa scarico | Base, Drain filter                 | Plaque filtre d'aspiration |
| 4    | GA115SCOMP | Filtro aspirazione completo              | Drain filter top and base complete | Filtre d'aspiration c      |
| 5    | GAGS599    | Tirante filtro                           | Filter spindle                     | Tige de filtre             |
| 6    | GA111TB    | Piletta aspirazione pompa scarico        | Drain filter boss                  | Bonde d'aspiration         |
| 7    | OR3168     | Or 3168                                  | O-ring 3168                        | Joint OR 3168              |
| 8    | DP114      | Dado 1"1/4                               | Plastic nut 1.1/4"                 | Ecrou 1"1/4                |
| 9    | FA3040     | Fascetta                                 | Hose clip 30-40                    | Collier élastique          |
| 10   | GA18PS5USA | Manicotto aspirazione pompa scarico      | Drain pump inlet hose              | Durite d'aspiration        |
| 11   | CEPS5      | Pompa scarico                            | Drain pump                         | Pompe de vidange           |
| 12   | FA2532     | Fascetta                                 | Hose clip 25-32                    | Collier                    |
| 13   | GSTS820PS  | Tubo scarico l.820 mm                    | Internal drain hose                | Tuvau de vidange           |




| Pos. | Codice     | Descrizione                                 | Description                          | De                    |
|------|------------|---------------------------------------------|--------------------------------------|-----------------------|
| 1    | GB4823FAB  | Boiler tri air break 150x425mm              | Boiler, 3-ph, ABS version            | Surchauffeur ABS V    |
| 2    | GAMA4AB    | Manicotto aspirazione pompa air break       | Rinse pump inlet hose, ABS           | Joint aspirateur pom  |
| 3    | ABPRF5213  | Pompa aumento pressione                     | Rinse pump, ABS                      | Pompe hausse pre      |
| 4    | ABSTFP5213 | Staffa inox pompa air break                 | Mounting bracket for rinse pump, ABS | Joint inox pompe      |
| 5    | GRMP4AB    | Manicotto mand. risc. air break             | Rinse pump outlet hose, ABS          | Manchon refouleme     |
| 6    | ABRTRP     | Raccordo "t" risc.con pompa                 | Tee connector, ABS                   | Raccord "t" rinçage   |
| 7    | GRS06B     | Raccordo fissaggio asta                     | Inlet elbow                          | Raccord               |
| 8    | OR128      | Or 128                                      | O ring 128                           | Joint 128             |
| 9    | D038A      | Dado 3/8" gas ottone alto                   | Brass lock nut 3/8"                  | Ecrou 3/8"            |
| 10   | ABSB46     | Serbatoio inox air break                    | ABS tank, Steel                      | Cuve inox air break   |
| 11   | ABMSB4     | Manicotto tra serbatoio e boiler air break  | ABS tank exit hose                   | Manchon entre cuve e  |
| 12   | ABDFIV     | Deflettore inox interno vasca air break     | Protection plate for ABS wash tank   | Deflecteur inox cuv   |
| 13   | ABDFSB     | Dado inox m20x1 fissaggio serbatoio AB      | Nut, steel, M20 x 1                  | Ecrou 20x1            |
| 14   | ABDFISB    | Deflettore inox interno serbatoio air break | Deflector plate for ABS tank         | Deflecteur inox cuv   |
| 15   | DSDET040BC | Iniettore detersivo                         | Soap elbow assy                      | Produit lessiviel cor |
| 16   | ABCSB      | Coperchio inox interno serbatoio air break  | Top cover for ABS tank               | Bouchon inox cuve     |
| 17   | TG1118WRC  | Tubo diam. 11x18mm "wrc"                    | Internal supply tube, 11x 18         | Tuyau 11x18 mm "      |
| 18   | CEEV1      | Elettrovalvola 1 via                        | Solenoid valve, 1-way                | Electrovanne 1 voi    |

Зип Общепит

vsezip.ru

+7(812)987-08-81



| Pos. | Codice        | Descrizione                                | Description                               | De                   |
|------|---------------|--------------------------------------------|-------------------------------------------|----------------------|
| 1    | GB4823FAB     | Boiler tri air break 150x425mm             | Boiler, 3-ph, ABS version                 | Surchauffeur ABS V   |
| 2    | GAMA4AB       | Manicotto aspirazione pompa air break      | Rinse pump inlet hose, ABS                | Joint aspirateur pom |
| 3    | TG1117FDA     | Tubo diam. 11x17 "fda"                     | Tube diam. 11x17 "fda"                    | Tuyau 11x17 "fda"    |
| 4    | ABDFIV07      | Deflettore inox vasca air break (2007)     | Protection plate for ABS wash tank (2007) | Deflecteur inox cuv  |
| 5    | ABCSAB46      | Cornice serbatoio                          | Door handle, AB, 69 x140                  | Entourage cuve inc   |
| 6    | ABMSB4        | Manicotto tra serbatoio e boiler air break | ABS tank exit hose                        | Manchon entre cuve e |
| 7    | ABSB4607      | Serbatoio inox air break (2007)            | ABS tank, Steel (2007)                    | Cuve inox air break  |
| 8    | ABGCSAB34229  | Guarnizione 34x229x3 serbatoio air break   | Seal, air break tank                      | Joint pour cuve ino  |
| 9    | CEEV1         | Elettrovalvola 1 via                       | Solenoid valve, 1-way                     | Electrovanne 1 voi   |
| 10   | ABCSB         | Coperchio inox interno serbatoio air break | Top cover for ABS tank                    | Bouchon inox cuve    |
| 11   | TG1118WRC     | Tubo diam. 11x18 "wrc"                     | Internal supply tube, 11x 18              | Tuyau 11x18 mm "     |
| 12   | GSEDETP10COMP | Iniettore inox completo                    | Soap Inlet Elbow Assembly                 | Injecteur inox comp  |
| 13   | ABRISAB46     | Raccordo interno serbatoio                 | Tube elbow adptor                         | Raccord int. cuve    |
| 14   | ABRESAB46     | Raccordo esterno serbatoio                 | Tube elbow adptor                         | Raccord est. cuve    |
| 15   | OR128         | Or 128                                     | O ring 128                                | Joint 128            |
| 16   | ABGSB203015   | Guarnizione 30x20x1,5 serbatoio air break  | Seal, air break tank                      | Joint pour cuve inc  |
| 17   | ABDFSB        | Dado inox m20x1 fissaggio serbatoio AB     | Nut, steel, M20 x 1                       | Ecrou 20x1           |
| 18   | GRMP4AB       | Manicotto mand. risc. air break            | Rinse pump outlet hose, ABS               | Manchon refoleme     |
| 19   | ABSTFP5213    | Staffa inox pompa air break                | Mounting bracket for rinse pump, ABS      | Joint inox pompe     |
| 20   | ABPRF5213     | Pompa aumento pressione                    | Rinse pump, ABS                           | Pompe hausse pre     |
| 21   | ABRTRP        | Raccordo "t" risc.con pompa                | Tee connector. ABS                        | Raccord "t" rincac   |


Зип Общепит

vsezip.ru

+7(812)987-08-81



| Pos. | Codice        | Descrizione                           | Description                            | Des                         |
|------|---------------|---------------------------------------|----------------------------------------|-----------------------------|
| 1    | CECBI482AB    | Cablaggio inferiore air break         | Lower wiring loom, Air Break           | Cable inférieur Air Break   |
| 2    | GB4823FAB     | Boiler trifase air break              | Boiler, 3-ph, Air Break System version | Surchauffeur Air Break      |
| 3    | CERB603F      | Resistenza boiler 6000W               | Rinse element 6.0 kW                   | Résistance surchauffeur     |
| 4    | ORRB3F        | Or resistenza boiler                  | O ring for rinse element               | Joint pour résistance       |
| 5    | CESB454       | Termostato sicurezza boiler           | Safety switch, boiler                  | Thermostat sécurité         |
| 6    | CETB85        | Termostato boiler regolabile          | Boiler control thermostat              | Thermostat surchauffeur     |
| 7    | CEMTB         | Manopola termostati                   | Thermostat knob                        | Manette thermostat          |
| 8    | AM0SQFTDE46AB | Squadretta fissaggio dosatori         | Bracket for chemical pumps             | Plaque fixation dosateurs   |
| 9    | AM0SQTB       | Squadretta fissaggio termostati       | Bracket for thermostats                | Plaque fixation thermostats |
| 10   | CETV55        | Termostato vasca                      | Fixed wash control thermostat          | Thermostat cuve             |
| 11   | CESV001       | Termostato sicurezza vasca            | Safety switch, wash tank               | Thermostat sécurité         |
| 12   | AM0SQFRV4     | Squadretta fissaggio resistenza vasca | Retaining clip for wash element        | Plaque fixation résistance  |
| 13   | CERV22        | Resistenza vasca 2200W                | Wash element complete, 2.2kW           | Resistance de la cuve       |
| 14   | ORRV          | Or 12x1 resistenza vasca              | O rings for wash element               | Joint pour résistance       |
| 15   | VRP12I        | Rondella piana diam. 12mm             | Washer for wash element, diam. 12 mm   | Rondelle diam 12 mm         |
| 16   | VDRV          | Dado resistenza vasca                 | Nut for wash element                   | Ecrou fixation résistance   |




| Pos. | Codice   | Descrizione                   | Description                       | De                  |
|------|----------|-------------------------------|-----------------------------------|---------------------|
| 1    | CEEV3    | Elettrovalvola 3 vie 220 volt | Solenoid valve, 3-way - 220 v     | Electrovanne 3 voie |
| 2    | DS327    | Tubo sagomato grande          | Injector operating hose, big      | Tuyau caoutch, gra  |
| 3    | CERI43   | Contenitore sale              | Salt chamber                      | Bac à sel           |
| 4    | CERI47   | Decalcificatore a resine      | Water softener                    | Adoucisseur         |
| 5    | CERI44GS | Guarnizione sughero 83x67x5   | Cork seal washer for salt chamber | Joint 83x67x5       |
| 6    | CERI45   | Ghiera contenitore sale       | Lock nut for salt chamber         | Ecrou pour bac à s  |
| 7    | CERI46   | Tappo contenitore sale        | Cap, thick salt chamber           | Bouchon pour ha     |

Зип Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice    | Descrizione                       | Description                        | De                  |
|------|-----------|-----------------------------------|------------------------------------|---------------------|
| 1    | VVTE580Z  | Vite TE 5x80                      | Special screw for motor assy, 5x80 | Vis 5x80            |
| 2    | VVTE570Z  | Vite TE 5x70                      | Special screw for motor assy, 5x70 | Vis 5x70            |
| 3    | VR5I      | Rondella dentata diam 5           | Special tab washer                 | Rondelle éventailée |
| 4    | EP05M5    | Calotta alluminio (filettata)     | Motor endplate NDE                 | Calotte aluminium   |
| 5    | EP011     | Anello compensazione pompe        | Bearing ring                       | Boucle compensati   |
| 6    | EP07      | Cuscinetto per motore pompa       | Motor bearing                      | Roulement pour m    |
| 7    | EP7510    | Statore avvolto                   | Stator                             | Stator pompe        |
| 8    | EP7589    | Rotore con albero                 | Rotor                              | Rotor de compress   |
| 9    | VVTE512I  | Vite 5x12                         | Special screw                      | Vis 5x12            |
| 10   | EP05      | Calotta alluminio                 | Motor endplate DE                  | Calotte aluminium   |
| 11   | VD5I      | Dado esagonale m 5                | Special hexagon nut                | Ecrou M5            |
| 12   | EP755TP   | Fondo pompa grande                | Impellor back plate                | Fond pompe          |
| 13   | EP04      | Anello tenuta                     | Rotating shaft seal                | Presse étoupe       |
| 14   | EP753     | Girante pompa grande              | Impellor                           | Turbine de pompe    |
| 15   | EP752NT   | Guarnizione pompa                 | Cork gasket                        | Joint pompe         |
| 16   | EP751TP   | Corpo pompa grande aperto         | Impellor housing, open nipple      | Corps pompe 1hp     |
| 17   | VATE4232Z | Vite autofilettante 4,2x32        | Special screw                      | Vis 4,2x32          |
| 18   | EP751TPC  | Corpo pompa grande chiuso         | Impellor housing, closed nipple    | Corps pompe 1hp,    |
| 19   | EP100C    | Elettropompa 1hp 230v 50hz chiusa | Wash pump complete, closed nipple  | Pompe de lavage     |

Зип-Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice    | Descrizione                               | Description                       | De                   |
|------|-----------|-------------------------------------------|-----------------------------------|----------------------|
| 1    | DSAM3NT   | Dosatore brillantante completo assemblato | Rinse aid injector, complete      | Doseur produit de n  |
| 2    | DSVNR17NT | Raccordo stringitubo valvola non ritorno  | Outlet nipple                     | Raccord clapet anti  |
| 3    | DSVNR16   | Dischetto valvola non ritorno             | Special disk for non return valve | Petit disque clapet  |
| 4    | DSVNR14   | Molla valvola non ritorno                 | Spring for non return valve       | Ressort clapet anti  |
| 5    | DSVNR13   | Sfera 1/4"                                | 1/4" Ball for non return valve    | Bille 1/4"           |
| 6    | G16221F   | Guarnizione fibra 17x22x1,5               | Seal for injector                 | Joint pour injecteur |
| 7    | DSVNR12   | Raccordo valvola non ritorno              | Housing for non return valve      | Raccord soupape      |
| 8    | DS8S      | Valvolina silicone                        | Non return valve, rubber          | Soupape en silicon   |
| 9    | DS3       | Corpo dosatore                            | Injector front body               | Corps doseur produ   |
| 10   | DS10NT    | Raccordo stringitubo                      | Inlet nipple                      | Raccord              |
| 11   | VVTCC445Z | Vite fissaggio                            | Special screw                     | Vis serrage          |
| 12   | DS24      | Dado 20x4x14                              | Brass nut 20x4x14                 | Ecrou 20x4x14        |
| 13   | OR103     | Or 103                                    | O ring 103                        | Or 103               |
| 14   | DS1       | Volantino dosatore                        | Adjusting screw                   | Manette pour dose    |
| 15   | OR422     | Or 42x2                                   | O ring 42x2                       | Or 42x2              |

Зип Общепит

vsezip.ru


+7(812)987-08-81



| Pos. | Codice     | Descrizione                         | Description                              | De                 |
|------|------------|-------------------------------------|------------------------------------------|--------------------|
| 1    | D0STSILSKC | Tubo silicone brillantante+attacchi | Peristaltic rinse aid tube with fittings | Tube silicone dose |
| 2    | D0SPRRSKC  | Portarullini peristaltica seko      | Rotating pump head, rinse aid            | Rotor              |
| 3    | TG510DS    | Tubo dosatore 5x10                  | Rinse aid tube to boiler                 | Tube doseur 5x10   |

vsezip.ru

+7(812)987-08-81



| Pos. | Codice     | Descrizione                         | Description                         | De                  |
|------|------------|-------------------------------------|-------------------------------------|---------------------|
| 1    | D0STSANSKC | Tubo Santoprene detergente+attacchi | Peristaltic soap tube with fittings | Tube Santoprene d   |
| 2    | D0SPRRSKC  | Portarullini peristaltica seko      | Rotating pump head, soap            | Rotor               |
| 3    | D0SDETETLE | Dosatore detergente "eur"           | Soap pump                           | Doseur produit de l |
| 4    | FAM710     | Fascetta a molla                    | Spring clip for tubing              | Collier             |
| 5    | TCFC       | Fascetta a molla                    | Spring clip for tubing              | Fascetta a molla    |

## HANDLES

Зип Общепит

vsezip.ru

+7(812)987-08-81



1



2



3



4




5



6



7



8



18



17



16



15



14



13



12



9





10

| Pos. | Codice      | Descrizione                  | Description                             | De                   |
|------|-------------|------------------------------|-----------------------------------------|----------------------|
| 1    | AM010GBGR   | Maniglia grigia              | Handle, grey                            | Poignée porte grise  |
| 2    | AM010SIM    | Maniglia blu                 | Handle, blue, closed grip, rectangular  | Poignée porte , ble  |
| 3    | AM010PA     | Maniglia aperta nera         | Handle, black, thru grip, angled        | Poignée porte noire  |
| 4    | AM010PCV    | Maniglia chiusa verde        | Handle, green, closed grip, curved      | Poignée porte vert   |
| 5    | AM010MD25   | Maniglia chiusa ovale blu    | Handle, blue, thru grip, oval           | Poignée porte oval   |
| 6    | AM010CD25   | Cornice sottomaniglia blu    | Handle backplate, blue, oval            | Entourage sous-po    |
| 7    | AM010F      | Maniglia curva inox          | Handle, Stainless steel, round section  | Poignée porte cour   |
| 8    | AM010R      | Maniglia poligonale inox     | Handle, Stainless steel, angled section | Poignée porte inox   |
| 9    | VVSP6100    | Vite maniglia                | Screw, door handle fixing               | Vis pour poignée p   |
| 10   | OR106       | Or per vite maniglia         | O-Ring, door handle screw               | Joint torique pour p |
| 11   | VD6I        | Dado M6                      | Nut, M6                                 | Ecrou, M6            |
| 12   | AM010SMH    | Cornice sottomaniglia nero   | Handle backplate, rectangular           | Entourage sous-po    |
| 13   | AM010CD25GR | Cornice sottomaniglia grigia | Handle backplate, grey, oval            | Entourage sous-po    |
| 14   | AM010MD25GR | Maniglia chiusa ovale grigia | Handle, grey, thru grip, oval           | Poignée porte grise  |
| 15   | AM010SW     | Maniglia chiusa nera         | Handle, black, thru grip, double curved | Poignée porte noir   |

Зип Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice   | Descrizione                         | Description                 | Des                    |
|------|----------|-------------------------------------|-----------------------------|------------------------|
| 1    | GMDP2    | Deflettore porta 40x40*50x50        | Door deflector 40x40*50x50  | Deflecteur porte 40    |
| 2    | AM014B   | Angolare vasca                      | Plastic corner guard        | Cornière exterieure    |
| 3    | AMPCP    | Paracolpo porta                     | Door stop                   | Pare-chocs             |
| 4    | AMMP24DX | Molla destra per porta mod. 50x50   | Door spring, rh model 50x50 | Ressort droit porte    |
| 5    | AM412NTM | Perno porta modello 50x50           | Door pin spacer model 50x50 | Axe de la porte mo     |
| 5A   | AM012M   | Distanziale                         | Door pin spacer             | Entretroise            |
| 6    | AMMP24SX | Molla sinistra per porta mod. 50x50 | Door spring, lh model 50x50 | Ressort gauche po      |
| 7    | VVEI410I | Vite tcce m4x10                     | Screw m4x10                 | Vis m4x10              |
| 8    | AM0PFPPM | Piastrina fissaggio perno porta     | Pin security plate          | Plaquette fixation piv |
| 9    | AM011ANT | Dado scroccetto vasca doppia parete | Ball catch nut              | Bouchon de la bille    |
| 10   | AM011CNT | Molla scroccetto doppia parete      | Ball catch spring           | Ressort inox, doubl    |
| 11   | AM011D   | Sfera scroccetto                    | Ball catch ball             | Bille inox             |
| 12   | AM011ENT | Sede sfera scroccetto doppia parete | Door ball catch seat        | Siège ressort inox,    |
| 13   | AM011AR  | Dado scroccetto vasca raggiata      | Ball catch nut              | Bouchon de la bille    |
| 14   | AM011C   | Molla scroccetto                    | Ball catch spring           | Ressort inox           |


Зип Общепит

vsezip.ru


+7(812)987-08-81




1A



1B



1C



1



1

VASCA  
RAGGIATA

2



4



2



3



7




5




| Pos. | Codice      | Descrizione                         | Description                       | De                    |
|------|-------------|-------------------------------------|-----------------------------------|-----------------------|
| 1    | GMPS5RDP    | Pannello superiore "raggiato"       | Top panel, steel                  | Panneau superieur     |
| 1A   | GMPS5PR508  | Pannello superiore L. 600 mm (2008) | Top panel, steel L. 600 mm (2008) | Panneau superieur inc |
| 1B   | GMPS5PR5    | Pannello superiore L. 570 mm        | Top panel, steel L. 570 mm        | Panneau superieur     |
| 1C   | GMPS5SIMPR5 | Pannello superiore                  | Top panel, steel                  | Panneau superieur     |
| 1D   | GMPS5N0S    | Pannello superiore                  | Top panel, steel                  | Panneau superieur     |
| 2    | GMVA5RPR5   | Vasca raggiata                      | Wash cabinet                      | Cuve                  |
| 2A   | GMVA5PR5    | Vasca quadra                        | Wash cabinet                      | Cuve                  |
| 3    | GMGC5DXINT  | Guida supporto cestello destra      | Basket ramp, RH                   | Support panier droi   |
| 4    | GMGC5SXINT  | Guida supporto cestello sinistra    | Basket ramp, LH                   | Support panier gau    |
| 5    | GMBA5PR5    | Basamento                           | Base                              | Socle                 |



6




9




1



2




3





4



5



10~10A




12

| Pos. | Codice      | Descrizione                              | Description                 | De                  |
|------|-------------|------------------------------------------|-----------------------------|---------------------|
| 1    | GMPS5DP     | Pannello superiore                       | Top panel                   | Panneau superieur   |
| 2    | AMPV4DP     | Profilo vasca doppia parete              | U section,cabinet           | Profil cuve         |
| 3    | GMVA5DSGB   | Vasca doppia parete                      | Wash cabinet, ABS version   | Cuve, double paroi  |
| 4    | GMBA5DSGB   | Basamento doppia parete                  | Base, ABS version           | Socle, double paro  |
| 5    | GMCR5DSGB   | Cruscotto doppia parete                  | Front panel, ABS version    | Panneau socle inox  |
| 6    | GMPL5SXDS   | Pannello laterale sinistro doppia parete | Side panel, LH              | Panneau latéral ga  |
| 7    | GMPL5DXDS   | Pannello laterale destro doppia parete   | Side panel, RH              | Panneau latéral dro |
| 8    | GMGC5DXIDS  | Guida destra doppia parete               | Basket ramp, RH             | Guide droite        |
| 9    | GMGC5SXIDS  | Guida sinistra doppia parete             | Basket ramp, LH             | Guide gauche        |
| 10   | GMPP5DSGB   | Pannello posteriore doppia parete        | Back panel                  | Panneau postérieur  |
| 10A  | GMPP5DSGB07 | Pannello posteriore air break (2007)     | Back panel air break (2007) | Panneau postérieur  |

Зип Общепит

vsezip.ru

+7(812)987-08-81




| Pos. | Codice     | Descrizione                       | Description                                  | De                  |
|------|------------|-----------------------------------|----------------------------------------------|---------------------|
| 1    | GMCR5R     | Cruscotto basamento inox con cava | Bottom panel, with rinse aid aperture, steel | Panneau socle inox  |
| 2    | AM0TCBPLB  | Tappo cava brillantante blu       | Rinse aid insert, plastic panel, blue        | Bouchon bleu        |
| 3    | AM0TCBPLGR | Tappo cava brillantante grigio    | Rinse aid insert, plastic panel, grey        | Bouchon gris        |
| 4    | AM0TCBPL   | Tappo cava brillantante nero      | Rinse aid insert, plastic panel, black       | Bouchon noir        |
| 5    | AM029      | Spina contenitore brillantante    | Securing rod, rinse aid insert               | Tige pour bouchon   |
| 6    | AM030      | Tappo contenitore brillantante    | Cap for rinse aid reservoir                  | Bouchon pour bido   |
| 7    | AM027      | Contenitore brillantante          | Rinse aid reservoir                          | Bidon produit rinça |
| 8    | AM028N     | Cornice nera                      | Rinse aid insert, steel panel, black         | Entourage noir      |

Зип Общепит

vsezip.ru

+7(812)987-08-81



| Pos. | Codice     | Descrizione                    | Description                                | De                   |
|------|------------|--------------------------------|--------------------------------------------|----------------------|
| 1    | GMCR5      | Cruscotto inox con cava        | Bottom panel, steel, with aperture         | Panneau socle inox   |
| 2    | AM0TCBPLB  | Tappo cava blu                 | Plastic cover for rinse aid opening, blue  | Bouchon bleu         |
| 3    | AM0TCBPLGR | Tappo cava grigio              | Plastic cover for rinse aid opening, grey  | Bouchon gris         |
| 4    | AM0TCBPL   | Tappo cava nero                | Plastic cover for rinse aid opening, black | Bouchon noir         |
| 5    | AM029      | Spina fissaggio inox           | Securing rod for rinse aid reservoir       | Tige inox            |
| 6    | AM030      | Tappo contenitore brillantante | Cap for rinse aid insert                   | Bouchon pour bido    |
| 7    | AM027      | Contenitore brillantante       | Rinse aid reservoir                        | Bidon produit de rin |
| 8    | AM028N     | Cornice anteriore nera         | Rinse aid reservoir frame, black           | Cadre antérieur no   |

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

3

2

4

6

3

2

4

7

8

3

2

4

| Pos. | Codice     | Descrizione                    | Description                                | Des                  |
|------|------------|--------------------------------|--------------------------------------------|----------------------|
| 1    | GMCR5PL    | Cruscotto nero                 | Bottom panel, plastic, aperture, black     | Panneau socle plas   |
| 2    | AM030      | Tappo contenitore brillantante | Cap for rinse aid reservoir                | Bouchon pour contene |
| 3    | AM027      | Contenitore brillantante       | Rinse aid reservoir                        | Cuve produit de rin  |
| 4    | AM029      | Spina fissaggio inox           | Securing rod for rinse aid reservoir       | Tige pour bouchon    |
| 5    | AM0TCBPL   | Tappo cava nero                | Plastic cover for rinse aid opening, black | Bouchon noir         |
| 6    | GMCR5PLGR  | Cruscotto grigio               | Bottom panel, plastic, aperture, grey      | Panneau socle plas   |
| 7    | AM0TCBPLGR | Tappo cava grigio              | Plastic cover for rinse aid opening, grey  | Bouchon gris         |
| 8    | GMCR5PLBL  | Cruscotto blu                  | Bottom panel, plastic, aperture, blue      | Panneau socle plas   |
| 9    | AM0TCBPLB  | Tappo cava blu                 | Plastic cover for rinse aid opening, blue  | Bouchon blue         |

1

vsezip.ru

+7(812)987-08-81




2

3

4

5

| Pos. | Codice     | Descrizione              | Description          | Des                  |
|------|------------|--------------------------|----------------------|----------------------|
| 1    | GMPS5GBPL  | Pannello superiore       | Top panel            | Panneau supérieur    |
| 2    | GMPI4QC    | Portainterruttori inox   | Steel control panel  | Porte-interrupteur i |
| 3    | GMTPi5GBPL | Telaio portainterruttori | Control panel insert | Chassis porte-inter  |
| 4    | AM010GB    | Maniglia                 | Door handle          | Poigné               |
| 5    | GMCR5GBPL  | Cruscotto                | Bottom panel         | Panneau              |



| Pos. | Codice        | Descrizione                               | Description                          | De                  |
|------|---------------|-------------------------------------------|--------------------------------------|---------------------|
| 1    | GS330         | Tubo scarico Ø 31,5                       | Drain Pipe Ø 31,5                    | Flexible de vidange |
| 2    | TC3415        | Tubo carico "vde" mt. 1,5                 | Water Supply Hose, 3/4" BSP, 1,5 m   | Tube entrée eau "v  |
| 3    | VDCVGB        | Doppia valvola con tubo carico            | Water Supply Hose+Dbl Chk Valve,1,5m | Double valve avec   |
| 4    | GB055         | Portagomma a "T" 2 vie                    | Double Tee Connector                 | Raccord à "T" 2     |
| 5    | GB017         | Portagomma a "T" 1 via                    | Tee Connector                        | Raccord à "T" 1     |
| 6    | GB017NT       | Portagomma a "L" 1 via                    | 3 Way Connector                      | Raccord à "L" 1     |
| 7    | CEEV1         | Elettrovalvola 1 via 220 volt             | Solenoid Valve, 1-Way, 230V          | Electrovanne 1 voi  |
| 8    | CEEV2         | Elettrovalvola 2 vie 220 volt             | Solenoid Valve, 2-Way, 230V          | Electrovanne 2 voi  |
| 9    | AM016C        | Confezione 4 piedini lavastoviglie        | Set of 4 adjustable feet dishwashers | Set nr.4 pieds lave |
| 10   | CTIP17        | Inserto porta piattini 17 posti           | Large saucer rack                    | Godet porte soucou  |
| 11   | IP4PM         | Inserto porta posate 4 posti con maniglia | Cutlery basket with handle           | Godet porte couver  |
| 12   | GSDETPI10COMP | Iniettore inox completo                   | Soap Inlet Elbow Assembly            | Injecteur inox comp |
| 13   | DSDET040BC    | Iniettore completo                        | Soap Elbow Assy                      | Injecteur complet   |
| 14   | CQ5018PPL     | Cestello 50x50 18 piatti                  | Plate rack 500 square                | Panier 50x50 18 as  |
| 15   | CO50RPL       | Cestello 50x50 bicchieri                  | Glass rack 500 square                | Panier 50x50 pou    |

**Зип Общепит**

**vsezip.ru**

**+7(812)987-08-81**



**0210/100.04**