

Зип Общепит W  
**Wexiödisk**  
vsezip.ru

+7(812)987-08-81  
**HOOD TYPE DISHWASHER**  
**WD-7**

(translation of the original documentation)

---

## Spare parts manual

---



WD67r1

|                                                    |          |
|----------------------------------------------------|----------|
| <b>1. Spare parts</b>                              | <b>1</b> |
| 1.1 External details                               | 2        |
| 1.2 Hood lift                                      | 4        |
| 1.3 Tank details                                   | 6        |
| 1.4 Wash and rinse system                          | 8        |
| 1.5 Water connections booster heater               | 10       |
| 1.6 Booster heater 400V 9kW                        | 12       |
| 1.7 Booster heater (option)                        | 14       |
| 1.8 Booster heater (option)                        | 18       |
| 1.9 Electric cubicle                               | 22       |
| 1.10 Booster pump (option)                         | 24       |
| 1.11 Valve packet 301773                           | 26       |
| 1.12 Valve packet 301783                           | 28       |
| 1.13 Emptying pump (option)                        | 30       |
| 1.14 Breaktank (option)                            | 32       |
| 1.15 Backflow prevention device (option)           | 34       |
| 1.16 Support for bakery plates (option)            | 36       |
| 1.17 Rebuilding kit 460 basket (option)            | 38       |
| 1.18 Heat recovery by the exhausted steam (option) | 40       |
| 1.19 Heat recovery by the drain water (option)     | 42       |
| 1.20 Pump 1225                                     | 44       |
| 1.21 Pump 2HM4T/A                                  | 46       |

## 1. Spare parts



Switch off the machine immediately in the event of a fault or malfunction. The machine must only be serviced by trained engineers. The machine must be serviced by a person authorised to do so by the manufacturer. Use original spare parts. Contact an authorised service company to draw up a programme of preventative maintenance. Dangerous situations may arise if the instructions above are not followed.


When a position does not have item numbers, it has its own section in the spare parts manual.

Positions that have a \* in front of the name is included in a complete article but can also be purchased separately.

## 1.1 External details

vsezip.ru

+7(812)987-08-81




301702\_r2

| External details |             |                                                                           |
|------------------|-------------|---------------------------------------------------------------------------|
| Pos              | WD no       | Description                                                               |
| 1                | WD718.1050  | Plug                                                                      |
| 2                | WD51476114  | Cable screw cap 25 polyamid                                               |
| 3                | WD718.0305  | Foot grey 40x40 adjustable                                                |
| 3                | WD42820.31  | Foot blate (Option)                                                       |
| 4                | WD300684.31 | Cabinet (Option)                                                          |
| 5                | WD300958.31 | Base-cabinet (Option)                                                     |
| 6                | WD26923.31  | Panel plate (Option)                                                      |
| 7                | WD792.0220  | Cylinder lock (Option)                                                    |
| 8                | WD301060.03 | Panel sign WD7                                                            |
| 8                | WD301736.01 | Panel sign WD-7 Metos                                                     |
| 8                | WD301060.04 | Panel sign WD-7 hoodautomaticity (Option)                                 |
| 8                | WD301736.02 | Panel sign WD-7 Metos hoodautomaticity (Option)                           |
| 9                | WD790.0301  | Hinge door (Option)                                                       |
| 10               | WD724.0502  | Plastic case A4                                                           |
| 11               | WD26991.31  | Front plate (Option)                                                      |
| 12               | WD44880.31  | Side support O494                                                         |
| 13               | WD44930.31  | Distance basket frame rail                                                |
| 14               | WD27316.31  | Shelf left side (Option)                                                  |
| 14               | WD27316.32  | Shelf right side (Option)                                                 |
| 15               | WD26920.01  | Front plate right with bumping                                            |
| 15               | WD26920.02  | Front plate left without bumping (Option)                                 |
| 15               | WD26920.03  | Front plate right without bumping                                         |
| 16               | WD46202.01  | Extension leg (Option)                                                    |
| 17               | WD51476534  | Locking nut 25 polyamid                                                   |
| 18               | WD45941.31  | Model sign WD                                                             |
| 18               | WD42868.31  | Model sign Metos                                                          |
| 18               | WD42998.31  | Model sign Rhima                                                          |
| 18               | WD46094.31  | Model sign Ravimo / Shark                                                 |
| 19               | WD719.0512  | Sealing strip 8x2mm                                                       |
| 20               | WD27362.31  | Sideboard                                                                 |
| 21               | WD724.6006  | Quick reference WD-6/WD-7 without hood lift                               |
| 21               | WD724.6005  | Quick reference WD-6/WD-7 with hood lift (Option)                         |
| 21               | WD724.6024  | Quick guide to WD-6/WD-7 without hood lift and with drain pump (optional) |
| 21               | WD724.6025  | Quick guide to WD-6/WD-7 with hood lift and with drain pump (optional)    |

## 1.2 Hood lift

vsezip.ru

+7(812)987-08-81




301717\_r2

| Hood lift |            |                                         |
|-----------|------------|-----------------------------------------|
| Pos       | WD no      | Description                             |
| 1         | WD38833.01 | Lifting handle opt                      |
| 2         | WD45256.31 | Bearing liftelamp                       |
| 3         | WD700.0207 | Screw MC6S M4x6 A2                      |
| 4         | WD45310.31 | Washer                                  |
| 5         | WD700.0148 | Screw M6S M10x20                        |
| 6         | WD713.0512 | Gas spring800N ball joint               |
| 6         | WD713.0506 | Gas spring 500N protection cap (option) |
| 7         | WD701.0110 | Distance cylinder hold (Option)         |
| 8         | WD700.0824 | Screw KFSS 4.8x38 A2                    |
| 9         | WD700.1105 | Nut RMHM M8 A2                          |
| 10        | WD701.0115 | Plastic washer 10.5x21x3.0mm (Option)   |
| 11        | WD737.0150 | Fork link (Option)                      |
| 12        | WD737.0153 | Nut M6M M10x1.25 fzb (Option)           |
| 13        | WD737.0180 | Cylinder (Option)                       |
| 14        | WD46217.31 | Pin bolt for hood lift (Option)         |
| 15        | WD718.1108 | Nut cover (Option)                      |
| 16        | WD706.0915 | L-coupling (Option)                     |
| 17        | WD38828.31 | Axle hood lift                          |
| 18        | WD41223.31 | Hood bearing WD6/7                      |
| 19        | WD61701519 | Conduit entry                           |
| 20        | WD25941.01 | Hood                                    |
| 21        | WD40016.31 | * Sliding block                         |
| 22        | WD41224.31 | * Sliding roller                        |
| 23        | WD46521.31 | * Magnet holder                         |
| 24        | WD602.0551 | * Magnet                                |
| 25        | WD700.0906 | Nut ML6M M10 A2                         |

## 1.3 Tank details

vsezip.ru

+7(812)987-08-81




301723\_R2

| Tank details |             |                              |
|--------------|-------------|------------------------------|
| Pos          | WD no       | Description                  |
| 1            | WD301689.01 | Chem strainer                |
| 2            | WD718.0826  | * Nob                        |
| 3            | WD700.2864  | * Screw M6SF M8x25 A2        |
| 4            | WD38210.01  | Level pipe                   |
| 5            | WD44643.01  | * Level pipe                 |
| 6            | WD719.4036  | * Level pipe sealing         |
| 7            | WD41225.31  | * Foam remover               |
| 8            | WD700.0607  | * Screw MCS M4x6 A2          |
| 9            | WD32422.31  | Pumpstrainer chemical        |
| 10           | WD604.1805  | Element 1800W 230V           |
| 11           | WD45152.31  | Dosage connection, floating  |
| 12           | WD304150.75 | Breaker with axle (Option)   |
| 13           | WD602.0551  | * Magnet round 6x50 (Option) |
| 14           | WD701.2010  | Stop collar ø10mm            |
| 15           | WD705.1022  | Coupling test pressure       |
|              | WD705.0323  | * Clamping sleeve 22mm       |
|              | WD705.0207  | * Nut Lk 63 22               |
| 16           | WD46198.31  | Level pipe support (Option)  |
| 17           | WD43861.31  | O-ring                       |

## 1.4 Wash and rinse system


vsezip.ru

+7(812)987-08-81



| Wash and rinse system |             |                                  |
|-----------------------|-------------|----------------------------------|
| Pos                   | WD no       | Description                      |
| 1                     | WD44625.31  | Rubber stopping upper rinse pipe |
| 2                     | WD39459.01  | Main pipe                        |
| 3                     | WD44626.31  | Rubber stopping lower rinse pipe |
| 4                     | WD46188.31  | Adjusting plate                  |
| 5                     | WD705.2706  | T-Coupling                       |
| 6                     | WD301169.01 | Pump with attachment , cpl       |
| 7                     | WD714.0112  | Hose clamp 60-80 mm              |
| 8                     | WD36364.31  | Pump connection inlet            |
| 9                     | WD714.0111  | Hose clamp 50-70 mm              |
| 10                    | WD38232.31  | Pump connection                  |
| 11                    | WD700.0132  | Screw M6S M8x16 A2               |
| 12                    | WD45232.01  | Connectioncase throttle          |
| 13                    | WD700.0609  | Screw MCS M4x10 A2               |
| 14                    | WD719.1092  | O-ring                           |
| 15                    | WD45277.01  | Throttle                         |
| 16                    | WD44600.31  | Neck                             |
| 17                    | WD719.0111  | V-ring V16S                      |
| 18                    | WD27252.01  | Rinse arm                        |
| 19                    | WD46852.01  | * Rinse arm bearing, complete    |
| 20                    | WD38719.31  | * End cover                      |
| 21                    | WD45136.01  | * Rinse pipe                     |
| 22                    | WD44969.31  | * Rinse pipe attachment          |
| 23                    | WD45136.02  | * Rinse pipe                     |
| 24                    | WD700.2001  | * Screw RXS Z T4.2x9.5 A4        |
| 25                    | WD45233.31  | Stop washer throttle             |
| 26                    | WD45309.31  | Spacer for damper                |

## 1.5 Water connections booster heater




301722\_R3

| Water connections booster heater vsezip.ru |             |                                    |
|--------------------------------------------|-------------|------------------------------------|
| Pos                                        | WD no       | Description                        |
| 1                                          | WD706.0203  | Nut R 1/2"                         |
| 2                                          | WD39325.01  | Incoming water connection          |
|                                            | WD40301.01  | * Strainer w supporting housing    |
|                                            | WD701.0123  | * Packing 24x17x2                  |
| 2                                          | WD741.7019  | Incoming water connection (Option) |
|                                            | WD706.1303  | * Cap (Option)                     |
|                                            | WD706.0809  | * Nipple (Option)                  |
|                                            | WD701.0123  | * Packing (Option)                 |
| 3                                          | WD45234.31  | Marksign "FILTER"                  |
| 4                                          | WD705.0915  | Coupling 302-15xr15                |
|                                            | WD705.0405  | * Clamping sleeve                  |
|                                            | WD705.0205  | * Nut LK 63-15                     |
| 5                                          | WD729.1540  | Solenoid valve, housing            |
| 6                                          | WD729.1519  | Coil 24V/50 10W                    |
| 7                                          | WD709.0809  | Ball valve                         |
| 8                                          | WD701.0122  | Packing 1/2"                       |
| 9                                          | WD719.5024  | Slang RFR F1/2"xFC1/2" L=510       |
| 10                                         | WD716.0401  | Drying agent pump N6               |
| 11                                         | WD716.0404  | Strainer                           |
| 12                                         | WD42946.31  | Reinforcement pin                  |
| 13                                         | WD700.2001  | Screw RXS Z T4.2x9.5 A4            |
| 14                                         | WD716.0402  | Hose 4x6 L=2m                      |
| 15                                         | WD716.0405  | Pressure hose 4x6 L=0,6m           |
| 16                                         | WD716.0403  | Attachment nut N6                  |
| 17                                         | WD45985.31  | Connection nipple                  |
| 18                                         | WD705.2205  | Coupling 15mm, brass               |
| 19                                         | WD45994.31  | Tube drying agent connection       |
| 20                                         | WD705.1607  | Coupling, angeled 1/2" x 15        |
|                                            | WD705.0420  | * Clamping sleeve 15mm             |
|                                            | WD705.0316  | * Nut 15mm                         |
| 21                                         | WD301069.31 | Tube booster heater final rinse    |
| 22                                         | WD705.0421  | Clamping sleeve 15-10              |
| 23                                         | WD705.2215  | T-Coupling15mm                     |
|                                            | WD705.0420  | * Clamping sleeve 15mm             |
|                                            | WD705.0316  | * Nut 15mm                         |
| 24                                         | WD46188.31  | Adjusting plate                    |
| 25                                         | WD41115.32  | Clamp detergent pump               |
| 26                                         | WD719.0305  | Hose PVC 6x9 L=2m                  |
| 27                                         | WD714.0408  | Hose clamp Remin RSF 8-1           |
| 28                                         | WD42887.31  | Reinforcement pin                  |
| 29                                         | WD719.0307  | Hose PVC 7-10 L=0,5m               |
| 30                                         | WD716.0504  | Detergent pump strainer            |
| 31                                         | WD714.0411  | Hose clamp Remin RSF 11-1          |
| 32                                         | WD716.0501  | Detergent pump GRI 14825           |
|                                            | WD716.0506  | * Hose nipple pressure             |
|                                            | WD716.05061 | * Hose nipple soak                 |

## 1.6 Booster heater 400V 9kW vsezip.ru

+7(812)987-08-81




WD01163.36

| Booster heater 400V 9kW |             |                                           |
|-------------------------|-------------|-------------------------------------------|
| Pos                     | WD no       | Description                               |
|                         | WD01163.36  | Booster heater 400V 9kW                   |
| 1                       | WD809.0903  | * Heat insulation booster heater          |
| 2                       | WD01162.04  | * Container booster heater (E)            |
| 3                       | WD719.1090  | * O-ring                                  |
| 4                       | WD44203.31  | * Attachment temp.sensor                  |
| 5                       | WD30835.01  | * Element 9 kW, 230/400 V                 |
| 6                       | WD04920.31  | * Copper clamp                            |
| 7                       | WD700.2501  | * Collar screw + Gasket                   |
| 8                       | WD302113.01 | * Overheating protection tankelement 400V |
| 9                       | WD734.0110  | ** Overheating protection                 |
| 10                      | WD670.8244  | ** Coupling conductor                     |
| 11                      | WD301321.31 | Protection cover                          |
| 12                      | WD51476571  | End plug                                  |

## 1.7 Booster heater (option)

vsezip.ru

+7(812)987-08-81




WD01163.35

| Booster heater (option) |                   |                                           |
|-------------------------|-------------------|-------------------------------------------|
| Pos                     | WD no             | Description                               |
|                         | <b>WD01163.35</b> | <b>Booster heater 200V, 9 kW</b>          |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.01        | * Element 9 kW, 230/400V                  |
| 6                       | WD67182105        | * Cable bridge                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.01       | * Overheating protection tankelement 400V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |
|                         | <b>WD01163.37</b> | <b>Booster heater 200V 9kW</b>            |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.15        | * Element 9 kW, 200 V                     |
| 6                       | WD67182105        | * Cable bridge                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.02       | * Overheating protection tankelement 230V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |

vsezip.ru

+7(812)987-08-81




WD01163.35

| Booster heater (option) |                   |                                           |
|-------------------------|-------------------|-------------------------------------------|
| Pos                     | WD no             | Description                               |
|                         | <b>WD01163.41</b> | <b>Booster heater 200V 12kW</b>           |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.13        | * Element 12 kW, 200 V                    |
| 6                       | WD67182105        | * Cable bridge                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.02       | * Overheating protection tankelement 230V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |
|                         | <b>WD01163.47</b> | <b>Booster heater 230V 12kW</b>           |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.02        | * Element 12kW, 230/400V                  |
| 6                       | WD67182105        | * Cable bridge                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.01       | * Overheating protection tankelement 400V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |

## 1.8 Booster heater (option)

vsezip.ru

+7(812)987-08-81




WD01163.39

| Booster heater (option) |                   |                                           |
|-------------------------|-------------------|-------------------------------------------|
| Pos                     | WD no             | Description                               |
|                         | <b>WD01163.39</b> | <b>Booster heater 440V 9kW</b>            |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.18        | * Element 9kW, 254/440V                   |
| 6                       | WD04920.31        | * Copper clamp                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.01       | * Overheating protection tankelement 400V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |
|                         |                   |                                           |
|                         | <b>WD01163.40</b> | <b>Booster heater 400V 12kW</b>           |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.02        | * Element 12 kW, 230/400 V                |
| 6                       | WD04920.31        | * Copper clamp                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.01       | * Overheating protection tankelement 400V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |

vsezip.ru

+7(812)987-08-81




WD01163.39

| Booster heater (option) |                   |                                           |
|-------------------------|-------------------|-------------------------------------------|
| Pos                     | WD no             | Description                               |
|                         | <b>WD01163.42</b> | <b>Booster heater 440V 12kW</b>           |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.12        | * Element 12 kW, 440 V                    |
| 6                       | WD04920.31        | * Copper clamp                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.01       | * Overheating protection tankelement 400V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |
|                         |                   |                                           |
|                         | <b>WD01163.48</b> | <b>Booster heater 400V 15kW</b>           |
| 1                       | WD809.0903        | * Heat insulation booster heater          |
| 2                       | WD01162.04        | * Container booster heater (E)            |
| 3                       | WD719.1090        | * O-ring                                  |
| 4                       | WD44203.31        | * Attachment temp.sensor                  |
| 5                       | WD30835.20        | * Element 15kW, 230/400V                  |
| 6                       | WD04920.31        | * Copper clamp                            |
| 7                       | WD700.2501        | * Collar screw + Gasket                   |
| 8                       | WD302113.01       | * Overheating protection tankelement 400V |
| 9                       | WD734.0110        | ** Overheating protection                 |
| 10                      | WD670.8244        | ** Coupling conductor                     |
| 11                      | WD301321.31       | Protection cover                          |
| 12                      | WD51476571        | End plug                                  |

## 1.9 Electric cubicle

vsezip.ru

+7(812)987-08-81




301769\_R2

| Electric cubicle |             |                              |
|------------------|-------------|------------------------------|
| Pos              | WD no       | Description                  |
| 1                | WD61102100  | Panelcard ESP                |
| 2                | WD702.1205  | Lock washer IZ 4.3 steel IZ3 |
| 3                | WD700.0608  | Screw MCS M4x8 A2            |
| 4                | WD61111300  | Temp.sensor                  |
| 5                | WD733.0103  | Pressure switch, gold        |
| 6                | WD04196.31  | Pressure switch attachment   |
| 7                | WD60231734  | Fieldbreaker switch          |
| 7                | WD67182953  | Fieldbreaker switch (Option) |
| 8                | WD61103000  | CPU card ESP                 |
| 9                | WD61101100  | Computercard ESP             |
| 10               | WD702.2015  | Distance nut                 |
| 11               | WD51476114  | Cable screw cap 25 polyamid  |
| 12               | WD51476534  | Locking nut 25 polyamid      |
| 13               | WD702.2207  | Distance tube                |
| 14               | WD700.1603  | Locking nut M4 A2            |
| 15               | WD301794.31 | Defence to panelcard         |
| 16               | WD718.0724  | Plastic nut M4 white RG114   |
| 17               | WD51402612  | Plastic holder               |
| 18               | WD67182111  | Cable to front plate         |
| 19               | WD719.0310  | Hose EPDM 7x4mm L=0,8m       |

## 1.10 Booster pump (option)

vsezip.ru

+7(812)987-08-81




| Booster pump (option) |             |                                 |
|-----------------------|-------------|---------------------------------|
| Pos                   | WD no       | Description                     |
| 1                     | WD301783.01 | Coil 24V/50Hz 10W               |
| 2                     | WD729.1519  | Nylon tube L=0,5m               |
| 3                     | WD737.0408  | Coupling                        |
| 4                     | WD705.0922  | * Clamping sleeve 22mm          |
|                       | WD705.0323  | * Nut 22 mm                     |
|                       | WD705.0322  | * Clamping sleeve 15mm          |
|                       | WD705.0420  | * Nut 15mm                      |
|                       | WD705.0315  | Clamping sleeve 15-10           |
| 5                     | WD705.0421  | Supporting sleeve fpl 720 8x1.0 |
| 6                     | WD705.0101  | Nylon tube L=1,6m               |
| 7                     | WD737.0408  | Slang RFR F1/2"xFC1/2"          |
| 8                     | WD719.5024  | Attachment booster pump         |
| 9                     | WD300187.31 | Nylon tube L=1,3m               |
| 10                    | WD737.0408  | Breaktank, kpl                  |
| 11                    |             | Hexagon nipple                  |
| 12                    | WD706.0813  | * Packning 24x17x2              |
| 13                    | WD701.0123  | Steel braided hose              |
| 14                    | WD47153.01  | Packing 1/2"                    |
| 15                    | WD701.0122  | Steel braided hose              |
| 16                    | WD47139.01  | Coil 24V/50Hz 10W               |

## 1.11 Valve packet 301773

vsezip.ru

+7(812)987-08-81




303071\_R2

| Valve packet 301773 |             |                                 |
|---------------------|-------------|---------------------------------|
| Pos                 | WD no       | Description                     |
|                     | WD301773.02 | Valve packet hood lift          |
| 1                   | WD729.2840  | * Solenoid valve housing        |
| 2                   | WD46736.31  | * Anchor plate                  |
| 3                   | WD706.0927  | * T-connection 8-1/8"           |
| 4                   | WD737.0408  | * Hose D8 L=30                  |
| 5                   | WD706.0915  | * L-coupling                    |
| 6                   | WD301774.02 | Incoming water connection       |
|                     | WD701.0122  | * Packing 1/2"                  |
|                     | WD40301.01  | * Strainer w supporting housing |
| 7                   | WD45234.31  | Marksign "FILTER"               |

## 1.12 Valve packet 301783

vsezip.ru

+7(812)987-08-81




303056\_R2

| Valve packet 301783 |             |                                   |
|---------------------|-------------|-----------------------------------|
| Pos                 | WD no       | Description                       |
|                     | WD301783.01 | Valve packet hood lift            |
| 1                   | WD301779.01 | * Incoming water connection       |
|                     | WD701.0123  | ** Packing 24x17x2                |
|                     | WD40301.01  | ** Strainer w supporting housing  |
| 2                   | WD705.2205  | * Coupling 15mm, brass            |
| 3                   | WD46778.31  | * Pipe                            |
| 4                   | WD46779.31  | * Bracket                         |
| 5                   | WD705.0915  | * Coupling 302-15xr15             |
|                     | WD705.0405  | ** Clamping sleeve                |
|                     | WD705.0205  | ** Nut LK 63-15                   |
| 6                   | WD729.1540  | * Solenoid valve, housing EVSI-12 |
| 7                   | WD709.0809  | * Ball valve                      |
| 8                   | WD46928.31  | Connection valve packet           |
| 9                   | WD706.0915  | * L-coupling                      |
| 10                  | WD301773.02 | * Valve packet 301773             |
| 11                  | WD45234.31  | Marksign "FILTER"                 |
| 12                  | WD701.0122  | Packing 1/2"                      |

## 1.13 Emptying pump (option) vsezip.ru

+7(812)987-08-81




301725\_R1

| Emptying pump (option) |             |                            |
|------------------------|-------------|----------------------------|
| Pos                    | WD no       | Description                |
| 1                      | WD700.0111  | Screw M6S M6x10 A2         |
| 2                      | WD300636.31 | Cover emptying pump        |
| 3                      | WD735.0310  | Emptying pump              |
| 4                      | WD714.0107  | Hose clamp                 |
| 5                      | WD717.0125  | Radiator hose 25 L=60mm    |
| 6                      | WD04703.31  | Pump connection empt.pump  |
| 7                      | WD717.0125  | Radiator hose 25 L=290mm   |
| 8                      | WD04224.01  | Drain connection empt.pump |
| 9                      | WD714.0111  | Hose clamp 50-70 mm        |
| 10                     | WD717.0150  | Radiator hose ø50 L=60mm   |
| 11                     | WD44952.01  | Outlet strainer            |
| 12                     | WD301029.01 | Level pipe                 |
| 13                     | WD719.4036  | Level pipe sealing         |
| 14                     | WD45983.31  | Attachment level pipe      |

## 1.14 Breaktank (option)

vsezip.ru

+7(812)987-08-81



| Breaktank (option) |             |                                  |
|--------------------|-------------|----------------------------------|
| Pos                | WD no       | Description                      |
| 1                  | WD709.4020  | Float                            |
| 2                  |             | Pump 2HM4T/A                     |
| 3                  | WD714.0109  | Hose clamp                       |
| 4                  | WD719.1330  | Rubber foot 30x30x3              |
| 5                  | WD46934.31  | Rubber connection breaktank pump |
| 6                  | WD303194.01 | Tank cpl, Break tank             |
| 7                  | WD733.0514  | Level guard                      |


ce (option) [vcezip.ru](http://www.vcezip.ru)

**+7(812)987-08-81**



| Backflow prevention device (option) |            |                             |
|-------------------------------------|------------|-----------------------------|
| Pos                                 | WD no      | Description                 |
| 1                                   | WD705.1008 | Coupling 15xR15             |
|                                     | WD705.0420 | * Clamping sleeve 15mm      |
|                                     | WD705.0316 | * Nut 15mm                  |
| 2                                   | WD31711.75 | Pipe                        |
| 3                                   | WD705.1607 | Coupling, angeled 1/2" x 15 |
|                                     | WD705.0420 | * Clamping sleeve 15mm      |
|                                     | WD705.0316 | * Nut 15mm                  |
| 4                                   | WD31712.75 | Pipe                        |
| 5                                   | WD705.2703 | T-coupling 15x15x R15       |
|                                     | WD705.0420 | * Clamping sleeve 15mm      |
|                                     | WD705.0316 | * Nut 15mm                  |
| 6                                   | WD709.1506 | Vacuum valve                |
| 7                                   | WD709.6305 | Non return valve            |
| 8                                   | WD705.0912 | Coupling 15x15              |
|                                     | WD705.0420 | * Clamping sleeve 15mm      |
|                                     | WD705.0316 | * Nut 15mm                  |
| 9                                   | WD40249.75 | Pipe                        |

1.16 Support for bakery plates (option)




203,0733

| Support for bakery plates (option) |            |                           |
|------------------------------------|------------|---------------------------|
| Pos                                | WD no      | Description               |
|                                    | WD741.7011 | Support for bakery plates |

## 1.17 Rebuilding kit 460 basket (option)

+7(812)987-08-81




741,7011r1

| Rebuilding kit 460 basket (option) |            |                                        |
|------------------------------------|------------|----------------------------------------|
| Pos                                | WD no      | Description                            |
|                                    | WD741.7011 | Rebuilding kit 460 basket              |
| 1                                  | WD46633.31 | * Attachment support 400 basket        |
| 2                                  | WD46626.31 | * Support basket frame rail 400 basket |

## 1.18 Heat recovery by the exhausted steam (option)

+7(812)987-08-81



| Heat recovery by the exhausted steam (option) |             |                                 |
|-----------------------------------------------|-------------|---------------------------------|
| Pos                                           | WD no       | Description                     |
| 1                                             | WD303033.31 | Outer plate steam cap           |
| 2                                             | WD303030.31 | Mounting plate fan              |
| 3                                             | WD738.2023  | Fan RFE 140CKU 230/50Hz 129W    |
| 4                                             | WD918.0115  | Pipe PEX 15x2.5 L=1m            |
| 5                                             | WD810.0907  | Condensing battery              |
| 6                                             | WD46748.31  | Anchor plate condensing battery |
| 7                                             | WD27825.01  | Box steam cap WD-6              |
| 8                                             | WD46802.31  | Cover plate                     |
| 9                                             | WD705.0914  | Coupling 15x15                  |
|                                               | WD705.0420  | * Clamping sleeve 15mm          |
|                                               | WD705.0315  | * Nut 15mm                      |
| 10                                            | WD705.0104  | Supporting sleeve 15x2.5        |
| 11                                            | WD719.5026  | Tube EPDM+RFR, G1/2" L=2000     |
| 12                                            | WD719.1219  | Conduit entry                   |
| 13                                            | WD27802.31  | Rear plate WD-6                 |
| 14                                            | WD705.1905  | Coupling angled 15 x 3/4"       |
|                                               | WD705.0420  | * Clamping sleeve 15mm          |
|                                               | WD705.0315  | * Nut 15mm                      |
| 15                                            | WD305297.31 | Gasket                          |

# Зин WD-7 Общепит

# Зин WD-7 Общепит




# Зин WD-7 Общепит

| Heat recovery by the drain water (option) |             |                                     |
|-------------------------------------------|-------------|-------------------------------------|
| Pos                                       | WD no       | Description                         |
| 1                                         | WD301029.01 | Level pipe                          |
|                                           | WD719.4036  | * Level pipe sealing                |
| 2                                         | WD44952.01  | Outlet strainer                     |
| 3                                         | WD726.0850  | Pipe 50x3000 without muff PP L=1260 |
| 4                                         | WD735.0202  | Drainpump Hanning BE 55C 9          |
| 5                                         | WD714.0107  | Hose clamp                          |
| 6                                         | WD717.0125  | Radiator hose 25 L=130              |
| 7                                         | WD706.1810  | Hose nipple 1/2"                    |
| 8                                         | WD709.0561  | Flap non return valve TYP 130, 1/2" |
| 9                                         | WD717.0125  | Radiator hose 25 L=50               |
| 10                                        | WD46760.31  | Pipe drain pump                     |
| 11                                        | WD705.1207  | Coupling 22mm                       |
|                                           | WD705.0323  | * Clamping sleeve 22mm              |
|                                           | WD705.0322  | * Nut 22 mm                         |
| 12                                        | WD300636.31 | Cover emptying pump                 |
| 13                                        | WD717.0125  | Radiator hose 25 L=270              |
| 14                                        | WD04224.01  | Drain connection empt.pump          |
| 15                                        | WD714.0111  | Hose clamp 50-70 mm                 |
| 16                                        | WD717.0150  | Radiator hose ø50 L=60              |
| 17                                        | WD27802.31  | Rear plate WD-7                     |
| 18                                        | WD303013.31 | Pipe drain heat recover             |
| 19                                        | WD719.5026  | Tube EPDM+RFR, G1/2" L=2000         |
| 20                                        | WD303008.01 | Heat recovery, cpl                  |
|                                           | WD714.0603  | * Hose clamp PA-RI 39-45            |
|                                           | WD40058.31  | * Distribution nipple               |
|                                           | WD303064.01 | * Heat recovery                     |
|                                           | WD705.0917  | * Coupling 22xR20                   |
|                                           | WD705.0323  | ** Clamping sleeve 22mm             |
|                                           | WD705.0322  | ** Nut 22 mm                        |
| 21                                        | WD303191.31 | Attachment                          |
| 22                                        | WD719.5025  | Tube RFR G1/2" L=800                |
| 23                                        | WD45983.31  | Attachment level pipe               |

1.20 Pump 1225

vsezip.ru

+7(812)987-08-81




805,2610

| Pump 1225 |             |                            |
|-----------|-------------|----------------------------|
| Pos       | WD no       | Description                |
|           | WD301169.01 | Pump 230/400V 50Hz         |
|           | WD805.2610A | Pump 255-480/440-480V 60Hz |
|           | WD805.2610E | Pump 200V 50Hz             |
|           | WD805.2610F | Pump 200V 60Hz             |
| 1         | WD805.2554  | * Sealing                  |
| 2         | WD805.2613  | * Impeller 50Hz            |
| 2         | WD805.2613A | * Impeller 60Hz            |
| 3         | WD805.2611  | * Pumphouse                |
| 4         | WD805.2555  | * O-ring 50Hz              |
| 5         | WD805.2572  | * Fan                      |

## 1.21 Pump 2HM4T/A

vsezip.ru

+7(812)987-08-81



805,5013e

| Pump 2HM4T/A |             |                                |
|--------------|-------------|--------------------------------|
| Pos          | WD no       | Description                    |
|              | WD805.5013  | Pump 2HM4T/A 230/415V/3/50Hz   |
|              | WD805.5013A | Pump 2HM4T/A 440V/3/60Hz       |
|              | WD805.5013B | Pump 2HM46T/A+MP 230/400V/60Hz |
|              | WD805.5013D | Pump 2HM46T 230/415V/60Hz      |
|              | WD805.5013E | Pump 2HM4T/A 200V/3/50Hz       |
|              | WD805.5013F | Pump 2HM4T/A 200V/3/60Hz       |
| 1            | WD805.5014  | Mechanical seal + OR           |

vsezip.ru

+7(812)987-08-81