

Зип Общепит



Spare parts for the professional sector
Food processing equipment



Suitable for:

CELME



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CELME
Зинн-Общепит



Suitable for:

Abrasive discs for potato peeler

9735011 EJECTOR DISC FOR VEGETABLE CHOPPER
external $\varnothing$ 200 mm - with pin groove 26x20 mm



CELME

9735032 EJECTOR DISC FOR VEGETABLE CHOPPER
external $\varnothing$ 200 mm - with groove 27x20 mm
for Vegetables/mozzarella cutter (CELME)



CELME 505557

5100996 SLICING DISC VEGETABLE CHOPPER 2 mm
external $\varnothing$ 205 mm - fixing hole $\varnothing$ 18.5 mm



CELME E2AK

CELME 970728

Accident prevention devices-protections

9716027 CARRIAGE PROTECTION OF POLYCARBONATE
max overall dimensions 150x240 mm
holes mounting distance 80 mm
for Slicer (CELME) 300GPR



CELME 80264

9716029 CARRIAGE PROTECTION OF POLYCARBONATE
max overall dimensions 150x300 mm
holes mounting distance 90 mm
for Slicer (CELME) 350GPR



CELME 80994

9716065 CARRIAGE PROTECTION OF POLYCARBONATE
max overall dimensions 210x178 mm
holes mounting distance 49 mm
for Slicer (CELME) GPE250



CELME 80327



Suitable for:

CELME Зип-Общепит



Suitable for:

Bearings

D063050 BEARING 6202-2RS SKF

single box packaging

3063005 BEARING 6202 DDU NSK

external $\varnothing$ 35mm - internal $\varnothing$ 15mm - thickness 11mm



CELME 755620



CELME 755620

9063037 BEARING 626 ZZ NSK

external $\varnothing$ 19 mm - internal $\varnothing$ 6 mm - thickness 6mm
for Slicer (CELME)



CELME

Belts

5027946 BELT MULTIGRIP TB2 360 H26 12 GROOVES



CELME 811436

9003659 MULTIGRIP BELT TB2 330 H16 7 GROOVES
for Slicer (CELME)



CELME 81302

9003662 MULTIGRIP BELT TB2 360 H16 7 GROOVES
for Slicer (CELME)



CELME

9003663 MULTIGRIP BELT TB2 380 H20 9 GROOVES



CELME 81481

9062050 MULTIGRIP BELT TB2 400 H24 11 GROOVES
for Slicer (CELME) 350



CELME

9003665 MULTIGRIP BELT 430 TB2 H20 9 GROOVES
for Slicer (CELME)



CELME



Suitable for:

9003505 TOOTHED BELT 6x300 mm
for Slicer (CELME) 250



CELME

CELME Зини Общепит



Suitable for:

9002093 V-BELT 6x315 mm
for Slicer (CELME)



CELME

+7(812)987-08-81

9003540 V-BELT 8x600 mm
model T23 1/2
for Slicer (CELME) MECT



CELME

Blade protectors for slicers

9710080 BLADE COVER CELME GPR300
external $\varnothing$ 253 mm - square pin 12x12 mm
thread internal $\varnothing$ 6 mm
for Slicer (CELME) GPR300



CELME 42708

Blades for meat slicer

9006510 BLADE $\varnothing$ 220-40-3-180 MOD.C
B = outer $\varnothing$ 220 mm
D = central hole $\varnothing$ 40 mm
C = blade inner $\varnothing$ 180 mm
3x fastening screws
C45 forged steel



CELME 17154

9006515 BLADE $\varnothing$ 250-40-3-210 MOD.C
B = outer $\varnothing$ 250 mm
D = central hole $\varnothing$ 40 mm
C = blade inner $\varnothing$ 210 mm
height 17.5 mm
3x fastening screws
C45 steel
for Slicer (CELME) GPE250



CELME 17311



Suitable for:

9006528 BLADE $\varnothing$ 300-57-4-254 MOD.C

B = outer $\varnothing$ 300 mm
D = central hole $\varnothing$ 57 mm
C = blade inner $\varnothing$ 254 mm
4x fastening screws
100CR6 forged steel



CELME 17704

CELME

Suitable for:

9006559 BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = outer $\varnothing$ 300 mm
D = central hole $\varnothing$ 57 mm
C = blade inner $\varnothing$ 254 mm
4x fastening screws
with extraction holes
100CR6 forged steel
for Slicer (CELME) GE300



CELME LF-5060224

Eccentrics

9005017 ECCENTRIC CELME $\varnothing$ 48 mm

internal hole $\varnothing$ 12 mm - grooving 5 mm
for Slicer (CELME) 220 - 250



CELME 50157

9005025 PLASTIC ECCENTRIC CELME $\varnothing$ 76 mm

internal hole $\varnothing$ 14 mm - grooving 8.5 mm
with external locking notch
for Slicer (CELME) GPR250 - GPR300 - GPR350
GPR370 - VPR300 - VPR350 - VPR370



CELME 805585

Electrical capacitors

3068079 ELECTRIC CAPACITOR 8 μ F

450V 50/60Hz - $\varnothing$ 30xh71 mm
for Slicer (CELME) FAP300



CELME 60536

Emeries for blades

9013003 CUP GRINDERS 40-12-8

A = external $\varnothing$ 40 mm
B = hole $\varnothing$ 12 mm
H = height 8 mm
COARSE GRAIN



CELME

9013201 RIMMED GRINDERS WITH DRUM 40-6-7.8

A = external $\varnothing$ 40 mm
B = hole $\varnothing$ 6 mm
H = height 7.8 mm
FINE GRAIN
for Slicer (CELME) 220



CELME 75191





Suitable for:

CELME Зини Общепит



9013202 RIMMED GRINDERS WITH DRUM 40-6-7.8

A = external $\varnothing$ 40 mm
B = hole $\varnothing$ 6 mm
H = height 7.8 mm
COARSE GRAIN
for Slicer (CELME) 220



CELME 75192

9013209 RIMMED GRINDERS WITH DRUM 45-6-8

A = external $\varnothing$ 45 mm
B = hole $\varnothing$ 6 mm
H = height 8 mm
FINE GRAIN



CELME

9013210 RIMMED GRINDERS WITH DRUM 45-6-8

A = external $\varnothing$ 45 mm
B = hole $\varnothing$ 6 mm
H = height 8 mm
COARSE GRAIN



CELME

9013123 RIMMED GRINDERS 45-8-7

A = external $\varnothing$ 45 mm
B = hole $\varnothing$ 8 mm
H = height 7 mm
FINE GRAIN
for Slicer (CELME) GRP350



CELME

9013136 RIMMED GRINDERS 50-8-8

A = external $\varnothing$ 50 mm
B = hole $\varnothing$ 8 mm
H = height 8 mm
COARSE GRAIN
for Slicer (CELME) 350



CELME

Feet

9012015 SUCTION FOOT WITH SHAFT M5

length 10 mm
base $\varnothing$ 37x26 mm



CELME 80138

9012016 SUCTION FOOT WITH SHAFT M6

length 15 mm
base $\varnothing$ 47x42 mm



CELME 80510



Suitable for:

CELME ЗиниОбщепит

Suitable for:



Handles

9242041 CARRIAGE HANDLE DISTANCE BW HOLES 110 mm

width 25 mm - height 42 mm
thread M5 - length 125 mm
for Slicer (CELME) GPR300

+7(812)987-08-81



CELME 80490

Knobs

9241020 ADJUSTABLE KNOB BLACK ø 12x102 mm

pin ø 12x46 mm
knob ø 57 mm
mounting frame ø 61 mm
for Slicer (CELME) 250 - 300



CELME 80750

9007455 ADJUSTABLE KNOB BLACK ø 12x97 mm

pin ø 12x31 mm
knob ø 57 mm
mounting frame ø 61 mm
for Slicer (CELME) 250 - 300



CELME 80303

9242040 BLACK KNOB SLIDEWAY ø 67 mm

internal ø 12 mm
for Slicer (CELME) GPR300



CELME 80509

9007519 BLACK KNOB ø 63 mm PITCH M12

without pin
for Slicer (CELME)



CELME

9242040 BLACK KNOB SLIDEWAY ø 67 mm

internal ø 12 mm
for Slicer (CELME) GPR300



CELME 80509



Suitable for:

9007454 DIAL BLACK SCALE 0-15
dial $\varnothing$ 40 mm - pin $\varnothing$ 12x31 mm
frame $\varnothing$ 51 mm
for Slicer (CELME) 220



CELME 80134

CELME 3in1 Общепит



Suitable for:

5022095 KNOB WITH PIN BLACK LATERAL $\varnothing$ 30 mm
thread $\varnothing$ 8 mm - overall length 65 mm
for Vegetables/mozzarella cutter (CELME) CHEF 200
CHEF 300



CELME CLPERN0041

CELME 515609

Lids

9734013 CUTTER LID $\varnothing$ 188 mm
complete with magnet



CELME

9734014 CUTTER LID $\varnothing$ 255 mm
complete with magnet



CELME

Lubricants

9009000 DRIP-FEED OILER 50 cl WITH OIL



CELME 80139

Magnets

9240027 LID MAGNET
external $\varnothing$ 22 mm - M5x10 mm



CELME

Meat rammers

9014161 MEAT MINCER MASHER $\varnothing$ 51x130 mm
empty inside
for Meat mincer (CELME) 22



CELME 805559



Suitable for:

CELME

Suitable for:



Microswitches magnetic

3240498 MAGNETIC MICROSWITCH STEM D102 1B

1-NO 1A 250V 50W
cylindrical deflector $\varnothing$ 10x33 mm thread M10x0.75
cable length 2000 mm



CELME 605511

Motors

9240081 MOTOR P60 230V 50Hz

shaft $\varnothing$ 15x30 mm
for Slicer (CELME) - Series FAP - Series GPR
GPR300 - S300



CELME 60504

CELME 60504E

5100780

MOTOR SINGLE-PHASE 0.25HP 230V 50Hz

1380 rpm - capacitor 8 μ f
for Slicer (CELME) FAMILY220 - GE220



CELME 60148

9240083 MOTOR 0.116kW 220V 50Hz

0.62A - shaft $\varnothing$ 15x25 mm
for Slicer (CELME) - Series FAP - FA250 - GPE250
Series GPR



CELME 60308D

Sharpeners

9701005 BLADE SHARPENER CELME GPR300

without cover
mounting distance 89 mm



CELME 50127



Suitable for:

CELME
Зин-Общепит



Suitable for:

Slice protectors

9711017 SLICE GUARD FOR SLICER OF ALUMINIUM

external dimensions 130x90 mm
distance between holes 56 mm
for Slicer (CELME) AF300



CELME 16501

9711018 SLICE GUARD FOR SLICER OF ST. STEEL

external dimensions 165x90 mm
distance between holes 86 mm
for Slicer (CELME) 350



CELME 16805

Switches

9014068 BUTTON PANEL O-I BLACK-WHITE 16A 250V

GIOVENZANA - 1 normally closed contact
1 normally open contact
with indicator light
mounting hole $\varnothing$ 22 mm



CELME 60959

9319088 DOUBLE GREEN/RED SWITCH 16A 250V

16(4)A 250V - mounting hole 22x30 mm
for Slicer (CELME) FAP300 - GPE250
for Slicer (CELME) FAP300



CELME 60433

Tie rods for blade cover

9013504 BLADE COVER TIE ROD SHAFT 125mm PITCH M6

microswitch support $\varnothing$ 10x60 mm
for Slicer (CELME) FAMILY220 - 220 - 250



CELME 80173

9714022 BLADE COVER TIE ROD SHAFT 155mm PITCH M6

micro support $\varnothing$ 10x58 mm
for Slicer (CELME) 250



CELME 80312

9013030 BLADE COVER TIE ROD SHAFT 177mm PITCH M6

micro support $\varnothing$ 12x67 mm
for Slicer (CELME) 300G - 300V
for Slicer (CELME) FAP300



CELME 80492

9714011 BLADE COVER TIE ROD SHAFT 215mm PITCH M7

micro support $\varnothing$ 20x95 mm
for Slicer (CELME) VPR350 - VPR370



CELME 50482



Suitable for:

CELME
Зип-Общепит



9013540 **BLADE COVER TIE ROD SHAFT 240mm PITCH M7**
micro support ø 20x30 mm
for Slicer (CELME) GRP350 - GRP370

vsezip.ru

+7(812)987-08-81



CELME 50650

Зип Общепит

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document.
All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.

+7(812)987-08-81



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
- | | |
|---|--|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - info@lfricambi.it
Export Dept. Tel. +39 0547 34 11 50 - Fax +39 0547 34 11 55
www.lfspareparts724.com - export@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Polígono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00 - Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es - info@lfrepuestos.es |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 99 - AREA Science Park - 34149 Trieste (TS) ITALY
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - info@lfspareparts.com |  LF Scandinavia Aps - LF Spareparts S.p.A. DENMARK
Nupark, 51 - 7500 Holstebro
Tel. +45 70 70 77 33
www.lfspareparts724.dk - denmark@lfspareparts.dk |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21 - Fax +33 (0)3 20 25 34 12
www.epgc.com - epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80/1 - Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch - info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66 - Fax +49 89 89 45 78 88
www.lfersatzteile724.de - info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25 - Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk - info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31 - Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com - china@lfspareparts.com |  LF Central Est Europe S.r.o. CZECH REPUBLIC
Antala Staska 1859/34
14000 Praha 4 - KRC
Tel. +420 730 156 910
www.lfspareparts724.cz - info@lfspareparts.cz |
|  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru - info@lfspareparts.ru |  LF SPARE PARTS INC. USA
Legal address:
155 Office Plaza Dr - Suite A - Tallahassee, FL 32301
Business/Mailing address:
1100 South Tower, 225 Peachtree St., N.E. - Atlanta, GA 30303, USA
Tel. +1-404-525-2600 - Fax +1-404-586-3528
www.lfspareparts724.us - info@lfspareparts.us
Tel. West Coast and Midwest: 206-349-1525 Sauro
Tel. East Coast and the Caribbean: 786-817-1764 Luis |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  LATIN AMERICA AND THE CARRIBEANS
www.lfrepuestos-horeca724.es
export@lfrepuestos.es |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  POLAND
www.lfspareparts724.pl
info@lfspareparts.pl |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
export@lfspareparts.com |