Зип Общепит
vsezip.ru
+7(812)987-08-81

Spare parts for:

**Ovens**

Suitable for:

# EMMEPI

This catalogue is automatically generated.
Therefore, the sequence of the items might not be always shown at best.
Updates will be issued in case of additions and/or amendments.
*Suitable **universal spare parts** may not be included*

Rel. 2013-11211429

Зип Общепит
vsezip.ru
+7(812)987-08-81

## Alarms

**3397204** **ALARM BUZZER SET 12V 50Hz**
cable length 395 mm
for Convection oven (RATIONAL)
since 1/06/97
Series CM - Series CPC - Series SCC

EMMEPI 809553

## Axial motors

**3240519** **AXIAL FAN EBM 119x119x38 mm**
ball bearing
230V 50Hz 19W 2650rpm
4656N

EMMEPI 827851

**3240501** **AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN

EMMEPI 809503 EMMEPI 831100001

**3240337** **AXIAL VENTILATOR SUNON 80x80x38 mm**
ball bearings
230V 50/60Hz 18W 2400rpm
SF23080A-2083HBL.GN

EMMEPI 827852

## Bearings

**3063017** **BEARING 6203 2RS NSK**
external ø 40 mm -internal ø 17 mm-thickness 12 mm

EMMEPI E55110014 EMMEPI 8C0202 EMMEPI 808555
EMMEPI 809855

**3063121** **BEARING 6203 2RS SKF**
ø ext. 40 mm - ø int. 17 mm - thickness 12 mm

EMMEPI E55110014 EMMEPI 8C0202 EMMEPI 808555
EMMEPI 809855

Зип Общепит
+7(812)90

Suitable for:

Suitable for:

## Cables for piezo igniters

**3001034** **IGNITION CABLE 1400 mm**
with faston terminal 3x0.8 mm for ignition
with faston terminal ø 2 mm for plug
for Convection oven gas (MBM) - Series JOKER

EMMEPI 808276

**3001002** **SIT IGNITION LEAD 1000 mm**
with faston 6.35x0.8 mm ignition
with faston ø 4 mm for electrode

EMMEPI 809430

**3001016** **SIT IGNITION LEAD 1000 mm**
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode

EMMEPI C10259 EMMEPI 809389

**3001017** **SIT IGNITION LEAD 600 mm**
with faston 6.35x0.8 mm ignition
with faston ø 4 mm for electrode

EMMEPI

**3001018** **SIT IGNITION LEAD 600 mm**
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode

EMMEPI C00171 EMMEPI 808230

## Capacitors

**3068010** **CAPACITOR µF 6.3 450V 50/60Hz**
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat

EMMEPI 8C1588

**3068014** **CAPACITOR µF 8 450V 50/60Hz**
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations

EMMEPI 132110008

Зип Общепит
vsezip.ru
+7(812)987-08-81

## Contact thermostats

**3443026** **CONTACT THERMOSTAT 110°C M4**
for Convection oven (RATIONAL)
since 1/06/97
Series CM - Series CP

EMMEPI 809559

## Contactors

**3351212** **CONTACTOR AEG LS4K 9A 230V 4Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact

EMMEPI 8C0148

**3351218** **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact

EMMEPI C00571

**3446561** **CONTACTOR LOVATO BF0910A**
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact

EMMEPI 807553

**3446556** **CONTACTOR LOVATO BG0910A**
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



EMMEPI C00287 EMMEPI 907041

**3351059** **THERMAL RELAY SIEMENS 1.8-2.5 A**
1 contact normally open
1 contact normally closed
3RU1116-1CB0 serie S00
for Convection oven electric (FOINOX) MM10EB
for Convection oven electric (LAINOX) ME102D
ME102M - ME102P - ME102T - ME202D - ME202M
ME202P - ME202T - VE102D - VE102M - VE102P
VE102T - VE202D - VE202M - VE202P - VE202T
for Convection oven gas (LAINOX) MG102T - MG202T
VG102T - VG202T

EMMEPI 808952

Зип Общепит
vezip.ru
+7(812)9

Suitable for:

Suitable for:

## Drain pumps

**3122404** **DRAIN ELECTRIC PUMP BE28B4-178 LH**
100W 230V 50Hz
inlet external ø 30 mm - outlet external ø 24 mm
for Convection oven (RATIONAL) - Series CC
Series CCC - Series CCD - Series CCM - Series CD
Series CM - Series CPC

EMMEPI 809563 EMMEPI 809735

**3122402** **DRAIN ELECTRO-PUMP 80W 230V 50Hz**
inlet external ø 24 mm - outlet external ø 24 mm
for Convection oven (RATIONAL) - Series CC
Series CCC - Series CCD - Series CCM - Series CD
Series CM - Series CPC

EMMEPI 809563 EMMEPI 809735

**3122000** **DRAIN ELECTROPUMP 296005 34W 230/240V**
0.2A 50Hz
for Convection oven electric (BERTO'S) FME10M
for Convection oven electric (FOINOX)

EMMEPI 808670

## Electrical gas valves and accessories

**3526102** **ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA

EMMEPI C00974 EMMEPI 245120705

**3526090** **ELETTROSIT VALVE ø 3/4"FF**
inlet ø 3/4"F - outlet ø 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple

EMMEPI C00302 EMMEPI 813416

**3526096** **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT

EMMEPI C00309

**3526181** **VALVE VK4105C HONEYWELL ø 1/2"**
inlet-outlet ø 1/2" unthreaded
maximum gas inlet pressure 60 mbar
room temperature -15÷60°C
power supply 220/240V 50Hz
for Convection oven gas (FOINOX) J00611G - J01011G
J01021G - J02011G - J02021G

EMMEPI 809510

Зип Общепит
vsezip.ru
+7(812)984-08-81

Suitable for:

**3526079** **VALVE 820 NOVA ø 1/2"FF**

inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Convection oven electric (MBM) FCE6
for Convection oven gas (ANGELO PO) - Series FC
Series FCV
for Convection oven gas (MBM) FFM061 - FGC060
FGC065 - FGC100 - FGC20 - FGC200 - FGDM066
FGMD060 - FGMD061 - FGMD065 - FGMD100
FGMD101 - FGM060 - FGM061 - FGM100 - FGM101
FGM200 - FGM201 - FGP050 - FGP080 - FGP160

EMMEPI 813436

Suitable for:

**3526361** **VALVE 822 NOVA ø 1/2"FF**

inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (INOXTREND) BUA-606G
BUA-610G - BUE-606G - BUE-610G - FBA-106G
FBA-110G - FBA-210G - FBE-106G - FBE-110G
FDA-106G - FDA-110G - FDA-210G - FDE-106G
FDE-110G - FDE-210G - FUA-106G - FUA-110G
FUA-210G - FUE-106G - FUE-110G - FUE-210G

EMMEPI 808578

**3526104** **VALVE 830 TANDEM ø 1/2"FF**

inlet ø 1/2"F - outlet ø 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz
for Convection oven gas (EBERHARDT)
for Convection oven gas (EMMEPI)
for Convection oven gas (SILKO)
for Convection oven gas (UNOX)
for Convection oven gas (ZANUSSI)

EMMEPI 8C0068 EMMEPI 809595

**3526140** **VALVE 836 TANDEM ø 1/2"FF**

inlet ø 1/2"F - outlet ø 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Convection oven gas (ZANUSSI) - Series ACV
Series ECV - Series FCS - Series FDV - Series NCV
Series RCV - Series ZCV

EMMEPI 809326

## Electronic boxes

**3091014** **CONTROL BOX CM11**

model BRAHMA - 230V 50/60Hz 7VA
for Convection oven (KELVIN)
for Convection oven (SOGECO)
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G

EMMEPI 809878

**3526402** **CONTROL BOX S4560A1008**

model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven (LAINOX) PG
for Convection oven (ZANUSSI) FCVG6L4
for Convection oven gas (LAINOX) MG220T - VG105S
for Convection oven gas (ZANUSSI) FCVMG62

EMMEPI 809751

Зип Общепит
vsezip.ru
+7(812)980-08-01

Suitable for:

**3091017** **CONTROL BOX S4560B1006**
model HONEYWELL - 220/240V 50Hz 10VA
for Convection oven electric (RATIONAL) CM101
CM201

EMMEPI 808611

Suitable for:

**3091012** **CONTROL BOX 503 EDF FOR TANDEM**
model SIT - 220/240V 50/60Hz 7VA
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG10EC
DG10ES - DG10MX - DG102EC - DG102MX - GF10GM
GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX

EMMEPI 8C0069

EMMEPI 809602

**3091024** **CONTROL BOX 537 ABC**
model SIT - 230V 50/60Hz 10VA
for Convection oven gas (FOINOX) FM401GTD
FP100GTD

EMMEPI 809752

## Electronic printed-circuit boards

**3390238** **ELECTRONIC BOARD CPU 280x110 mm**
for Convection oven (RATIONAL)
since 1/01/97
Series CM - Series CPC

EMMEPI 809736

**3390363** **ELECTRONIC DISPLAY BOARD 80x90 mm**
for cooking chamber
for Convection oven electric (SOGECO) MX20N
MX20S - MX2011N - MX2011S - MX40N - MX40S
MX6N - MX6S - MX810N - MX810S

EMMEPI 8C0429

Зип Общепит
vsezip.ru
+7(812)980-03-81

Suitable for:

**3390364** **ELECTRONIC DISPLAY BOARD 80x90 mm**
for TIMER/PENETRATION PROBE
for Convection oven electric (SOGECO)
Series CNV06.11 - Series CNV10.11
Series CNV10.21 - Series CNV20.11
Series CNV20.21 - Series MX - Series MXB
Series P - Series PMX

EMMEPI 8C0430

Suitable for:

**3390223** **REVERSE ELECTRONIC BOARD 90x105 mm 230V**
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
DE102MX - EF4 - EF4PM - EF6PM - EF8PM - VE06EC
VE06MX - VE10EC - VE10MX - VE102EC - VE102MX
VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG10MX
CG102MX - CG20MX - DG06EC - DG06ES - DG06MX
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX
GF4PM - GF6PM - GF8PM - VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX

EMMEPI 809099

## Electronic thermostats and controllers

**3445250** **THERMOSTAT EVK412 TCJ/PTC/NTC/PT1000**
power supply 12-24V
temperature setting range -100+1300°C
ON-OFF control with two actuation points
2 changeover relay outputs 8/16A 250V
room temperature 0+55°C
probe type TCJ-PTC-NTC-PT1000-PT100 (not included)
connections by screw terminal block
front dimensions 74x32x67 mm
mounting hole 71x29 mm
for Convection oven electric (SOGECO) PVMX5S
PVMX8S - VMX10S - VMX2ES - VMX20S - VMX2011S
VMX40S - VMX6S

EMMEPI 8C0257 EMMEPI 8C0258

**3445141** **THERMOSTAT EV7401J J/K/PTC/NTC/PT100**
double power supply 24/230V 50/60Hz
thermostat setting range +50+270°C
ON-OFF control with one actuation point only
1 changeover relay output 8(3)A 250V
room temperature 0+55°C
multiprobe:
thermocouple "J" -100+700°C
thermocouple "K" -100+1150°C
PTC -50+150°C
NTC -40+110°C
Pt 100 2/3 wires: -100+650°C
connections by extractable screw terminal block
front dimensions 72x72x100 mm
for Convection oven (GIORIK)

EMMEPI 809889 EMMEPI 807302

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3445139** **THERMOSTAT EV7401M J/K/PTC/NTC/PT100**

double power supply 24/230V 50/60Hz
ON-OFF control with one actuation point only
changeover relay outlet 8(3)A 250V
2 types of programmable temperature alarms
inbuilt failure alarm
password entry to configuration parameters
room temperature 0÷60°C
multiple probe:
thermocouple "J" -100/750°C
thermocouple "K" -100/1200°C
PTC -50/150°C
NTC -40+110°C
Pt 100 2/3 wires: -100/700°C
connections by extractable screw terminal block
front dimensions 72x72x100 mm

EMMEPI 8C0173

Suitable for:

**3445133** **THERMOSTAT IC912LX/H PT100**

power supply 12Vca/dc 15W
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 8(3)A 250V
failure message display
room temperature -5+65°C
PT100 probe (not included)
connections by screw terminal block
front dimensions 74x32x67 mm
mounting hole 71x29 mm

EMMEPI 831131

**3446128** **TIMER EVK702 12V**

2 changeover relay outlets 8(3)A 250V
room temperature 0÷55°C
power supply 12Vca/dc
connections with screw terminal block
dimensions 75x33x67 mm
mounting hole 71x28 mm
for Convection oven (SOGECO) - Series C - Series P
Series PVMX - Series VMX

EMMEPI 809892

## Energy regulators

**3350024** **ENERGY ADJUSTER**

contact capacity 240V 12A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for Convection oven electric (UNOX) XV202 - XV301
XV401 - XV501

EMMEPI 806287

**3350026** **ENERGY ADJUSTER**

contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Convection oven (KELVIN)
for Convection oven electric (GIERRE) FEV106M
FEV166E - FEV166M - FEV166P - FEV168E
FEV168M - FEV56M
for Convection oven electric (SMEG) ALFA30V
ALFA31V
for Convection oven gas (GIERRE) FEV107M - FEV167E
FEV167M - FEV167P - FEV57M

EMMEPI E11110001
EMMEPI 809397

EMMEPI 8C0297

EMMEPI 808020

Зип Общепит
mezip.ru
+7(812)9

## Fans for motors

**3240030** **FAN ø 180 mm**
thickness 60 mm
total blades 16 - ø tapered hole 11.5-16.5 mm
for Convection oven (LAINOX)
for Convection oven electric (FOINOX) FC06SE
FM06EB - FM06EDG - FP05E - FP05EA - MM06EA
MM06EB - MM06EBM
for Convection oven electric (GIORIK) EF5GM
for Convection oven gas (FOINOX) FC06G - FC06GA
FM06GDG - FP05G - FP05GA - MM06GA - MM06GB
for Convection oven gas (GIORIK) GF5GM - G6VGEC

EMMEPI 807604 EMMEPI 808961

**3240392** **FAN ø 300 mm**
thickness 100 mm
total blades 24 - ø tapered hole 19-24 mm
for Convection oven (FOINOX) - Series FC
Series FM - Series MM



EMMEPI 809407

**3240036** **FAN ø 350 mm**
thickness 100 mm
total blades 24 - ø tapered hole 19-24 mm
for Convection oven electric (FOINOX) FC12SE
FC20E - FC20EA - FC200EEP - FC200EM - FC401EM
FM20EB - FM200EM - FM401EM - FP10E - FP10EA
MM20EA - MM20EB - MM200EM - MM401EM
for Convection oven gas (FOINOX) FC12G - FC12GA
FC20G - FC20GA - FC200GM - FC401GM - FM20G
FM20GB - FM200GM - FM401GM - FP10G - FP10GA
MM20GA - MM20GB - MM200GEP - MM200GM - MM401GM

EMMEPI 8C0003

## Filters

**3160348** **AIR INLET FILTER 212x60 mm**
for Convection oven (RATIONAL)
since 1/06/97
Series CPC
for Convection oven electric (RATIONAL) CD101
CD102 - CD201 - CD202 - CD61 - CM202 - CM61
for Convection oven gas (RATIONAL) CM101G - CM61G

EMMEPI 809502

Зип Общепит
voezip.ru
+7(812)987-08-81

Suitable for:

Suitable for:

## Gas burners

**3023159** **BURNER ø 50x485 mm**
made of STAINLESS steel
for Convection oven gas (FOINOX) FC12G - FC12GA
FM10GB - FP10G - FP10GA - MM10GA - MM10GB

EMMEPI 809328

## Gaskets and seals

**3186010** **ASBESTOS FREE FLAT GASKET ø 54x42x2 mm**



EMMEPI 903300

## Gaskets for oven door

**3286028** **GASKET FOR OVEN GLASS 3198 - 25 m**
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (ANGELO PO)
for Convection oven (BERTO'S)
for Convection oven (GIGA)
for Convection oven (LAINOX)

EMMEPI 807587

**3286027** **GASKET FOR OVEN GLASS 3198 - 6 m**
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (ANGELO PO)
for Convection oven (BERTO'S)
for Convection oven (GIGA)
for Convection oven (LAINOX)

EMMEPI 807587

**3286028** **GASKET FOR OVEN GLASS 3198 - 25 m**
made of silicone elastomer
profile dimensions 14x12 mm
BLACK COLOR
for Convection oven (ANGELO PO)
for Convection oven (BERTO'S)
for Convection oven (GIGA)
for Convection oven (LAINOX)

EMMEPI 807587

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3786116** **OVEN DOOR GASKET**

made of silicone elastomer
profile dimensions 27x15 mm
COLOUR BLACK
SOLD PER METRE
for Convection oven (SOGECO) - Series CNV10.11
Series CNV10.21 - Series CNV20.11
Series CNV20.21 - C20 - C2011 - C40 - C56 - C6
C810 - MBS06.11 - MBS06.23 - MBS10.11
Series MBS10.21 - MBS20.11 - MBS20.21 - MDS06.11
MDS06.23 - MDS10.11 - Series MDS10.21
MDS20.11 - Series MDS20.21 - MXB20 - MXB2011
MXB40 - MXB56 - MXB6 - MXB810 - Series MX20
MX2011 - MX40 - Series MX56 - Series MX6
Series MX810 - PMX16 - Series PMX56
Series PMX810 - P16 - P56 - P810

EMMEPI 8C0917

Suitable for:

**3286052** **OVEN DOOR GASKET - 15 m**

made of silicone elastomer
profile dimensions 25x22 mm
COLOUR BLACK
for Convection oven electric (COVEN) TEC10MD
TEC10MX - TEC10NMD - TEC10NMX - TEC15
TEC15MD - TEC20 - TEC20MD - TEC3MD - TEC3MX
TEC4MX - TEC5P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC10G - TEC15G
TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G

EMMEPI 9629918

**3286051** **OVEN DOOR GASKET - 3 m**

made of silicone elastomer
profile dimensions 25x22 mm
COLOUR BLACK
for Convection oven electric (COVEN) TEC10MD
TEC10MX - TEC10NMD - TEC10NMX - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20MD - TEC3MX
TEC4MX - TEC5P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC10G - TEC15G
TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G

EMMEPI 9629918

**3286052** **OVEN DOOR GASKET - 15 m**

made of silicone elastomer
profile dimensions 25x22 mm
COLOUR BLACK
for Convection oven electric (COVEN) TEC10MD
TEC10MX - TEC10NMD - TEC10NMX - TEC15
TEC15MD - TEC20 - TEC20MD - TEC3MD - TEC3MX
TEC4MX - TEC5P - TEC6 - TEC7
for Convection oven gas (COVEN) TEC10G - TEC15G
TEC15GMD - TEC20G - TEC20GMD - TEC5GP - TEC7G

EMMEPI 9629918

**3286030** **OVEN DOOR GASKET 04880 - 15 m**

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)

EMMEPI 8C1193
EMMEPI 807581
EMMEPI 807582
EMMEPI 807583
EMMEPI 808226
EMMEPI 808668
EMMEPI 809283

Зип Общепит
vsezip.ru
+7(812)987 08 81

Suitable for:

**3286084** **OVEN DOOR GASKET 04880 - 3 m**

made of silicone elastomer
profile dimensions
BLACK COLOUR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)

EMMEPI 8C1193 EMMEPI 807581 EMMEPI 807582
EMMEPI 807583 EMMEPI 808226 EMMEPI 808668
EMMEPI 809283

**3286029** **OVEN DOOR GASKET 04880 - 6 m**

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)

EMMEPI 8C1193 EMMEPI 807581 EMMEPI 807582
EMMEPI 807583 EMMEPI 808226 EMMEPI 808668
EMMEPI 809283

Suitable for:

**3286030** **OVEN DOOR GASKET 04880 - 15 m**

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)

EMMEPI 8C1193 EMMEPI 807581 EMMEPI 807582
EMMEPI 807583 EMMEPI 808226 EMMEPI 808668
EMMEPI 809283

**3286029** **OVEN DOOR GASKET 04880 - 6 m**

made of silicone elastomer
profile dimensions 26.4x26 mm
BLACK COLOR
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (LAINOX)

EMMEPI 8C1193 EMMEPI 807581 EMMEPI 807582
EMMEPI 807583 EMMEPI 808226 EMMEPI 808668
EMMEPI 809283

**3186319** **OVEN DOOR GASKET 530x473 mm**

made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD61
CM61 - CPC61 - CPC61E
for Convection oven gas (RATIONAL) CM101G - CM61G
CPC61G

EMMEPI 809657

Зип Общепит
vsezip.ru
+7(812)980-08-81

Suitable for:

**5013418** **OVEN DOOR GASKET 635x480 mm**
made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK)

EMMEPI 809796

Suitable for:

**5032031** **OVEN DOOR GASKET 660x390 mm**
made of silicone elastomer
with fastening clips
COLOUR BLACK
for EMMEPI OVEN FE300
for TECNOEKA COOKING RANGE KCV96P-M/KCV96-M/
for TECNOEKA OVEN KF912-GA/KF912GRILL-GA/
KF912IX-GA/KF913DIX/KF9133DIX/KF1001G-GAM/
KF1001GIXAL-GAM/KF911/KF911IX/KF964AL/KF964ALM/
KF964I/KF964IM

EMMEPI 132110003

**3186311** **OVEN DOOR GASKET 740x630 mm**
made of silicone elastomer
profile dimensions 26.4x26 mm
COLOUR RED
for Convection oven (GIORIK) - Series N

EMMEPI 8C0029

**3186426** **OVEN DOOR GASKET 780x470 mm**
made of silicone elastomer
profile dimensions 31x15 mm
COLOUR BLACK
for Convection oven electric (RATIONAL)
since 1/06/97
CD101
CM101N - CPC101 - CPC101E
for Convection oven gas (RATIONAL) CM101G
CPC101G

EMMEPI 809562

**3186344** **OVEN GLASS GASKET 1100 mm**
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven (FOINOX) - Series MM




EMMEPI 809024

**3186345** **OVEN GLASS GASKET 1700 mm**
made of silicone elastomer
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven electric (FOINOX) FC05EU
FC06SE - FM06EB - FM06EDG - MM06EA - MM06EB
for Convection oven gas (FOINOX) FM06GDG
MIDI005GEP - MM06GA




EMMEPI 808666

Зип Общепит
vsezip.ru
+7(812)98[illegible]-81

Suitable for:

**3786179** **OVEN GLASS GASKET 3500 mm**
made of silicone elastomer
profile dimensions 13x11 mm
COLOUR BLACK
for Convection oven (COVEN) - Series TEC5
Series TEC6
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC7

EMMEPI 9629920

Suitable for:

**3186346** **OVEN GLASS GASKET 4400 mm**
made of silicone elastomer
composed of 2 pieces 2200 mm
profile dimensions 15x12 mm
COLOUR BLACK
for Convection oven electric (FOINOX) FC20EA
FM10EB - FM10EDG - FM20EB - FM20EDG - MM20EA
MM20EB
for Convection oven gas (FOINOX) FM10GB - FM10GDG
FM20GB - FM20GDG - MM10GA - MM10GB - MM20GA
MM20GB




EMMEPI 808665

## Gearmotors

**3340149** **HUMIDITY CONTROL MOTOR 12V**
for Convection oven electric (RATIONAL) CPC101
CPC102 - CPC201 - CPC202 - CPC61 - SCC101E
SCC102E - SCC201E - SCC202E - SCC61E - SCC62E
for Convection oven gas (RATIONAL) CPC101G
CPC102G - CPC201G - CPC202G - CPC61G - SCC101G
SCC102G - SCC201G - SCC202G - SCC61G - SCC62G

EMMEPI 809507

## Handles

**3242044** **BUSHING FOR DOOR HANDLE**
for Convection oven electric (FOINOX) MM06EB

EMMEPI 809054

**3242255** **CENTRAL LOCK MECHANISM RIGHT**
for OVEN
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC15 - TEC15MD
TEC15MX - TEC20 - TEC20MD
for Convection oven electric (SOLYMAC) SOLYMIX 10
SOLYP10
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC15G - TEC15GMD - TEC20G
TEC20GMD
for Electric oven (CAPIC) R220

EMMEPI 809052

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3242041** **CLASP ø 3x25 mm**
for Convection oven electric (FOINOX) MM06EB

EMMEPI 809053

Suitable for:

**3242718** **DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm
for OVEN

EMMEPI 8C0315 EMMEPI 809875

**3242447** **FASTENING PLATE FOR DOOR HANDLE**
for OVEN

EMMEPI 809598

**3242080** **HANDLE GUIDE LOCK**
for OVEN

EMMEPI 809599

**3242254** **HANDLE LOCK FOR OVEN DOOR**
for Convection oven (FOINOX)
since 1/01/95
Series FM6

EMMEPI 809031

**3242064** **HANDLE SPACER BUSHING**
for Convection oven electric (FOINOX) MM06EB

EMMEPI 809055

**3398021** **OVEN DOOR CATCH**
distance between holes 47 mm
catch distance 27 mm
for Convection oven (COVEN) - Series TEC5 - TEC8
TEC9P
for Convection oven electric (COVEN) TEC10MX
TEC4MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYP10
for Convection oven gas (COVEN) TEC6G - TEC7G

EMMEPI 131110006 EMMEPI 131110007 EMMEPI 808747

**3242422** **OVEN DOOR HANDLE**
for Convection oven electric (COVEN) TEC10
TEC10MD - TEC10MX - TEC10P - TEC10PMEC - TEC15
TEC15MD - TEC15MX - TEC20 - TEC20MD - 10EMD
10EMX
for Convection oven gas (COVEN) TEC10G - TEC10GMD
TEC10GP - TEC10GPMEC - TEC15G - TEC15GMD
TEC20G - TEC20GMD - 10GMD

EMMEPI 8C0559

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3242449** **OVEN DOOR HANDLE**

for Convection oven (SOGECO) - Series C
Series CNV - Series MBS - Series MDS - Series P
Series PST
for Convection oven electric (SOGECO) - Series MX
Series MXB - Series PMX

EMMEPI 8C0921

Suitable for:

**3242144** **OVEN DOOR HANDLE 260x30 mm**

with strike mounting distance 45 mm
handle mounting distance 133 mm
for Convection oven electric (COVEN) TEC3MD
TEC3MX - TEC4MX - TEC4P - TEC5P - TEC5PMEC
TEC6 - TEC6H - TEC6MD - TEC6MX - TEC7
for Convection oven electric (LAINOX) A10PES
for Convection oven gas (COVEN) TEC5GP - TEC5GPMEC
TEC6G - TEC6GMD - TEC6GMX - TEC7G

EMMEPI 9629921

**3242057** **OVEN HANDLE BOTTOM TIE ROD 122 mm**

for FOINOX OVEN series FC06
for Convection oven (FOINOX) - Series FC06

EMMEPI 8C0037 EMMEPI 8C0852

**3242043** **OVEN HANDLE TOP TIE ROD 155 mm**

for Convection oven electric (FOINOX) FC06

EMMEPI 8C0036 EMMEPI 8C0851

**3242253** **PIN FOR DOOR HANDLE**

for Convection oven (BERTO'S) WAVE6TURBO
for Convection oven (FOINOX) MM2/3EA - MM2/3EB
MM2/3EM
for Convection oven gas (BERTO'S) FMG6EP - FMG6M

EMMEPI 809029

**3242419** **PIN FOR OVEN DOOR HANDLE M10x1**

overall length 52 mm
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM

EMMEPI 809708

**3242251** **SPRING FOR DOOR HANDLE ø 16x37 mm**

for OVEN

EMMEPI 809028

**3242059** **STRIKE FOR DOOR HANDLE**

distance between mounting holes 21 mm
for OVEN

EMMEPI 809056

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3242252** **WASHER FOR DOOR HANDLE**
for Convection oven electric (FOINOX) MM06EB

EMMEPI 809027

Suitable for:

## Heating elements

**3355366** **HEATING ELEMENT 1500W 230V**
length 105 mm - width 340 mm
flange 70x22 mm
for Convection oven electric (KELVIN) KE106
KPE405 - NKE106
for Convection oven electric (SOGECO) 5E - 56E
6E

EMMEPI 8C0256

**3355717** **HEATING ELEMENT 15000W 230V**
external ø 575 mm - height 210 mm
2 flanges 220x24 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD102 - CD202
CCC102 - CCC202 - CCD102 - CCD202 - CCM102
CCM202 - CM102N - CPC102 - CPC202

EMMEPI 809571

**3355363** **HEATING ELEMENT 2000W 230V**
length 200 mm - width 35 mm
for 180 mm tangential fan

EMMEPI 827915

**5037521** **HEATING ELEMENT 2500W 230V**
external ø 195 mm - overall height 75 mm
flange 70x22 mm
for EMMEPI OVEN FE440
for TECNOEKA COOKING RANGE KCV96-M
for TECNOEKA OVEN KF412-KF412U-KF412GRILL-KF723M-KF723-KF723GRILL-KF723U-KF9133DIX-KF921-KF964AL-KF964ALM-KF964I-KF964IM

EMMEPI 132110013

**3755092** **HEATING ELEMENT 3000/3266W 230/240V**
external ø 190 mm - overall height 70 mm
flange 100x22 mm
for Convection oven electric (FOINOX) FC06
FC06EA - FC12E - FC12EA-EDG
for Electric oven electric (FOINOX) SPEEDY MW
SPEEDY UMU

EMMEPI 808778

**3755265** **HEATING ELEMENT 3000W 240V**
external ø 190 mm - total height 75 mm
flange 100x22 mm
for Convection oven electric (COVEN) TEC10
TEC10MX - TEC3 - TEC3H - TEC3MX - TEC4MX
TEC4P - TEC6 - TEC6MX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6

EMMEPI 9629911

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3355567** **HEATING ELEMENT 3150W 220V**

external ø 220 mm - overall height 95 mm
flange 95x22 mm
for Convection oven electric (LAINOX) CE041M
FE004 - VE004D - VE004H - VE004M - VE004S
VE004X - VE04P - VE042P

EMMEPI 142110001

Suitable for:

**3355368** **HEATING ELEMENT 3500W 230V**

length 560 mm - width 280 mm
flange 70x22 mm
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) KE210
NKE210
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21 - 20E - 40E

EMMEPI 8C0392

**3355433** **HEATING ELEMENT 3500W 240V**

length 115 mm - width 625 mm
flange 70x22 mm
for Convection oven electric (BERTO'S) FME10
FME10EP - FPE12TURBO - WAV-E12TURBO
for Convection oven electric (FOINOX) FC12SE
FC12SEA - FC20E - FC20EA - FM10E - FM10EB
FM10EDG - FM20EB - FP10E - FP10EA - MM10EA
MM10EB - MM20EA - MM20EB

EMMEPI 808780

**3355431** **HEATING ELEMENT 4360/3660W 220/240V**

immersed length 310 mm
flange external ø 63 mm
with bulb sheath ø 6 mm
complete with O-RING
nut and washer upon request
for boiler
for Convection oven electric (BERTO'S) FME10M
for Convection oven electric (FOINOX) FM06EB
FM06EDG - FM10E - FM10EB - FM10EDG - FM20EB
FM20EDG

EMMEPI 808674

**3755206** **HEATING ELEMENT 6000W 240V**

external ø 230 mm - height 130 mm
flange 140x25 mm
for Convection oven electric (FOINOX) FC05EU
FC05EUM - FC06E - FC50EM - MIDI005EEP
MIDI005EM
for Convection oven electric (LAINOX) A10PES

EMMEPI 808781

**3355749** **HEATING ELEMENT 7350W 230V**

external ø 230 mm - overall height 165 mm
flange 143x25 mm - complete with cables
for Convection oven electric (GIORIK) EF4PM
EF5GM

EMMEPI 806187

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

## 3355530 HEATING ELEMENT 7500W 230V

immersed length 300 mm
flange external ø 72 mm
with bulb sheath ø 6 mm
complete with O-RING
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
for Convection oven electric (MBM) FEM060 - FEM061
FEM100 - FEM101 - FEM102 - FEM200 - FEM201
FEM202 - FEM207SC - FEM209 - FEM610L - FEM62
for Convection oven gas (MBM) FMM060 - FMM061
FMM100 - FMM101

EMMEPI 807858

Suitable for:

## 3355707 HEATING ELEMENT 9000W 230V

immersed length 200 mm
flange 82x82 mm
with bulb sheath - recommended probe 3397083
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD102 - CD201 - CD202 - CD61
CCC101 - CCC201 - CCC202 - CCC61 - CCD102 - CCD202
CCD61 - CCM101 - CCM201 - CCM202 - CCM61
CM101M - CM202N - CM61 - CPC102 - CPC201
CPC202 - CPC61

EMMEPI 809556

## 3355715 HEATING ELEMENT 9000W 230V

external ø 455 mm - height total 210 mm
flange 220x24 mm
for OVEN CCC61-CCC101-CCC201-CCD61-CCD101-CCD201
CCM101-CCM201-CCM61-CM61-CPC61-CPC101-CPC201
CM201N-CM101N
for OVEN CD61/CD101/CD201 SINCE JUNE 97
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD201 - CD61
CCC101 - CCC201 - CCC61 - CCD101 - CCD201 - CCD61
CCM101 - CCM201 - CCM61 - CM101N - CM201N
CM61 - CPC101 - CPC201 - CPC61

EMMEPI 809555

## 3355716 HEATING ELEMENT 9000W 230V

external ø 500 mm - height 130 mm
flange 220x24 mm
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD201
CCC101 - CCC201 - CCD101 - CCD201 - CCM101
CCM201 - CM101N - CM2014N - CPC101 - CPC201

EMMEPI 809554

## 3755208 HEATING ELEMENT 920W 230V

length 260 mm - width 210 mm
total height 120 mm - couplings ø 13 mm
for Convection oven electric (FOINOX) FC06
FC06EA - FC12E - FC12EA-EDG - FP05EA

EMMEPI 808779

## 3755745 INTERNAL HEATING ELEMENT 15000W 230V

ø external 650 mm
D shaped flange 210x25 mm - faston fittings
for Convection oven electric (RATIONAL)
since 1/06/97
CD202
since 1/05/97
CD102
CCC102 - CCC202 - CCD102 - CCD202 - CCM102
CCM202 - CM102N - CM202N - CPC102 - CPC202

EMMEPI 809570

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

Suitable for:

**3755672** **QUARTZ HEATING ELEMENT BOTTOM 200W 115V**
length 337 mm - ø 11 mm

EMMEPI 8C0618

## Hinges, catches and accessories

**3053003** **DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm

EMMEPI C00132

**3053007** **LEFTHAND DOOR HINGE FOR OVEN**
distance between holes 175 mm - overall length 205
height 160 mm

EMMEPI C00131

EMMEPI C10079

**3053003** **DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm

EMMEPI C00132

**3053232** **OVEN DOOR TOP HINGE**
for Convection oven electric (FOINOX) FC06E
FC06EA - FC06SE - FC12E - FC12EA - FC12SE
FC12SEA - FM06EB - FM06EDG - FM10E - FM10EB
FM10EDG - FP05E - FP05EA - FP10E - FP10EA
MM06EA - MM06EB - MM06EBM - MM10EA - MM10EB
for Convection oven gas (FOINOX) FC06G - FC06GA
FC12G - FC12GA - FM06GDG - FM10GB - FM10GDG
FP05G - FP05GA - FP10G - FP10GAP - MM06GA
MM06GB - MM10GA - MM10GB - MM20GB

EMMEPI 8C1386

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**5031555** **RIGHT-LEFT HINGE FOR OVEN**

mounting distance 130 mm - overall length 155 mm
height 157 mm
for Convection oven electric (TECNOEKA) KF911
KF911IX - KF964AL - KF964IM - KF965
for Convection oven gas (TECNOEKA) KF1001G
KF1001GLPG

EMMEPI 132110006

Suitable for:

**5037262** **ROLLER HOLDER KIT RIGHT-LEFT**

mounting distance 95 mm - overall length 110 mm
height 140 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF723
KF911 - KF921 - KF931 - KF964IM

EMMEPI

**3053006** **RIGHTHAND DOOR HINGE FOR OVEN**

distance between holes 175 mm - overall length 205
height 160 mm

EMMEPI C00130 EMMEPI C10080

**3053003** **DOOR HINGE ROLL HOLDER**

distance between holes 95 mm - overall length 118
height 23 mm

EMMEPI C00132

**5037262** **ROLLER HOLDER KIT RIGHT-LEFT**

mounting distance 95 mm - overall length 110 mm
height 140 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF723
KF911 - KF921 - KF931 - KF964IM

EMMEPI

## Hose reels

**3359557** **HYDRO-GUN NITO 1**

special connection only for MIDIREEL GROUP
with spray regulator

EMMEPI 8C2178

Зип Общепит
vseZip.ru
+7(812)987-08-81

Suitable for:

Suitable for:

## Hydraulic plumbing

**3450209** **RUBBER PIPE ø 13x20 mm - 40 m**
operating temperature -40+100°C

EMMEPI 907295

**3450109** **RUBBER PIPE ø 13x20 mm - 5 m**
operating temperature -40+100°C

EMMEPI 907295

## Ironmongery (screws,nuts,washers)

**3528010** **STAINL.STEEL SCREW WASHER M6 UNI 6592**
dimensions ø 12x6.4x1.6 mm

EMMEPI E25110025 EMMEPI 8C1731

## Knobs

**3241340** **BLACK KNOB ø 38 mm**
D-shaped hole 6x4.6 mm
for Convection oven (FOINOX) - Series FM

EMMEPI 808669

**3241055** **FIXING CLIP**
for knob with ø 8 mm hole

EMMEPI C00196

**3241615** **GREY KNOB ø 49 mm**
D shaft hole 6x4.6 mm
for Convection oven electric (GIORIK) EF10GM
EF5GM - EF7GM
for Convection oven gas (GIORIK) GF10GM - GF5GM
GF7GM



EMMEPI 8C1602

Зип Общепит
usezip.ru
+7(812)9

## Lamps

**3221172** **FRAME FOR OVEN LAMP RECEPTACLE**
external dimensions 96x80 mm
for Convection oven

EMMEPI 131110027

**3221255** **FRAME FOR OVEN LAMP RECEPTACLE**
external dimensions 140x72 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)

EMMEPI 808975

**3221349** **GLASS F.OVEN RECEPTACLE LAMP ø 72 mm**
for Proving oven electric (MORETTI) L105.105
L60.60 - L65.105
for Proving oven electric (ZANUSSI) FLP55 - FLP80
ZMBD4L - ZMBD6L - ZMMD4L - ZMMD6L

EMMEPI 808851

**3221256** **GLASS FOR OVEN LAMP RECEPTACLE**
external dimensions 112x65 mm
max temperature 500°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (JUNO-RÖDER-SENKING)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)

EMMEPI 808976

**3221052** **GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm**
for OVEN-PIZZA OVEN

EMMEPI 808808

**3221132** **GREEN INDICATOR LAMP 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application

EMMEPI 807773 EMMEPI 808971 EMMEPI 809382

**3221164** **GREEN INDICATOR LAMP 230V**
head ø 7 mm - hole ø 6 mm - 120°C
dashboard mounting

EMMEPI 8C0298

**3221199** **GREEN INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4

EMMEPI 808943

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

Suitable for:

**3221012** **GREEN INDICATOR LIGHT 220V**
mounting hole 30x22 mm - 125°C
universal application

EMMEPI 806080

**3221262** **GREEN LAMP RECEPTACLE**
head ø 14.5 mm - hole ø 12 mm

EMMEPI 808461

**3221199** **GREEN INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4

EMMEPI 808943

**3221202** **TRANSPARENT INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4

EMMEPI 809084

**3221358** **WHITE LAMP RECEPTACLE**
head ø 16 mm - hole ø 13 mm
for Convection oven electric (GIORIK) EF4

EMMEPI 809085

**3221120** **LAMP RECEPTACLE E14 25W 230V**
for Convection oven electric (GEMINI FORNI)
Series 2/M - 2/M1
for Convection oven electric (MBM) FCE10 - FCE6
FEMD107SC - FEMD109 - FEMD207SC - FEMD209
FEMD67SC - FEMD69 - FEM107SC - FEM109
FEM207SC - FEM209 - FEM67SC - FEM69 - FEP050
FEP080 - FEP160
for Convection oven gas (MBM) FCG10 - FCG6
FGMD107SC - FGMD109 - FGMD207 - FGMD209
FGMD67SC - FGM107SC - FGM109 - FGM207SC
FGM209 - FGM67SC - FGM69 - FGP050 - FGP080
FGP160

EMMEPI 808979

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3221311 LAMP RECEPTACLE E14 25W 230V**

mounting hole ø 36 mm
max temperature 300°C
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (INOXTREND)
for Convection oven (MBM)

EMMEPI 809715

Suitable for:

**3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm**

for OVEN-PIZZA OVEN

EMMEPI 808808

**3221061 OVEN LAMP E14 25W 230V**

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10

EMMEPI 809884

**3221187 LAMP RECEPTACLE HARDENED GLASS ø 87 mm**

for Convection oven (ANGELO PO)
for Convection oven electric (GIORIK) EF8PM

EMMEPI 814524

**3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**

lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for OVEN
for Convection oven electric (SMEG) ALFA31V
ALFA51X - ALFA51XGN - ALFA55X

EMMEPI 809935

**3221095 ORANGE INDICATOR LAMP 230V**

head ø 13.5 mm - hole ø 10 mm - 120°C
universal application

EMMEPI 806128 EMMEPI 808970 EMMEPI 809248

**3221061 OVEN LAMP E14 25W 230V**

max temperature 300°C
for Convection oven electric (EMMEPI) F2011GT-SP
for Convection oven electric (KELVIN) NKE234
NKE234S
for Convection oven electric (SOGECO)
Series MBS10.21 - Series MDS10.21
Series MDS20.21
for Convection oven gas (CONVOTHERM) OGS6.10

EMMEPI 809884

Зип Общепит
vsezip.ru
+7(812)987-08-08

Suitable for:

**3221080** **RED INDICATOR LAMP 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
for Convection oven (FOINOX) - Series FC
Series FM

EMMEPI 808969

Suitable for:

**3221257** **SILICONE GASKET F/OVEN LAMP RECEPTACLE**
external dimensions 140x75 mm
for Convection oven (BERTO'S)
for Convection oven (FOINOX)
for Convection oven (GIORIK)
for Convection oven (INOXTREND)
for Convection oven (KELVIN)
for Convection oven (MBM)
for Convection oven (WHIRLPOOL)
for Convection oven (ZANUSSI)

EMMEPI 808977 EMMEPI 809341

**3221202** **TRANSPARENT INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm
for Convection oven electric (GIORIK) EF4

EMMEPI 809084

**3221358** **WHITE LAMP RECEPTACLE**
head ø 16 mm - hole ø 13 mm
for Convection oven electric (GIORIK) EF4

EMMEPI 809085

## Level regulators

**3341035** **LEVEL ADJUSTER RL30/3ES/F-G**
230V 50/60Hz
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10M - VE102EC - VE102M
VE20EC - VE20MX
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX

EMMEPI 807853

## Level sensors

**3341051** **LEVEL PROBE 3 ELECTRODES ø 15 mm 108 mm**

EMMEPI 809561

**3341052** **LEVEL PROBE 3 ELECTRODES ø 15 mm 130 mm**

EMMEPI 809569

Зип Общепит
ussip.ru
+7(812)9

## Microswitches

**3240605** **DOOR MICROSWITCH M1AX20 10A 250V**
for Convection oven electric (GIORIK) EF10GM
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM
for Convection oven gas (ZANUSSI) FCS061G

EMMEPI 807351

**9240027** **LID MAGNET**
external ø 22 mm - M5x10 mm
for Convection oven electric (ANGELO PO) FC1011E
FC1221E - FC611E - FM1011E1 - FM1011E2
FM1011E3 - FM1221E1 - FM1221E2 - FM1221E3
FM2021E1 - FM2021E2 - FM2021E3 - FM611E1
FM611E2 - FM611E3 - FM721E1 - FM721E2
FM721E3
for Convection oven gas (ANGELO PO) FC1011G
FC1221G - FC611G - FM1011G1 - FM1011G2
FM1011G3 - FM1221G1 - FM1221G2 - FM1221G3
FM2021G1 - FM2021G2 - FM2021G3 - FM611G1
FM611G2 - FM611G3 - FM721G1 - FM721G2
FM721G3

EMMEPI 8C2146

**3240436** **MAGNETIC MICRO SWITCH MK12**
with cable 4000 mm - head 32x15 mm
for Convection oven (FRIMA)
for Convection oven (RATIONAL)

EMMEPI 809557

**9014015** **MAGNETIC MICROSWITCH ø 10x26 mm**
0.5A 250V - NO contact
with cable length 750 mm

EMMEPI TR0309

**3240148** **MICROSWITCH MAGNET 63x19x11 mm**
for Convection oven (ZANUSSI) - Series AOS

EMMEPI TR0220

**3240141** **MAGNETIC MICROSWITCH E5101V**
0.04A 250V - NO contact - head 32x13 mm
with magnet 63x19x11 mm
with cable length 900 mm
for Convection oven (MARENO)

EMMEPI 8C0129

**3240407** **MECHANICAL MICROSWITCH KIT 16A 250V**
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheels - lever 27 mm with wheels

EMMEPI 809481

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3240410** **MICRO SWITCH 16A 250V**

for ANGELO PO OLD OVENS FC-FCV
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
FC1211G-FC1211E
for ANGELO PO FRYER 030FE1-030FE1B-70FE
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
30FES2-30FES2B-091FE28
for IMESA DRYER ES10-ES55-ES75
for IMESA WASHING MACHINE
LM30-LM40-LM55-LM70-LM85
RC30-RC40-RC55-RC70
for SIRMAN CUTTER C4-C6-C6VV-C9
for GRANDIMPIANTI DRYER EMS10-EMS15
for FAGOR CALENDER PE30/140-PE30/160-PE30/200
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G
for IPSO CALENDER RI1600/30-RI1600/30AV

EMMEPI E61110053 EMMEPI 61110053 EMMEPI 807351

Suitable for:

**3240148** **MICROSWITCH MAGNET 63x19x11 mm**

for Convection oven (ZANUSSI) - Series AOS

EMMEPI TR0220

**3240419** **MICROSWITCH MF9 16A 250V**

for Convection oven (SOGECO)

EMMEPI 809173 EMMEPI 809885

**3240406** **MICROSWITCH 10A 250V**

for Convection oven electric (JUNO-RÖDER-SENKING)
5717-3

EMMEPI E61110082 EMMEPI 8C2018 EMMEPI 808879

**3240820** **MICROSWITCH 16A 250V**

EMMEPI E00010041 EMMEPI 808053

**5037263** **MICROSWITCH 16A 250V**

for EMMEPI OVEN FE900
for TECNOEKA OVEN KF911-KF911IX-KF921-KF964I-
KF964IM-KF1000G

EMMEPI 132110023

## Motors

**3240704** **MOTOR FB80 4/8 0.75/0.22Kw 380/415V**

50Hz - 1.4/0.4A - 1400/700rpm
for Convection oven electric (GIORIK) DE10EC
DE102EC - EF6PM - EF8PM - VE10EC - VE20EC
for Convection oven gas (GIORIK) DG102EC - VG20EC

EMMEPI 813154

**3240319** **MOTOR LM50/2 0.04Kw 220/240V 50Hz**

0.6A capacitor 4 µF
for Convection oven electric (FOINOX) BLUPASTRYVIP

EMMEPI 809001

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**5004420** **MOTOR ST100L/4 0.55Kw 50/60Hz**

220/240/346-415V 50Hz 0.55Kw 2.6/1.5A 1400rpm
200/240/346-460V 60Hz 0.55Kw 2.3/1.3A 1700rpm
for Convection oven (FOINOX) FC100 - FC200 - FC201
FC401 - FM100 - FM200 - FM201 - FM401 - FP100
FP80 - MM100 - MM200 - MM201 - MM401

EMMEPI 809406

Suitable for:

**3240277** **MOTOR ST80/4 50/60Hz**

220/240/346/415V 50Hz 0.75Kw 3.3-1.9A
200/277/346/480V 60Hz 0.75Kw 3.3-1.9A
1350-1650rpm
for Convection oven electric (GIORIK) CE10MX
CE102MX - CE20MX - DE10MX - DE102MX - EF10GM
EF7GM - VE10M - VE102EC - VE102M - VE20MX
for Convection oven electric (LAINOX) - Series ME
Series MES - Series VE - Series VES
for Convection oven gas (GIORIK) CG10MX - CG102MX
CG20MX - DG10MX - DG102MX - VG10MX - VG102MX
VG20MX

EMMEPI 807314

**3240000** **MOTOR WITH FAN 45W 220V 50/60Hz**

fan ø 150 mm
for Convection oven
for Convection oven electric (COVEN) C6E - TEC10
TEC10MD - TEC10MX - TEC2 - TEC3 - TEC3H
TEC3MD - TEC3MX - TEC4MX - TEC4P - TEC6
TEC6H - TEC6MD - TEC6MX - 6EMD - 6EMX
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6 - SOLYP10 - SOLYP6

EMMEPI 8C0758 EMMEPI 8C2135 EMMEPI 807206

**3240029** **MOTOR 1057 0.5/0.10HP 220/240V 50Hz**

2/4 poles 2/0.7A 1400rpm - capacitor 20 µF
for Convection oven (LAINOX)

EMMEPI 808973

**3240699** **MOTOR 1058.1400 0.5/0.1HP 220/240V 50Hz**

2/0.7A - 2700/1400rpm - capacitor 20 µf
for Convection oven electric (GIORIK) EF4PM
EF5GM
for Convection oven gas (GIORIK) GF4PM - GF5GM

EMMEPI 807848

## Non-return and expansion valves

**1526503** **NON-RETURN VALVE ø 40 mm**

ballcock - outlets ø 12 mm
stainless steel cap

EMMEPI 907460

Зип Общепит
vseziп.ru
+7(812)9[illegible]08-81

Suitable for:

Suitable for:

## Penetration probes

**3397006** **PENETRATION PROBE**

connector fitting
probe length 180 mm
compartment internal cable length 680 mm
compartment external cable length 1400 mm
for Convection oven electric (FOINOX) FC12EA
FC12SEA - FC20E - FC20EA - MM10EA - MM10EB
MM20EA - MM20EB
for Convection oven gas (FOINOX) FC12G - FC12GA
FC20G - FC20GA - MM10GA - MM10GB - MM20GA
MM20GB

EMMEPI 808682

**3322056** **PENETRATION PROBE ALC90**

2 wires
probe length 100 mm
chamber internal cable length 960 mm
for Convection oven electric (SOGECO) MX10E-D
MX10E-S - MX20E-D - MX20E-S - MX6E-D - MX6E-S
PMX56E-D - PMX56E-S - VMX10E-D - VMX10E-S
VMX20E-D - VMX20E-S - VMX6E-D - VMX6E-S
for Convection oven gas (SOGECO) MX10G-D - MX10G-S
MX20G-D - MX20G-S - MX6G-D - MX6G-S - PMX56G-D
PMX56G-S - VMX10G-D - VMX10G-S - VMX20G-D
VMX20G-S - VMX6G-D - VMX6G-S

EMMEPI 8C0282

**3397040** **PENETRATION PROBE PT100**

connector fitting
probe length 185 mm
compartment internal cable length 445 mm
compartment external cable length 1440 mm
for Convection oven electric (FOINOX) FM06EB
MM2ED - MM2EEP - MM2EM - MM3ED - MM3EEP
MM3EM

EMMEPI 8C1187

**3397056** **PENETRATION PROBE THERMOCOUPLE K**

2 wires - probe length 175 mm
cable length 3000 mm
with fastening coupling M10
for Convection oven (RATIONAL) - Series CC

EMMEPI 809658

## Pilot burners and accessories

**3020077** **FITTING FOR PIPE ø 4 mm**

EMMEPI 806019

**3020084** **NUT & OLIVE ø 6 mm**

EMMEPI 8C0070

**3020082** **OLIVE FOR 12 mm ø PIPE**

EMMEPI 8C0412 EMMEPI 807907

**3020111** **OLIVE FOR 4 mm ø PIPE**

EMMEPI 830885

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3020201 PILOT GAS JET ø 0.14 mm**

EMMEPI 8C0955

Suitable for:

**3020042 PILOT GAS JET ø 0.19 mm**

EMMEPI 809996

**3020202 PILOT GAS JET ø 0.27 mm**

EMMEPI 8C1497

**3020043 PILOT GAS JET ø 0.36 mm**

EMMEPI 809994

**3020449 PILOT GAS JET ø 0.54 mm**

EMMEPI 808033

**3020054 PILOT JET ø 0.20 mm**

EMMEPI 8C0030

**3020040 PILOT JET ø 0.30 mm**

EMMEPI 808365

**3020055 PILOT JET ø 0.35 mm**

EMMEPI 8C0031

**3020187 PILOT NOZZLE ø 0.51 mm**

EMMEPI 808364

**3020251 TARGET ONE-FLAME PILOT BURNER SIT**
without sparking plug, gas nozzle and gasket

EMMEPI 808353

**3020077 FITTING FOR PIPE ø 4 mm**

EMMEPI 806019

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3020042 PILOT GAS JET ø 0.19 mm**

EMMEPI 809996

Suitable for:

**3020043 PILOT GAS JET ø 0.36 mm**

EMMEPI 809994

**3020060 ROUND SPARKING PLUG ø 7x44 mm**

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

EMMEPI C00173 EMMEPI 8C1498

---

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Convection oven gas (ZANUSSI)

EMMEPI 8C1496 EMMEPI 809474

**3020077 FITTING FOR PIPE ø 4 mm**

EMMEPI 806019

**3020042 PILOT GAS JET ø 0.19 mm**

EMMEPI 809996

**3020043 PILOT GAS JET ø 0.36 mm**

EMMEPI 809994

**3020060 ROUND SPARKING PLUG ø 7x44 mm**

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

EMMEPI C00173 EMMEPI 8C1498

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

## 3020011 THREE-FLAME PILOT BURNER

withour sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting
for Convection oven gas (ZANUSSI)

EMMEPI 808039 EMMEPI 808197 EMMEPI 809197

Suitable for:

## 3020269 THREE-FLAME PILOT BURNER

withour sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting

EMMEPI 806154 EMMEPI 807835

## 3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet ø 0.20 mm
with 3 positions bracket

EMMEPI C00070 EMMEPI C00392 EMMEPI C00711
EMMEPI 051E10007 EMMEPI 808180

## 3020077 FITTING FOR PIPE ø 4 mm

EMMEPI 806019

## 3020054 PILOT JET ø 0.20 mm

EMMEPI 8C0030

## 3020055 PILOT JET ø 0.35 mm

EMMEPI 8C0031

## 3001003 ROUND SPARKING PLUG ø 7x44 mm

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G

EMMEPI 051H10002 EMMEPI 8C0637 EMMEPI 808177

## 3020060 ROUND SPARKING PLUG ø 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

EMMEPI C00173 EMMEPI 8C1498

## 3020036 THREE-FLAME PILOT BURNER SIT

with NG nozzle ø 0.35 mm
with 3 positions bracket

EMMEPI C00166 EMMEPI 8C0638

## 3020077 FITTING FOR PIPE ø 4 mm

EMMEPI 806019

Зип Общепит
vsezip.ru
+7(812)987-08-81



Suitable for:

**3020054 PILOT JET ø 0.20 mm**

EMMEPI 8C0030

Suitable for:

**3020055 PILOT JET ø 0.35 mm**

EMMEPI 8C0031

**3001003 ROUND SPARKING PLUG ø 7x44 mm**

male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G

EMMEPI 051H10002 EMMEPI 8C0637 EMMEPI 808177

**3020060 ROUND SPARKING PLUG ø 7x44 mm**

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

EMMEPI C00173 EMMEPI 8C1498

**3020012 TWO-FLAME PRINTED PILOT BURNER SIT**

without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Convection oven gas (ZANUSSI) FCF/G10 - FCF/G6

EMMEPI 806153

**3020040 PILOT JET ø 0.30 mm**

EMMEPI 808365

## Pressure switches

**3320059 OVEN PRESS.SWITCH 0.35-0.50 BAR 6A 250V**

fitting ø 1/8"M
for Convection oven (OLIS) - Series CVM
Series ECVM
for Convection oven electric (KELVIN) KE106A
KE110A - KE210A - KPE405 - KPE408 - NKE106A
NKE110A - NKE210A
for Convection oven electric (LAINOX) VE100H
for Convection oven gas (KELVIN) KG106A - KG110A
KG210A - KPG405 - KPG408A - NKG106A - NKG110A
NKG210A

EMMEPI 8C0444

**3320157 PRESSURE SWITCH CLEANJET 6A 250V**

for Convection oven (RATIONAL)
since 1/01/01
Series CPC

EMMEPI 809754

Зип Общепит
ussezip.ru
+7(812)980-88-81

# Probes

**3397129** **CHAMBER TEMPERATURE PROBE PT100**
2 wires - bulb ø 3x150 mm
probe length 150 mm
cable length 2000 mm
for Convection oven (SOGECO) - Series VMX

EMMEPI 809887

**3445021** **PROBE PT100 1500 mm**
2-wire probe
bulb ø 4x35 mm
for chamber temperature
for all models
for Convection oven (COVEN)
for Convection oven (SOLYMAC)

EMMEPI 9629931

**3445109** **PROBE TCJ EC-SND-2312 3000 mm**
2 wires - temperature range -50+350°C
error limits ÿ0.75% below 0°C
30 seconds response time
bulb ø 6x100 mm
vetrotex cable

EMMEPI 8C0221

**3397023** **TEMPERATURE PROBE**
2 wires - probe for thermocouple type chamber
probe length 110 mm
cable length 290 mm
with fastening fitting M8
for Convection oven electric (RATIONAL) CM101
CM102 - CM201 - CM202 - CM61 - CPC101 - CPC102
CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM102G
CM201G - CM202G - CM61G - CPC101G - CPC102G
CPC201G - CPC202G - CPC61G

EMMEPI 809525

**3397025** **TEMPERATURE PROBE**
2 wires - probe for thermocouple type chamber
probe length 120 mm
cable length 1800 mm
with fastening coupling M8
for Convection oven (RATIONAL)
since 1/06/97

EMMEPI 809564

**3397101** **TEMPERATURE PROBE TCJ**
2 wires
bulb ø 6x100 mm
vetrotex cable length 900 mm
for Convection oven (GIORIK)

EMMEPI 807176

Зип Общепит
vsezip.ru
+7(812)980-03-81

Suitable for:

Suitable for:

## Relays

**3351007** **MINI RELAY 55.32 10A 240V 50/60Hz**
2 switching contacts
manual push-button

EMMEPI 809015

**3351016** **RELAY CRYDOM SOB667330**
for Convection oven (RATIONAL)
since 1/06/97
Series CPC - Series SCC

EMMEPI 809558

**3351008** **RELAY 62.83 16A 230V 50/60Hz**
3 switching contacts




EMMEPI 905475

## Rotary switches

**3057050** **CONNECTING BRACKET**
connecting thermostat and switch

EMMEPI C00218

**3057019** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Convection oven (COVEN)
for Convection oven (SOLYMAC) - Series SOLYMIX
for Convection oven electric (GIERRE) BRIOMAXI
BRIOMIDI - FEV106M - FEV120M - FEV166E
FEV166M - FEV166P - FEV168E - FEV168M
FEV168P - FEV56M - FEV60M
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM
EF5GM - EF6PM - EF7GM - EF8PM
for Convection oven gas (GIERRE) FEV107M - FEV121M
FEV167E - FEV167M - FEV167P - FEV169E
FEV169M - FEV169P - FEV57M - FEV61M
for Convection oven gas (GIORIK) CG06MX - CG10MX

EMMEPI 808145

**3057026** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm
for Convection oven electric (INOXTREND) CRCA107E
CRCA111E

EMMEPI 806286

**3057178** **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Convection oven electric (GIORIK) EF4

EMMEPI C00685

EMMEPI 808687

Зип Общепит
vsezip.ru
+7(812)980-08-81

Suitable for:

### 3057224 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 380V
D-shaped pin ø 5x4 mm
for Convection oven electric (GIORIK) EF4PM
EF6PM - EF8PM
for Convection oven gas (GIORIK) GF4PM - GF6PM
GF8PM

EMMEPI 807551

Suitable for:

### 3057214 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 32A 250V - max 150°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (COVEN) TEC10MD
TEC20MD - TEC3MX - TEC6MD
for Convection oven electric (SOGECO) - Series MX
Series PMX56 - Series PMX810 - Series PVMX5
Series PVMX8 - Series VMX - VMX20N - VMX2011N
VMX40N

EMMEPI 8C1483

### 3057010 SELECTOR SWITCH 0-4 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.ø 6 mm
for Convection oven (FOINOX) - Series FC
for Convection oven electric (LAINOX) CES24M
CES40M - CE041M - CE051M - CE071M - CE100M
CE106M - CE110M - CE200M - CE210M - MCE051M
MCE071M - MCE101M - MCE102M - MCE201M
MCE202M
for Convection oven gas (LAINOX) CGS24M - CGS40M
CG051M - CG071M - CG100M - CG106M - CG110M
CG200M - CG210M - FG105M - FG105X - FG110M
FG110X - MCG051M - MCG071M - MCG101M - MCG102M
MCG201M - MCG202M - PG040M - PG040X - PG080M
PG080X



EMMEPI 807290 EMMEPI 808806

### 3057047 SELECTOR SWITCH 5 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.ø 6 mm
for Convection oven (FOINOX) - Series FM
Series MIDI - Series MM

EMMEPI 808962

## Solenoid valves

### 3120014 SOLENOID VALVE 264 220/240V ø 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet ø 10 mm

EMMEPI 902410

### 3120167 SOLENOID VALVE 264A 220/240V ø 14 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - three outlets ø 14 mm

EMMEPI E00010011

### 3120004 SOLENOID VALVE 319 220/240V ø 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm

EMMEPI 8C0206

### 3120005 SOLENOID VALVE 329 220/240V ø 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm

EMMEPI 809327 EMMEPI 809335 EMMEPI 902390

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3120007** **SOLENOID VALVE 349 220/240V ø 10 mm**

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm

EMMEPI 8C0145 EMMEPI 808922

Suitable for:

**3120009** **SOLENOID VALVE 351 220/240V ø 14 mm**

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm

EMMEPI 809566

**3120011** **SOLENOID VALVE 353 220/240V ø 14 mm**

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm

EMMEPI 809565

## Spark generators

**3181002** **SPARK GENERATOR 2 OUTLETS**

220/240V 50/60Hz
for Convection oven (COVEN)
for Convection oven electric (SOLYMAC) SOLYMIX10
SOLYMIX6

EMMEPI C00507 EMMEPI C10167 EMMEPI 8C1700
EMMEPI 813434

**3181003** **SPARK GENERATOR 4 OUTLETS**

220/240V 50/60Hz

EMMEPI C10168

**3181004** **SPARK GENERATOR 6 OUTLETS**

220/240V - 50/60Hz

EMMEPI

Зип Общепит
+7(812)9

# Sparking and detection plugs

**3020327** **ROUND DETECTION PLUG ø 8x45 mm**
overall length 95 mm
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM

EMMEPI 809603

**3020190** **ROUND DETECTION PLUG ø 9x63 mm**
overall length 204 mm
for Convection oven gas (KELVIN)
for Convection oven gas (SOGECO)

EMMEPI 809880

**3020124** **ROUND IGNITION ELECTRODE ø 7x44 mm**
female connection
overall length 58 mm

EMMEPI 807741

**3020375** **ROUND SPARKING PLUG ø 7.5x60 mm**
overall length 78 mm
for Convection oven gas (RATIONAL)
since 1/06/97
Series CM - Series CPC

EMMEPI 809511

**3001003** **ROUND SPARKING PLUG ø 7x44 mm**
male faston M4x1 mm
total length 65 mm
for Convection oven electric (SOLYMAC) SOLYP10
for Convection oven gas (SOLYMAC) SOLYMIX
SOLYP6G

EMMEPI 051H10002 EMMEPI 8C0637 EMMEPI 808177

**3020060** **ROUND SPARKING PLUG ø 7x44 mm**
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

EMMEPI C00173 EMMEPI 8C1498

**3020175** **ROUND SPARKING PLUG ø 7x68 mm**
overall length 200 mm
for Convection oven gas (COVEN) N6GMD - N6GMX
TEC10G - TEC10GMD - TEC10GP - TEC10GPMEC
TEC15G - TEC15GMD - TEC20G - TEC20GMD - TEC5GP
TEC5GPMEC - TEC6G - TEC6GMD - TEC6GMX - TEC7G
for Convection oven gas (SOGECO)

EMMEPI 8C1697

**3020328** **ROUND SPARKING PLUG ø 8x45 mm**
overall length 83 mm
for Convection oven gas (GIORIK) GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM

EMMEPI 809604

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3020065** **ROUND SPARKING PLUG ø 9.5x77 mm**
overall length 125 mm
for Convection oven gas (FOINOX) FC100GEP
FC200GEP - FC200GM - FC201GEP - FC401GEP
FC401GM - FC60GEP - FC60GM - FDG55EP - FDG55TD
FM06GDG - FM10GB - FM10GDG - FM100GEP
FM100GM - FM100GTD - FM200GEP - FM200GTD
FM201GEP - FM201GM - FM401GEP - FM401GM
FM401GTD - FM60GEP - FM60GM - FM60GTD
FP100GEP - FP100GM - FP100GTD - FP50GEP
JO0611G - JO1011G - JO1021G - JO2011G
JO2021G - MIDI005GEP - MM06GA - MM10GA
MM10GB - MM100GEP - MM100GM - MM100GTD
MM20GA - MM200GEP - MM200GM - MM200GTD
MM201GM - MM201GTD - MM401GEP - MM401GM
MM401GTD - MM60GEP - MM60GM - MM60GTD

EMMEPI 809281

Suitable for:

**3020189** **ROUND SPARKING PLUG ø 9x63 mm**
overall length 204 mm
for Convection oven gas (SOGECO)

EMMEPI 809879

## Switches

**3319168** **BIPOLAR SWITCH 16A 250V**
for Convection oven (FOINOX) - Series FC
Series FD - Series FM - Series MM

EMMEPI 808807

**3319617** **DOUBLE CONTACT SWITCH 16A 250V**
for Convection oven (FOINOX)

EMMEPI 809021

**3319029** **GREEN BIPOLAR SWITCH 16A 250V**
with indicator lamp
max temperature 120°C
mounting hole 22x30 mm

EMMEPI 818181

**3319944** **GREEN BIPOLAR SWITCH 16A 250V**
with indicator light
0-I silk-screen printing
temperature max 120°C
mounting hole 22x30 mm

EMMEPI 712110000

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

## 3319425 ORANGE BIPOLAR SWITCH 15A 250V

with indicator lamp
mounting hole 13x20 mm
for Convection oven (SOGECO) - Series C
Series VMX

EMMEPI 809883

Suitable for:

## 3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V

with protection cap
mounting hole ø 16 mm
for Convection oven electric (ZANUSSI)
for Convection oven gas (WHIRLPOOL) ACV/G10C2
ACV/G10C4 - ACV/G10C6 - ACV/G102/1C4
ACV/G102/1C6 - ACV/G20C4 - ACV/G61C3
ACVG202/1C4
for Convection oven gas (ZANUSSI)

EMMEPI 809886

## 3319949 YELLOW BIPOLAR SWITCH 16A 250V

with indicator lamp
mounting hole ø 25 mm
for Convection oven electric (SOGECO) CM10-S
CM20-S - CM56-S - CM6-S - CM810-S - MX10
Series MX20 - Series MX56 - Series MX6
Series MX810

EMMEPI 8C0427

## 3319315 2-POLE RED PUSH-BUTTON 3A 250V

with indicator lamp
max temperature 125°C
mounting hole ø 17 mm
for Convection oven gas (GIORIK) CG20MX - DG06EC
DG06ES - DG06MX - DG10EC - DG10ES - DG10MX
DG102EC - DG102MX - GF10GM - GF4PM - GF5GM
GF6PM - GF7GM - GF8PM - VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX

EMMEPI 809600

# Telethermometers

## 3441037 WHITE TELETHERMOMETER ø 52 mm 50-350°C

plastic sheath
capillary length 970 mm
bulb ø 6x40mm
for Convection oven electric (BERTO'S) FME10N
for Convection oven electric (FOINOX) FP05E

EMMEPI 808667

## 3441071 WHITE TELETHERMOMETER ø 60 mm 50-350°C

metal sheath
covered capillary length 1600 mm
plastic covered bulb ø 6x20 mm
for Convection oven (KELVIN) K106M - K110M - K210M

EMMEPI 809747

Зип Общепит
ugzip.ru
+7(812)987-08-81

Suitable for:

Suitable for:

## Terminal blocks

**3247009** **6-POLE TERMINAL BLOCK FV122/B 40A 600V**
for cable max 6 mm2
operating temperature 150°C
nominal voltage 450 V

EMMEPI C00395

## Thermocouples and accessories

**3440067** **INTERRUPTED THERMOCOUPLE M9x1 100 cm.**
interrupted contact with terminals



EMMEPI 513120001

**3440014** **INTERRUPTION CONNECTOR M8x1**

EMMEPI 8C1701

**3440015** **INTERRUPTION CONNECTOR M9x1**

EMMEPI C00169 EMMEPI 807350 EMMEPI 807842

**3440133** **THERMOCOUPLE SIT M10x1 100 cm**

EMMEPI 808521

**3440837** **THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**

EMMEPI 806185

**3440037** **THERMOCOUPLE SIT M9x1 100 cm.**

EMMEPI 806185

**3440837** **THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**

EMMEPI 806185

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

## 3440038 THERMOCOUPLE SIT M9x1 120 cm

EMMEPI 8C0639 EMMEPI 806186

Suitable for:

## 3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

EMMEPI 8C0639 EMMEPI 806186

## 3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

EMMEPI 8C0639 EMMEPI 806186

## 3440039 THERMOCOUPLE SIT M9x1 150 cm

EMMEPI C10201 EMMEPI 814980

## 3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

EMMEPI C10201 EMMEPI 814980

## 3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

EMMEPI C10201 EMMEPI 814980

## 3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS

EMMEPI 806183 EMMEPI 808178

## 3440035 THERMOCOUPLE SIT M9x1 60 cm.

EMMEPI 806183 EMMEPI 808178

## 3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS

EMMEPI 806183 EMMEPI 808178

## 3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

EMMEPI 806184 EMMEPI 808138

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3440036** **THERMOCOUPLE SIT M9x1 85 cm.**

EMMEPI 806184 EMMEPI 808138

Suitable for:

**3440836** **THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**

EMMEPI 806184 EMMEPI 808138

**3440082** **THERMOCOUPLE SIT QUICK M8x1 60 cm**

EMMEPI 808151

**3440078** **THERMOCOUPLE SIT QUICK M9x1 50 cm.**

EMMEPI 806271

## Thermostats

**3444352** **SINGLE-PHASE THERMOSTAT 130°C**

with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x129 mm
for Convection oven electric (FOINOX) JO1011E
JO1021E - JO2011E - JO2021E - JO611E
for Convection oven gas (FOINOX) JO0611G - JO1011G
JO1021G - JO2011G - JO2021G

EMMEPI 808671

**3444339** **SINGLE-PHASE THERMOSTAT 30-110°C**

D-shaped pin 6x4.6 mm
capillary length 880 mm - 16A 250V
bulb ø 6x130 mm
for Convection oven (FOINOX) - Series MM

EMMEPI 809017

**3444552** **SINGLE-PHASE THERMOSTAT 30-120°C**

D-shaped pin 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb ø 6x115 mm
for Convection oven electric (BERTO'S) FC200EA
FC200EB
for Convection oven gas (BERTO'S) FC200GA
FC200GB

EMMEPI 808809

**3444676** **SINGLE-PHASE THERMOSTAT 335°C**

with manual reset
covered capillary length 920 mm - 16A 250V
bulb ø 3x150 mm
for Convection oven (BERTO'S)
for Convection oven electric (BAKE OFF)
BISTROT1064 - BISTROT434 - BISTROT434/05
BISTROT464 - BISTROT464/05 - BISTROT664
6TTR05
for Convection oven electric (FOINOX) JO1011E
JO1021E - JO2021E - JO611E
for Convection oven gas (FOINOX) JO1011G - JO1021G
JO2011G - JO2021G - JO611G

EMMEPI 808664

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3444285** **SINGLE-PHASE THERMOSTAT 350°C**

with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x77 mm
for Convection oven electric (GIORIK) EF4 - EGE05
EGE10 - EPE04 - EPE05 - EPE10
for Convection oven gas (GIORIK) CG10MX - CG102MX
DG06EC - DG06ES - DG06MX - DG10EC - DG10ES
DG10MX - DG102EC - DG102MX - GF10GM - GF4PM
GF5GM - GF6PM - GF7GM - GF8PM - VG06EC
VG06MX - VG10EC - VG10MX - VG102EC - VG102MX

EMMEPI 807658

Suitable for:

**3444781** **SINGLE-PHASE THERMOSTAT 360°C**

with automatic reset
covered capillary length 1170 mm - 16A 230V
bulb ø 4x95 mm - with stuffing gland nut M14x1
for Convection oven electric (RATIONAL)
since 1/06/97
CD101 - CD102 - CD201 - CD202 - CD61
CM101N - CM102N - CM201N - CM202N - CM61 - CPC101
CPC102 - CPC201 - CPC202 - CPC61
for Convection oven gas (RATIONAL) CM101G - CM61G
CPC101G - CPC61G

EMMEPI 809504

**3444043** **SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven (LAINOX)
for Convection oven (ZANUSSI)

EMMEPI 808672

**3444174** **SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm
for Convection oven (BONNET)
for Convection oven (BOURGEOIS)
for Convection oven (ZANUSSI)

EMMEPI 908326

**3444305** **SINGLE-PHASE THERMOSTAT 50-500°C**

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 4x230 mm
for Electric oven (FIMAR) MICRO1C - MICRO2C

EMMEPI 808542

**5031404** **SINGLE-PHASE THERMOSTAT 60-318°C**

D-shaped pin ø 6x4.6 mm
capillary length 870 mm - 16A 250V
bulb ø 3x139 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF412
KF412U - KF620 - KF620IX - KF620U - KF620UIX
KF622 - KF630UD - KF723 - KF723U - KF937
KF937UD

EMMEPI 132110015

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

## 5025542 SINGLE-PHASE THERMOSTAT 66-310°C

D-shaped pin ø 6x4.6 mm
capillary length 1500 mm
double bulb ø 3x120 mm
for EMMEPI OVEN FE900
for Convection oven electric (TECNOEKA) KF412GRILL
KF622GRILL - KF723M - KF911 - KF911IX - KF933
KF933U - KF964ALM - KF964IM - KF965
KF965AL/UD - KF965M - KF966UD - KF980DOUBLE
KF980DOUBLEV/A - KF980I - KF980V/A - KF981
KF981DOUBLE - KF981DOUBLE EV/UD
KF981DOUBLE UD

EMMEPI 132110016

Suitable for:

## 3444586 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 4x228 mm

EMMEPI 8C0363

## 3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb ø 6x80 mm
for Convection oven electric (GIORIK) VE06EC
VE06MX - VE10EC - VE10MX
for Convection oven gas (GIORIK) VG06EC - VG06MX
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC
VG20MX

EMMEPI 808057

## 3444175 THREE-PHASE THERMOSTAT 335°C

with manual reset
covered capillary length 1200 mm
bulb ø 3x200 mm - with stuffing gland M10x1
with tank seal fitting M16
for Convection oven (SOGECO)

EMMEPI 809891

## 3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length 1120 mm - 10A 400V
bulb ø 3x190 mm
for Convection oven electric (SMEG) ALFA135X
ALFA135X1 - ALFA151X - ALFA161X - ALFA200X

EMMEPI 807790

## 3444458 3-PHASE THERMOSTAT 350°C

with manual reset
covered capillary length 900 mm - 20A 400V
bulb ø 4x120 mm - with stuff.gland coupling M10x1
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC
DE102MX - EF10GM - EF4PM - EF5GM - EF6PM
EF7GM - EF8PM - VE06EC - VE06MX - VE10EC
VE10M - VE102EC - VE102M - VE20EC - VE20MX
for Convection oven gas (GIORIK) CG06MX - CG20MX
VG20EC - VG20MX

EMMEPI 808718

Зип Общепит
vsezip.ru
+7(812)9

## Timers

**3446057** **FOOT FOR 90.26 TIMER**
8 feet - 10A 250V
for Convection oven (FOINOX) - Series MM

EMMEPI 809018

**3446002** **TIMER 120 MINUTES**
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm
for Convection oven (GIORIK)
for Convection oven (MARENO)

EMMEPI 813170

**3446004** **TIMER 120 MINUTES**
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm
for Convection oven (ANGELO PO)
for Convection oven (ZANUSSI)

EMMEPI 828794

**3446039** **TIMER 120 MINUTES MS65**
manually set cycle 120 minutes
contact capacity 16(4)A 250V 50Hz
max temperature 100°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (GIORIK) CE06MX
CE10MX - CE102MX - CE20MX - DE06ES - DE06MX
DE10ES - DE10MX - DE102MX - EF10GM - EF4
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM - VE06MX
VE10MX - VE102MX - VE20MX
for Convection oven electric (INOXTREND)
BUA-606E-00 - BUA-610E-00 - FBA-106E-00
FBA-106E-01 - FBA-110E-00 - FBA-110E-01
FBA-120E-00 - FBA-210E-00 - FDA-106E-00
FDA-106E-01 - FDA-120E-00 - FDA-210E-00
for Convection oven gas (GIORIK) CG06MX - CG10MX

EMMEPI 809442

**5047410** **TIMER 120 MINUTES MS65**
mechanical timer with sound alarm
120-minutes mechanically set cycle
contact capacity 16(4)A 230V 50Hz
max temperature 100°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (TECNOEKA) KF723
KF911 - KF911IX - KF921 - KF931 - KF964AL
KF964ALM - KF964I - KF964IM - KF980DOUBLE
KF980DOUBLEV - KF980DOUBLEV/A - KF980I
KF980V/A

EMMEPI 8C1391

**3446038** **TIMER 120 MINUTES M2**
mechanical movement with balance wheel
manually set cycle 120 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C - D-shaped pin ø 6x4.6 mm
for Convection oven (SOGECO) LN - P - VMX
for Convection oven electric (KELVIN) KE106M
KE110M - KE210M - KE234 - KE234S - NKE106M
NKE110M - NKE210M - NKE234
for Convection oven gas (KELVIN) KG106M - KG110M
KG210M - NKG106M - NKG110M - NKG210M

EMMEPI 8C2008

Зип Общепит
vsezip.ru
+7(812)987-08-81

Suitable for:

**3446056** **TIMER 120 MINUTES M2**

mechanical timer with acoustic alarm
manual left position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin ø 6x4.6 mm
for Convection oven (FOINOX) - Series BLUPASTRY
Series FC - Series FM - Series FP - Series SPEEDY
for Convection oven electric (FOINOX) MM06EB
for Convection oven electric (GAYC) G2
for Convection oven electric (ROLLER GRILL) FC110
FC60

EMMEPI 809674

Suitable for:

**3446224** **TIMER 120 MINUTES 16A 250V**

contact capacity 16(4)A 250V
max temperature 85°C
D-shaped pin ø 6x4.6 mm
for Convection oven (COGECO) - Series C
Series CNV

EMMEPI 8C0791

**3446053** **TIMER 6 SECONDS 5A 250V**

for Convection oven (FOINOX) - Series MM

EMMEPI 809016

**3446057** **FOOT FOR 90.26 TIMER**

8 feet - 10A 250V
for Convection oven (FOINOX) - Series MM

EMMEPI 809018

**3446054** **TIMER 60 SECONDS 5A 230V**

for Convection oven (FOINOX) - Series MM

EMMEPI 809019

**3446057** **FOOT FOR 90.26 TIMER**

8 feet - 10A 250V
for Convection oven (FOINOX) - Series MM

EMMEPI 809018

**5031403** **120 MINUTES TIMER MS65**

mechanical timer with sound alarm
120 minutes mechanically set cycle
contact capacity 16(4)A 230V 50Hz
max temperature 100°C
D-shaped pin ø 6x4.6 mm
for Convection oven electric (TECNOEKA) KF412
KF412U - KF620 - KF620U - KF723GRILL - KF723M

EMMEPI 132110014

Зип Общепит
+7(812)987-08-81

# Timers and cycle reversing switches

**3322276** **CONTROLLER P195 4 CAMS 230V 50Hz**

cycle 270 seconds
for Convection oven (SOGECO) - Series C
Series MX - Series MXB - Series PMX - Series PVMX
Series VMX
for Convection oven electric (SOGECO) MBS06.11E
MBS10.11E - MBS10.21E - MBS20.11E - MBS20.21E
MDS06.11E - MDS10.11E - MDS10.21E - MDS20.11E
MDS20.21E - PST05.64E - PST08.64E - PST08.68E
for Convection oven gas (SOGECO) MBS06.11G
MBS10.11G - MBS10.21G - MBS20.11G - MBS20.21G
MDS06.11G - MDS10.11G - MDS10.21G - MDS20.11G
MDS20.21G - PST05.64G - PST08.64G - PST08.68G

EMMEPI 8C0289