Зип Общепит
vsezip.ru
+7(812)987-08-81

Total Food-Service Solution

# TILTING BOILING Pan & TILTING BRAISING PAN Spare Part Catalogue
Spare Part Catalogue

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BOILING PAN NEBP 100 AT



Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BOILING PAN NEBP 100 AT

| No. | PART CODE | DESCRIPTION | QTY | PRICE p/unit EURO |
|---|---|---|---|---|
| MCB1 | KB.5012 | Circuit Breaker 2 Pole 10A | 1 | 10.88 |
| MCB2 | KB.5026 | Circuit Breaker 3 Pole 32A | 1 | 19.99 |
| PS | PD.CS154 | Power Supply 24VDC | 1 | 197.76 |
| SW | PD.410J | Switch On/Off c/w lamp | 1 | 8.70 |
| | PD.410K | | 1 | 4.95 |
| | PD.410L | | 1 | 8.12 |
| | PD.410M | | 1 | 6.14 |
| | PD.410PA | | 1 | 5.94 |
| CS,TS, MS1,2 | PD.424V | Magnet Switch | 4 | 9.79 |
| SPS | PD.2095 | Pressure Switch | 1 | 9.82 |
| BS | PD.412U | Safety Thermostat 140° C | 1 | 57.21 |
| FS | PD.404Q | Floating switch | 1 | 33.84 |
| M | PD.229S1 | Linear Actuator | 1 | 186.24 |
| E | PD.4243 | Electronic | 1 | 1,141.07 |
| TH | PD.2091 | Temperature Sensor | 1 | 42.14 |
| C1 | PD.4247 | Magnetic contactor 24VDC 32A | 1 | 111.12 |
| SSR1 - SSR3 | PD.CS136 | Solid State Relais 24VDC | 3 | 71.42 |
| R1 - R2 | PD.4245 | Relay 24VDC | 2 | 4.65 |
| MC | PD.4244 | Motor Controller | 1 | 235.18 |
| F | PD.CS138 | Filter | 1 | 39.81 |
| H1 - H4 | PD.4119 | Heater 5000W / 230V | 4 | 48.03 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BOILING PAN NEBP 150 AT



Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BOILING PAN NEBP 150 AT

| No. | PART CODE | DESCRIPTION | QTY | PRICE p/unit EURO |
|---|---|---|---|---|
| MCB1 | KB.5012 | Circuit Breaker 2 Pole 10A | 1 | 10.88 |
| MCB2 - MCB3 | KB.5026 | Circuit Breaker 3 Pole 32A | 2 | 19.99 |
| PS | PD.CS154 | Power Supply 24VDC | 1 | 197.76 |
| SW | PD.410J | Switch On/Off c/w lamp | 1 | 8.70 |
| | PD.410K | | 1 | 4.95 |
| | PD.410L | | 1 | 8.12 |
| | PD.410M | | 1 | 6.14 |
| | PD.410PA | | 1 | 5.94 |
| CS,TS, MS1,2 | PD.424V | Magnet Switch | 4 | 9.79 |
| SPS | PD.2095 | Pressure Switch | 1 | 9.82 |
| BS | PD.412U | Safety Thermostat 140° C | 1 | 57.21 |
| FS | PD.404Q | Floating switch | 1 | 33.84 |
| M | PD.229S1 | Linear Actuator | 1 | 186.24 |
| E | PD.4243 | Electronic | 1 | 1,141.07 |
| TH | PD.2091 | Temperature Sensor | 1 | 42.14 |
| C1 - C2 | PD.4247 | Magnetic contactor 24VDC 32A | 2 | 111.12 |
| SSR1 - SSR6 | PD.CS136 | Solid State Relais 24VDC | 6 | 71.42 |
| R1 - R2 | PD.4245 | Relay 24VDC | 2 | 4.65 |
| MC | PD.4244 | Motor Controller | 1 | 235.18 |
| F | PD.CS138 | Filter | 1 | 39.81 |
| H1 - H5 | PD.4119 | Heater 5000W / 230V | 5 | 48.03 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# EXPLODED VIEW NEBP 100 AT & NEBP 150 AT

**NEBP 150 TA IND**









Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BOILING PAN NEBP 100 AT & 150 AT

| No. | PART CODE | DESCRIPTION | QTY 100 | QTY 150 | PRICE p/unit EURO |
|---|---|---|---|---|---|
| 1 | GS.4055A | Handle Cast Iron Grip | 1 | 1 | 0.76 |
| 2 | PD.229S1 | Linear Actuator | 1 | 1 | 186.24 |
| 3 | PS.344B | Lever | 1 | 1 | 15.52 |
| 4 | PD.1308 | Casing | 1 | 1 | 4.22 |
| | PD.4243 | Electronic Controller | 1 | 1 | 1,141.07 |
| | PD.410J | Push Button Actuator | 1 | 1 | 8.70 |
| | PD.410K | Green Tranparent Lens | 1 | 1 | 4.95 |
| | PD.410L | Front Bezel | 1 | 1 | 8.12 |
| | PD.410M | Snap Action Switching | 1 | 1 | 6.14 |
| | PD.410PA | LED Lamp | 1 | 1 | 5.94 |
| 5 | PD.5096B | Pillow Block Ø 45 mm | 2 | 2 | 29.39 |
| 6 | PD.4508I | Hinge Shaft Flange | 1 | 1 | 0.86 |
| | PD.J102E | Hinge Shaft | 1 | 1 | 6.85 |
| 7 | PD.4119 | Heater | 4 | 5 | 48.03 |
| 8 | PD.404Q | Float Switches Horizontal | 1 | 1 | 33.84 |
| 9 | PD.9120 | Drain Cock | 1 | 1 | 176.97 |
| 10 | PD.412YB | Safety Thermostat | 1 | 1 | 54.04 |
| 11 | PD.2095 | Pressure Switch | 1 | 1 | 9.82 |
| 12 | GS.1052 | Check Valve | 1 | 1 | 7.92 |
| 13 | GS.2005 | Over Flow Valve | 1 | 1 | 9.37 |
| 14 | GS.2005 | Drain Valve | 1 | 1 | 9.37 |
| 15 | PD.4508I | Hinge Shaft Flange | 1 | 1 | 0.86 |
| | PD.J102D | Hinge Shaft | 1 | 1 | 5.77 |
| 16 | PD.9115 | Faucet | 1 | 1 | 132.71 |
| 17 | PD.9118 | Hinge | 1 | 1 | 218.53 |
| 18 | GS.1156 | Knee 1/2" | 1 | 1 | 3.11 |
| 19 | PD.1215 | Adaptor Bushing | 1 | 1 | 38.10 |
| 20 | PD.3793-A | Security Valve 0,6 Bar | 1 | 1 | 685.13 |
| 21 | PD.3794 | Thermo Condensator | 1 | 1 | 381.20 |
| 22 | SS.1074 | Knee 3/4" | 1 | 1 | 2.72 |
| 23 | PD.4509S4 | Pressure Chamber Pipe 3/4" | 1 | 1 | 3.60 |
| 24 | GS.2005 | Inlet for Destile Water | 1 | 1 | 9.37 |
| 25 | GS.1078 | Double Nipple 1/2" | 4 | 4 | 1.83 |
| | PD.1211A | Water Moor 1/2" | 2 | 2 | 9.84 |
| 26 | PD.4509S5 | Pressure Chamber Pipe 1/2" | 1 | 1 | 3.60 |
| 27 | PD.462K | Pin | 1 | 1 | 3.47 |
| 28 | PD.462J | Pin | 1 | 1 | 3.47 |
| 29 | PD.424V | Magnet Ø 6 x 30 mm | 3 | 3 | 9.79 |
| 30 | PD.424D | Limit Switch 10W/0.4A/250V | 4 | 4 | 3.83 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BOILING PAN NEBP 250 AT



Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BOILING PAN NEBP 250 AT

| No. | PART CODE | DESCRIPTION | QTY | PRICE p/unit EURO |
|---|---|---|---|---|
| MCB1 | KB.5012 | Circuit Breaker 2 Pole 10A | 1 | 10.88 |
| MCB2 - MCB3 | KB.5026 | Circuit Breaker 3 Pole 32A | 2 | 19.99 |
| PS | PD.CS154 | Power Supply 24VDC | 1 | 197.76 |
| SW | PD.410J | Switch On/Off c/w lamp | 1 | 8.70 |
| | PD.410K | | 1 | 4.95 |
| | PD.410L | | 1 | 8.12 |
| | PD.410M | | 1 | 6.14 |
| | PD.410PA | | 1 | 5.94 |
| CS,TS, MS1,2 | PD.424V | Magnet Switch | 4 | 9.79 |
| SPS | PD.2095 | Pressure Switch | 1 | 9.82 |
| BS | PD.412U | Safety Thermostat 140° C | 1 | 57.21 |
| FS | PD.404Q | Floating switch | 1 | 33.84 |
| M | PD.229S1 | Linear Actuator | 1 | 186.24 |
| E | PD.4243 | Electronic | 1 | 1,141.07 |
| TH | PD.2091 | Temperature Sensor | 1 | 42.14 |
| C1 - C2 | PD.4247 | Magnetic contactor 24VDC 32A | 2 | 111.12 |
| SSR1 - SSR6 | PD.CS136 | Solid State Relais 24VDC | 6 | 71.42 |
| R1 - R2 | PD.4245 | Relay 24VDC | 2 | 4.65 |
| MC | PD.4244 | Motor Controller | 1 | 235.18 |
| F | PD.CS138 | Filter | 1 | 39.81 |
| H1 - H7 | PD.4119 | Heater 5000W / 230V | 7 | 48.03 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BOILING PAN NEBP 300 AT



Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BOILING PAN NEBP 300 AT

| No. | PART CODE | DESCRIPTION | QTY | PRICE p/unit EURO |
|---|---|---|---|---|
| MCB1 | KB.5012 | Circuit Breaker 2 Pole 10A | 1 | 10.88 |
| MCB2 - MCB3 | KB.5026 | Circuit Breaker 3 Pole 32A | 2 | 19.99 |
| PS | PD.CS154 | Power Supply 24VDC | 1 | 197.76 |
| SW | PD.410J | Switch On/Off c/w lamp | 1 | 8.70 |
| | PD.410K | | 1 | 4.95 |
| | PD.410L | | 1 | 8.12 |
| | PD.410M | | 1 | 6.14 |
| | PD.410PA | | 1 | 5.94 |
| CS,TS, MS1,2 | PD.424V | Magnet Switch | 4 | 9.79 |
| SPS | PD.2095 | Pressure Switch | 1 | 9.82 |
| BS | PD.412U | Safety Thermostat 140° C | 1 | 57.21 |
| FS | PD.404Q | Floating switch | 1 | 33.84 |
| M | PD.229S1 | Linear Actuator | 1 | 186.24 |
| E | PD.4243 | Electronic | 1 | 1,141.07 |
| TH | PD.2091 | Temperature Sensor | 1 | 42.14 |
| C1 - C2 | PD.4247 | Magnetic contactor 24VDC 32A | 2 | 111.12 |
| SSR1 - SSR6 | PD.CS136 | Solid State Relais 24VDC | 6 | 71.42 |
| R1 - R2 | PD.4245 | Relay 24VDC | 2 | 4.65 |
| MC | PD.4244 | Motor Controller | 1 | 235.18 |
| F | PD.CS138 | Filter | 1 | 39.81 |
| H1 - H7 | PD.4119 | Heater 5000W / 230V | 7 | 48.03 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BOILING PAN NEBP 250 AT & 300 AT

## NEBP 300 TA IND









Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BOILING PAN NEBP 250 AT & 300 AT

| No. | PART CODE | DESCRIPTION | QTY 100 | QTY 150 | PRICE p/unit EURO |
|---|---|---|---|---|---|
| 1 | SH.0022B | Lid Handle | 1 | 1 | 3.48 |
| 2 | PD.229S1 | Linear Actuator | 1 | 1 | 186.24 |
| 3 | PD.J125 | Lever | 1 | 1 | 10.40 |
| 4 | PD.1308 | Casing | 1 | 1 | 4.22 |
| | PD.4243 | Electronic Controller | 1 | 1 | 1,141.07 |
| | PD.410J | Push Button Actuator | 1 | 1 | 8.70 |
| | PD.410K | Green Tranparent Lens | 1 | 1 | 4.95 |
| | PD.410L | Front Bezel | 1 | 1 | 8.12 |
| | PD.410M | Snap Action Switching | 1 | 1 | 6.14 |
| | PD.410PA | LED Lamp | 1 | 1 | 5.94 |
| 5 | PD.5096B | Pillow Block Ø 45 mm | 2 | 2 | 29.39 |
| 6 | PD.4508I | Hinge Shaft Flange | 1 | 1 | 0.86 |
| | PD.J102E | Hinge Shaft | 1 | 1 | 6.85 |
| 7 | PD.4119 | Heater | 7 | 7 | 48.03 |
| 8 | PD.404Q | Float Switches Horizontal | 1 | 1 | 33.84 |
| 9 | PD.9120 | Drain Cock | 1 | 1 | 176.97 |
| 10 | PD.412YB | Safety Thermostat | 1 | 1 | 54.04 |
| 11 | PD.2095 | Pressure Switch | 1 | 1 | 9.82 |
| 12 | GS.1052 | Check Valve | 1 | 1 | 7.92 |
| 13 | GS.2005 | Over Flow Valve | 1 | 1 | 9.37 |
| 14 | GS.2005 | Drain Valve | 1 | 1 | 9.37 |
| 15 | PD.4508I | Hinge Shaft Flange | 1 | 1 | 0.86 |
| | PD.J102D | Hinge Shaft | 1 | 1 | 5.77 |
| 16 | PD.9115 | Faucet | 1 | 1 | 132.71 |
| 17 | PD.9118B | Hinge | 1 | 1 | 341.60 |
| 18 | GS.1156 | Knee 1/2" | 1 | 1 | 3.11 |
| 19 | PD.1215 | Adaptor Bushing | 1 | 1 | 38.10 |
| 20 | PD.3793-C | Security Valve 1.3 Bar | 1 | 1 | |
| 21 | PD.3794 | Thermo Condensator | 1 | 1 | 381.20 |
| 22 | SS.1074 | Knee 3/4" | 1 | 1 | 2.72 |
| 23 | PD.4509S4 | Pressure Chamber Pipe 3/4" | 1 | 1 | 3.60 |
| 24 | GS.2005 | Inlet for Destile Water | 1 | 1 | 9.37 |
| 25 | GS.1078 | Double Nipple 1/2" | 4 | 4 | 1.83 |
| | PD.1211A | Water Moor 1/2" | 2 | 2 | 9.84 |
| 26 | PD.4509S5 | Pressure Chamber Pipe 1/2" | 1 | 1 | 3.60 |
| 27 | PD.462K | Pin | 1 | 1 | 3.47 |
| 28 | PD.462J | Pin | 1 | 1 | 3.47 |
| 29 | PD.424V | Magnet Ø 6 x 30 mm | 3 | 3 | 9.79 |
| 30 | PD.424D | Limit Switch 10W/0.4A/250V | 4 | 4 | 3.83 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BRAISING PAN NETP 80 AT



Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BRAISING PAN NETP 80 AT

| No. | PART CODE | DESCRIPTION | QTY | PRICE p/unit EURO |
|---|---|---|---|---|
| MCB1 | KB.5012 | Circuit Breaker 2 Pole 10A | 1 | 10.88 |
| MCB2 | KB.5026 | Circuit Breaker 3 Pole 32A | 1 | 19.99 |
| PS | PD.CS154 | Power Supply 24VDC | 1 | 197.76 |
| SW | PD.410J | Switch On/Off c/w lamp | 1 | 8.70 |
| | PD.410K | | 1 | 4.95 |
| | PD.410L | | 1 | 8.12 |
| | PD.410M | | 1 | 6.14 |
| | PD.410PA | | 1 | 5.94 |
| CS,TS, MS1,2 | PD.424V | Magnet Switch | 4 | 9.79 |
| M | PD.229S1 | Linear Actuator | 1 | 186.24 |
| E | PD.4243 | Electronic | 1 | 1,141.07 |
| TH | PD.2091 | Temperature Sensor | 1 | 42.14 |
| C | PD.4247 | Magnetic contactor 24VDC 32A | 1 | 111.12 |
| SSR1 - SSR3 | PD.CS136 | Solid State Relais 24VDC | 3 | 71.42 |
| R1 - R2 | PD.4245 | Relay 24VDC | 2 | 4.65 |
| MC | PD.4244 | Motor Controller | 1 | 235.18 |
| F | PD.CS138 | Filter | 1 | 39.81 |
| H1 - H5 | PD.211A | Rod Heater 2500W / 230V | 5 | 26.35 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BRAISING PAN NETP 120 AT



Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BRAISING PAN NETP 120 AT

| No. | PART CODE | DESCRIPTION | QTY | PRICE p/unit EURO |
|---|---|---|---|---|
| MCB1 | KB.5012 | Circuit Breaker 2 Pole 10A | 1 | 10.88 |
| MCB2 | KB.5026 | Circuit Breaker 3 Pole 32A | 1 | 19.99 |
| MCB3 | KB.5003 | Circuit Breaker 1 Pole 16A | 1 | 4.20 |
| PS | PD.CS154 | Power Supply 24VDC | 1 | 197.76 |
| SW | PD.410J | Switch On/Off c/w lamp | 1 | 8.70 |
| | PD.410K | | 1 | 4.95 |
| | PD.410L | | 1 | 8.12 |
| | PD.410M | | 1 | 6.14 |
| | PD.410PA | | 1 | 5.94 |
| CS,TS, MS1,2 | PD.424V | Magnet Switch | 4 | 9.79 |
| M | PD.229S1 | Linear Actuator | 1 | 186.24 |
| E | PD.4243 | Electronic | 1 | 1,141.07 |
| TH | PD.2091 | Temperature Sensor | 1 | 42.14 |
| C | PD.4247 | Magnetic contactor 24VDC 32A | 1 | 111.12 |
| SSR1 - SSR4 | PD.CS136 | Solid State Relais 24VDC | 4 | 71.42 |
| R1 - R2 | PD.4245 | Relay 24VDC | 2 | 4.65 |
| MC | PD.4244 | Motor Controller | 1 | 235.18 |
| F | PD.CS138 | Filter | 1 | 39.81 |
| H1 - H7 | PD.211A | Rod Heater 2500W / 230V | 7 | 26.35 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

# ELECTRIC TILTING BRAISING PAN NETP 160 AT



Зип Общепит
vsezip.ru
+7(812)987-08-81

## ELECTRIC TILTING BRAISING PAN NETP 160 AT

| No. | PART CODE | DESCRIPTION | QTY | PRICE p/unit EURO |
|---|---|---|---|---|
| MCB1 | KB.5012 | Circuit Breaker 2 Pole 10A | 1 | 10.88 |
| MCB2 | KB.5026 | Circuit Breaker 3 Pole 32A | 1 | 19.99 |
| MCB3 | KB.5003 | Circuit Breaker 1 Pole 16A | 1 | 4.20 |
| PS | PD.CS154 | Power Supply 24VDC | 1 | 197.76 |
| SW | PD.410J | Switch On/Off c/w lamp | 1 | 8.70 |
| | PD.410K | | 1 | 4.95 |
| | PD.410L | | 1 | 8.12 |
| | PD.410M | | 1 | 6.14 |
| | PD.410PA | | 1 | 5.94 |
| CS,TS, MS1,2 | PD.424V | Magnet Switch | 4 | 9.79 |
| M | PD.229S1 | Linear Actuator | 1 | 186.24 |
| E | PD.4243 | Electronic | 1 | 1,141.07 |
| TH | PD.2091 | Temperature Sensor | 1 | 42.14 |
| C | PD.4247 | Magnetic contactor 24VDC 32A | 1 | 111.12 |
| SSR1 - SSR4 | PD.CS136 | Solid State Relais 24VDC | 4 | 71.42 |
| R1 - R2 | PD.4245 | Relay 24VDC | 2 | 4.65 |
| MC | PD.4244 | Motor Controller | 1 | 235.18 |
| F | PD.CS138 | Filter | 1 | 39.81 |
| H1 - H7 | PD.211A | Rod Heater 2500W / 230V | 7 | 26.35 |

Зип Общепит
vsezip.ru
+7(812)987-08-81

PT. Nayati Indonesia
Jl. Raya Terboyo no. 19
Kawasan Industri Terboyo Megah
Indonesia

Tel. Int. + 62 24 6580 573
Fax Int. + 62 24 6580 572
http://www.nayati.com

we reserve the right to amend technical design and specification without prior notice