



TORRADEIRA TRD 30.2



TORRADEIRA TRD 30.2 FIAMMA - 2.0.077.0001

DIMENSÕES (LxPxH) 525x305x405 mm
DIMENSIONS (LxPxH)

POTÊNCIA 2750 W
POWER

TENSÃO DE ALIMENTAÇÃO 230V-50Hz
POWER SUPPLY

PESO LIQUIDO 10 kg
NET WEIGHT

PESO BRUTO 11,5 kg
GROSS WEIGHT

DIMENSÕES DA EMBALAGEM (LxPxH) 540x315x440 mm
PACKAGE DIMENSIONS

TORRADEIRA TRD 30.2

This exploded view diagram illustrates the assembly of the HP LaserJet Enterprise M712dn printer. The components are numbered as follows:

- 1**: Main printer body/frame.
- 2**: Small square component, likely a sensor or switch.
- 3**: Long, thin rectangular components, likely rollers or guides.
- 4**: Front panel/frame section.
- 5**: Top cover/frame section.
- 6**: Top cover/frame section.
- 7**: Small L-shaped components, likely clips or guides.
- 8**: Black rectangular components, likely filters or trays.
- 9**: Small L-shaped components, likely clips or guides.
- 10**: Small square component, likely a sensor or switch.
- 11**: Curved component, likely a handle or foot.
- 12**: Long, thin rectangular component, likely a roller or guide.
- 13**: Bottom panel/frame section.
- 14**: Black rectangular components, likely filters or trays.
- 15**: Small square component, likely a sensor or switch.
- 16**: Small circular component, likely a screw or fastener.
- 17**: Bottom panel/frame section.
- 18**: Small square component, likely a sensor or switch.
- 19**: Cable with a connector, likely a power or data cable.
- 20**: Small circular component, likely a screw or fastener.






EXPLOSAO_TRD 30.2_R00D_201211 Pág. 2/5

Зип Общепит

R00

vsezip.ru

+7(812)987-08-81


TORRADEIRA TRD 30.2

LISTA DE COMPONENTES E ACESSÓRIOS Spare parts list

ITEM Nº	CÓDIGO	DESIGNAÇÃO	QUANT.
1	7.0.077.0000	ESTRUTURA CONJUNTO TRD 30.2	1
2	4.0.075.0002	TEMPORIZADOR 15 MIN.	1
3	4.0.075.0021	GRELHA PROTECÇÃO SILICAS QUIN. TR	2
4	7.0.077.0031	TAMPO LATERAL ESQ. TR 30.2/TOSTI D3	1
5	4.0.075.1137	RESISTENCIA CONJUNTO 21 OHM	3
6	7.0.076.0039	TAMPO SUPERIOR CONJ. TR/TOSTI	1
7	4.0.075.1135	RESISTENCIA CONJUNTO 17 OHM	6
8	4.0.075.0020	GRELHA PROTECÇÃO SILICAS TR	2
9	7.0.076.0020	FIXADOR SILICAS TR	3
10	4.0.000.0523	INTERRUPTOR TRIPLO TR30.2	1
11	4.0.075.0064	ASA PLASTICO	2
12	7.0.077.0025	REFORÇO TR 30.2/TOSTI D3	1
13	7.0.076.0055	BLINDAGEM FUNDO TR/TOSTI	1
14	4.0.075.0005	GRELHA CONJUNTO TR/TOSTI	2
15	4.0.074.0015	PASSA FIOS Nº1 PARA FURO Ø12,5MM	2
16	4.2.000.9247	BATENTE PRETO Nº4	1
17	7.0.076.0058	TABULEIRO TR/TOSTI	1
18	4.0.075.0040	MANIPULO TEMPORIZADOR	1
19	4.0.075.0054	CABO SECTOR CONJ. 3G1,5 (PA 84E)	1
20	7.0.077.0028	TAMPO LATERAL DIR. TR 30.2/TOSTI D3	1


TORRADEIRA TRD 30.2

5 - 4.0.075.1137 - RESISTÊNCIA CONJUNTO 21 OHM




ITEM Nº	CÓDIGO	DESIGNAÇÃO	QUANT.
1	4.0.075.0137	RESISTENCIA CR NI 21 OHM C/ TERMINAIS	1
2	4.0.075.0038	TUBO SILICA 9X12X378	1
3	4.0.075.0010	ISOLADOR TERMICO REF.6323/041	2

7 - 4.0.075.1135 - RESISTÊNCIA CONJUNTO 17 OHM



ITEM Nº	CÓDIGO	DESIGNAÇÃO	QUANT.
1	4.0.075.0135	RESISTENCIA CR NI 17 OHM C/ TERMINAIS	1
2	4.0.075.0038	TUBO SILICA 9X12X378	1
3	4.0.075.0010	ISOLADOR TERMICO REF.6323/041	2

10 - 4.0.000.0523 - INTERRUPTOR TRIPLO TR30.2



ITEM Nº	CÓDIGO	DESIGNAÇÃO	QUANT.
1	4.0.000.0504	CAIXA ST3 110586	1
2	4.0.000.0510	INTERRUPTOR UNIPOLAR	3
3	4.0.000.0508	TASTO VERMELHO/VERDE	3
4	4.0.000.0506	TASTO T5	3

TORRADEIRA TRD 30.2

ESQUEMA ELECTRICO

