



Зип Ощепит

vsezip.ru

Spare Parts for

Ovens & Combi Ovens



Spare parts suitable for

UNOX

2018

Find the complete and up-to-date range of products in our GEV Webshop



heating elements

heating elements for ovens



GEV No.	417566	Ref. No.	RS1261A0
description	heating element 122W 105V heating circuits 1 L 85mm W 31mm flange length 70mm flange width 22mm hole distance 56mm hole ø 5mm tube ø 6.25mm connection male faston 6.3mm connection length 87mm rectangular flange dry heating element		
For models:	XB693, XB695, XB893, XB895, XV593		



GEV No.	417565	Ref. No.	KRS1261A
description	heating element 122W 105V heating circuits 1 L 85mm W 31mm flange length 70mm flange width 22mm hole distance 56mm hole ø 5mm tube ø 6.25mm connection male faston 6.3mm connection length 87mm rectangular flange dry heating element with gasket and silicone		



GEV No.	417549	Ref. No.	RS1215A0
description	heating element 147W 105V heating circuits 1 L 88mm W 30.5mm flange length 78mm flange width 28mm hole distance 55mm tube ø 6.3mm connection male faston 6.3mm connection length 85mm		
For models:	XBC1005, XBC605, XBC805, XBC815G, XVC1005P, XVC1015G, XVC105, XVC205, XVC305, XVC315G, XVC505, XVC515G, XVC705, XVC715G, XVC905P		



GEV No.	417548	Ref. No.	KRS1215A
description	heating element 147W 105V heating circuits 1 L 88mm W 30.5mm flange length 78mm flange width 28mm hole distance 55mm tube ø 6.3mm connection male faston 6.3mm connection length 85mm with gasket and silicone		

Зип-Общепит heating elements for convection



GEV No.	420192	Ref. No.	RS090
description	heating element 1260W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 244mm H 31mm L1 47mm W1 31mm H1 6mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm flange connection		
For models:	XF030, XF030-TG, XF040, XF050, XF065		



GEV No.	417608	Ref. No.	KRS0090A KRS011
description	heating element 1260W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 244mm H 31mm L1 47mm W1 31mm H1 6mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm flange connection with gasket and silicone		



GEV No.	417558	Ref. No.	KRS1240A
description	heating element 147/1300W 105/230V heating circuits 2 ID ø 218mm ED ø 236mm L 240mm H 15mm W1 70mm H1 5mm flange length 110mm flange width 22mm hole distance 18mm connection male faston 6.3mm with gasket and silicone		



GEV No.	417563	Ref. No.	RS1240A0
description	heating element 147/1300W 105/230V heating circuits 2 ID ø 220mm ED ø 236mm L 242mm H 96mm W1 74mm H1 5mm H2 26mm flange length 110mm flange width 22mm hole distance 94mm connection male faston 6.3mm		
For models:	XVC2015G		



1

GEV No.	417561	Ref. No.	KRS002 KRS0023A RS023A
description	heating element 2560W 230V heating circuits 1 ID ø 220mm ED ø 235mm L 255mm H 45mm L1 20mm W1 30mm H1 8mm H2 30mm flange length 99mm flange width 21mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange with gasket and silicone		




1

GEV No.	417562	Ref. No.	RS0023A0
description	heating element 2560W 230V heating circuits 1 ID ø 220mm ED ø 235mm L 265mm H 45mm L1 30mm W1 30mm H1 8mm H2 32mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		



1

GEV No.	418746	Ref. No.	KRS020 KRS1130A RS1130A0
description	heating element 2900W 230V heating circuits 1 ID ø 220mm ED ø 235mm L 268mm H 40mm L1 35mm W1 30mm H1 11mm H2 32mm flange length 99mm flange width 21mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	XF023, XF100, XF103, XF110, XF113, XF115, XF119, XF130, XF133, XF135		



1

GEV No.	418745	Ref. No.	KRS016 KRS1090A RS1090A0 RS1090A1	
description	heating element 2900W 230V heating circuits 1 ID ø 220mm ED ø 235mm L 268mm H 75mm L1 35mm W1 30mm H1 11mm H2 32mm flange length 99mm flange width 21mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange			
For models:	XF183, XF185, XF190, XF193, XF195, XVC054, XVC104			
accessories for	418745			
	GEV No.	550986	Ref. No.	GN1280 GN1327A0 GN224
gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element				



1

GEV No.	419142	Ref. No.	KRS003 KRS1026 KRS1026 + GN 1280 KRS1026A RS026 RS026A RS026B	
description	heating element 3100W 230V heating circuits 1 ID ø 220mm ED ø 235mm H 45mm L1 25mm W1 25mm H1 8mm H2 30mm flange length 99mm flange width 21mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange			
For models:	XF090P			
accessories for	419142			
	GEV No.	550986	Ref. No.	GN1280 GN1327A0 GN224
gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element				



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	419111	Ref. No.	RS076 RS076A RS076B RS1040A0
description	heating element 4250W 230V heating circuits 2 ID ø 220mm ED ø 235mm L 265mm H 50mm L1 25mm W1 53mm H1 5mm H2 45mm flange length 100mm flange width 22mm hole distance 87mm connection male faston 6.3mm tube ø 6.3mm		
For models:	XB403, XB403G, XB603, XB603G, XBT160, XF188, XV301, XV301E, XV401E		
accessories for	419111		
	GEV No.	550986	Ref. No. GN1280 GN1327A0 GN224
gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element			




1

GEV No.	420416	Ref. No.	KRS1115A
description	heating element 4350W 230V heating circuits 2 ID ø 224mm ED ø 235mm L 270mm H 65mm L1 25mm W1 60mm H1 12mm H2 55mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange with gasket and silicone		



1

GEV No.	420414	Ref. No.	RS085A
description	heating element 4400W 225V heating circuits 2 ID ø 224mm ED ø 235mm L 270mm H 55mm L1 25mm W1 60mm H1 12mm H2 45mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		



1

GEV No.	418906	Ref. No.	KRS012 KRS1040A
description	heating element 4250W 230V heating circuits 2 ID ø 220mm ED ø 235mm L 265mm H 50mm L1 25mm W1 53mm H1 5mm H2 45mm flange length 100mm flange width 22mm hole distance 87mm connection male faston 6.3mm tube ø 6.3mm with gasket and silicone		



1

GEV No.	420399	Ref. No.	KRS0085A KRS010
description	heating element 4400W 225V heating circuits 2 ID ø 224mm ED ø 235mm L 270mm H 65mm L1 25mm W1 60mm H1 12mm H2 55mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange with gasket and silicone		



1

GEV No.	420417	Ref. No.	RS1115A0
description	heating element 4350W 230V heating circuits 2 ID ø 224mm ED ø 235mm L 270mm H 65mm L1 25mm W1 60mm H1 12mm H2 55mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 60mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		

Зип Общепит
vsezip.ru
+7(812)987-08-81



1

GEV No.	417551	Ref. No.	RS1225A
description	heating element 4700W 230V heating circuits 3 ID ø 224mm ED ø 235mm L 270mm H 97mm L1 15mm W1 103mm H1 15mm H2 85mm flange length 148mm flange width 31mm hole distance 17mm connection male faston 6.3mm connection length 85mm tube ø 6.3mm convection heating element hole ø 4.5mm rectangular flange		
For models:	XBC405E, XBC605E, XBC805E, XVC055E, XVC105E, XVC105EP, XVC205E, XVC505E, XVC505EP		
accessories for	417551		
	GEV No.	531259	Ref. No.
	GN1085A0 KGN1085A		
	gasket L 141mm W 22mm D1 ø 8mm D2 ø 9mm 9 holes graphite thickness 1mm suitable for UNOX		



1

GEV No.	417550	Ref. No.	KRS1225A
description	heating element 4700W 230V heating circuits 3 ID ø 224mm ED ø 235mm L 270mm H 97mm L1 15mm W1 103mm H1 15mm H2 85mm flange length 148mm flange width 31mm hole distance 17mm connection male faston 6.3mm connection length 85mm tube ø 6.3mm convection heating element hole ø 4.5mm rectangular flange with gasket and silicone		



1

GEV No.	417556	Ref. No.	KRS032 KRS1150A
description	heating element 4900W 230V heating circuits 2 ID ø 224mm ED ø 235mm L 270mm H 70mm L1 30mm W1 60mm H1 12mm H2 60mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 85mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange with gasket and silicone		



1

GEV No.	417557	Ref. No.	RS1150A0
description	heating element 4900W 230V heating circuits 2 ID ø 224mm ED ø 235mm L 270mm H 75mm L1 30mm W1 60mm H1 12mm H2 60mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm connection length 65mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	XB693, XB695, XB893, XB895, XBC404, XBC604, XBC804, XF043, XV593, XVC204, XVC304, XVC504, XVC704		



1

GEV No.	419144	Ref. No.	RS1000A0 RS1050A0
description	heating element 5000W 230V heating circuits 2 ID ø 223mm ED ø 236mm L 265mm H 65mm L1 25mm W1 55/25mm H1 6mm H2 59mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm tube ø 6.5mm hole ø 5mm		
For models:	XB803, XB803G, XBT146, XV203G, XV303G, XV703G, XVT203G		
accessories for	419144		
	GEV No.	550986	Ref. No.
	GN1280 GN1327A0 GN224		
	gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element		



1

GEV No.	419017	Ref. No.	KRS013 KRS1050A
description	heating element 5000W 230V heating circuits 2 ID ø 223mm ED ø 236mm L 265mm H 65mm L1 25mm W1 55/25mm H1 6mm H2 59mm flange length 100mm flange width 22mm hole distance 86mm connection male faston 6.3mm tube ø 6.5mm hole ø 5mm with gasket and silicone		
spare parts for	419017		
	GEV No.	550986	Ref. No.
	GN1280 GN1327A0 GN224		
	gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element		



Зип Общепит

vsezip.ru

+7(812)987-08-81



GEV No.	417553	Ref. No.	RS1205A0
description	heating element 5600W 230V heating circuits 3 ID ø 224mm ED ø 235mm L 270mm H 97mm L1 15mm W1 103mm H1 15mm H2 85mm flange length 148mm flange width 31mm hole distance 17mm connection male faston 6.3mm connection length 85mm tube ø 6.3mm convection heating element hole ø 4.5mm rectangular flange		
For models:	XBC1005, XVC1005P, XVC305, XVC705, XVC905P		



GEV No.	417552	Ref. No.	KRS1205A
description	heating element 5600W 230V heating circuits 3 ID ø 224mm ED ø 235mm L 270mm H 97mm L1 15mm W1 103mm H1 15mm H2 85mm flange length 148mm flange width 31mm hole distance 17mm connection male faston 6.3mm connection length 85mm tube ø 6.3mm convection heating element hole ø 4.5mm rectangular flange with gasket and silicone		



GEV No.	417560	Ref. No.	KRS1180A
description	heating element 9000W 230V heating circuits 3 ID ø 220mm ED ø 238mm L 282mm H 100mm L1 30mm W1 104mm H1 10mm H2 85mm flange length 147mm flange width 31mm hole distance 62mm connection male faston 6.3mm connection length 85mm tube ø 8.5mm convection heating element hole ø 4.5mm rectangular flange with gasket and silicone		



GEV No.	417564	Ref. No.	RS1180A0
description	heating element 9000W 230V heating circuits 3 ID ø 220mm ED ø 238mm L 282mm H 100mm L1 30mm W1 104mm H1 10mm H2 85mm flange length 147mm flange width 31mm hole distance 63mm connection male faston 6.3mm connection length 85mm tube ø 8.5mm convection heating element hole ø 4.5mm rectangular flange		
For models:	XVC1004P, XVC1204P		



GEV No.	417555	Ref. No.	KRS1020A RS1020A0
description	heating element 9000W 230V heating circuits 3 ID ø 240mm ED ø 257mm L 300mm H 100mm L1 38mm W1 104mm H1 8.5mm H2 85mm flange length 142mm flange width 25mm hole distance 126mm connection male faston 6.3mm connection length 85mm tube ø 8.5mm convection heating element hole ø 6.2mm rectangular flange INCOLOY-800		
For models:	XV1003G		



GEV No.	417547	Ref. No.	KRS1100A RS1100A0
description	heating element 90W 110V heating circuits 1 L 155mm W 31mm flange length 70mm flange width 22mm hole distance 56mm connection length 32mm connection male faston 6.3mm tube ø 6.35mm hole ø 5mm rectangular flange dry heating element		
For models:	XC595		

accessories

flange gaskets



GEV No.	550986	Ref. No.	GN1280 GN1327A0 GN224
description	gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element		
For models:	XBC403, XBC403G, XBC603, XBC603G, XBC803, XBC803G, XBC404, XBC604, XBC804, XBT146, XBT160, XF023, XF043, XF090P, XF103, XF113, XF119, XF133, XF135, XF183, XF185, XF188, XF190, XF195, XV202, XV202E, XV203G, XV301, XV301E, XV303G, XV401, XV401E, XV501, XV501E, XV703G, XVC054, XVC104, XVC204, XVC304, XVC504, XVC704, XVT203G		



GEV No.	531270	Ref. No.	GN1086A
description	gasket L 141mm W 22mm D1 ø 10mm D2 ø 9mm 9 holes graphite thickness 1mm suitable for UNOX		
For models:	XVC1205EP, XVC2005EP, XVC305EP, XVC705EP		

Зип.Общепит

thermostats

vsezip.ru

control and safety thermostats

EGO

control thermostats

55, 10, 12 series

+7(812)987-08-81

			
1			
GEV No.	531259	Ref. No.	GN1085A0 KGN1035A
description	gasket L 141mm W 22mm D1 ø 8mm D2 ø 9mm 9 holes graphite thickness 1mm suitable for UNOX		
For models:	XV1003G, XVC1004P, XVC1204P		

			
1			
GEV No.	531258	Ref. No.	GN1326A
description	gasket L 72mm W 20mm 5 holes graphite thickness 1mm suitable for UNOX		
For models:	XB1083, XB693, XB695, XB893, XB895, XBC1005E, XBC1005EL, XBC405E, XBC605E, XBC905E, XBC905EL, XV1093, XV393, XV593, XV893, XVC055E, XVC1005EP, XVC1005EPL, XVC105E, XVC105EP, XVC1205EP, XVC2005EP, XVC205E, XVC305E, XVC305EP, XVC4005EP, XVC4005EPL, XVC505E, XVC505EP, XVC705E, XVC705EP, XVC905EP, XVC905EPL		

energy regulators


EGO

1-circuit

			
1			
GEV No.	380019	Ref. No.	KVE009 VE023
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57071.010		


			
1			
GEV No.	381243	Ref. No.	EX-VE023 KVE1556A
description	energy regulator 240V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm power release 6-100% with knob set		
For models:	XB1083, XB613G, XB693, XB813G, XB893, XF030, XF040, XF050, XF065, XV1093, XV201, XV202, XV301, XV393, XV401, XV501, XV513G, XV593, XV813G, XV893		

E·G·O



GEV No.	390982	Ref. No.	KTR1141A TR022
description	thermostat 1NO probe ø 3.9mm probe L 127mm capillary pipe 1500mm shaft ø 6mm shaft L 23mm rotation 270°		
For models:	XL041, XL051, XL091, XL503		

E·G·O



GEV No.	390943	Ref. No.	KTR1100A TR1100A0
description	thermostat t.max. 269°C 1-pole 1NO 16A probe ø 3mm probe L 225mm capillary pipe 900mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	XB693, XB893, XV593		



Зип-Общепит

vsezip.ru

+7(812)987-08-81

E.G.O.



1

GEV No.	375894	Ref. No.	KTR001 KTR009 KTR012 KTR1130A TR006 TR006A
description	thermostat t.max. 293°C temperature range 55-293°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 350mm gland nut shaft ø 4.0-6.0mm shaft L 23mm rotation 270°		
For models:	XF003, XF006, XF011, XF016, XF023, XF030, XF030-TG, XF043, XF065, XF090P, XF113, XF133, XF183, XF193, XV202, XV301, XV401, XV501		

E.G.O.



2

GEV No.	376024	Ref. No.	KTR006 KTR1131A TR016 TR017
description	thermostat t.max. 355°C temperature range 60-355°C 1-pole 1NO 16A probe ø 4mm probe L 228mm capillary pipe 900mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation°		
For models:	XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T, XP250		

safety thermostats

55.32_ series

E.G.O.



1

GEV No.	390999	Ref. No.	KTR1140A TR007 TR008
description	safety thermostat switch-off temp. 350°C temperature range°C 2-pole NC 20A probe ø 3mm probe L 187mm capillary pipe 690mm capillary pipe isolated 680mm gland nut shaft ømm probe SS		
For models:	XF010, XF020, XF020R, XF030, XF040, XF043, XF050, XF065, XFT110, XFT113, XFT115, XFT119, XFT130, XFT133, XFT135, XFT140, XFT180, XFT183, XFT185, XV201		

safety thermostats




1

GEV No.	375456	Ref. No.	KTR1134A KTR254 TR240 TR250
description	safety thermostat switch-off temp. 335°C 2-pole 20A probe ø 3mm probe L 200mm capillary pipe 1050mm capillary pipe isolated 650mm gland nut probe SS at 250V 20A at 400V 10A		
For models:	XCH030, XF003, XF006, XF010, XF011, XF016, XF020, XF020R, XF023, XF030, XF030-TG, XF040, XF043, XF050, XF065, XF090P, XF100, XF103, XF110, XF113, XF115, XF119, XF130, XF133, XF135, XF183, XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T, XV201, XV202, XV202E, XV301, XV301E, XV401, XV401E, XV501, XV501E, XVC054, XVC104		

CAMPINI

safety thermostats



1

GEV No.	376080	Ref. No.	KTR1136A TR255B
description	safety thermostat kit switch-off temp. 318°C 1-pole 16A probe ø 3mm probe L 137mm capillary pipe 1260mm capillary pipe isolated 710mm gland nut probe SS type Ty 95-H		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XF185, XF188, XF190, XF193, XF195, XG413G, XG613, XG613G, XG813, XV1003G, XV203G, XV303G, XV703G, XVC1004P, XVC105, XVC1204P, XVC204, XVC304, XVC305, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVT203G		


Зип Общепит

vsezip.ru

+7(812)987-08-81




switches and momentary switches



Зип Ощепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	345601	Ref. No.	KVM1762A VE162 VM1762A0
description	indicator lamp holder V ø 11mm		
For models:	XB1083, XB613G, XB693, XB813G, XB893, XC110, XF003, XF006, XF011, XF016, XF030, XF030-TG, XF065, XF090P, XF103, XF113, XF133, XF183, XF193, XFT113, XFT133, XFT183, XFT193, XG413, XG413G, XG613, XG613G, XG813, XG813G, XL041, XL051, XL091, XL413, XL503, XP010E, XP010ER, XP010ET, XP010P, XP010PR, XP010PT, XP010R, XP020, XP020E, XP020ER, XP020ET, XP020P, XP020PR, XP020PT, XP020R, XP020T...(Other models you can see in the webshop)		



1

GEV No.	357120	Ref. No.	KVE008
description	indicator lamps set mounting measurements 20.6x16.4mm 230V		



1

GEV No.	357012	Ref. No.	KVE007
description	indicator lamps set mounting measurements 20.6x16.4mm green 230V connection male faston 6.3mm ø 20.6x16.4mm socket male faston 6.3mm		





1

GEV No.	301308	Ref. No.	KVE0007A
description	indicator lamps set mounting measurements 20.6x16.4mm green/white 230V connection male faston 6.3mm		

Зип Общепит

vsezip.ru

+7(812)987-08-81



Зип Оффенит

vsezip.ru

+7(812)987-08-81



1

GEV No.	347749	Ref. No.	VE167
description	indicator light lens size 17x13mm green crossed out flame gold		
For models:	XG413, XG413G, XG613, XG613G, XG813, XG813G		



1

GEV No.	347747	Ref. No.	VE166
description	indicator light lens size 17x13mm green steam gold		
For models:	XF090P, XV202, XV301, XV401, XV501		



1

GEV No.	347748	Ref. No.	VE165
description	indicator light lens size 17x13mm green Sinus gold		
For models:	XF011, XF030, XF030-TG, XF065, XF090P, XV202, XV301, XV401, XV501		



1

GEV No.	347746	Ref. No.	VE164
description	indicator light lens size 17x13mm green thermometer gold		
For models:	XF003, XF006, XF011, XF016, XF030, XF030-TG, XF065, XF090P, XF103, XF113, XF133, XF183, XF193, XL041, XL051, XL091, XL503, XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T, XV202, XV301, XV401, XV501		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	348007	Ref. No.	VE1030A1
description	magnet ø 23mm Lmm H 10mm Wmm ID ø 4.5mm ED ø 23mm M3 hole ø 4.5mm		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XB895, XBC1005, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XG413G, XG613, XG613G, XG813, XV1003G, XV203G, XV303G, XV703G, XVC1004P, XVC1005P, XVC1015G, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P		




1

GEV No.	347945 ¹	Ref. No.	KVE1295A MF09 VE086 VE086B
description	microswitch with plunger thread M10 thread L 13mm 250V 5A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 49mm L1 13mm ambient temperature max. 85°C IP65 type MKH12D09 actuating force: 340g		
For models:	XF043, XF090P, XF100, XF110, XF115, XF130, XF135, XF183, XF185, XF188, XF190, XF193, XF195, XV201, XV202, XV202E, XV301, XV301E, XV401, XV401E, XV501, XV501E, XVC054, XVC104		

¹protection class IP65

1

GEV No.	301306	Ref. No.	KVE0106A VE0106A0
description	momentary push switch mounting measurements 20,6x16,4mm silver 1NO 250V 16A reset connection male faston 6.3mm ambient temperature max. 150°C protection IP40		



1

GEV No.	347193	Ref. No.	VE169
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	XF090P, XF113, XF133, XG413, XG413G, XG613, XG613G, XG813, XG813G, XL041, XL091, XL503		




1

GEV No.	347751	Ref. No.	VE176
description	push button size 17x13mm silver 0-I gold		
For models:	XC110, XL041, XL051, XL091, XL503, XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T, XT010, XT020		

Зип Ощепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	347752	Ref. No.	VE174
description	push button size 17x13mm silver crossed out flame gold		
For models:	XG413, XG413G, XG613, XG613G, XG813, XG813G		



1

GEV No.	347750	Ref. No.	VE175
description	push button size 17x13mm silver steam gold		
For models:	XF090P, XF113, XF133, XL041, XL091, XL503		



1

GEV No.	348032	Ref. No.	KVM2007A VM2007A0
description	push button size 17x13mm silver fan speed black		
For models:	XB693, XB893, XV593		



1

GEV No.	348186	Ref. No.	KVE0108A
description	push switch mounting measurements 20,6x16,4mm 2NO 250V 16A 0-1 connection male faston 6.3mm		

Зип Общепит

vsezip.ru

(812)987-08-81

			
GEV No.	348006	Ref. No.	KVE002 KVE102JA KVE1020B VE1020A0 VE1020A1
description	Read switch kit thread M10x0.75 1NO 250V 0.04A connection male faston 6.3mm cable length 1200mm type D10P 1V DA F 120 with magnet		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC1005, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XG413, XG413G, XG613, XG613G, XG813, XG813G, XK304, XV1003G, XV203G, XV303G, XV703G, XVC1004P, XVC1005P, XVC1015G, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P, XVT203G		

			
GEV No.	345720	Ref. No.	VE168
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	XC110, XL041, XL051, XL091, XL503, XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T, XT010, XT020		

lamps

indicator lights

indicator lights (complete)

20.6x16.4mm

			
GEV No.	348031	Ref. No.	KLP1012A
description	indicator light mounting measurements 20.6x16.4mm blue 230V connection male faston 6.3mm oval Qty 2 temp.-resist. 150°C temperature		

			
GEV No.	357120	Ref. No.	KVE008
description	indicator lamps set mounting measurements 20.6x16.4mm 230V		

			
GEV No.	357012	Ref. No.	KVE007
description	indicator lamps set mounting measurements 20.6x16.4mm green 230V connection male faston 6.3mm		

			
GEV No.	301308	Ref. No.	KVE0007A
description	indicator lamps set mounting measurements 20.6x16.4mm green/white 230V connection male faston 6.3mm		

			
GEV No.	301307	Ref. No.	KLP1014A
description	indicator lamps set mounting measurements 20.6x16.4mm white 230V connection male faston 6.3mm		

LED

LED bars

			
GEV No.	357231	Ref. No.	KLP1001B
description	LED bar L 300mm W 18mm H 19mm		
For models:	XBC405E, XVC305E, XVC305EP, XVC315EG		

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9



1

GEV No.	359946	Ref. No.	VE1005A1
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C 560lm 2000		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC404, XBC604, XBC804, XBT146, XBT160, XF100, XF110, XF113, XF119, XF130, XF135, XF183, XF185, XF188, XF190, XF193, XF195, XG413G, XG613G, XG813, XV1003G, XV203G, XV303G, XV703G, XVC054, XVC104, XVC204, XVC304, XVC504, XVC704		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

GEV No.	357119	Ref. No.	KVE028 VE030
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 round temp.-resist. 300°C no lens nipple		
For models:	XF010, XF011, XF020, XF020R, XF030, XF030-TG, XF040, XF050, XF065, XF090P, XF103, XV202, XV202E, XV301, XV301E, XV401, XV401E, XV501, XV501E		



1

GEV No.	359718	Ref. No.	KLP0030A
description	oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
spare parts for	359718		
	GEV No.	359701	Ref. No. VE1015
	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
	GEV No.	359740	Ref. No. —
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT 70lm 1000			



1

GEV No.	360753	Ref. No.	KVE1480A KVT1235A VT1200A
description	oven lamp mounting ø 35mm 230V 25W socket G9		

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

GEV No.	359701	Ref. No.	VE1015
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
accessories for	359701		
	GEV No.	359705	Ref. No. VE1010A1
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	GEV No.	359709	Ref. No. VE036
	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
	GEV No.	359721	Ref. No. —
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			
	GEV No.	359942	Ref. No. —
	oven lamp glass thr.ø 33.5mm H 39mm ø 40mm hard glas temp.-resist. 350°C		



1

GEV No.	357160	Ref. No.	KVE1015A VE1015A0 VE1015A1
description	lamp socket socket G9 220-230V mounting ø 35.5mm connection cable 100mm		
For models:	XB403, XB403G, XB603, XB603G, XB693, XB695, XB803, XB803G, XB893, XB895, XBC404, XBC604, XBC804, XBT146, XBT160, XF100, XF110, XF113, XF115, XF119, XF130, XF133, XF135, XF183, XF185, XF188, XF190, XF193, XF195, XG413, XG413G, XG613, XG613G, XG813, XG813G, XV1003G, XV203G, XV303G, XV593, XV703G, XVC054, XVC104, XVC1204P, XVC204, XVC304, XVC504, XVC514G, XVC704, XVT203G		



1

GEV No.	359709	Ref. No.	VE036
description	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
For models:	XF010, XF020, XF020R, XF030, XF040, XF050, XF065, XF183, XF193, XV201		

Зип Общепит

vsezip.ru

+7(812)987-08-81

			
GEV No.	359705	Ref. No.	VE1010A1
description	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
For models:	XB603, XBC404, XBC604, XBC804, XF090P, XF113, XG813, XV1003G, XVC304, XVC504, XVC514G		
accessories for	359705		
	GEV No.	359610	Ref. No. —
	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		
	GEV No.	359700	Ref. No. —
	gasket for pizza oven fibre glass ID ø 32.5mm ED ø 55mm thickness 5mm		
	GEV No.	359721	Ref. No. —
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	GEV No.	359837	Ref. No. —
	gasket ID ø 33mm ED ø 46mm thickness 1mm graphite		
	GEV No.	359838	Ref. No. —
	gasket ID ø 33mm ED ø 45mm		

			
GEV No.	358135 ¹	Ref. No.	GN1065+GN1055 GN1065A GN1065A1 GN192 KGN1065A KGN1065A1
description	gasket for oven lamp PTFE ID ø 44mm ED ø 53mm thickness 3mm with silicone O-ring		
For models:	XB603, XB613G, XB693, XB695, XB813G, XB893, XB895, XBC404, XBC604, XBC804, XBC815G, XF113, XF119, XF133, XF135, XFT110, XFT113, XFT115, XFT119, XFT130, XFT133, XFT135, XFT140, XFT180, XFT183, XFT185, XFT188, XFT190, XFT193, XFT195, XFT199, XFT200, XG413G, XG813, XV1003G, XV393, XV513G, XV593, XV813G, XV893, XVC054, XVC104, XVC1204P, XVC204, XVC304, XVC504, XVC514G, XVC704		

¹with silicone O-ring

			
GEV No.	358191	Ref. No.	KVE1005A
description	repair kit ID ø 44mm ED ø 53mm thickness 3mm for oven lamp		
For models:	XB613G, XB693, XB695, XB813G, XB893, XB895, XFT110, XFT113, XFT115, XFT119, XFT130, XFT133, XFT135, XFT140, XFT180, XFT183, XFT185, XFT188, XFT190, XFT193, XFT195, XFT199, XFT200, XV393, XV513G, XV593, XV813G, XV893		
spare parts for	358191		
	GEV No.	357195	Ref. No. —
	halogen lamp socket G9 230V 25W temp.-resist. 300°C OSRAM HALOPIN OVEN		
	GEV No.	358135	Ref. No. —
	gasket for oven lamp PTFE ID ø 44mm ED ø 53mm thickness 3mm with silicone O-ring		

			
GEV No.	358136	Ref. No.	GN1005 KVE005 KVT1195A VE1005 VE1005A0 VE1010A0
description	repair kit ø 35.5mm for oven lamp		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBT146, XBT160, XF100, XF110, XF115, XF119, XF130, XF135, XF185, XF188, XF190, XF195, XG413, XG413G, XG613, XG613G, XG813, XG813G, XV1003G, XV203G, XV303G, XV703G, XVC054, XVC1004P, XVC104, XVC204, XVC304, XVC504, XVC704, XVT203G		

lamps

halogen lamps

for socket G4 / G6.35 / G9

			
GEV No.	359946	Ref. No.	VE1005A1
description	halogen lamp socket G9 230V 40W temp.-resist. 300°C 560lm 2000		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC404, XBC604, XBC804, XBT146, XBT160, XF100, XF110, XF113, XF119, XF130, XF135, XF183, XF185, XF188, XF190, XF193, XF195, XG413G, XG613G, XG813, XV1003G, XV203G, XV303G, XV703G, XVC054, XVC104, XVC204, XVC304, XVC504, XVC704		

			
GEV No.	358191	Ref. No.	KVE1005A
description	repair kit ID ø 44mm ED ø 53mm thickness 3mm for oven lamp		
For models:	XB613G, XB693, XB695, XB813G, XB893, XB895, XFT110, XFT113, XFT115, XFT119, XFT130, XFT133, XFT135, XFT140, XFT180, XFT183, XFT185, XFT188, XFT190, XFT193, XFT195, XFT199, XFT200, XV393, XV513G, XV593, XV813G, XV893		
spare parts for	358191		
	GEV No.	357195	Ref. No. —
	halogen lamp socket G9 230V 25W temp.-resist. 300°C OSRAM HALOPIN OVEN		
	GEV No.	358135	Ref. No. —
	gasket for oven lamp PTFE ID ø 44mm ED ø 53mm thickness 3mm with silicone O-ring		



timers

programme timers



1

GEV No.	360703	Ref. No.	KVE1555A
description	timer CDC 8802F1 engines 1 chambers 2 operation time 4min 230V 50Hz shaft ømm shaft Lmm manuf. no. 8802F10AGE000.0010 motor type M48R 230V		

mechanical timers



1

GEV No.	350134 ¹	Ref. No.	KTM001 KTM0023A
description	time switch kit M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 22mm mounting distance 28mm ambient temperature max. 125°C with knob		

¹incl. knob and symbol

1

GEV No.	350184	Ref. No.	KTM003
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		



1

GEV No.	350186	Ref. No.	MIN042 TM023
description	timer M2 2-pole operation time 120min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		
For models:	XF006, XF011, XF016, XF030, XF030-TG, XF090P, XF103, XF113, XF133, XF183, XF193		
accessories for	350186		
	GEV No.	112627	Ref. No.
	MN1000A + MN1050A MN1000A0		
	knob time 120min ø 58mm shaft ø 6x4.6mm shaft flat lower		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	350185 ¹	Ref. No.	KTM005
description	timer M2 2-pole operation time 60min impulse mechanical 2CO at 250V 16A permanent position yes shaft 6x4.6mm shaft L 23mm mounting distance 28mm		

¹incl. knob

1

GEV No.	350187	Ref. No.	KTM004 KTM1005A TM1005A0
description	timer M2 2-pole operation time 60min impulse mechanical 2CO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm		
For models:	XB1083, XB613G, XB693, XB813G, XB893, XF003, XF023, XF043, XF113, XF133, XFT113, XFT133, XFT183, XFT193, XV1093, XV393, XV513G, XV593, XV813G, XV893		

alarm devices

buzzer boards



1

GEV No.	401062	Ref. No.	KTM0012B KTM012B
description	buzzer board 230VAC L 48mm W 45mm connection male faston 6.3mm		



1

GEV No.	403761	Ref. No.	VE1070A VE1070A0
description	buzzer board 230VAC L 54mm W 31mm connection male faston 6.3mm suitable for UNOX		
For models:	XG413, XG413G, XG613, XG613G, XG813, XG813G		



1

GEV No.	350210	Ref. No.	KT1001C TM1001CO
description	buzzer board L 54mm W 48mm connection male faston 6.3mm		

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

GEV No.	381242	Ref. No.	KVE1115A VE1115A0
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO connection screw connection type AEG LS05 400A type GE MC1A 400A with mounting clips		
For models:	XB1083, XB613G, XB693, XB813G, XB893, XBC1005, XBC1005E, XBC1005EL, XBC1015EG, XBC1015EGL, XBC405E, XBC605, XBC605E, XBC805, XBC805E, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XF043, XF100, XF103, XF110, XF115, XF119, XF130, XF135, XFT110, XFT113, XFT115, XFT119, XFT130, XFT135, XFT140, XFT180, XFT183, XFT185, XFT188, XFT190, XFT193, XFT195, XFT199, XFT200, XV1093, XV393, XV513G, XV593, XV813G, XV893, XVC054...(Other models you can see in the webshop)		



1

GEV No.	381095	Ref. No.	KVE019 KVE1095A VE1095A0
description	power contactor resistive load 25A 230VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A400T6		
For models:	XB403, XB403G, XB603, XB603G, XB693, XB695, XB803, XB803G, XB893, XB895, XBC404, XBC604, XBC804, XBT146, XBT160, XF183, XF185, XF188, XF190, XF193, XF195, XV1003G, XV203G, XV303G, XV593, XV703G, XVC1004P, XVC1204P, XVC204, XVC304, XVC504, XVC704, XVT203G		

Зип Общепит

SIEMENS

power contactors

vsezip.ru

+7(812)987-08-81



1

GEV No.	380526	Ref. No.	VE208
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XF090P, XV202, XV202E, XV203G, XV301, XV301E, XV303G, XV401, XV401E, XV501, XV501E, XV703G		

miscellaneous

accessories



1

GEV No.	381096	Ref. No.	KVM1075A VM1075A0 VM1075A1
description	clip for contactor		
For models:	XB693, XB695, XB893, XB895, XBC1005, XBC404, XBC604, XBC605, XBC804, XF043, XF119, XF135, XF183, XF185, XF190, XF193, XVC054, XVC1005P, XVC1015G, XVC104, XVC105, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC504, XVC505, XVC704, XVC705, XVC905P		

transformers

open transformers

with clamp terminal



1

GEV No.	403470	Ref. No.	KVE1360A VE1360A0
description	transformer primary 120/240VAC secondary 12VAC 60VA secondary 5A connection male faston 6.3mm 50-60Hz		
For models:	XBC1005, XBC605, XBC805, XBC815G, XVC1005P, XVC2015G, XVC205, XVC305, XVC505, XVC705, XVC715G, XVC905P		

encapsulated transformers

PMA



1

GEV No.	379054	Ref. No.	TR102
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

electronic controllers

SHANGFANG

accessories



1

GEV No.	379054	Ref. No.	TR102
description	transformer primary 230VAC secondary 12VAC 3VA secondary 0.25A H 40mm L 45mm W 50mm connection screw 50/60Hz type 153/M		

probes

producer-specific probes

probes



1

GEV No.	379741	Ref. No.	KTR007 KTR1095A TR1015A0
description	temperature probe kit NTC cable glass fibre probe -40 up to +125°C cable -50 up to +350°C connection coded plug thread probe ø4x19mm cable length 1m		
For models:	XC314, XC595, XCH030, XF100, XF110, XF115, XF119, XF130, XF135, XF185, XF188, XF190, XF195, XL135, XL195, XL314, XL404		
accessories for	379741		
	GEV No.	890034	Ref. No.
	silicone adhesive TOMABOND TB77 cartridge 80ml anthracite		

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

GEV No.	378543	Ref. No.	KTR004 TR1005/KTR004
description	temperature probe Pt100 cable glass fibre probe -40 up to +350°C cable -40 up to +260°C connection male faston 6.3mm thread M10x1 probe ø4x14-100mm cable length 0.65m		

1

GEV No.	378542	Ref. No.	TR0110A TR110
description	temperature probe Pt100 cable PTFE probe -100 up to 450°C cable -40 up to +250°C connection plug thread probe ø3x70mm cable length 1.4m		
For models:	XV202E, XV301E, XV401E, XV501E		

1

GEV No.	378374 ¹	Ref. No.	KTR1105A TR1105A0
description	temperature probe PTC cable silicone probe -50 up to +150°C cable -50 up to +180°C connection coded plug thread probe ø4x16mm cable length 1m		
For models:	XBC605, XBC805, XBC815G, XL405, XVC105, XVC205, XVC305, XVC315G, XVC505, XVC515G, XVC705, XVC715G		

¹incl. silicone gasket

1

GEV No.	378415	Ref. No.	KTR1110A
description	temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection plug thread probe ø6x180mm cable length 2m		

Зип Общепит
vsezip.ru

+7(812)987-08-81



GEV No.	378660	Ref. No.	KTR1106A
description	temperature probe kit for cavity probe $\varnothing 4 \times 25 \text{ mm}$ cable length 2m flange 20x12mm with mounting kit silicone adhesive C67		
For models:	XBC1005E, XBC1005EL, XBC1015EG, XBC1015EGL, XBC405E, XBC605E, XBC615EG, XBC805E, XBC815EG, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XVC1005EP, XVC1005EPL, XVC1015EG, XVC1015EGL, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC315EG, XVC4005EP, XVC4005EPL, XVC4015EG, XVC4015EGL, XVC515EG, XVC715EG, XVC905EP, XVC905EPL, XVC915EG, XVC915EGL		
spare parts for	378660		
	GEV No.	890034	Ref. No. —
silicone adhesive TOMABOND TB77 cartridge 80ml anthracite			



GEV No.	378366	Ref. No.	KTR1045A TR1045A0
description	temperature probe kit NTC cable glass fibre probe -40 up to +125°C cable -50 up to +350°C connection plug thread probe $\varnothing 4 \times 19 \text{ mm}$ cable length 1m		
For models:	XBC404, XBC604, XBC804, XVC054, XVC1004P, XVC104, XVC204, XVC304, XVC504, XVC704		



GEV No.	378297	Ref. No.	TR1005A TR1005A0
description	temperature probe kit Pt100 cable glass fibre probe -100 up to 450°C cable -100 up to 450°C connection F6.3 thread M10 probe $\varnothing 4 \times 14 - 100 \text{ mm}$ cable length 0.65m		
For models:	XBT146, XBT160, XG413, XG413G, XG613, XG613G, XG813, XG813G, XV1003G, XVT203G		



GEV No.	378371 ¹	Ref. No.	KTR0110A
description	temperature probe kit Pt100 cable PTFE probe -100 up to 450°C cable -40 up to +250°C connection plug thread probe $\varnothing 3 \times 70 \text{ mm}$ cable length 1.4m		

¹incl. silicone gasket

core probes

GEV No.	378417	Ref. No.	KSN1002A SN1002A0
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 5-wire probe $\varnothing 4 \times 100 \text{ mm}$ thread M10 cable length 2m handle $\varnothing 12 \text{ mm}$ handle length 52mm		
For models:	XVC1015G, XVC2015G		



GEV No.	379709	Ref. No.	KTR003 KTR1000A TR0123A0 TR1000A0 TR1000A3 TR123
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection male faston 6.3mm probe $\varnothing 4 \times 100 \text{ mm}$ thread M10 cable length 1.4m handle $\varnothing 12 \text{ mm}$ handle length 85mm		
For models:	XB403G, XB603G, XB803G, XCH030, XG413G, XG613G, XG813G, XV203G, XV303G, XV703G, XVT203G		

Зип.Общепит

vsezip.ru

(812)987-08-81



1			
GEV No.	378373	Ref. No.	KSN1000A SN1000A0
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread M10 cable length 1.5m handle ø 12mm handle length 52mm		
For models:	XVC315G		



1			
GEV No.	379705	Ref. No.	KTR1040A TR1040A0 TR1040A1
description	core temperature probe Pt100 cable PVC probe -40 up to +120°C cable -10 up to +100°C connection plug probe ø4x100mm thread M10x1.5 cable length 1.28m		
For models:	XBC404, XVC054, XVC104, XVC105, XVC204, XVC205, XVC304, XVC305		



1			
GEV No.	378365	Ref. No.	KTR1041A TR1041A2
description	core temperature probe Pt100 cable PVC probe -40 up to +120°C cable -40 up to +120°C connection plug probe ø4x100mm thread M10x1.5 cable length 2m handle length 44mm		

Hall sensors



1			
GEV No.	403435	Ref. No.	KPE1710A KPE1710B PE1710A1
description	Hall sensor L 38mm W 8mm H 4mm mounting distance 34mm cable length 1000mm		
For models:	XVC1015G, XVC315G		

accessories

fasteners



1			
GEV No.	378418	Ref. No.	VI1515A1
description	bracket for core temperature probe L 30mm W 30mm H 15mm SS 18/10		
For models:	XB403G, XB603G, XB803G, XBC1005, XBC404, XBC604, XBC804, XCH030, XG413G, XG613G, XV1003G, XV203G, XV303G, XV703G, XVC054, XVC1004P, XVC1005P, XVC1015G, XVC104, XVC105, XVC1204P, XVC2015G, XVC204, XVC304, XVC504, XVC704, XVC905P, XVT203G		



1			
GEV No.	378375	Ref. No.	TR121 TR21
description	female connector 2-pole for core temperature probe		
For models:	XV202E, XV301E, XV401E, XV501E		



1			
GEV No.	378376	Ref. No.	TR122 TR22
description	lid for plug contact		
For models:	XV202E, XV301E, XV401E, XV501E		

electronics

PCBs



1			
GEV No.	403434	Ref. No.	KPE1730B PE1730B0
description	control PCB combi-steamer XVC1015G L 107mm W 60mm suitable for UNOX H 40mm		
For models:	XBC815G, XVC1015G, XVC2015G, XVC315G, XVC515G, XVC715G		



1			
GEV No.	403758	Ref. No.	KPE1105A
description	control PCB convection oven suitable for UNOX with control panel		



1			
GEV No.	403760	Ref. No.	KPE1195C PE1195B0 PE1195C1
description	control PCB L 290mm W 27mm suitable for UNOX		
For models:	XF115, XF135, XF185, XF188, XF195		

Зип Общепит
vsezip.ru
(812)987-08-81


			
1			
GEV No.	403757	Ref. No.	KPE1740A KPE1740C PE1740A0
description	display PCB convection oven XBC/XVC suitable for UNOX		
For models:	XBC100S, XBC100SE, XBC100SEL, XBC101SE, XBC101SEGL, XBC405E, XBC60S, XBC60SE, XBC61SE, XBC80S, XBC80SE, XBC81SE, XBC81SEGL, XBC90SE, XBC90SEL, XBC91SE, XBC91SEGL, XVC05SE, XVC100SE, XVC100SEPL, XVC100SP, XVC101SE, XVC101SEGL, XVC101SEGL, XVC105, XVC105E, XVC105EP, XVC120SE, XVC121SE, XVC200SE, XVC201SE, XVC201SEGL, XVC205, XVC205E, XVC30S, XVC30SE, XVC30SEPL, XVC31SE, XVC31SEGL, XVC400SE, XVC400SEPL, XVC401SE, XVC401SEGL, XVC50S, XVC50SE, XVC50SEPL, XVC51SE, XVC70S, XVC70SE, XVC70SEPL...(Other models you can see in the webshop)		


			
1			
GEV No.	401699	Ref. No.	KPE006 KPE009 KPE1355D PE1355D0
description	keypad PCB suitable for UNOX		
For models:	XVC054, XVC104, XVC204, XVC304, XVC504, XVC704		

			
1			
GEV No.	401700	Ref. No.	KPE005 KPE1365C PE1365C0 PE1365C0+KPE005 PE1365C2
description	main PCB for combi-steamer L 220mm W 145mm suitable for UNOX with mounting accessories		
For models:	XVC054, XVC104, XVC1204P, XVC204, XVC304, XVC504, XVC514G, XVC704		

			
1			
GEV No.	402077	Ref. No.	PE1510B0
description	PCB		

GEV No.	403848	Ref. No.	KPE1010A PE1010A2
description	PCB for combi-steamer Chefux-Bakerlux L 250mm W 86mm suitable for UNOX with mounting accessories		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XG413, XG613, XG813G, XV203G, XV303G, XV703G		

			
1			
GEV No.	403850	Ref. No.	KPE1170B PE1170B0
description	PCB for combi-steamer LINE MISS CLASSIC L 155mm W 77mm suitable for UNOX with mounting accessories		
For models:	XF100, XF110, XF130, XF190		

			
1			
GEV No.	403849	Ref. No.	KPE004 KPE1175B PE1175B0
description	PCB for combi-steamer LINE MISS DYNAMIC L 200mm W 95mm suitable for UNOX with mounting accessories		
For models:	XF115, XF119, XF135, XF185, XF188, XF195		

			
1			
GEV No.	403847	Ref. No.	KPE1010B PE1010B1
description	PCB for combi-steamer XB-XV-XG L 304mm W 95mm suitable for UNOX with mounting accessories		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBT146, XBT160, XG413G, XG613, XG613G, XG813, XV1003G, XV203G, XV303G, XV703G		

central units



1			
GEV No.	402171	Ref. No.	MG307
description	control box for coffee machine 230V type MFC2SG		

keypads

front foils




1			
GEV No.	403756	Ref. No.	KPE1210A PE1210A0
description	keypad foil grey suitable for UNOX L 485mm W 97mm		



1			
GEV No.	403879	Ref. No.	KPE1255A PE1255A0 PE1255A1
description	keypad foil suitable for UNOX for LINE MISS DYNAMIC L 655mm W 35mm		
For models:	XF185, XF188, XF195		



1			
GEV No.	403759	Ref. No.	KPE1330A PE1330A0 PE1330A1
description	keypad foil suitable for UNOX for model XF180/190 L 655mm W 35mm		
For models:	XF190		



1			
GEV No.	403755	Ref. No.	KMS1005A
description	keypad foil suitable for UNOX L 655mm W 35mm		



1			
GEV No.	403880	Ref. No.	PE1215A PE1215A0
description	keypad foil yellow suitable for UNOX for XB-series until April 2004 L 485mm W 97mm		

control panel



1			
GEV No.	508425	Ref. No.	KPE1315A PE1315A0
description	control panel convection oven L 800mm mounting pos. lower grey plastic suitable for LINE MISS UNOX		
For models:	XF185, XF188, XF190, XF195		

solenoid valves

solenoid valves (water)

RPE

JOHN GUEST



1			
GEV No.	374091	Ref. No.	EL1310A KEL1310A
description	solenoid valve 230VAC inlet 1/2" (tube ø 8mm) outlet 1/2" (tube ø 8mm) plastic		

Зип Общепит

vsezip.ru

+7(812)987-08-81

solenoid valves with reducers

single



GEV No.	374058	Ref. No.	EL1411A EL1411A0 KEL1411A
description	solenoid valve 230VAC inlet JG 8 outlet JG 8 t.max. 60°C RPE flow regulating valve outlet white output A 1-1.25l/min		



GEV No.	374029	Ref. No.	EL1155A0 KEL1155A KEL1155A0
description	solenoid valve single straight 220-240VAC inlet 3/4" outlet JG 8 input 10-12l/min output 0.2-0.33l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve outlet red flow regulating valve inlet white 1-ways medium temp max. 25°C		



GEV No.	374009	Ref. No.	EL029 EL1011 EL1041A0 EL1085A0 KEL1085A
description	solenoid valve single straight 220-240VAC inlet 3/4" outlet JG 8 input 10-12l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve inlet white 1-ways medium temp max. 25°C		
For models:	XBT146, XF090P, XF185, XF188, XF195, XG413, XG413G, XG613, XL041, XV202, XV202E, XV203G, XV301, XV301E, XV303G, XVT203G		



GEV No.	374040	Ref. No.	EL125A0 KEL1252A
description	solenoid valve single straight 230VAC inlet JG 8 outlet JG 10 output 0.45l/min t.max. 60°C duty cycle 100% flow regulating valve outlet green 2-ways with quick release connection		



GEV No.	370481	Ref. No.	EL1250A0 EL1251A0 KEL1250A KEL1251A
description	solenoid valve single straight 230VAC inlet JG 8 outlet JG 10 t.max. 60°C duty cycle 100% flow regulating valve outlet light brown output A 0.12l/min		
For models:	XBC404, XBC604, XBC804, XVC054, XVC1004P, XVC104, XVC204, XVC304, XVC504, XVC514G, XVC704		

2-fold



GEV No.	374037	Ref. No.	EL025 EL1160A0 KEL1160A
description	solenoid valve double straight 220-240VAC inlet 3/4" outlet JG 8 input 10-12l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve inlet white output A 0.2-0.33l/min output B 0.2-0.33l/min flow regulating valve outlet A red flow regulating valve outlet B red output A John Guest 8mm output B John Guest 8mm		
For models:	XB403, XB403G, XB603, XB603G, XBT160, XG613G, XL503, XV201, XV401, XV401E, XV703G		



GEV No.	374038	Ref. No.	EL1360A0 EL1360A1 KEL1360A KEL1361A
description	solenoid valve special 220-240VAC inlet JG 8 outlet JG 10 t.max. 60°C RPE UNOX plastic		
For models:	XBC1005, XBC605, XBC805, XBC815G, XVC1005P, XVC105, XVC2015G, XVC205, XVC305, XVC505, XVC515G, XVC705, XVC715G, XVC905P		

3-fold



GEV No.	371299 ¹	Ref. No.	EL026 EL1050A0 KEL1050A
description	solenoid valve triple straight 220-240VAC inlet 3/4" outlet 10mm t.max. 90°C duty cycle 100% RPE output A 0.07-0.14l/min output B 0.07-0.14l/min output C 0.07-0.14l/min		
For models:	XB803, XB803G, XG813, XG813G, XV501, XV501E		

¹cylindrical outlet



GEV No.	374036 ¹	Ref. No.	EL1150A0 EL1165A0 KEL1165A
description	solenoid valve triple straight 220-240VAC inlet 3/4" outlet 8mm input 10-12l/min t.max. 60°C duty cycle 100% RPE plastic flow regulating valve inlet white output A 0.2-0.33l/min output B 0.2-0.33l/min output C 0.2-0.33l/min flow regulating valve outlet A red flow regulating valve outlet B red flow regulating valve outlet C red		
For models:	XB803, XB803G, XG813, XV1003G		

¹cylindrical outlet

various



GEV No.	374101	Ref. No.	KVE1135A
description	solenoid valve UNOX 230VAC inlet 28mm outlet 16mm RPE plastic		

Solenoid valve - accessories



GEV No.	530903	Ref. No.	VE115A
description	solenoid coil plug type F6.3x0.8 230V for combi-steamer		

fans

axial fans



GEV No.	601937	Ref. No.	KVN1120B VN1120B1
description	axial fan L 119mm W 119mm H 32mm 12VDC connection plug cable length 2000mm plastic fan wheel ø 110mm		
For models:	XB695, XB895, XV593		

hot air motors




GEV No.	601965	Ref. No.	KVN1036A VN1036A0
description	fan motor 230V 1 phase 50/60Hz L1 110mm L2 50mm L3 12mm D1 ø 8mm D2 ø 6mm mounting thread M6		


Зип Общепит

vsezip.ru

+7(812)987-08-81



GEV No.	601493	Ref. No.	KVN003 KVN1000B VN1000A0 VN1000B0 VN1000B1
description	fan motor 230V 3 phase 50HzkW speeds 1 L1 85mm L2 32mm L3 28mm L4 29mm D1 ø 8mm D2 ø 12mm		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC404, XBC604, XBC804, XBT146, XBT160, XF043, XF183, XF185, XF188, XF190, XF193, XF195, XG413, XG413G, XG613, XG613G, XG813, XG813G, XV1003G, XV203G, XV303G, XV703G, XVC054, XVC1004P, XVC104, XVC1204P, XVC204, XVC304, XVC504, XVC514G, XVC704, XVT203G		



GEV No.	601492	Ref. No.	KVN017 KVN1035B VN1035B0
description	fan motor L1 130mm L2 18mm L3 23mm D1 ø 8mm D2 ø 7mm mounting thread M6R ET		
For models:	XF003, XF023, XF113, XF133		



GEV No.	601487	Ref. No.	KVN008 KVN1025A VN1005 VN1005A0 VN1025A0 VN1025A2
description	fan wheel D1 ø 196mm H1 61mm blades 39 D2 ø 10/8mm D3 ø 10mm H2 32mm		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBT146, XBT160, XF043, XF183, XF185, XF188, XF190, XF193, XF195, XG413, XG413G, XG613, XG613G, XG813, XG813G, XV203G, XV303G, XV703G, XVC054, XVC104, XVC204, XVC304, XVC504, XVC704, XVT203G		

Зип Общепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	602124	Ref. No.	VN043
description	fan wheel D1 ø 196mm H1 61mm blades 39 D2 ø 8mm D3 ø 8x6.5mm H2 27mm		
For models:	XV501, XV501E		



1

GEV No.	601945	Ref. No.	KVN009 KVN1030A VN1030A0 VN1030A2 VN1030A3 VN1030A4
description	fan wheel D1 ø 196mm H1 81mm blades 39 D2 ø 10mm D3 ø 10mm H2 18mm		
For models:	XB693, XB695, XB893, XB895, XBC1005, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XG413G, XG813, XV1003G, XV593, XVC1004P, XVC1005P, XVC1015G, XVC105, XVC1204P, XVC2015G, XVC205, XVC305, XVC315G, XVC505, XVC514G, XVC515G, XVC705, XVC715G, XVC905P		



1

GEV No.	601489	Ref. No.	KVN011 KVN1050A VN1050A0
description	fan wheel D1 ø 197mm H1 32mm blades 39 D2 ø 8mm D3 ø 8mm H2 12mm		
For models:	XF100, XF103, XF110, XF113, XF115, XF130, XF133, XF135		



1

GEV No.	601776	Ref. No.	KVN007 KVN1020A VN041 VN1020A0
description	fan wheel D1 ø 197mm H1 43mm blades 39 D2 ø 8mm D3 ø 8x6.5mm H2 28mm		
For models:	XV202, XV202E, XV301, XV301E, XV401, XV401E, XV501		



1


GEV No.	551100	Ref. No.	GN1140 GN1140A0 GN1140A1 KGN1140A
description	gasket for fan motor ID ø 10mm ED ø 40mm thickness 0.8mm		
For models:	XB403, XB403G, XB603, XB603G, XB693, XB695, XB803, XB803G, XB893, XB895, XBC1005, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XG413G, XG613G, XG813, XV1003G, XV203G, XV303G, XV593, XV703G, XVC054, XVC1004P, XVC1005P, XVC104, XVC105, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P		

hot air fans

miscellaneous



1



GEV No.	601125	Ref. No.	VN050
description	hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF		
For models:	XF006, XF010, XF011, XF020, XF020R, XF030, XF030-TG, XF040, XF050, XF065		
accessories for	601125		
	GEV No.	550879	Ref. No.
	insulation ø 130mm thickness 3mm hole ø 18mm for hot air fan		

accessories

miscellaneous



1

GEV No.	551279	Ref. No.	OH4305A1 KOH4305A KOH4305A OH4305A1
description	cover ø 71mm thickness 1.2mm hole ø 18mm shaft sealing		
For models:	XB693, XB695, XB893, XB895, XBC1005, XBC605, XBC805, XV593, XVC1005P, XVC1015G, XVC105, XVC205, XVC305, XVC315G, XVC505, XVC515G, XVC705, XVC715G, XVC905P		

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

GEV No.	551280	Ref. No.	OH3020 OH3020A0 OH3020A1
description	cover ø 75mm thickness 1mm hole ø 18mm shaft sealing		
For models:	XBC404, XBC604, XBC804, XF113, XF133, XVC054, XVC1004P, XVC104, XVC1204P, XVC204, XVC304, XVC504, XVC514G, XVC704		

radial fans

miscellaneous



1

GEV No.	601939	Ref. No.	KVN1055A VN1055A0
description	radial fan 230V voltage AC 50/60Hz 190W D1 ø 133mm with heating element		
For models:	XC595		

motors

motors

for combi-steamers



1

GEV No.	601948	Ref. No.	KVN002 KVN0027A VN026 VN027
description	motor 120W 230V 50-60Hz 1 phase shaft ø 8mm shaft length 67mm flange ø 165mm ø 165mm H 150mm mounting distance 140mm SISME 0.12kW		
For models:	XV202, XV202E, XV301, XV301E, XV401, XV401E, XV501, XV501E		

Зип Обществит

vsezip.ru

+7(812)987-08-81



1

GEV No.	403419	Ref. No.	KVN1130A VN1130A0
description	motor UNOX XBC/XVC SISME		
For models:	XB693, XB695, XB893, XB895, XBC1005, XBC605, XBC805, XV593, XVC1005P, XVC1015G, XVC105, XVC2015G, XVC205, XVC305, XVC315G, XVC505, XVC515G, XVC705, XVC715G, XVC905P		

pumps

booster pumps II

accessories



1

GEV No.	365017	Ref. No.	KCN1000A VE1145A0
description	operating capacitor capacity 5μF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	XF003, XF023, XF100, XF103, XF110, XF113, XF115, XF119, XF130, XF133, XF135		

vibration pumps



1

GEV No.	499360	Ref. No.	XC665
description	vibration pump kit type NME Typ1C 230-240V 16W 50Hz inlet ø 5 outlet ø 8 ULKA L 90mm		



1

GEV No.	499350	Ref. No.	KVL0009A KVL1038A
description	vibration pump type MPP1.01.066.2/ST/S 230V 28W 50Hz inlet ø 6 outlet ø 8 kit L 111mm		

condensators & interference sup- pression filters

operating capacitors

plastic



1

GEV No.	365017	Ref. No.	KCN1000A VE1145A0
description	operating capacitor capacity 5μF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	XF003, XF023, XF100, XF103, XF110, XF113, XF115, XF119, XF130, XF133, XF135		

metal



1

GEV No.	365219	Ref. No.	CN1003A KCN1003A
description	operating capacitor capacity 6.3μF 400V tolerance 5% 50-60Hz ambient temperature max. -25 up to +70°C ø 35mm L 59.5mm M8 aluminium connection male faston 6.3mm		
For models:	XBC1005E, XBC1005EL, XBC1015EG, XBC1015EGL, XBC405E, XBC605E, XBC615EG, XBC805E, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XV393, XVC055E, XVC1005EP, XVC1005EPL, XVC1015EG, XVC1015EGL, XVC105E, XVC105EP, XVC1205EP, XVC2005EP, XVC205E, XVC305E, XVC305EP, XVC315EG, XVC4005EP, XVC4005EPL, XVC4015EG, XVC4015EGL, XVC505E, XVC505EP, XVC515EG, XVC705E, XVC705EP, XVC715EG, XVC905EP, XVC905EPL, XVC915EG, XVC915EGL		

fuses

fine fuses



1

GEV No.	358373	Ref. No.	VG1001A0
description	fine fuse size ø5x20mm 1.6A fast-acting rated 250V		
For models:	XVC1015G, XVC315G		

fine fuse holders



GEV No.	358177	Ref. No.	KVG1000A VE301
description	fuse holder suitable fuse $\varnothing 5 \times 20 \text{ mm}$ $\varnothing 16 \text{ mm}$ mounting $\varnothing 13 \text{ mm}$ 1-pole 6.3A rated 250V L 54mm connection male faston 6.3mm		
For models:	XG413G, XG613, XG613G, XG813, XG813G		

electric accessories

cables

power supply cables




GEV No.	551263	Ref. No.	CE116 KMR1000A MR1000A0
description	power lead CEE7/7 type E+F 3-pole contacts P+N+E max. 16A max 250V 1.5m H07 RN-F with power terminal block countries D/F/B/I black		
For models:	XC110, XC111, XC224, XC314, XC400, XC503, XC595, XCH030, XF003, XF006, XF010, XF011, XF016, XF020, XF020R, XF023, XF030, XF030-TG, XF040, XF050, XF065, XF100, XF103, XF110, XF113, XF115, XF119, XF130, XF133, XF135, XG413, XG413G, XG613, XG613G, XG813, XG813G, XK304, XL041, XL051, XL091, XL135, XL146, XL195, XL314, XL404, XL405, XL503, XL504, XL505, XP010P...(Other models you can see in the webshop)		



GEV No.	551267	Ref. No.	CE119 MR1006A0
description	power lead CEE7/7 type E+F 3-pole contacts P+N+E max. 16A max 250V 1.5m H07 RN-F with power terminal block countries D/F/B/I black		
For models:	XF183, XF185, XF188		

ribbon cables

group 1



GEV No.	403857	Ref. No.	CE1100A0 CE1100A1 KCE1100A
description	ribbon cable 16-pole L 1005mm plug type FC-16P raster size 2.54mm		



GEV No.	403846	Ref. No.	CE1110A1 CE118
description	ribbon cable 20-pole L 1210mm plug type FC-20P raster size 2.54mm		
For models:	XV202E, XV401E		


connection cables




GEV No.	403469	Ref. No.	IE1820A0 KIE1820A
description	connection cable L 1100mm 2-pole suitable for UNOX connection plug		
For models:	XVC1004P		

terminals

connection terminals with screw/faston connections



GEV No.	551278	Ref. No.	CE1575A0
description	power terminal block 3-pole max. 40A max 450V connection M6/ male faston 6.3mm temp.-resist. 150°C cross section 6mm ²		
For models:	XVC1015G		



GEV No.	551266	Ref. No.	CE211
description	power terminal block 6-pole max. 40A max 450V connection M5/ male faston 6.3mm temp.-resist. 150°C		
For models:	XV301, XV301E, XV401, XV401E		



GEV No.	551260	Ref. No.	CE212 KMR1004A MR1004A0
description	power terminal block 7-pole max. 40A max 450V connection M5/ male faston 6.3mm temp.-resist. 150°C		
For models:	XB403, XB403G, XB603, XB603G, XB693, XB695, XB803, XB803G, XB893, XB895, XBC404, XBC604, XBC605, XBC804, XBC805, XBT146, XBT160, XV1003G, XV203G, XV303G, XV501, XV501E, XV593, XV703G, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC504, XVC505, XVC704, XVC705, XVT203G		

connection terminals with screw connection



GEV No.	551274	Ref. No.	CE1420A0
description	distribution terminal block 8-pole temp.-resist. 85°C cross section 16/6mm²		
For models:	XBC1005, XVC1004P, XVC1005P, XVC905P		

various



GEV No.	550987	Ref. No.	CE1130A0
description	power terminal block 5-pole with cable cable length 1400mm		
For models:	XF190, XF193, XF195		



GEV No.	693955	Ref. No.	VM250
description	terminal grounding cable		
For models:	XB603, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XC111, XC114, XC314, XC400, XC503, XC595, XCH030, XF003, XF006, XF011, XF016, XF023, XF030, XF030-TG, XF043, XF065, XF090P, XF100, XF103, XF110, XF113, XF115, XF119, XF130, XF133, XF135, XF183, XF185, XF188, XF190, XF193, XF195, XG413, XG413G, XG613, XG613G, XG813, XG813G, XK304, XL041, XL051...(Other models you can see in the webshop)		

gas valves and ignition boxes

gas control valves

HONEYWELL



GEV No.	107579	Ref. No.	EL1080A0
description	gas valve type VK4105A 1100 4 220/240V 50/60Hz gas inlet 3/4" gas outlet 3/4" pressure range 15-60mbar max 60mbar HONEYWELL		
For models:	XG413G, XG613, XG613G, XG813, XG813G		

SIGMA



GEV No.	101989	Ref. No.	EL014
description	gas valve 230V 50Hz gas inlet 3/4" gas outlet 3/4" SIT pressure range 2-50mbar equiv. no. 0.840.016		
spare parts for	101989		
	GEV No.	106214	Ref. No. —
accessories for	101989		
	GEV No.	107222	Ref. No. —

TANDEM



GEV No.	101684	Ref. No.	EL015
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition standard ignition time 3-7s pressure range 3-50mbar power supply for modulator type SIT equiv. no. 0.830.034		
spare parts for	101684		
	GEV No.	101379	Ref. No. —
accessories for	101684		
	GEV No.	101274	Ref. No. —
	GEV No.	101275	Ref. No. —
	GEV No.	102845	Ref. No. —
	GEV No.	102846	Ref. No. —

Table continues overleaf



Зип.Общепит

Ignition parts

vsezip.ru

+7(812)987-08-81

accessories for 101684



GEV No.

102847

Ref. No.

—

O-ring

ignition boxes

HONEYWELL

Honeywell



1

GEV No.	103197	Ref. No.	KVE1055A VE1055A0 VE1055A1
description	ignition box HONEYWELL type S4565C 3116B electrodes 2 waiting times safety time 5s 220-240V 4VA 50/60Hz		
For models:	XB613G, XB813G, XBC1015EG, XBC1015EGL, XBC615EG, XBC815EG, XBC815G, XBC915EG, XBC915EGL, XG413G, XG613, XG613G, XG813, XG813G, XV513G, XV813G, XVC1015EG, XVC1015EGL, XVC1015G, XVC1215EG, XVC2015EG, XVC2015G, XVC315EG, XVC4015EG, XVC4015EGL, XVC515EG, XVC515G, XVC715EG, XVC715G, XVC915EG, XVC915EGL		

SIT



1

GEV No.	102306	Ref. No.	KVE001 VE045A
description	ignition box SIT type 503EFD electrodes 1 waiting time 1.5s safety time 5s 220/240V 10VA 50-60Hz protection IP40		

electrodes



1

GEV No.	107578	Ref. No.	BR1010A0 BR1010A1 BR1010B1 KBR1010B
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.3mm L1 24mm L2 24mm BL1 70mm BL2 25mm connection 6		
For models:	XG413G, XG613, XG613G, XG813, XG813G		



1

GEV No.	107824	Ref. No.	BR1310A0 KBR1310A
description	ignition electrode flange length 64mm flange width 23mm D1 ø 9.4mm L1 20mm L2 15mm BL1 22mm BL2 26mm connection ø 6mm		
For models:	XBC815G, XVC1015G, XVC2015G, XVC515G, XVC715G		



1

GEV No.	106924	Ref. No.	BR1015A0 KBR1015A
description	monitoring electrode flange length 38mm D1 ø 9.5mm flange width 17mm L1 25mm L2 21mm BL1 70mm BL2 24mm connection 6 mounting distance 28mm with flange		
For models:	XG413G, XG613, XG613G, XG813, XG813G		



ignition units

3in. Общепит. equipmentspecific units

vsezip.ru

+7(812)987-08-81



1

GEV No.	102485	Ref. No.	VE1065A0
description	ignition unit outputs 2 220-240VAC 0.6VA 50-60Hz		
For models:	XG413G, XG613, XG613G, XG813, XG813G, XVC1015G, XVC2015G, XVC515G, XVC715G		



1

GEV No.	101002	Ref. No.	KVE1065A
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		



1

GEV No.	103348	Ref. No.	KVE0009B
description	ignition unit outputs 2 dimensions 85x62x38mm mounting distance 58/77mm set 4-piece 50/60Hz primary 230/240V secondary 28kV		

gas burners

burners for convection ovens



1

GEV No.	107585	Ref. No.	BR1000C0 BR1000D0 KBR1000D
description	burner for oven L 610mm		
For models:	XG413G, XG613, XG613G, XG813		
spare parts for	107585		

	GEV No.	106924	Ref. No.	BR1015A0 KBR1015A
monitoring electrode flange length 38mm D1 ø 9.5mm flange width 17mm L1 25mm L2 21mm BL1 70mm BL2 24mm connection 6 mounting distance 28mm with flange				



1

GEV No.	107583	Ref. No.	BR1305A0 KBR1305A
description	burner oven L 510mm W 200mm UNOX		
For models:	XBC815G, XVC2015G, XVC515G, XVC715G		

for convection ovens/combi-steamers

bushes



1

GEV No.	692827	Ref. No.	KVI0540A KVM2003A RC540 VI0540A0
description	bushing mounting pos. door hinge ø 20mm ID ø 10mm for hot air oven plastic		
For models:	XFT119, XFT140, XFT199, XFT200		

flow controllers



1

GEV No.	103347	Ref. No.	EL033
description	flow controller for hot air oven RFL-U connection 1/8" thread M12x1 hose ø 10mm		
For models:	XV301, XV301E, XV401, XV401E, XV501, XV501E		

spare parts and accessories



1

GEV No.	694497	Ref. No.	KVM1235A VM1235A0
description	clip for door		
For models:	XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P		



1

GEV No.	694983	Ref. No.	CR1086A KCR1086A
description	hinge inner door with mounting kit mounting pos. lower		
For models:	XB613G, XB693, XB695, XB813G, XB893, XB895, XBC405E, XBC605E, XBC615EG, XBC805E, XBC815EG, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XV393, XV513G, XV593, XV813G, XV893, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC205E, XVC305E, XVC305EP, XVC315EG, XVC505E, XVC505EP, XVC515EG, XVC705E, XVC705EP, XVC715EG, XVC905EP, XVC905EPL, XVC915EG, XVC915EGL		



Зип Общепит

vsezip.ru

7(812)987-08-81



GEV No.	694982	Ref. No.	CR1085A CR1085A + GN1181A KCR1085A
description	hinge inner door with mounting kit mounting pos. upper		
For models:	XB613G, XB693, XB695, XB813G, XB893, XB895, XBC405E, XBC605E, XBC615EG, XBC805E, XBC815EG, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XV393, XV513G, XV593, XV813G, XV893, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC205E, XVC305E, XVC305EP, XVC315EG, XVC505E, XVC505EP, XVC515EG, XVC705E, XVC705EP, XVC715EG, XVC905EP, XVC905EPL, XVC915EG, XVC915EGL		



GEV No.	692804	Ref. No.	CR005 CR1080A CR1081A KCR005 KCR1080A
description	hinge kit for inner door mounting pos. upper/lower		
For models:	XL413		



GEV No.	694984	Ref. No.	GN1180A0 KGN1180A
description	protector hinge L 95mm W 65mm Qty 4 pcs		
For models:	XB693, XB695, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XV593, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P		

front panels



GEV No.	508425	Ref. No.	KPE1315A PE1315A0
description	control panel convection oven L 800mm mounting pos. lower grey plastic suitable for LINE MISS UNOX		
For models:	XF185, XF188, XF190, XF195		

housing and bezels



GEV No.	691524	Ref. No.	KVM1116A VM1116A0
description	cover left		
For models:	XF103, XF113, XF133, XF183, XF193		



GEV No.	691522	Ref. No.	VM1046A0
description	cover mounting pos. left		
For models:	XF100, XF103, XF110, XF113, XF115, XF130, XF133, XF135, XF183, XF185, XF188, XF190, XF193, XF195		



GEV No.	691523	Ref. No.	VM1045A0
description	cover right		
For models:	XF100, XF103, XF110, XF113, XF115, XF130, XF133, XF135, XF183, XF185, XF188, XF190, XF193, XF195		



GEV No.	691525	Ref. No.	VM1115A0
description	cover right		
For models:	XF103, XF113, XF133, XF183, XF193		

cleaning system

cleaning system assembly



GEV No.	520999	Ref. No.	KVL0005A
description	cleaning system assembly group suitable for UNOX combi-steamer		



GEV No.	521181	Ref. No.	KVL1044B
description	cleaning system suitable for UNOX combi-steamer		
For models:	XVC055E, XVC105E, XVC105EP, XVC205E, XVC305E, XVC305EP, XVC505E, XVC505EP, XVC705E, XVC705EP		

cleaning arms

			
1			
GEV No.	542410	Ref. No.	KVL1037A VM1955A VM1955A0
description	cleaning arm suitable for UNOX combi-steamer		
For models:	XBC1005E, XBC1005EL, XBC405E, XBC605E, XBC615EG, XBC805E, XBC815EG, XBC905E, XBC905EL, XVC1005EP, XVC1005EPL, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC305E, XVC305EP, XVC315EG, XVC4005EP, XVC4005EPL, XVC4015EG, XVC4015EGL, XVC505E, XVC505EP, XVC515EG, XVC705E, XVC705EP, XVC715EG, XVC905EP, XVC905EPL		

pipes

			
1			
GEV No.	699467	Ref. No.	KVM1015A KVM1015A0 VM1015A1
description	pipe stainless steel ED ø 30mm 90°		

drip water trays

			
1			
GEV No.	699456	Ref. No.	KVM1216B VM1216B0
description	drip tray L 747mm W 132mm H 24mm for combi-steamer UNOX		

			
1			
GEV No.	699457	Ref. No.	KVM1220A KVM1220A0
description	mounting set for drip pan combi-steamer UNOX 4-fold		
For models:	XBC404, XBC405E, XBC604, XBC605, XBC605E, XBC615EG, XBC804, XBC805, XBC805E, XBC815EG, XBC815G, XBC905E, XBC905EL, XVC054, XVC055E, XVC104, XVC105, XVC105E, XVC105EP, XVC1204P, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC2015G, XVC204, XVC205, XVC205E, XVC304, XVC305, XVC305E, XVC305EP, XVC315EG, XVC315G, XVC504, XVC505, XVC505E, XVC505EP, XVC514G, XVC515EG, XVC515G, XVC704, XVC705, XVC705E, XVC705EP, XVC715EG, XVC715G, XVC905EP, XVC905EPL		

miscellaneous

			
1			
GEV No.	692827	Ref. No.	KVI0540A KVM2003A RC540 VI0540A0
description	bushing mounting pos. door hinge ø 20mm ID ø 10mm for hot air oven plastic		
For models:	XFT119, XFT140, XFT199, XFT200		

			
1			
GEV No.	694987	Ref. No.	KVM1490A
description	cover for screws door handle for combi-steamer 2 pieces with screws		
For models:	XB613G, XB693, XB695, XB813G, XB893, XB895, XBC1005E, XBC1005EL, XBC1015EG, XBC1015EGL, XBC405E, XBC605E, XBC615EG, XBC805E, XBC815EG, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XV513G, XV593, XV813G, XV893, XVC1005EP, XVC1005EPL, XVC1015EG, XVC1015EGL, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC205E, XVC305E, XVC305EP, XVC315EG, XVC4005EP, XVC4005EPL, XVC4015EG, XVC4015EGL, XVC505E, XVC505EP, XVC515EG, XVC705E, XVC705EP, XVC715EG, XVC905EP, XVC905EPL, XVC915EG, XVC915EGL		

vibration pumps

			
1			
GEV No.	499350	Ref. No.	KVL0009A KVL1038A
description	vibration pump type MPP1.01.066.2/ST/5 230V 28W 50Hz inlet ø 6 outlet ø 8 kit L 111mm		

knobs

accessories

fascias

			
1			
GEV No.	112721	Ref. No.	KMN1050A MN1050A0 MN140
description	dial plate 0-120min t.max.°C°C for timer ø 58mm		
For models:	XF006, XF011, XF016, XF030, XF030-TG, XF090P		



Зип Общепит

vsezip.ru

7(812)987-08-81



1

GEV No.	112715	Ref. No.	KMN0046B MN046	
description	dial plate thermostat t.max. 300°C 80-300°C ø 58mm hole distance 29mm			
For models:	XF065			
accessories for	112715			
	GEV No.	112714	Ref. No.	MN045
	dial plate top heat t.max. °C ø 58mm hole distance 29mm			



1

GEV No.	112714	Ref. No.	MN045	
description	dial plate top heat t.max.°C°C ø 58mm hole distance 29mm			
For models:	XF065			
accessories for	112714			
	GEV No.	112715	Ref. No.	KMN0046B MN046
	dial plate thermostat t.max. 300°C 80-300°C ø 58mm hole distance 29mm			

knob adaptors



1

GEV No.	696692	Ref. No.	KVI1520A
description	shaft shaft ø 12mm center grooved pin 6x55 shaft flat 4.5		

rosettes



1

GEV No.	112541	Ref. No.	KMN1095A MN1095A0
description	rosette for knob up to ø 41mm		
For models:	XF103, XF113, XF133, XF183, XF193		

handles and hand wheels

handle bars

handle bars



1

GEV No.	691516	Ref. No.	0H3195A0
description	handle rod tube ø 18mm thickness 1mm L 508mm		
For models:	XF023		



1

GEV No.	691515	Ref. No.	0H1925A0
description	handle rod tube ø 18mm thickness 1mm L 518mm		
For models:	XF110, XF113, XF115, XF130, XF133, XF135		



1

GEV No.	691514	Ref. No.	0H1930A0
description	handle rod tube ø 18mm thickness 1mm L 718mm		
For models:	XF183, XF185, XF188, XF190, XF193, XF195		
accessories for	691514		
	GEV No.	691517	Ref. No.
			MG1015A0
console for handle rod tube ø 18mm			

consoles



1

GEV No.	692217	Ref. No.	KMG1015B MG1015B0
description	console for handle rod H 43mm kit mounting pos. left/right		
For models:	XF003, XF043, XF113, XF133, XL405, XVC105		

door handles

door handles



1

GEV No.	692710	Ref. No.	KMG1035A MG1035A1
description	door handle suitable for UNOX L 200mm W 24mm model XL SS		
For models:	XL404		

locks

espagnolette locks

universal




1

GEV No.	690040	Ref. No.	MG309
description	door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series		

hinges

oven hinges



1

GEV No.	693045	Ref. No.	CR100
description	opposite support L 110mm W 12mm mounting distance 94mm		
For models:	XF006, XF011, XF016, XF030, XF030-TG, XF065, XF090P		

Зип Общепит

vsezip.ru

+7(812)987-08-81

1

GEV No.	701559	Ref. No.	CR1000A CR1000A0 KCR1000A
description	opposite support mounting distance 81mm L 134mm W 10mm		
For models:	XF100, XF103, XF110, XF113, XF115, XF130, XF133, XF135, XF183, XF185, XF188, XF190, XF193, XF195, XFT110, XFT113, XFT115, XFT130, XFT133, XFT135, XFT180, XFT183, XFT185, XFT188, XFT190, XFT193, XFT195, XVC054, XVC104, XVC105		

1

GEV No.	701552	Ref. No.	CR1070A KCR1070A
description	opposite support mounting distance 94mm L 112mm W 10mm		
For models:	XF023, XF043		

1

GEV No.	701169 ¹	Ref. No.	KCR0020A KCR003
description	oven hinge kit mounting distance 118mm lug mounting 13mm lever length 117mm groove distance 7mm spring thickness 2.7mm mounting ear position left/right spring length 58mm L 155mm W 20mm suitable for UNOX		


¹with opposite support



Зип Общепит

vsezip.ru

+7(812)987-08-81



1

GEV No.	700459	Ref. No.	CR070
description	oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever length 117mm groove distance 7mm spring thickness 3.5mm mounting ear position spring length 58mm L 156mm W 22mm		
For models:	XF030, XF030-TG, XF065		
accessories for	700459		
	GEV No.	693045	Ref. No. CR100
opposite support L 110mm W 12mm mounting distance 94mm			



1

GEV No.	700759	Ref. No.	CR1015A CR1015A0 KCR013 KCR1015A
description	oven hinge mounting distance 82mm spring thickness 3mm spring length 57mm L 155mm code A3 left/right Qty 2 pcs		
For models:	XFT130, XFT133, XFT135		
accessories for	700759		
	GEV No.	701559	Ref. No. CR1000A CR1000A0 KCR1000A
opposite support mounting distance 81mm L 134mm W 10mm			



1

GEV No.	701544	Ref. No.	KCR012 KCR1025A
description	oven hinge mounting distance 82mm spring thickness 3mm spring length 57mm L 155mm code A1 left/right Qty 2 pcs		



1

GEV No.	701545	Ref. No.	KCR1020A0 KCR1020B
description	oven hinge mounting distance 82mm spring thickness 3mm spring length 57mm L 155mm code A2 left/right Qty 2 pcs		



1

GEV No.	701326	Ref. No.	CR1075A CR1075A0 CR1075B0 KCR1075A KCR1075B
description	oven hinge mounting distance 87mm spring thickness 3.2mm L 150mm left/right C 10mm suitable for UNOX Qty 2 pcs		
For models:	XF043		
accessories for	701326		
	GEV No.	701552	Ref. No. CR1070A KCR1070A
opposite support mounting distance 94mm L 112mm W 10mm			



1

GEV No.	700760	Ref. No.	CR1065A0 KCR020 KCR1065A
description	oven hinge mounting distance 87mm spring thickness 3mm L 150mm left/right Qty 2 pcs		
For models:	XF023		
accessories for	700760		
	GEV No.	701552	Ref. No. CR1070A KCR1070A
opposite support mounting distance 94mm L 112mm W 10mm			



Зип-Общепит

bolting feet

vsezip.ru

+7(812)987-08-81



GEV No.	701411	Ref. No.	KVM1236A VM1236A0
description	hinge block L 28mm W 31mm mounting pos. lower UNOX		
For models:	XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G		



GEV No.	701409	Ref. No.	EKVM0012A EVM0012A KVM1230A KVM1231A VM1231A0
description	mounting set for inner door UNOX		
For models:	XB693, XB893, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XV593, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P		
spare parts for	701409		
	GEV No.	694984	Ref. No. GN1180A0 KGN1180A
protector hinge L 95mm W 65mm Qty 4 pcs			



GEV No.	691521	Ref. No.	KPD1001A PD1000A0 PD1001A0
description	equipment foot ømm L 35mm W 35mm H 37mm bore ø 8mm mounting distancemmm Qty 4 pcs		
For models:	XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XC224, XC314, XF003, XF023, XF043, XF100, XF103, XF110, XF113, XF115, XF119, XF130, XF133, XF135, XF183, XF185, XF188, XF190, XF193, XF195, XP010P, XP010PR, XP010PT, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T, XVC054, XVC104, XVC105, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G		

shelves and shelf rails

grid attachments



GEV No.	691518	Ref. No.	GRL1010A0 GRL1010A1 KGRL1010A
description	rack support L 310mm H 250mm mounting pos. left/right		
For models:	XF130, XF133, XF135		



GEV No.	691520	Ref. No.	GRL1090A0 KGRL1090A
description	rack support L 320mm H 235mm mounting pos. left/right		
For models:	XF023		

equipment feet and end caps

screw-in feet



GEV No.	701317	Ref. No.	D35 KPD1052A PD061 PD1052A0
description	equipment feet kit thread M10 thread L 17mm ø 35mm H 20mm Qty 4 pcs UNOX		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XL041, XL051, XL091, XV203G, XV303G, XV703G		



GEV No.	696596	Ref. No.	PD031 PD1051A0
description	equipment foot thread ø 17.5mm thread L 22mm ø 35mm H 20mm WS Qty 1 pcs suitable for UNOX		
For models:	XF010, XF011, XF020, XF020R, XF030, XF030-TG, XF040, XF050, XF065, XF090P, XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T, XV201, XV202, XV202E, XV301, XV301E, XV401, XV401E		




1

GEV No.	691519	Ref. No.	GRL1025A0 KGRL1025A
description	rack support L 570mm H 230mm mounting pos. left/right		
For models:	XF190, XF193, XF195		

gaskets

gaskets for heated units

window seals



1

GEV No.	901280	Ref. No.	KG1380A
description	window gasket profile 1625/1876 suitable for UNOX L 2x4m		

GEV No.	901305	Ref. No.	GN100
description	window gasket profile 1876 Qty supplied by meter		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBT146, XBT160, XG413, XG413G, XG613, XG613G, XG813, XG813G, XV1003G, XV203G, XV303G, XV703G, XVT203G		

door seals

GEV No.	901774	Ref. No.	GN1006A
description	door seal profile 2716 Qty supplied by meter		
For models:	XFT140, XFT200		




Image not available

1




1

GEV No.	902020	Ref. No.	KG1342C
description	door seal profile 2766		



1

GEV No.	902478	Ref. No.	GN1389B GN1389C KGN0015A. KGN1389C
description	door seal profile 2766 L 1855mm Qty 1		
For models:	XVC305E, XVC305EP, XVC315EG		



1


GEV No.	902479	Ref. No.	GN1390C KGN1390C
description	door seal profile 2766 L 2250mm Qty 1		
For models:	XVC505E, XVC505EP, XVC515EG		




Зип Общепит

vsezip.ru


+7(812)987-08-81




GEV No.	902482	Ref. No.	GN1391C KGN1391C
description	door seal profile 2766 L 2520mm Qty 1		
For models:	XVC705E, XVC705EP, XVC715EG		




GEV No.	901294	Ref. No.	GN1000 GN1000A0 GN1000B0
description	door seal profile 2767 Qty supplied by meter		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC1005, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XG413G, XG613, XG613G, XG813, XV1003G, XV203G, XV303G, XV703G, XVC1005P, XVC1015G, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P, XVT203G		




GEV No.	902477	Ref. No.	GN1343B GN1343C KGN1343C
description	door seal profile 2766 L 3070mm Qty 1		
For models:	XBC805E, XBC815EG, XVC2005EP, XVC2015EG		




GEV No.	902476	Ref. No.	GN1356B KGN1356B
description	door seal profile 2769 L 1370mm Qty 1		
For models:	XVC055E		



GEV No.	901843	Ref. No.	GN1250A0 KGN0015A KGN1388C
description	door seal profile 2766 Qty 1.53m		
For models:	XVC1004P		



GEV No.	902327	Ref. No.	KGN1352A
description	door seal profile 2769 L 1600mm Qty 1		




GEV No.	902475	Ref. No.	GN1036A GN1036B KGN1036B
description	door seal profile 2769 L 1720mm Qty 1		


Зип Общепит

vsezip.ru


+7(812)987-08-81




GEV No.	902328	Ref. No.	KG1353A
description	door seal profile 2769 L 1900mm Qty 1		



GEV No.	902217	Ref. No.	GN1354A KG1354A
description	door seal profile 2769 L 2030mm Qty 1		
For models:	XFT190, XFT193, XFT195, XFT199, XFT200		



GEV No.	900802	Ref. No.	GN1110A2
description	door seal profile 2769 L 2200mm Qty 1		
For models:	XF113, XF119, XF133, XF135, XF183, XF193, XL405, XVC054, XVC104, XVC105		




GEV No.	900804	Ref. No.	GN1110A0
description	door seal profile 2769 L 2500mm		
For models:	XCH030, XF100, XF103, XF110, XF115, XF130, XF135, XF185, XF188, XF190, XF195		



GEV No.	900805	Ref. No.	GN0003A KG1353A
description	door seal profile 2769 Qty supplied by meter		


door seals with fixing hook



GEV No.	902474	Ref. No.	GN1225A KG1225A
description	door seal L 330mm W 230mm with 4 mounting clips		



GEV No.	901373	Ref. No.	GN011 KG1225A
description	door seal L 340mm W 270mm with 6 mounting clips		
For models:	XF011		




GEV No.	902330	Ref. No.	GN010
description	door seal L 350mm W 280mm with 4 mounting clips		
For models:	XF010, XF020, XF020R		



Зип Общепит

vsezip.ru

+7(812)987-08-81



GEV No.	902329	Ref. No.	GN072 KGN072
description	door seal L 360mm W 220mm with 6 mounting clips		




GEV No.	901846	Ref. No.	GN007A GN007B KGN0007B KGN007A KGN007B
description	door seal L 420mm W 790mm 3-sided with mounting clip		



GEV No.	901319	Ref. No.	GN021 GN021A GN021B GN021C GN021D KGN021D
description	door seal L 450mm W 350mm with 8 mounting clips		
For models:	XF030, XF030-TG, XF040, XF050, XF065, XV201, XV202, XV202E		



GEV No.	902396	Ref. No.	GN1230A GN1230A0 KGN1230A
description	door seal L 460mm W 250mm with 6 mounting clips mounting distance 450x230mmmm suitable for UNOX		



GEV No.	900803	Ref. No.	GN1235A GN1235A0 KGN1235A
description	door seal L 480mm W 320mm with 6 mounting clips to be hooked in external size		
For models:	XF023		



GEV No.	902397	Ref. No.	GN025A KGN025A
description	door seal L 550mm W 350mm with 6 mounting clips mounting distance 520x310mmmm suitable for UNOX		



GEV No.	901307	Ref. No.	GN1260A0 KGN1260A KGN1260A0
description	door seal L 640mm W 290mm with mounting clip		



GEV No.	901321	Ref. No.	GN036 GN036A GN036B GN036C GN036D KGN036D
description	door seal L 650mm W 350mm with 8 mounting clips		
For models:	XF090P		

Зип Общепит
special gaskets

miscellaneous
vsezip.ru

+7(812)987-08-81

1			
GEV No.	901848	Ref. No.	KG0070
description	door seal W 460mm 4-sided with mounting clip H 210mm		

1			
GEV No.	901844	Ref. No.	GN008B GN008C KGN0008C KGN0008D
description	door seal W 640mm 3-sided with mounting clip H 610mm		

1			
GEV No.	901847	Ref. No.	GN060 GN060C GN060D KGN060D
description	door seal W 660mm 4-sided with mounting clip H 230mm		

1			
GEV No.	901634	Ref. No.	GN046 GN046A GN046B GN046D KGN046D
description	door seal W 660mm with 12 mounting clips H 420mm		
For models:	XV401, XV401E		

1			
GEV No.	901845	Ref. No.	KG01245A
description	door seal W 670mm 3-sided with mounting clip H 520mm		

1			
GEV No.	511939	Ref. No.	GN1240A0 KGN1240A
description	gasket external weith 9mm UNOX silicone		
For models:	XF003, XF023, XF043		

1			
GEV No.	504474	Ref. No.	GN1190A0
description	gasket suitable for UNOX probes L 40mm W 13mm graphite thickness 1mm		
For models:	XBC404, XBC604, XBC804, XVC054, XVC1004P, XVC104, XVC204, XVC304, XVC504, XVC704		

springs

torsion springs

1			
GEV No.	371322	Ref. No.	KML0039A RC039
description	spring kit ϕ 24mm wire gauge ϕ 3.5mm		
For models:	XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T		

1			
GEV No.	692524	Ref. No.	KML1000A0 RC039A VI093
description	torsion spring set ϕ 24mm wire gauge ϕ 3.1mm L1 44mm Qty 1 pcs		
For models:	XP010P, XP010PR, XP010PT, XP010R, XP020, XP020P, XP020PR, XP020PT, XP020R, XP020T		



hoses

industrial hoses

PE hoses



GEV No.	521186	Ref. No.	KTB2529A TB008 TB1815A0
description	hose 0.187" ext. ø 5/16" L 2m operating p. 8-16bar t.max. 65°C LLDPE white ID ø 4.7mm ED ø 8mm John Guest		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC1005, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XC110, XC111, XC224, XC314, XC400, XC404, XC595, XF113, XF115, XF119, XF133, XF135, XF185, XF188, XF195, XG413, XG413G, XG613, XG613G, XG813, XG813G, XL091, XL314, XL404, XL405, XL504, XL505, XV1003G, XV203G, XV303G, XV703G, XVC054, XVC1004P, XVC1005P, XVC1015G...(Other models you can see in the webshop)		

fittings, hose and pipe connectors

push-in fittings

JOHN GUEST



GEV No.	440015	Ref. No.	RC1002A
description	push-in fitting John Guest straight pipe connection ø8mm grommet ø 10mm		
For models:	XB613G, XB813G, XB893, XB895, XFT183, XFT185, XFT188, XFT193, XFT195, XFT199, XV513G, XV813G, XV893		
accessories for	440015		
	GEV No.	520972	Ref. No. —
	hose 6mm ext. ø 8mm L 150m thickness 1mm LLDPE blue ID ø 6mm ED ø 8mm John Guest		



GEV No.	440885	Ref. No.	KEL1195B
description	push-in fitting DMfit pipe connection ø 8mm grommet ø 8mm		
accessories for	440885		
	GEV No.	520972	Ref. No. —
	hose 6mm ext. ø 8mm L 150m thickness 1mm LLDPE blue ID ø 6mm ED ø 8mm John Guest		

Зип Общепит

vsezip.ru

+7(812)987-08-81

GEV No.	440671	Ref. No.	EL1195A EL1195A0 KEL1195A KEL1195A0
description	push-in fitting John Guest angled pipe connection ø8mm grommet ø 8mm		
For models:	XB693, XB695, XB893, XB895, XBC1005, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XC314, XF185, XF188, XF195, XFT183, XFT185, XFT188, XFT193, XFT195, XFT199, XL195, XL404, XL405, XV593, XV893, XVC054, XVC1004P, XVC1005P, XVC1015G, XVC104, XVC105, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P		
accessories for	440671		
	GEV No.	520972	Ref. No. —
	hose 6mm ext. ø 8mm L 150m thickness 1mm LLDPE blue ID ø 6mm ED ø 8mm John Guest		



GEV No.	440592	Ref. No.	EL1185A EL1185A0 KEL1185A KEL1185B
description	push-in fitting John Guest angled pipe connection ø8mm - ø8mm		
For models:	XB693, XB695, XB893, XB895, XBC404, XBC405E, XBC604, XBC605, XBC605E, XBC804, XBC805, XBC815G, XC224, XF113, XF119, XF133, XF135, XFT113, XFT115, XFT119, XFT133, XFT135, XV593, XV893, XVC054, XVC1004P, XVC1015G, XVC104, XVC105, XVC1204P, XVC2015G, XVC204, XVC205, XVC304, XVC305, XVC315G, XVC504, XVC505, XVC514G, XVC515G, XVC704, XVC705, XVC715G, XVC905P		
accessories for	440592		
	GEV No.	520972	Ref. No. —
	hose 6mm ext. ø 8mm L 150m thickness 1mm LLDPE blue ID ø 6mm ED ø 8mm John Guest		



GEV No.	440608	Ref. No.	D0063
description	push-in fitting John Guest straight thread 1/2" BSP stub ø 10mm		
accessories for	440608		
	GEV No.	520973	Ref. No. —
	hose 7mm ext. ø 10mm L 100m thickness 1.5mm LLDPE blue John Guest		

GEV No.	440014	Ref. No.	EL1125A0
description	push-in fitting John Guest straight thread 1/2" BSP pipe connection ø8mm - ø8mm bulkhead connector		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBT146, XBT160, XG413G, XG613, XG613G, XG813, XL135, XL135G, XL314, XL404, XL405, XV1003G, XV203G, XV303G, XV703G		
accessories for	440014		
	GEV No.	520972	Ref. No.
	—		

GEV No.	440551	Ref. No.	EL1210A0 KEL1210A
description	push-in fitting John Guest straight thread 1/4" BSPT pipe connection ø8mm		
For models:	XBC1005, XBC605, XBC805, XBC815G, XC404, XC595, XVC1005P, XVC1015G, XVC105, XVC205, XVC305, XVC315G, XVC505, XVC514G, XVC515G, XVC705, XVC715G, XVC905P		

GEV No.	440028	Ref. No.	KRC1365A RC1210A0 RC1210A1
description	push-in fitting UNOX straight Qty 1 pcs thread 3/4" pipe connection ø8 sealing flat seal		
For models:	XB1083, XB613G, XB693, XB695, XB813G, XB893, XB895, XBC1005, XBC1005E, XBC1005EL, XBC1015EG, XBC1015EGL, XBC605, XBC615EG, XBC805, XBC805E, XBC815EG, XBC815G, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XFT140, XFT183, XFT185, XFT188, XFT193, XFT195, XFT199, XFT200, XV1093, XV393, XV513G, XV593, XV813G, XV893, XVC055E, XVC1005EP, XVC1005EPL, XVC1005P, XVC1015EG, XVC1015EGL, XVC1015G, XVC105, XVC105E, XVC105EP, XVC1204P, XVC1205EP, XVC1215EG, XVC2005EP...(Other models you can see in the webshop)		

DMfit			
GEV No.	440857	Ref. No.	D0064 EL022 EL1055A0 KEL1055A
description	push-in fitting DMfit straight pipe connection ø8mm - ø10mm		
For models:	XB403, XB403G, XB603, XB603G, XB803, XB803G, XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XBT146, XBT160, XC110, XC111, XF090P, XF113, XF115, XF119, XF133, XF135, XF185, XF188, XF195, XG413, XG413G, XG613, XG613G, XG813, XG813G, XL041, XL091, XL503, XV1003G, XV202, XV202E, XV203G, XV301, XV301E, XV303G, XV401, XV401E, XV501, XV501E, XV703G, XVC054, XVC104, XVC105, XVC1204P...(Other models you can see in the webshop)		

GEV No.	440822	Ref. No.	EL1020A0 KEL1020A
description	push-in fitting DMfit T-piece pipe connection ø8mm - ø8mm - ø8mm		
For models:	XBC404, XBC604, XBC605, XBC804, XBC805, XBC815G, XL405, XVC1204P, XVC2015G, XVC205, XVC305, XVC505, XVC515G, XVC705, XVC715G		

water filters

miscellaneous

GEV No.	530438	Ref. No.	KVL1034A KVL1034B KVL1034C VL1034A0
description	water filter operation p max 11bar water temperature 65°C for external tube ø (A) 8mm (B) 8mm		

GEV No.	530439	Ref. No.	VL1034A
description	water filter type ADMF1010M operation p max 10bar water temperature 65°C for external tube ø (A) 10mm (B) 10mm		
For models:	XB1083, XB613G, XB693, XB695, XB813G, XB893, XB895, XBC1005E, XBC1005EL, XBC1015EG, XBC1015EGL, XBC405E, XBC605E, XBC615EG, XBC805E, XBC815EG, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XFT140, XFT200, XV1093, XV513G, XV593, XV813G, XV893, XVC055E, XVC1005EP, XVC1005EPL, XVC1015EG, XVC1015EGL, XVC105E, XVC105EP, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC205E, XVC305E, XVC305EP, XVC315EG, XVC4005EP, XVC4005EPL, XVC4015EG, XVC4015EGL, XVC505E, XVC505EP, XVC515EG, XVC705E...(Other models you can see in the webshop)		



beverage technology

valves

non-return valves



1

GEV No.	440729	Ref. No.	KEL1180A
description	non-return valve John Guest pipe connection 5/16" - 5/16" operating pressure at 20°C 10bar opening pressure 0.02bar POM for hose ø 8mm		
accessories for	440729		
GEV No.	520983	Ref. No.	—
hose 6mm ext. ø 8mm L 10m thickness 1mm LLDPE blue ID ø 6mm ED ø 8mm John Guest			

water cycle components

pressure reduction valves

pressure reduction valves

universal



1

GEV No.	520890	Ref. No.	D0061
description	pressure reduction valve Caleffi series 5330 connection 1/2" default setting 2bar setting range 1-6bar p max 16bar t.max. 40°C angle seat chrome-plated brass WRAS/ACS		



1

GEV No.	520889 ¹	Ref. No.	EL1370A0 KEL1370A
description	pressure reduction valve Caleffi series 5330 connection 1/2" default setting 2bar setting range 1-6bar p max 16bar t.max. 40°C set chrome-plated brass WRAS/ACS		
For models:	XBC1005, XBC605, XBC805, XBC815G, XVC1005P, XVC1015G, XVC105, XVC2015G, XVC205, XVC305, XVC315G, XVC505, XVC514G, XVC515G, XVC705, XVC715G, XVC905P		

¹incl. 2x John Guest hose connectors 10mm and 2x John Guest push-in fittings

Зип-Общепит

produced specific

vsezip.ru

+7(812)987-08-81



1

GEV No.	520998	Ref. No.	KVL1014A
description	pressure reduction valve connection John Guest 8mm 90° p max 2.30bar T-piece plastic connection 1: 8 plug-in connectionmm connection 2: 10 plug-in connectionmm black		
For models:	XB1083, XBC1005E, XBC1005EL, XBC1015EG, XBC1015EGL, XBC405E, XBC605E, XBC615EG, XBC805E, XBC815EG, XBC905E, XBC905EL, XBC915EG, XBC915EGL, XFT140, XFT200, XV1093, XVC055E, XVC1005EP, XVC1005EPL, XVC1015EG, XVC1015EGL, XVC105E, XVC105EP, XVC1205EP, XVC1215EG, XVC2005EP, XVC2015EG, XVC205E, XVC305E, XVC305EP, XVC315EG, XVC4005EP, XVC4005EPL, XVC4015EG, XVC4015EGL, XVC505E, XVC505EP, XVC515EG, XVC705E, XVC705EP, XVC715EG, XVC905EP, XVC905EPL, XVC915EG, XVC915EGL		



1

GEV No.	520997	Ref. No.	KVL0010A
description	pressure reduction valve connection John Guest 8mm p max 2.30bar plastic black		

tools

cleaning tools

scrapers



1

GEV No.	890049	Ref. No.	KVM1000A
description	scraper for ceramic hobs		
spare parts for	890049		
GEV No.	890052	Ref. No.	—
spare blades for scraper Qty 10 pcs			



fastening material

screws

grub screws

DIN 914/ISO 4027



1

GEV No.	504868	Ref. No.	KVI1740A KVI1740A0
description	grub screw thread M4 L 6mm stainless steel DIN 914 intake hexagonal WS 2 Qty 20 pcs		

nuts

hexagonal nuts

DIN 985



1

GEV No.	560142	Ref. No.	KVI0001A
description	hexagonal nut thread M6 H 6mm SS WS 10 Qty 20 pcs DIN/ISO DIN 985 self-locking		

consumables

sealants and adhesives

high temperature silicone



1

GEV No.	890050	Ref. No.	KSL1170A
description	high temperature silicone NOVASIL S76 acetoxycuring -40 up to +265°C t.max. 280°C anthracite cartridge 310ml		
description	Novasil S56 - cartridge 310ml - anthracite - Developed for applications in the home appliance industry: - Gluing of oven door seals - Gluing of mounting brackets for cooker fascias, oven door seals and handles - Attachment of elastic seals, e.g. to oven doors Temperature resistance: -40°C to +265°C		

Зип Общепит

cleaning agents

combisteamer detergents/descalers

Notice: Articles labelled 'DANGEROUS GOODS' are delivered by road through a forwarder for reasons of safety and are charged separately!



1

GEV No.	802096 ¹	Ref. No.	DB1011A0 DB1016A0
description	detergent for combi-steamer UNOX UNOX.Det&Rinse For Rotor. KLEAN 2x5l		
description	UNOX Det & Rinse - Cleaner - Canister 2x5l with integrated rinse aid for washing system RotorKlean -E series from 07/2012		

*DANGEROUS GOODS

fuses

fine fuses



1

GEV No.	358373	Ref. No.	VG1001A0
description	fine fuse size ø5x20mm 1.6A fast-acting rated 250V		
For models:	XVC1015G, XVC315G		

fine fuse holders



1

GEV No.	358177	Ref. No.	KVG1000A VE301
description	fuse holder suitable fuse ø5x20mm ø 16mm mounting ø 13mm 1-pole 6.3A rated 250V L 54mm connection male faston 6.3mm		
For models:	XG413G, XG613, XG613G, XG813, XG813G		

Зип Общепит

vsezip.ru

+7(812)987-08-81

Зип Общепит

vsezip.ru

+7(812)987-08-81

A			
alarm devices	18	hot air motors	26
axial fans	26	ignition boxes	32
B		ignition units	33
beverage technology	48	indicator lights	15
booster pumps II	29	indicator lights (complete)	15
C		industrial hoses	46
cables	30	L	
cleaning agents	49	lamps	15
cleaning tools	48	LED	15
combisteamer detergents/descalers	49	M	
condensators & interference suppression filters	29	mechanical timers	18
connection cables	30	motors	28
consumables	49	N	
contactors	19	non-return valves	48
control thermostats	7	nuts	49
D		O	
door seals	41	operating capacitors	29
door seals with fixing hook	43	oven hinges	37
E		oven lamps	16
electric accessories	30	P	
electronic controllers	20	PE hoses	46
energy regulators	7	power supply cables	30
espagnolette locks	37	pressure reduction valves	48, 48
F		probes	20
fans	26	programme timers	18
fastening material	49	pumps	29
fine fuses	49	push-in fittings	46
fuses	29, 49	R	
G		radial fans	28
gas burners	33	ribbon cables	30
gas control valves	31	S	
gaskets for heated units	41	safety thermostats	8
GEV	2	screws	49
grub screws	49	sealants and adhesives	49
H		shelves and shelf rails	40
Hall sensors	22	silicone	49
halogen lamp	16	solenoid valves	24
heating elements	2	switches and momentary switches	9
heating elements for convection	2	T	
heating elements for ovens	2	terminals	30
hexagonal nuts	49	thermostats	7
high temperature silicone	49	timers	18
hoses	46	tools	48
hot air fans	28		

transformers

19

V

valves

48

vibration pumps

29

W

water cycle components

48

water filters

47

window seals

41

Зип Общепит

vsezip.ru

+7(812)987-08-81