


Multi-deck oven **MIWE** condo 5.1208

Version: 0.1

No part of this documents must by reproduced or processed, copied, or distributed using electronic systems without the prior written consent of the publisher (MIWE Michael Wenz GmbH) in any form (print, foto copy, microfilm).

The same holds true for the simple forwarding of these instructions or the disclosure of the contents.

MIWE Michael Wenz GmbH
P.O.D. 20, D-97448 Arnstein, Germany
Phone +49-(0)9363-666
Fax +49-(0)9363-68 8422
email originalteilede@miwe.de
www.miwe.com



Water installation

+7(812)987-08-81

Position number	Short descr. of the item	Item No.	Page
1	Wasserfilter-3/8"Ax3/8"l-MS	507532.00	5
2	Filtertasse MS	507532.01	5
3	Filz-Siebeinsatz	507532.02	5
4	Befestigungswinkel Wasserfilt.	507532.04	5
5	Nippel-red. RG I-Kon 3/4x1/2	507518.05	6
6	Red.Muffe*1542*MS a/i 3/8x1/2	508650.00	6
7	Schlauch-Anschluß 3/8"x 245	507439.00	6
8	Ventil.Magn.l- 3/8"-D-230/50 BJ	505212.45	6
9	T-Stück MS 3 x 3/8"a	507535.00	6
10	Magnetventilwinkel Buschjost	071482.20	7
11	Winkelstück MS 3/8"a-3/8"a	507521.01	7
12	SPRITZRO.ZULEIT.kpl lang re	071284.01	7

Steam

Position number	Short descr. of the item	Item No.	Page
13	Schlauch-Dampf (3/4") 19x6.5	507431.00	8
14	Schelle-Gewinde 25- 40	507436.00	8
15	Schlauch-Dampf (1/2") 13x4,1	507422.01	8
16	Schelle-Gewinde 16- 27	507430.00	8
17	Winkel*3090* RG 90° i 3/4x1/2"	508507.01	9
18	Schwadenapp. kpl CO .1208 1.0	071425.55	9
19	Heizstab Schwad.app.1.2br 1500W	071489.14	9
20	Regler Temp.+500° ETH- 20	504016.02	9

Baking chamber

Position number	Short descr. of the item	Item No.	Page
21	EGO STB 3pol. 1890mm Kapillar 355°C-20K	504024.30	10
22	Regler Temp. Combistat 320°C 2007	504056.11	10
23	Backofenlampe "BJB"77.707 Rahm	504544.18	10
24	Backofenlampe "BJB"77.707 Glas	504544.16	10
25	Halogenrefl.Lampe G5.3 12V 50W	504587.07	11
26	Dichtung Backofenlampe "BJB"77.707	504544.17	11
27	Fassung-Halogen L=800 GU 5,3	504588.07	11
28	Herdplatte FY co 1225x815x13	506453.13	11
29	Heizstab 440 W	070591.30	12
30	Heizstab 640 W	070590.30	12
31	Heizstab 440 W	070591.30	12
32	Heizstab 640 W	070590.30	12
33	Heizstabdichtung	070439.00	12

Baking chamber door

Position number	Short descr. of the item	Item No.	Page
34	Glasscheibe 1215x188x6 condo d	073709.20	13
35	Schwadenschiebergriff	073147.00	13
36	Knopf flach mit Rändel	085273.20	13
37	Silikonlage D=25x8,5 Glastür	507171.00	13
38	Scheibe B 10.5 DIN 125-A2	501906.10	13
39	Drehhebel-Stange 8x69	073700.40	14
40	Handgriff Türhebel IG	073980.40	14

Control system

Position number	Short descr. of the item	Item No.	Page
41	Regler Temp. Combistat 320°C 2007	504056.11	15
42	Backwächter Störk 72x72 NA 60	505192.03	15
43	Meldeleuchte gelb D=10	504527.05	15
44	Wippenschalter 2x3pol II-0-I	504126.13	16
45	Wippenschalter 2x3pol I-II	504126.14	16
46	Wippentaster (Schließer) 2x2pol	504128.11	16
47	Bedientableau AS CO N 1.0	074624.00	16

Electrical installation

Position number	Short descr. of the item	Item No.	Page
48	Kleinschütz LC1-K0610 P72	504202.07	17
49	Schütz 230V LC1-D093-P7	504204.30	17
50	Sich. Autom. Moeller 1p B10 (PXL)	504347.61	17
51	4-L.D-Klemme 2.5 blau 280-834	504397.01	17
52	4-L.D-Klemme 2.5 grau 280-833	504396.01	17
53	4-L.PE-Klemme 2.5 gr/ge280-837	504400.01	18
54	Endplatte 2.5 orange 280-315	504398.02	18
55	Endklammer TS35 249-117	504399.00	18
56	Ringtrafo 230V 11,5V 100 VA	505235.10	18
57	Sich. Autom. Moeller 1p B16 (PXL)	504348.61	19

Accessories

Position number	Short descr. of the item	Item No.	Page
58	Silikonkartusche Transparent	507353.00	20
59	Dichtband isoTHERM ST-Band selbstklebend	505517.40	20
60	Silikonkartusche Hitze fest rot	507353.02	20



1



2



3



4







5



6



7




8



9






10




11



12



spray pipe supply line
complete



13



14



15



16




17



18



19




20





21



22



23



24






25



26




27




28








29




30




31




32




33





34



35



36



37



38





39



40







44



45









46




47









53



54



55



56





58



59



60

