

Зип Общепит

FORNO ELETTRICO ENTRY MAX

vsezip.ru

ENTRY MAX ELECTRIC OVEN

+7(812)987-08-81

FOUR ELECTRIQUE ENTRY MAX

ENTRY MAX ELECTRICOFEN

HORNO ELECTRICO ENTRY MAX

ENTRY MAX ЭЛЕКТРИЧЕСКАЯ ПЕЧЬ



IT **Espolsi e lista ricambi**



EN **Exploded view and spare parts list**



Зип Общепит
vsezip.ru
+7(812)987-08-81


vsezip.ru

+7(812)987-08-81




vsezip.ru

+7(812)987-08-81




vsezip.ru

+7(812)987-08-81



COMPLETE DOOR for model 4-6-8-12; Exploded view position 3, code S35FN55066



COMPLETE DOOR for model 6L-9-12L-18; Exploded view position 3, code S35FN55067

Entry 4 MAX code P07EN10017

Pos.	Code	Description
1	S40FN55007	Entry LH side panel 4-6L MAX
2	S40FN55005	Entry RH side panel 4-6L MAX
3	S35FN55066	Entry complete door 4-6-8-12 MAX
3.1	S66PT55025	Entry door assembly 4-6-8-12 MAX
3.2	S34FN55016	Counterdoor assembly 4-6-8-12 MAX
3.3	A90MI65003	Elesa handle I 280/115 M12
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65008	Hollow tile 350x700x14
5	A87RZ65005	Resistor 2800 W 230 V Prime 4-8
6	A87RZ65005	Resistor 2800 W 230 V Prime 4-8
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX77005	Single-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V±12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61007	Hollow tile RH Entry MAX 4-6L-8-12L
R-3	S41CM61008	Hollow tile LH Entry MAX 4-6L-8-12L
R-4	S41CM61003	Back Hollow tile Prime 8
R-5	A95OO65008	Hollow tile 350x700x14

Entry 8 MAX code P07EN10021

Pos.	Code	Description
1	S40FN55003	Entry LH side panel 8-12L MAX
2	S40FN55001	Entry RH side panel 8-12L MAX
3	S35FN55066	Entry complete door 4-6-8-12 MAX
3.1	S66PT55025	Entry door assembly 4-6-8-12 MAX
3.2	S34FN55016	Counterdoor assembly 4-6-8-12 MAX
3.3	A90MI65003	Elesa handle I 280/115 M12
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65008	Hollow tile 350x700x14
5	A87RZ65005	Resistor 2800 W 230 V Prime 4-8
6	A87RZ65005	Resistor 2800 W 230 V Prime 4-8
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX77005	Single-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V÷12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61007	Hollow tile RH Entry MAX 4-6L-8-12L
R-3	S41CM61008	Hollow tile LH Entry MAX 4-6L-8-12L
R-4	S41CM61003	Back Hollow tile Prime 8
R-5	A95OO65008	Hollow tile 350x700x14

Entry 6 MAX code P07EN10018

Pos.	Code	Description
1	S40FN55021	Entry LH side panel 6-9 MAX
2	S40FN55023	Entry RH side panel 6-9 MAX
3	S35FN55066	Entry complete door 4-6-8-12 MAX
3.1	S66PT55025	Entry door assembly 4-6-8-12 MAX
3.2	S34FN55016	Counterdoor assembly 4-6-8-12 MAX
3.3	A90MI65003	Elesa handle I 280/115 M12
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65009	Hollow tile 350x1050x14
5	A87RZ65065	Resistor 3650 W 230 V
6	A87RZ65065	Resistor 3650 W 230 V
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX77005	Single-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V÷12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61010	Hollow tile RH Entry MAX 6-9-12-18
R-3	S41CM61009	Hollow tile LH Entry MAX 6-9-12-18
R-4	S41CM61003	Back Hollow tile Prime 8
R-5	A95OO65009	Hollow tile 350x1050x14

Entry12 MAX code P07EN10022

Pos.	Code	Description
1	S40FN55019	Entry LH side panel 12-18 MAX
2	S40FN55017	Entry RH side panel 12-18 MAX
3	S35FN55066	Entry complete door 4-6-8-12 MAX
3.1	S66PT55025	Entry door assembly 4-6-8-12 MAX
3.2	S34FN55016	Counterdoor assembly 4-6-8-12 MAX
3.3	A90MI65003	Elesa handle I 280/115 M12
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65009	Hollow tile 350x1050x14
5	A87RZ65065	Resistor 3650 W 230 V
6	A87RZ65065	Resistor 3650 W 230 V
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX77005	Single-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V÷12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61010	Hollow tile RH Entry MAX 6-9-12-18
R-3	S41CM61009	Hollow tile LH Entry MAX 6-9-12-18
R-4	S41CM61003	Back Hollow tile Prime 8
R-5	A95OO65009	Hollow tile 350x1050x14

Entry6L MAX code P07EN10019

Pos.	Code	Description
1	S40FN55007	Entry LH side panel 4-6L MAX
2	S40FN55005	Entry RH side panel 4-6L MAX
3	S35FN55067	Entry complete door 6L-9-12L-18 MAX
3.1	S66PT55026	Entry door assembly 6L-9-12L-18 MAX
3.2	S34FN55018	Counterdoor assembly 6L-9-12L-18 MAX
3.3	S66MG55003	Handle assembly 6L-9-12L-18 Entry MAX
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65008	Hollow tile 350x700x14
5	A87RZ65010	Resistor 900 W 230 V
6	A87RZ65007	Resistor 750 W 230 V
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX85003	Three-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V÷12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61007	Hollow tile RH Entry MAX 4-6L-8-12L
R-3	S41CM61008	Hollow tile LH Entry MAX 4-6L-8-12L
R-4	S41CM61006	Back Hollow tile Prime 6L-9
R-5	A95OO65008	Hollow tile 350x700x14

Entry12LMAX codeP07EN10023

Pos.	Code	Description
1	S40FN55003	Entry LH side panel 8-12L MAX
2	S40FN55001	Entry RH side panel 8-12L MAX
3	S35FN55067	Entry complete door 6L-9-12L-18 MAX
3.1	S66PT55026	Entry door assembly 6L-9-12L-18 MAX
3.2	S34FN55018	Counterdoor assembly 6L-9-12L-18 MAX
3.3	S66MG55003	Handle assembly 6L-9-12L-18 Entry MAX
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65008	Hollow tile 350x700x14
5	A87RZ65010	Resistor 900 W 230 V
6	A87RZ65007	Resistor 750 W 230 V
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX85003	Three-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V÷12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61007	Hollow tile RH Entry MAX 4-6L-8-12L
R-3	S41CM61008	Hollow tile LH Entry MAX 4-6L-8-12L
R-4	S41CM61006	Back Hollow tile Prime 6L-9
R-5	A95OO65008	Hollow tile 350x700x14

Entry 9 MAX code P07EN10018

Pos.	Code	Description
1	S40FN55021	Entry LH side panel 6-9 MAX
2	S40FN55023	Entry RH side panel 6-9 MAX
3	S35FN55067	Entry complete door 6L-9-12L-18 MAX
3.1	S66PT55026	Entry door assembly 6L-9-12L-18 MAX
3.2	S34FN55018	Counterdoor assembly 6L-9-12L-18 MAX
3.3	S66MG55003	Handle assembly 6L-9-12L-18 Entry MAX
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65009	Hollow tile 350x1050x14
5	A87RZ65008	Resistor 1250 W 230 V
6	A87RZ65010	Resistor 900 W 230 V
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX85003	Three-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V÷12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61010	Hollow tile RH Entry MAX 6-9-12-18
R-3	S41CM61009	Hollow tile LH Entry MAX 6-9-12-18
R-4	S41CM61006	Back Hollow tile Prime 6L-9
R-5	A95OO65009	Hollow tile 350x1050x14

Entry18 MAX code P07EN10018

Pos.	Code	Description
1	S40FN55019	Entry LH side panel 12-18 MAX
2	S40FN55017	Entry RH side panel 12-18 MAX
3	S35FN55067	Entry complete door 6L-9-12L-18 MAX
3.1	S66PT55026	Entry door assembly 6L-9-12L-18 MAX
3.2	S34FN55018	Counterdoor assembly 6L-9-12L-18 MAX
3.3	S66MG55003	Handle assembly 6L-9-12L-18 Entry MAX
3.4	A00PT55003	Entry glass ceramic plate
3.5	A94GU65002	Joint Entry
4	A95OO65009	Hollow tile 350x1050x14
5	A87RZ65008	Resistor 1250 W 230 V
6	A87RZ65010	Resistor 900 W 230 V
7	A90MP65001	Spheric knob PLX.30-M8-C9
8	A87IL74009	Rectangular glass for lamp
9	A87CX62006	Mammut assembly
10	A87IL73010	Lamp holder 80x65 G4 12V 20W
11	A87IL72013	Hlogen lamp 12V 20W G4 T=450°C
12	A86EL46004	Cable gland OBO 106 PG 21
13	A86EL47003	Nut for cable gland OBO 106 PG 11
14	A88TX85003	Three-phase thermostat Tmax=450°
15	A87AZ69006	Red single-pole switch
16	S73FN55009	Thermostat knob AP10 scale 0-10
17	A87IL72005	Warning light lamp 380 V
18	A88TC83001	Analogue thermometer 0-500°C
19	A93OL65049	Entry control label MAX PizzaGroup
20	A87AZ69004	Four-pole switch 16A
22	A93AD00011	Resin coated label "PizzaGroup"
27	A86EL48001	Equipotential connection
29	A87IL72012	Transformer 40VA 50/60Hz 230V÷12V
30	S49IN55011	Transformer support

Options - Full refractory stone chamber		
Pos.	Code	Description
R-1	A87IL74006	Dome-form lamp glass
R-2	S41CM61010	Hollow tile RH Entry MAX 6-9-12-18
R-3	S41CM61009	Hollow tile LH Entry MAX 6-9-12-18
R-4	S41CM61006	Back Hollow tile Prime 6L-9
R-5	A95OO65009	Hollow tile 350x1050x14

Зип Общепит
vsezip.ru
+7(812)987-08-81

Manufactur:

Pizzagroup S.r.l.

Via Carnia 15, Z.I.P.R.

33078, San Vito al Tagliamento (PN), Italy

Tel. +39 0434 857000

Fax +39 0434 857001

E-mail: pizzagroup@pizzagroup.com

Website: www.pizzagroup.com